

SAFETY DATA SHEET

BCHPC



Version 2.1 Revision Date: 20.07.2023 SDS Number: 600000000023 Date of last issue: 09.02.2021
Date of first issue: 03.02.2017

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : BCHPC

Manufacturer or supplier's details

Company : United Initiators Pty Ltd
Address : 20-22 McPherson Street
Banksmeadow NSW 2019 Australia
Telephone : +61 2 9188 3690 (Monday–Friday office hours only)
Emergency telephone number : +49 89 744220 (24 hours specialist advise)
E-mail address : cs-initiators.au@united-in.com

Recommended use of the chemical and restrictions on use


Recommended use : polymerisation initiators

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification

Organic peroxides : Type C
Skin sensitisation : Category 1
Short-term (acute) aquatic hazard : Category 3
Long-term (chronic) aquatic hazard : Category 3

GHS label elements

Hazard pictograms : 

Signal word : Danger

Hazard statements : H242 Heating may cause a fire.
H317 May cause an allergic skin reaction.
H412 Harmful to aquatic life with long lasting effects.

SAFETY DATA SHEET

BCHPC



Version 2.1 Revision Date: 20.07.2023 SDS Number: 600000000023 Date of last issue: 09.02.2021
Date of first issue: 03.02.2017

Precautionary statements :

Prevention:

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P234 Keep only in original packaging.
P240 Ground and bond container and receiving equipment.
P261 Avoid breathing dust.
P272 Contaminated work clothing should not be allowed out of the workplace.
P273 Avoid release to the environment.
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection/ hearing protection.

Response:

P302 + P352 IF ON SKIN: Wash with plenty of water.
P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.
P362 + P364 Take off contaminated clothing and wash it before reuse.
P370 + P378 In case of fire: Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide to extinguish.

Storage:

P403 Store in a well-ventilated place.
P410 Protect from sunlight.
P411 Store at temperatures not exceeding < 20 °C/ < 68 °F.
P420 Store separately.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards which do not result in classification

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Substance

Chemical nature : Organic Peroxide
Solid

Substance name : Di(4-tert-butylcyclohexyl) peroxydicarbonate

CAS-No. : 15520-11-3

Components

Chemical name	CAS-No.	Concentration (% w/w)
Di(4-tert-butylcyclohexyl) peroxydicarbonate	15520-11-3	<= 100

SAFETY DATA SHEET

BCHPC



Version	Revision Date:	SDS Number:	Date of last issue: 09.02.2021
2.1	20.07.2023	600000000023	Date of first issue: 03.02.2017

SECTION 4. FIRST AID MEASURES

- General advice : Take off contaminated clothing and shoes immediately.
Call a physician immediately.
Never give anything by mouth to an unconscious person.
If unconscious, place in recovery position and seek medical advice.
Move out of dangerous area.
Show this safety data sheet to the doctor in attendance.
Do not leave the victim unattended.
Symptoms of poisoning may appear several hours later.
- If inhaled : Administer oxygen if breathing is difficult or cyanosis is observed.
If breathed in, move person into fresh air.
If not breathing, give artificial respiration.
If unconscious, place in recovery position and seek medical advice.
If symptoms persist, call a physician.
- In case of skin contact : If symptoms persist, call a physician.
In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes.
Wash contaminated clothing before re-use.
If on skin, rinse well with water.
If on clothes, remove clothes.
- In case of eye contact : In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
Remove contact lenses.
Protect unharmed eye.
Keep eye wide open while rinsing.
If eye irritation persists, consult a specialist.
- If swallowed : Call a physician immediately.
Rinse mouth thoroughly with water.
Keep respiratory tract clear.
If symptoms persist, call a physician.
- Most important symptoms and effects, both acute and delayed : May cause an allergic skin reaction.
- Protection of first-aiders : First Aid responders should pay attention to self-protection and use the recommended protective clothing
- Notes to physician : Treat symptomatically and supportively.

SAFETY DATA SHEET

BCHPC



Version	Revision Date:	SDS Number:	Date of last issue: 09.02.2021
2.1	20.07.2023	60000000023	Date of first issue: 03.02.2017

SECTION 5. FIREFIGHTING MEASURES

- Suitable extinguishing media : Water spray jet
Alcohol-resistant foam
Carbon dioxide (CO₂)
Dry chemical
- Unsuitable extinguishing media : High volume water jet
- Specific hazards during fire-fighting : Risk of explosion if heated under confinement.
Possible emission of gaseous decomposition products may lead to a dangerous pressure build-up.
Avoid confinement.
Contact with incompatible materials or exposure to temperatures exceeding SADT may result in a self-accelerating decomposition reaction with release of flammable vapours which may auto-ignite.
The product burns violently.
Flash back possible over considerable distance.
Do not allow run-off from fire fighting to enter drains or water courses.
Vapours may form explosive mixtures with air.
The product will float on water and can be reignited on surface water.
Cool closed containers exposed to fire with water spray.
- Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Use a water spray to cool fully closed containers.
Collect contaminated fire extinguishing water separately. This must not be discharged into drains.
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
- Do not use a solid water stream as it may scatter and spread fire.
Remove undamaged containers from fire area if it is safe to do so.
Use water spray to cool unopened containers.
- Special protective equipment for firefighters : Wear self-contained breathing apparatus for firefighting if necessary.
Use personal protective equipment.
- Hazchem Code : 1WE
-

SECTION 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency measures : Follow safe handling advice and personal protective equipment recommendations.

SAFETY DATA SHEET

BCHPC



Version	Revision Date:	SDS Number:	Date of last issue: 09.02.2021
2.1	20.07.2023	60000000023	Date of first issue: 03.02.2017

Avoid contact with skin and eyes.
Take precautionary measures against static discharges.
Never return any product to the container from which it was originally removed.
Provide sufficient air exchange and/or exhaust in work rooms.
Avoid confinement.
Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
Smoking, eating and drinking should be prohibited in the application area.
Wash thoroughly after handling.
For personal protection see section 8.
Persons susceptible to skin sensitisation problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used.

- Hygiene measures : Avoid contact with skin, eyes and clothing.
Keep away from food and drink.
When using do not eat or drink.
When using do not smoke.
Wash hands before breaks and immediately after handling the product.
- Conditions for safe storage : Store in original container.
Keep containers tightly closed in a cool, well-ventilated place.
Store in cool place.
Keep in a well-ventilated place.
Contamination may result in dangerous pressure increases - closed containers may rupture.
Observe label precautions.
Store in accordance with the particular national regulations.
Avoid impurities (e.g. rust, dust, ash), risk of decomposition.
Electrical installations / working materials must comply with the technological safety standards.
Containers which are opened must be carefully resealed and kept upright to prevent leakage.
- Materials to avoid : Keep away from strong acids, bases, heavy metal salts and other reducing substances.
- Recommended storage temperature : < 20 °C
- Further information on storage stability : No decomposition if stored normally.

SAFETY DATA SHEET

BCHPC



Version	Revision Date:	SDS Number:	Date of last issue: 09.02.2021
2.1	20.07.2023	600000000023	Date of first issue: 03.02.2017

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Contains no substances with occupational exposure limit values.

Engineering measures : Minimize workplace exposure concentrations.

Personal protective equipment

Respiratory protection : In the case of dust or aerosol formation use respirator with an approved filter.

Filter type : Filter type P

Hand protection

Material : butyl-rubber

Break through time : 480 min

Glove thickness : 0.47 mm

Material : Nitrile rubber

Break through time : 480 min

Glove thickness : 0.40 mm

Remarks : The data about break through time/strength of material are standard values! The exact break through time/strength of material has to be obtained from the producer of the protective glove. Choose gloves to protect hands against chemicals depending on the concentration and quantity of the hazardous substance and specific to place of work. For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer. Wash hands before breaks and at the end of workday.

Eye protection : Ensure that eyewash stations and safety showers are close to the workstation location.
Please follow all applicable local/national requirements when selecting protective measures for a specific workplace.
Always wear eye protection when the potential for inadvertent eye contact with the product cannot be excluded.
Tightly fitting safety goggles
Please wear suitable protective goggles. Also wear face protection if there is a splash hazard.

Skin and body protection : Select appropriate protective clothing based on chemical resistance data and an assessment of the local exposure potential.
Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, dis-

SAFETY DATA SHEET

BCHPC



Version	Revision Date:	SDS Number:	Date of last issue: 09.02.2021
2.1	20.07.2023	600000000023	Date of first issue: 03.02.2017

posable suits) to avoid exposed skin surfaces.
Wear as appropriate:
Flame retardant antistatic protective clothing.

Protective measures : The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	powder
Colour	:	white
Odour	:	characteristic
Odour Threshold	:	No data available
pH	:	substance/mixture is non-soluble (in water)
Melting point/freezing point	:	82 °C Decomposition: Decomposes below the melting point.
Initial boiling point and boiling range	:	Decomposition: Decomposes below the boiling point.
Flash point	:	Not applicable
Evaporation rate	:	Not applicable
Flammability (solid, gas)	:	Organic peroxide
Self-ignition	:	The substance or mixture is not classified as pyrophoric.
Upper explosion limit / Upper flammability limit	:	Upper explosion limit No data available
Lower explosion limit / Lower flammability limit	:	Lower explosion limit No data available
Vapour pressure	:	> 0.001 hPa (20 °C)
Relative vapour density	:	Not applicable
Relative density	:	not determined

SAFETY DATA SHEET

BCHPC



Version	Revision Date:	SDS Number:	Date of last issue: 09.02.2021
2.1	20.07.2023	600000000023	Date of first issue: 03.02.2017

Density	:	not determined
Bulk density	:	ca. 500 kg/m ³ (20 °C)
Solubility(ies) Water solubility	:	0.0056 g/l insoluble (5 °C)
Partition coefficient: n- octanol/water	:	log Pow: 8.34 The value is calculated
Auto-ignition temperature	:	not determined
Self-Accelerating decomposi- tion temperature (SADT)	:	45 °C Method: UN-Test H.4 SADT-Self Accelerating Decomposition Temperature. Lowest temperature at which the tested package size will undergo a self-accelerating decomposition reaction.
Viscosity Viscosity, dynamic	:	Not applicable
Viscosity, kinematic	:	Not applicable
Explosive properties	:	Not explosive Avoid dust formation.
Oxidizing properties	:	The substance or mixture is not classified as oxidizing. Organic peroxide
Self-heating substances	:	The substance or mixture is not classified as self heating.
Particle size	:	not determined

SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	Stable under recommended storage conditions. Heating may cause a fire or explosion.
Chemical stability	:	Stable under recommended storage conditions. No decomposition if stored normally.
Possibility of hazardous reac- tions	:	Dust may form explosive mixture in air.
Conditions to avoid	:	Protect from contamination. Contact with incompatible substances can cause decomposi- tion at or below SADT. Heat, flames and sparks. Avoid confinement.

SAFETY DATA SHEET

BCHPC



Version 2.1 Revision Date: 20.07.2023 SDS Number: 60000000023 Date of last issue: 09.02.2021
Date of first issue: 03.02.2017

Incompatible materials : Accelerators, strong acids and bases, heavy metals and heavy metal salts, reducing agents

Hazardous decomposition products : Irritant, caustic, flammable, noxious/toxic gases and vapours can develop in the case of fire and decomposition

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Not classified based on available information.

Product:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg
Method: OECD Test Guideline 401
Assessment: The component/mixture is minimally toxic after single ingestion.

Acute inhalation toxicity : Remarks: No data available

Acute dermal toxicity : Remarks: No data available

Components:

Di(4-tert-butylcyclohexyl) peroxydicarbonate:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg
Method: OECD Test Guideline 401
Assessment: The component/mixture is minimally toxic after single ingestion.

Acute inhalation toxicity : Remarks: No data available

Acute dermal toxicity : Remarks: No data available

Skin corrosion/irritation

Not classified based on available information.

Product:

Species : Rabbit
Method : OECD Test Guideline 404
Result : No skin irritation

Remarks : May cause skin irritation in susceptible persons.

Components:

Di(4-tert-butylcyclohexyl) peroxydicarbonate:

Species : Rabbit
Method : OECD Test Guideline 404

SAFETY DATA SHEET

BCHPC



Version 2.1 Revision Date: 20.07.2023 SDS Number: 600000000023 Date of last issue: 09.02.2021
Date of first issue: 03.02.2017

Result : No skin irritation

Serious eye damage/eye irritation

Not classified based on available information.

Product:

Species : Rabbit
Result : No eye irritation
Method : OECD Test Guideline 405

Remarks : Product dust may be irritating to eyes, skin and respiratory system.

Components:

Di(4-tert-butylcyclohexyl) peroxydicarbonate:

Species : Rabbit
Result : No eye irritation
Method : OECD Test Guideline 405

Respiratory or skin sensitisation

Skin sensitisation

May cause an allergic skin reaction.

Respiratory sensitisation

Not classified based on available information.

Product:

Species : Mouse
Method : OECD Test Guideline 429
Result : May cause sensitisation by skin contact.

Remarks : Causes sensitisation.

Components:

Di(4-tert-butylcyclohexyl) peroxydicarbonate:

Species : Mouse
Method : OECD Test Guideline 429
Result : May cause sensitisation by skin contact.

Chronic toxicity

Germ cell mutagenicity

Not classified based on available information.

Product:

Genotoxicity in vitro : Method: OECD Test Guideline 471

SAFETY DATA SHEET

BCHPC



Version	Revision Date:	SDS Number:	Date of last issue: 09.02.2021
2.1	20.07.2023	600000000023	Date of first issue: 03.02.2017

Result: negative

Method: OECD Test Guideline 476
Result: negative

Method: OECD Test Guideline 487
Result: negative

Genotoxicity in vivo : Remarks: No data available

Components:

Di(4-tert-butylcyclohexyl) peroxydicarbonate :

Genotoxicity in vitro : Method: OECD Test Guideline 471
Result: negative

Method: OECD Test Guideline 476
Result: negative

Method: OECD Test Guideline 487
Result: negative

Genotoxicity in vivo : Remarks: No data available

Carcinogenicity

Not classified based on available information.

Product:

Remarks : This information is not available.

Components:

Di(4-tert-butylcyclohexyl) peroxydicarbonate :

Remarks : This information is not available.

Reproductive toxicity

Not classified based on available information.

Components:

Di(4-tert-butylcyclohexyl) peroxydicarbonate :

Effects on fertility : Remarks: This information is not available.

Effects on foetal development : Remarks: This information is not available.

STOT - single exposure

Not classified based on available information.

SAFETY DATA SHEET

BCHPC



Version 2.1 Revision Date: 20.07.2023 SDS Number: 600000000023 Date of last issue: 09.02.2021
Date of first issue: 03.02.2017

Product:

Remarks : No data available

Components:

Di(4-tert-butylcyclohexyl) peroxydicarbonate :

Remarks : No data available

STOT - repeated exposure

Not classified based on available information.

Repeated dose toxicity

Product:

Species : Rat
NOAEL : 500 mg/kg
LOAEL : 1,000 mg/kg
Application Route : Oral
Exposure time : 28 d
Method : OECD Test Guideline 407

Components:

Di(4-tert-butylcyclohexyl) peroxydicarbonate :

Species : Rat
NOAEL : 500 mg/kg
LOAEL : 1,000 mg/kg
Application Route : Oral
Exposure time : 28 d
Method : OECD Test Guideline 407

Aspiration toxicity

Not classified based on available information.

Product:

No data available

Components:

Di(4-tert-butylcyclohexyl) peroxydicarbonate :

No data available

Further information

Product:

Remarks : No data available

SAFETY DATA SHEET

BCHPC



Version 2.1 Revision Date: 20.07.2023 SDS Number: 600000000023 Date of last issue: 09.02.2021
Date of first issue: 03.02.2017

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Product:

- Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 704 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 42 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202
- Toxicity to algae/aquatic plants : EC50 (Desmodesmus subspicatus (green algae)): 39 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201

Ecotoxicology Assessment

- Acute aquatic toxicity : Harmful to aquatic life.
- Chronic aquatic toxicity : Harmful to aquatic life with long lasting effects.

Components:

Di(4-tert-butylcyclohexyl) peroxydicarbonate:

- Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 704 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 42 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202
- Toxicity to algae/aquatic plants : EC50 (Desmodesmus subspicatus (green algae)): 39 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201

Ecotoxicology Assessment

- Acute aquatic toxicity : Harmful to aquatic life.
- Chronic aquatic toxicity : Harmful to aquatic life with long lasting effects.

Persistence and degradability

Product:

- Biodegradability : Result: Not readily biodegradable.
Method: OECD Test Guideline 301B

SAFETY DATA SHEET

BCHPC



Version	Revision Date:	SDS Number:	Date of last issue: 09.02.2021
2.1	20.07.2023	600000000023	Date of first issue: 03.02.2017

Components:

Di(4-tert-butylcyclohexyl) peroxydicarbonate:

Biodegradability : Result: Not readily biodegradable.
Method: OECD Test Guideline 301B

Bioaccumulative potential

Product:

Bioaccumulation : Bioconcentration factor (BCF): 2,926

Components:

Di(4-tert-butylcyclohexyl) peroxydicarbonate:

Bioaccumulation : Bioconcentration factor (BCF): 2,926

Partition coefficient: n-octanol/water : log Pow: 8.34
Remarks: Calculation

Mobility in soil

No data available

Other adverse effects

Product:

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.
Harmful to aquatic life with long lasting effects.

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

- Waste from residues : Dispose of wastes in an approved waste disposal facility.
The product should not be allowed to enter drains, water courses or the soil.
Do not contaminate ponds, waterways or ditches with chemical or used container.
- Contaminated packaging : Dispose of in accordance with local regulations.
Clean container with water.
Dispose of contents/ container to an approved waste disposal plant.
Empty remaining contents.
Dispose of as unused product.
Do not re-use empty containers.
Do not burn, or use a cutting torch on, the empty drum.

SAFETY DATA SHEET

BCHPC



Version	Revision Date:	SDS Number:	Date of last issue: 09.02.2021
2.1	20.07.2023	600000000023	Date of first issue: 03.02.2017

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UN number : UN 3114
Proper shipping name : ORGANIC PEROXIDE TYPE C, SOLID, TEMPERATURE CONTROLLED (DI-(4-tert-BUTYLCYCLOHEXYL) PEROXYDICARBONATE)
Class : 5.2
Packing group : Not assigned by regulation
Labels : 5.2

IATA-DGR

Not permitted for transport

IMDG-Code

UN number : UN 3114
Proper shipping name : ORGANIC PEROXIDE TYPE C, SOLID, TEMPERATURE CONTROLLED (DI-(4-tert-BUTYLCYCLOHEXYL)PEROXYDICARBONATE)
Class : 5.2
Packing group : Not assigned by regulation
Labels : 5.2
EmS Code : F-F, S-R
Marine pollutant : no

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National Regulations

ADG

UN number : UN 3114
Proper shipping name : ORGANIC PEROXIDE TYPE C, SOLID, TEMPERATURE CONTROLLED (DI-(4-tert-BUTYLCYCLOHEXYL) PEROXYDICARBONATE)
Class : 5.2
Packing group : Not assigned by regulation
Labels : 5.2
Hazchem Code : 1WE

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

Additional advice

Temperature controlled transport.:
Control temperature : 30 °C

SAFETY DATA SHEET

BCHPC



Version	Revision Date:	SDS Number:	Date of last issue: 09.02.2021
2.1	20.07.2023	600000000023	Date of first issue: 03.02.2017

Emergency temperature : 35 °C

SECTION 15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

Gefahrgruppe nach DGUV 13 Vorschrift 13 (bisher BGV B4): Ia (German regulatory requirements)

Standard for the Uniform Scheduling of Medicines and Poisons : No poison schedule number allocated

Prohibition/Licensing Requirements : There is no applicable prohibition, authorisation and restricted use requirements, including for carcinogens referred to in Schedule 10 of the model WHS Act and Regulations.

The components of this product are reported in the following inventories:

TCSI (TW) : On the inventory, or in compliance with the inventory

TSCA (US) : All substances listed as active on the TSCA inventory

AIC (AU) : On the inventory, or in compliance with the inventory

DSL (CA) : All components of this product are on the Canadian DSL

ENCS (JP) : On the inventory, or in compliance with the inventory

ISHL (JP) : On the inventory, or in compliance with the inventory

KECI (KR) : On the inventory, or in compliance with the inventory

PICCS (PH) : On the inventory, or in compliance with the inventory

IECSC (CN) : On the inventory, or in compliance with the inventory

SECTION 16. OTHER INFORMATION

Further information

Revision Date : 20.07.2023

SAFETY DATA SHEET

BCHPC



Version	Revision Date:	SDS Number:	Date of last issue: 09.02.2021
2.1	20.07.2023	60000000023	Date of first issue: 03.02.2017

- Other information : This safety datasheet only contains information relating to safety and does not replace any product information or product specification.
These safety instructions also apply to empty packaging which may still contain product residues.
The hazards on the label also apply to residues in the container.
- Sources of key data used to compile the Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>
- Date format : dd.mm.yyyy

Full text of other abbreviations

AIIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guid-

SAFETY DATA SHEET

BCHPC



Version	Revision Date:	SDS Number:	Date of last issue: 09.02.2021
2.1	20.07.2023	600000000023	Date of first issue: 03.02.2017

ance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

AU / EN