BCHPC



Version 3.1

Revision Date:

SDS Number (Internal):

MSDS number: AA00974-0000000491 Date of last issue: 2024/02/07

2024/03/13

600000000023

Date of first issue: 2017/07/05

1. PRODUCT AND COMPANY IDENTIFICATION

Product name : BCHPC

Recommended use of the chemical and restrictions on use

Recommended use : Other processing aids

polymerisation initiators

Manufacturer or supplier's details

Company : United Initiators GmbH

Address : Dr.-Gustav-Adolph-Str. 3

82049 Pullach

Telephone : +49 / 89 / 74422 - 0

Emergency telephone number : +82-02-6245-1610

E-mail address : contact@united-in.com

2. HAZARDS IDENTIFICATION

GHS Classification

Organic peroxides : Type C

Skin sensitisation : Category 1

Long-term (chronic) aquatic

hazard

Category 3

GHS label elements

Hazard pictograms





Signal word : Danger

Hazard statements : H242 Heating may cause a fire.

H317 May cause an allergic skin reaction.

H412 Harmful to aquatic life with long lasting effects.

Precautionary statements : Prevention:

BCHPC



Version 3.1

Revision Date: 2024/03/13

SDS Number (Inter-

Date of last issue: 2024/02/07

MSDS number: AA00974-0000000491

nal):

600000000023

Date of first issue: 2017/07/05

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P234 Keep only in original packaging.

P235 Keep cool.

P240 Ground and bond container and receiving equipment.

P261 Avoid breathing dust.

P272 Contaminated work clothing should not be allowed out of the workplace.

P273 Avoid release to the environment.

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

Response:

P302 + P352 IF ON SKIN: Wash with plenty of water.

P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.

P362 + P364 Take off contaminated clothing and wash it before reuse.

P370 + P378 In case of fire: Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide to extinguish.

Storage:

P403 Store in a well-ventilated place.

P410 Protect from sunlight.

Store at temperatures not exceeding < 20 °C/ < 68 °F. P411

P420 Store separately.

Disposal:

P501 Dispose of contents/ container according to waste-related laws

Other hazards which do not result in classification

No data available

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture Substance

Chemical nature Organic Peroxide

Solid

Components

Chemical name	Common	CAS-No.	Concentration (%
	Name		w/w)
Di(4-tert-butylcyclohexyl) peroxydicar-	Di(4-tert-	15520-11-3	<= 100
bonate	butylcyclo-		
	hexyl) perox-		
	ydicarbonate		

BCHPC



Version 3.1

Revision Date: 2024/03/13

SDS Number (Inter-

nal):

600000000023

MSDS number: AA00974-0000000491

Date of last issue: 2024/02/07 Date of first issue: 2017/07/05

4. FIRST AID MEASURES

General advice Take off contaminated clothing and shoes immediately.

Call a physician immediately.

Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and seek medical

advice.

Move out of dangerous area.

Show this safety data sheet to the doctor in attendance.

Do not leave the victim unattended.

Symptoms of poisoning may appear several hours later.

In the case of contact with eyes, rinse immediately with plenty In case of eye contact

of water and seek medical advice.

Remove contact lenses. Protect unharmed eye.

Keep eye wide open while rinsing.

If eye irritation persists, consult a specialist.

In case of skin contact If symptoms persist, call a physician.

> In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing

and shoes.

Wash contaminated clothing before re-use.

If on skin, rinse well with water. If on clothes, remove clothes.

If inhaled Administer oxygen if breathing is difficult or cyanosis is ob-

served.

If breathed in, move person into fresh air. If not breathing, give artificial respiration.

If unconscious, place in recovery position and seek medical

advice.

If symptoms persist, call a physician.

If swallowed Call a physician immediately.

Rinse mouth thoroughly with water.

Keep respiratory tract clear.

If symptoms persist, call a physician.

Most important symptoms

and effects, both acute and

delayed

May cause an allergic skin reaction.

sensitising effects

Protection of first-aiders First Aid responders should pay attention to self-protection

and use the recommended protective clothing

BCHPC



Version 3.1

Revision Date: 2024/03/13

SDS Number (Inter-

Date of last issue: 2024/02/07

MSDS number: AA00974-0000000491

nal):

600000000023 Date of first issue: 2017/07/05

Notes to physician Treat symptomatically and supportively.

5. FIREFIGHTING MEASURES

Suitable and unsuitable extinguishing media

Suitable extinguishing media Water spray jet

Alcohol-resistant foam Carbon dioxide (CO2)

Dry chemical

Unsuitable extinguishing

media

High volume water jet

Specific hazards during fire-

fighting

Risk of explosion if heated under confinement.

Possible emission of gaseous decomposition products may

lead to a dangerous pressure build-up.

Avoid confinement.

Contact with incompatible materials or exposure to temperatures exceeding SADT may result in a self-accelerating decomposition reaction with release of flammable vapors which

may auto-ignite.

The product burns violently.

Flash back possible over considerable distance.

Do not allow run-off from fire fighting to enter drains or water

courses.

Vapours may form explosive mixtures with air.

The product will float on water and can be reignited on surface

water.

Cool closed containers exposed to fire with water spray.

Specific extinguishing meth-

ods

Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment. Use a water spray to cool fully closed containers.

Collect contaminated fire extinguishing water separately. This must not be discharged into drains.

Fire residues and contaminated fire extinguishing water must

be disposed of in accordance with local regulations.

Do not use a solid water stream as it may scatter and spread

fire.

Remove undamaged containers from fire area if it is safe to do

Use water spray to cool unopened containers.

Special protective equipment

for firefighters

Wear self-contained breathing apparatus for firefighting if nec-

essary.

Use personal protective equipment.

6. ACCIDENTAL RELEASE MEASURES

BCHPC



Version 3.1

Revision Date: 2024/03/13

SDS Number (Internal):

MSDS number: AA00974-0000000491

Date of last issue: 2024/02/07

600000000023

Date of first issue: 2017/07/05

Personal precautions, protec- : tive equipment and emergency procedures

Follow safe handling advice and personal protective equip-

ment recommendations.

Use personal protective equipment.

Avoid dust formation. Avoid breathing dust.

Remove all sources of ignition.

Never return spills in original containers for re-use.

Treat recovered material as described in the section "Disposal

considerations".

Environmental precautions

Prevent product from entering drains.

Prevent further leakage or spillage if safe to do so.

If the product contaminates rivers and lakes or drains inform

respective authorities.

Methods and materials for containment and cleaning up Contact with incompatible substances can cause decomposi-

tion at or below SADT. Clear spills immediately.

Suppress (knock down) gases/vapours/mists with a water

spray jet.

To clean the floor and all objects contaminated by this materi-

al, use plenty of water.

Soak up with inert absorbent material. Isolate waste and do not reuse. Non-sparking tools should be used.

Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to deter-

mine which regulations are applicable.

7. HANDLING AND STORAGE

Technical measures See Engineering measures under EXPOSURE

CONTROLS/PERSONAL PROTECTION section.

Advice on protection against

fire and explosion

Take necessary action to avoid static electricity discharge

(which might cause ignition of organic vapours). Keep away from heat and sources of ignition.

Use only explosion-proof equipment.

Keep away from open flames, hot surfaces and sources of

ianition.

Keep away from combustible material.

Avoid dust formation.

Provide appropriate exhaust ventilation at places where dust

is formed.

Advice on safe handling Open drum carefully as content may be under pressure.

Avoid formation of respirable particles.

Protect from contamination.

Do not swallow.

Do not breathe vapours/dust.

BCHPC



Version 3.1

Revision Date: 2024/03/13

SDS Number (Internal):

MSDS number: AA00974-0000000491

Date of last issue: 2024/02/07

600000000023

Date of first issue: 2017/07/05

Avoid exposure - obtain special instructions before use.

Avoid contact with skin and eyes.

Take precautionary measures against static discharges. Never return any product to the container from which it was originally removed.

Provide sufficient air exchange and/or exhaust in work rooms. Avoid confinement.

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Smoking, eating and drinking should be prohibited in the application area.

Wash thoroughly after handling. For personal protection see section 8.

Persons susceptible to skin sensitisation problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used.

Conditions for safe storage

Store in original container.

Keep containers tightly closed in a cool, well-ventilated place.

Store in cool place.

Keep in a well-ventilated place.

Contamination may result in dangerous pressure increases -

closed containers may rupture. Observe label precautions.

Store in accordance with the particular national regulations. Avoid impurities (e.g. rust, dust, ash), risk of decomposition. Electrical installations / working materials must comply with

the technological safety standards.

Containers which are opened must be carefully resealed and

kept upright to prevent leakage.

Keep away from combustible materials. Materials to avoid

Keep away from strong acids, bases, heavy metal salts and

other reducing substances.

Recommended storage tem-

perature

< 20 °C

Further information on stor-

age stability

: Stable under recommended storage conditions.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Contains no substances with occupational exposure limit values.

BCHPC



Version 3.1

Revision Date:

SDS Number (Internal):

MSDS number: AA00974-0000000491

2024/03/13

Date of last issue: 2024/02/07

600000000023

Date of first issue: 2017/07/05

Engineering measures: Minimize workplace exposure concentrations.

Personal protective equipment. Among the following personal protective equipment, the PPEs which require safety certification need to be certified by KOSHA.

Respiratory protection : In the case of dust or aerosol formation use respirator with an

approved filter.

Filter type : Filter type P

Eye protection : Ensure that eyewash stations and safety showers are close

to the workstation location.

Please follow all applicable local/national requirements when selecting protective measures for a specific workplace. Always wear eye protection when the potential for inadvertent

eye contact with the product cannot be excluded.

Tightly fitting safety goggles

Please wear suitable protective goggles. Also wear face pro-

tection if there is a splash hazard.

Hand protection

Material : butyl-rubber
Break through time : <= 480 min
Glove thickness : 0.47 mm

Material : Nitrile rubber
Break through time : <= 480 min
Glove thickness : 0.40 mm

Remarks : The data about break through time/strength of material are

standard values! The exact break through time/strength of material has to be obtained from the producer of the protective glove. Choose gloves to protect hands against chemicals depending on the concentration and quantity of the hazardous substance and specific to place of work. For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer. Wash hands before breaks and at the end of

workday.

Skin and body protection : Select appropriate protective clothing based on chemical

resistance data and an assessment of the local exposure

potential.

Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, dis-

posable suits) to avoid exposed skin surfaces.

Wear as appropriate:

Flame retardant antistatic protective clothing.

Protective measures : The type of protective equipment must be selected according

to the concentration and amount of the dangerous substance

BCHPC



Version 3.1

Revision Date: 2024/03/13

SDS Number (Inter-

nal):

nai): 6000000000023 MSDS number: AA00974-0000000491

Date of last issue: 2024/02/07

Date of first issue: 2017/07/05

at the specific workplace.

Hygiene measures : Avoid contact with skin, eyes and clothing.

Keep away from food and drink. When using do not eat or drink. When using do not smoke.

Wash hands before breaks and immediately after handling

the product.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : powder

Colour : white

Odour : characteristic

Odour Threshold : No data available

pH : substance/mixture is non-soluble (in water)

Melting point/freezing point : 82 °C

Decomposition: Decomposes below the melting point.

Initial boiling point and boiling

range

Decomposition: Decomposes below the boiling point.

Flash point : Not applicable

Evaporation rate : Not applicable

Flammability (solid, gas) : Organic peroxide

Self-ignition : The substance or mixture is not classified as pyrophoric.

Upper explosion limit / Upper

flammability limit

Upper explosion limit No data available

Lower explosion limit / Lower

flammability limit

: Lower explosion limit No data available

Vapour pressure : > 0.001 hPa (20 °C)

BCHPC



Version 3.1

Revision Date: 2024/03/13

SDS Number (Inter-

MSDS number: AA00974-0000000491 nal):

Date of last issue: 2024/02/07

600000000023 Date of first issue: 2017/07/05

Bulk density ca. 500 kg/m3 (20 °C)

Solubility(ies)

Water solubility 0.0056 g/l insoluble (5 °C)

Relative vapour density Not applicable

Relative density not determined

Density not determined

Partition coefficient: n-

octanol/water

log Pow: 8.34

The value is calculated

Auto-ignition temperature not determined

Self-Accelerating decomposi-

tion temperature (SADT)

45 °C

Method: UN-Test H.4

SADT-Self Accelerating Decomposition Temperature. Lowest temperature at which the tested package size will undergo a

self-accelerating decomposition reaction.

Viscosity

Viscosity, dynamic Not applicable

Viscosity, kinematic Not applicable

Explosive properties Not explosive Avoid dust formation.

Oxidizing properties The substance or mixture is not classified as oxidizing.

Organic peroxide

Self-heating substances The substance or mixture is not classified as self heating.

Particle size not determined

10. STABILITY AND REACTIVITY

Chemical stability and possibility of hazardous reactions

Stable under recommended storage conditions., Heating may

cause a fire or explosion.

Stable under recommended storage conditions., No decom-

position if stored normally.

Dust may form explosive mixture in air.

Conditions to avoid Protect from contamination.

BCHPC



Version 3.1

Revision Date: 2024/03/13

SDS Number (Inter-

MSDS number: AA00974-0000000491

nal):

Date of last issue: 2024/02/07

600000000023

Date of first issue: 2017/07/05

Contact with incompatible substances can cause decomposi-

tion at or below SADT. Heat, flames and sparks. Avoid confinement.

Incompatible materials

Accelerators, strong acids and bases, heavy metals and

heavy metal salts, reducing agents

Hazardous decomposition

products

Irritant, caustic, flammable, noxious/toxic gases and vapours

can develop in the case of fire and decomposition

11. TOXICOLOGICAL INFORMATION

Information on likely routes of : No data available

exposure

Health hazard information

Acute toxicity

No data available

Product:

LD50 (Rat): > 5,000 mg/kgAcute oral toxicity

Method: OECD Test Guideline 401

Assessment: The component/mixture is minimally toxic after

single ingestion.

Acute inhalation toxicity Remarks: No data available

Acute dermal toxicity Remarks: No data available

Components:

Di(4-tert-butylcyclohexyl) peroxydicarbonate:

Acute oral toxicity LD50 (Rat): > 5,000 mg/kg

Method: OECD Test Guideline 401

Assessment: The component/mixture is minimally toxic after

single ingestion.

Remarks: No data available Acute inhalation toxicity

Acute dermal toxicity Remarks: No data available

Skin corrosion/irritation

Not applicable

Product:

Species Rabbit

Method OECD Test Guideline 404

Result No skin irritation

BCHPC



Version Revision Date: SDS Number (Inter- MSDS number: AA00974-0000000491

3.1 2024/03/13 nal): Date of last issue: 2024/02/07

60000000023 Date of first issue: 2017/07/05

Remarks : May cause skin irritation in susceptible persons.

Components:

Di(4-tert-butylcyclohexyl) peroxydicarbonate:

Species : Rabbit

Method : OECD Test Guideline 404

Result : No skin irritation

Remarks : May cause skin irritation in susceptible persons.

Serious eye damage/eye irritation

Not applicable

Product:

Species : Rabbit

Result : No eye irritation

Method : OECD Test Guideline 405

Remarks : Product dust may be irritating to eyes, skin and respiratory

system.

Components:

Di(4-tert-butylcyclohexyl) peroxydicarbonate:

Species : Rabbit

Result : No eye irritation

Method : OECD Test Guideline 405

Remarks : Product dust may be irritating to eyes, skin and respiratory

system.

Respiratory or skin sensitisation

Respiratory sensitisation

No data available

Skin sensitisation

May cause an allergic skin reaction.

Product:

Species : Mouse

Method : OECD Test Guideline 429

Result : May cause sensitisation by skin contact.

Remarks : Causes sensitisation.

BCHPC



Version 3.1

Revision Date:

SDS Number (Inter- MSDS number: AA00974-0000000491

Date of last issue: 2024/02/07

2024/03/13 nal):

Date of first issue: 2017/07/05

600000000023

Components:

Di(4-tert-butylcyclohexyl) peroxydicarbonate:

Species : Mouse

Method : OECD Test Guideline 429

Result : May cause sensitisation by skin contact.

Remarks : Causes sensitisation.

Carcinogenicity
No data available

Product:

Remarks : This information is not available.

Components:

Di(4-tert-butylcyclohexyl) peroxydicarbonate:

No data available

Remarks : This information is not available.

Germ cell mutagenicity

No data available

Product:

Genotoxicity in vitro : Method: OECD Test Guideline 471

Result: negative

Method: OECD Test Guideline 476

Result: negative

Method: OECD Test Guideline 487

Result: negative

Genotoxicity in vivo : Remarks: No data available

Components:

Di(4-tert-butylcyclohexyl) peroxydicarbonate:

No data available

Genotoxicity in vitro : Method: OECD Test Guideline 471

Result: negative

Method: OECD Test Guideline 476

Result: negative

Method: OECD Test Guideline 487

Result: negative

BCHPC



Version

Revision Date:

SDS Number (Internal):

MSDS number: AA00974-0000000491 Date of last issue: 2024/02/07

3.1 2024/03/13

60000000023

Date of first issue: 2017/07/05

Genotoxicity in vivo : Remarks: No data available

Reproductive toxicity

No data available

Components:

Di(4-tert-butylcyclohexyl) peroxydicarbonate:

No data available

Effects on fertility : Remarks: This information is not available.

Effects on foetal develop-

ment

: Remarks: This information is not available.

STOT - single exposure

No data available

Product:

Remarks : No data available

Components:

Di(4-tert-butylcyclohexyl) peroxydicarbonate:

Remarks : No data available

STOT - repeated exposure

No data available

Repeated dose toxicity

Product:

Species : Rat
NOAEL : 500 mg/kg
LOAEL : 1,000 mg/kg
Application Route : Oral

Exposure time : 28 d

Method : OECD Test Guideline 407

Components:

Di(4-tert-butylcyclohexyl) peroxydicarbonate:

 Species
 : Rat

 NOAEL
 : 500 mg/kg

 LOAEL
 : 1,000 mg/kg

Application Route : Oral Exposure time : 28 d

Method : OECD Test Guideline 407

BCHPC



Version 3.1

Revision Date: 2024/03/13

SDS Number (Inter-

MSDS number: AA00974-0000000491 Date of last issue: 2024/02/07

nal): 600000000023

Date of first issue: 2017/07/05

Aspiration toxicity

No data available

Product:

No data available

Components:

Di(4-tert-butylcyclohexyl) peroxydicarbonate:

No data available

Experience with human exposure

No data available

Toxicology, Metabolism, Distribution

No data available

Neurological effects

No data available

Further information

Product:

Remarks : No data available

Components:

Di(4-tert-butylcyclohexyl) peroxydicarbonate:

Remarks : No data available

12. ECOLOGICAL INFORMATION

Ecotoxicity

Product:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 704 mg/l

Exposure time: 96 h

Method: OECD Test Guideline 203

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 42 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

Toxicity to algae/aquatic

plants

: EC50 (Desmodesmus subspicatus (green algae)): 39 mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

BCHPC



Version 3.1

Revision Date:

2024/03/13

SDS Number (Inter-

MSDS number: AA00974-0000000491

Date of last issue: 2024/02/07 Date of first issue: 2017/07/05

600000000023

nal):

Ecotoxicology Assessment

Acute aquatic toxicity : Harmful to aquatic life.

Chronic aquatic toxicity : Harmful to aquatic life with long lasting effects.

Components:

Di(4-tert-butylcyclohexyl) peroxydicarbonate:

Toxicity to fish LC50 (Oncorhynchus mykiss (rainbow trout)): 704 mg/l

Exposure time: 96 h

Method: OECD Test Guideline 203

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 42 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

Toxicity to algae/aquatic

plants

EC50 (Desmodesmus subspicatus (green algae)): 39 mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

Ecotoxicology Assessment

Acute aquatic toxicity : Harmful to aquatic life.

Chronic aquatic toxicity : Harmful to aquatic life with long lasting effects.

Persistence and degradability

Product:

Biodegradability Result: Not readily biodegradable.

Method: OECD Test Guideline 301B

Components:

Di(4-tert-butylcyclohexyl) peroxydicarbonate:

Biodegradability Result: Not readily biodegradable.

Method: OECD Test Guideline 301B

Bioaccumulative potential

Product:

Bioaccumulation Bioconcentration factor (BCF): 2,926

Components:

Di(4-tert-butylcyclohexyl) peroxydicarbonate:

Bioaccumulation Bioconcentration factor (BCF): 2,926

Partition coefficient: nlog Pow: 8.34

BCHPC



Version 3.1

Revision Date: 2024/03/13

SDS Number (Inter-

MSDS number: AA00974-0000000491

3 nal): 600000000023

Date of last issue: 2024/02/07 Date of first issue: 2017/07/05

octanol/water Remarks: Calculation

Mobility in soil
No data available

Other adverse effects

Product:

Additional ecological infor-

mation

An environmental hazard cannot be excluded in the event of

unprofessional handling or disposal.

Harmful to aquatic life with long lasting effects.

Components:

Di(4-tert-butylcyclohexyl) peroxydicarbonate:

Additional ecological infor-

mation

An environmental hazard cannot be excluded in the event of

unprofessional handling or disposal.

Harmful to aquatic life with long lasting effects.

13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Dispose of wastes in an approved waste disposal facility.

The product should not be allowed to enter drains, water

courses or the soil.

Do not contaminate ponds, waterways or ditches with chemi-

cal or used container.

Contaminated packaging : Dispose of in accordance with local regulations.

Clean container with water.

Dispose of contents/ container to an approved waste disposal

plant.

Empty remaining contents.

Dispose of as unused product.

Do not re-use empty containers.

Do not burn, or use a cutting torch on, the empty drum.

Disposal precautions

Dispose of contents and container according to wastes control act.

14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UN number : UN 3114

Proper shipping name : ORGANIC PEROXIDE TYPE C, SOLID, TEMPERATURE

CONTROLLED

BCHPC



MSDS number: AA00974-0000000491 Version Revision Date: SDS Number (Inter-

3.1 2024/03/13 nal): Date of last issue: 2024/02/07

600000000023 Date of first issue: 2017/07/05

(DI-(4-tert-BUTYLCYCLOHEXYL) PEROXYDICARBONATE)

Class 5.2

Packing group Not assigned by regulation

Labels 5.2 Environmentally hazardous no

IATA-DGR

Not permitted for transport

IMDG-Code

UN number : UN 3114

Proper shipping name ORGANIC PEROXIDE TYPE C, SOLID, TEMPERATURE

CONTROLLED

(DI-(4-tert-BUTYLCYCLOHEXYL)PEROXYDICARBONATE)

Class

Packing group Not assigned by regulation

Labels 5.2 EmS Code F-F, S-R Marine pollutant no

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National Regulations

Refer to section 15 for specific national regulation.

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

Additional advice

Temperature controlled transport.: Control temperature 30 °C : Emergency temperature 35 °C

15. REGULATORY INFORMATION

National regulatory information

Regulation under the Occupational Safety and Health Act

Harmful Substances Prohibited from Manufacturing

Not applicable

Harmful Substances Required Permission for Manufacture

Harmful Agents to be kept below Occupational Exposure Limits

Not applicable

BCHPC



Version 3.1

Revision Date: 2024/03/13

SDS Number (Internal):

MSDS number: AA00974-0000000491

Date of last issue: 2024/02/07

600000000023

Date of first issue: 2017/07/05

Harmful Agents Required to be kept below Permission Levels

Not applicable

Hazardous substances requiring management

Not applicable

Special Management Materials

Not applicable

Controlled Substances Subject to Environment Monitoring

Not applicable

Controlled Substances Subject to Health Examination

Not applicable

Hazardous Substances Subject to Process Safety Management (PSM) Reporting Obligation

Not applicable

Regulation under the Chemicals Control Act

Toxic Chemicals

Not applicable

Restricted Chemicals

Not applicable

BCHPC



Version 3.1

Revision Date: 2024/03/13

SDS Number (Internal):

MSDS number: AA00974-0000000491

Date of last issue: 2024/02/07

600000000023

Date of first issue: 2017/07/05

Prohibited Chemicals

Not applicable

Toxic Release Inventory

Not applicable

Accident Precaution Chemicals

Not applicable

Dangerous Substances Safety Management Act

Classification : Group 5, Self-reactive substances, Organic peroxides

Hazard rank : Hazardous rank I

Designated Quantity : 10 kilogram

Safety Warning : Be careful with shock, Keep away from fire

Wastes Control Act

Industrial general wastes

Follow article 13 of the act to dispose the product waste

Other requirements in domestic and other countries

Gefahrgruppe nach TRGS 741: la (German regulatory requirements)

The components of this product are reported in the following inventories:

TCSI (TW) : On the inventory, or in compliance with the inventory

TSCA (US) : All substances listed as active on the TSCA inventory

AllC (AU) : On the inventory, or in compliance with the inventory

DSL (CA) : All components of this product are on the Canadian DSL

ENCS (JP) : On the inventory, or in compliance with the inventory

ISHL (JP) : On the inventory, or in compliance with the inventory

KECI (KR) : On the inventory, or in compliance with the inventory

PICCS (PH) : On the inventory, or in compliance with the inventory

IECSC (CN) : On the inventory, or in compliance with the inventory

BCHPC



Version 3.1

Revision Date: 2024/03/13

SDS Number (Inter-

nal):

60000000023

MSDS number: AA00974-0000000491

Date of last issue: 2024/02/07 Date of first issue: 2017/07/05

16. OTHER INFORMATION

Further information

Sources of key data used to compile the Safety Data

00111p1

Sheet

Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agen-

cy, http://echa.europa.eu/

Issuing date : 2017/07/05

Revision number and date

Number of Revision : 3.1

Revision Date : 2024/03/13

Other information : This safety datasheet only contains information relating to

safety and does not replace any product information or prod-

uct specification.

These safety instructions also apply to empty packaging which

may still contain product residues.

The hazards on the label also apply to residues in the con-

tainer.

Date format : yyyy/mm/dd

Full text of other abbreviations

AllC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New

BCHPC



Version 3.1

Revision Date: 2024/03/13

SDS Number (Internal):

MSDS number: AA00974-0000000491 Date of last issue: 2024/02/07

600000000023

Date of first issue: 2017/07/05

Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative: WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

KR / EN