

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

## BENOX<sup>®</sup> A-75



Version	Revision Date:	SDS Number:	Date of last issue: 15.02.2018
3.0	22.12.2020	600000000135	Date of first issue: 25.10.2016

---

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Trade name : BENOX<sup>®</sup>A-75

REACH Registration Number : 01-2119511472-50-0006

Substance name : Dibenzoyl peroxide

Index-No. : 617-008-00-0

EC-No. : 202-327-6

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub-  
stance/Mixture : Hardener, polymerisation initiators

#### 1.3 Details of the supplier of the safety data sheet

Company : United Initiators GmbH  
Dr.-Gustav-Adolph-Str. 3  
82049 Pullach

Telephone : +49 / 89 / 74422 – 0

E-mail address of person  
responsible for the SDS : contact@united-in.com

#### 1.4 Emergency telephone number

+49 / 89 / 74422 – 0 (24 h)

---

### SECTION 2: Hazards identification

#### 2.1 Classification of the substance or mixture

##### Classification (REGULATION (EC) No 1272/2008)

Organic peroxides, Type C	H242: Heating may cause a fire.
Eye irritation, Category 2	H319: Causes serious eye irritation.
Skin sensitisation, Category 1	H317: May cause an allergic skin reaction.
Short-term (acute) aquatic hazard, Category 1	H400: Very toxic to aquatic life.
Long-term (chronic) aquatic hazard, Category 1	H410: Very toxic to aquatic life with long lasting effects.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

## BENOX<sup>®</sup> A-75



Version	Revision Date:	SDS Number:	Date of last issue: 15.02.2018
3.0	22.12.2020	600000000135	Date of first issue: 25.10.2016

---

### 2.2 Label elements

#### Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms :



Signal word : Danger

Hazard statements : H242 Heating may cause a fire.  
H317 May cause an allergic skin reaction.  
H319 Causes serious eye irritation.  
H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements : **Prevention:**  
P220 Keep/Store away from clothing/ strong acids, bases, heavy metal salts and other reducing substances /combustible materials.  
P233 Keep container tightly closed.  
P235 Keep cool.  
P261 Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.  
P262 Do not get in eyes, on skin, or on clothing.  
P273 Avoid release to the environment.  
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection/ hearing protection.

#### **Response:**

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.  
P337 + P313 If eye irritation persists: Get medical advice/ attention.  
P362 + P364 Take off contaminated clothing and wash it before reuse.  
P370 + P378 In case of fire: Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide to extinguish.

#### **Disposal:**

P501 Dispose of contents/ container to an approved waste disposal plant.

### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

## BENOX<sup>®</sup> A-75



Version 3.0      Revision Date: 22.12.2020      SDS Number: 600000000135      Date of last issue: 15.02.2018  
Date of first issue: 25.10.2016

### SECTION 3: Composition/information on ingredients

#### 3.1 Substances

Substance name : Dibenzoyl peroxide  
Index-No. : 617-008-00-0  
EC-No. : 202-327-6  
Chemical nature : Organic Peroxide

#### Components

Chemical name	CAS-No. EC-No.	Concentration (% w/w)
Dibenzoyl peroxide	94-36-0 202-327-6	>= 70 - <= 77

### SECTION 4: First aid measures

#### 4.1 Description of first aid measures

General advice : Move out of dangerous area.  
Show this safety data sheet to the doctor in attendance.  
Do not leave the victim unattended.  
Call a physician immediately.

Protection of first-aiders : First Aid responders should pay attention to self-protection and use the recommended protective clothing

If inhaled : If unconscious, place in recovery position and seek medical advice.  
If symptoms persist, call a physician.  
If breathed in, move person into fresh air.

In case of skin contact : In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes.  
Wash contaminated clothing before re-use.  
If on skin, rinse well with water.  
If on clothes, remove clothes.  
If symptoms persist, call a physician.

In case of eye contact : In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice.  
Remove contact lenses.  
Protect unharmed eye.  
Keep eye wide open while rinsing.  
If eye irritation persists, consult a specialist.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

## BENOX<sup>®</sup> A-75



Version	Revision Date:	SDS Number:	Date of last issue: 15.02.2018
3.0	22.12.2020	600000000135	Date of first issue: 25.10.2016

---

If swallowed : Keep respiratory tract clear.  
Call a physician immediately.

#### 4.2 Most important symptoms and effects, both acute and delayed

Risks : May cause an allergic skin reaction.  
Causes serious eye irritation.

#### 4.3 Indication of any immediate medical attention and special treatment needed

Treatment : Treat symptomatically and supportively.

---

### SECTION 5: Firefighting measures

#### 5.1 Extinguishing media

Suitable extinguishing media : Water spray jet  
Alcohol-resistant foam  
Carbon dioxide (CO<sub>2</sub>)  
Dry chemical

Unsuitable extinguishing media : High volume water jet

#### 5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-fighting : Contact with incompatible materials or exposure to temperatures exceeding SADT may result in a self-accelerating decomposition reaction with release of flammable vapors which may auto-ignite.  
The product burns violently.  
Flash back possible over considerable distance.  
Vapours may form explosive mixtures with air.  
The product will float on water and can be reignited on surface water.  
Cool closed containers exposed to fire with water spray.

#### 5.3 Advice for firefighters

Special protective equipment for firefighters : Wear self-contained breathing apparatus for firefighting if necessary. Use personal protective equipment.

Specific extinguishing methods : Do not use a solid water stream as it may scatter and spread fire.  
Remove undamaged containers from fire area if it is safe to do so.  
Use water spray to cool unopened containers.

Further information : Collect contaminated fire extinguishing water separately. This must not be discharged into drains.  
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

## BENOX<sup>®</sup> A-75



Version	Revision Date:	SDS Number:	Date of last issue: 15.02.2018
3.0	22.12.2020	600000000135	Date of first issue: 25.10.2016

---

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

---

### SECTION 6: Accidental release measures

#### 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Use personal protective equipment.  
Avoid dust formation.  
Avoid breathing dust.  
Remove all sources of ignition.  
Follow safe handling advice and personal protective equipment recommendations.  
Never return spills in original containers for re-use.  
Treat recovered material as described in the section "Disposal considerations".

#### 6.2 Environmental precautions

Environmental precautions : Prevent product from entering drains.  
Prevent further leakage or spillage if safe to do so.  
If the product contaminates rivers and lakes or drains inform respective authorities.

#### 6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Contact with incompatible substances can cause decomposition at or below SADT.  
Clear spills immediately.  
Suppress (knock down) gases/vapours/mists with a water spray jet.  
To clean the floor and all objects contaminated by this material, use plenty of water.  
Soak up with inert absorbent material.  
Isolate waste and do not reuse.  
Non-sparking tools should be used.  
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.

#### 6.4 Reference to other sections

For personal protection see section 8.

---

### SECTION 7: Handling and storage

#### 7.1 Precautions for safe handling

Technical measures : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

## BENOX<sup>®</sup> A-75



Version	Revision Date:	SDS Number:	Date of last issue: 15.02.2018
3.0	22.12.2020	600000000135	Date of first issue: 25.10.2016

---

- Advice on safe handling : Do not breathe vapours/dust.  
Avoid exposure - obtain special instructions before use.  
Avoid contact with skin and eyes.  
Take precautionary measures against static discharges.  
Never return any product to the container from which it was originally removed.  
Provide sufficient air exchange and/or exhaust in work rooms.  
Avoid confinement.  
Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
Smoking, eating and drinking should be prohibited in the application area.  
Wash thoroughly after handling.  
For personal protection see section 8.  
Persons susceptible to skin sensitisation problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used.  
Protect from contamination.
- Advice on protection against fire and explosion : Avoid dust formation. Provide appropriate exhaust ventilation at places where dust is formed. Keep away from heat and sources of ignition. Use only explosion-proof equipment. Keep away from combustible material.
- Hygiene measures : Keep away from food and drink. When using do not eat or drink. When using do not smoke. Wash hands before breaks and immediately after handling the product.

### 7.2 Conditions for safe storage, including any incompatibilities

- Requirements for storage areas and containers : Avoid impurities (e.g. rust, dust, ash), risk of decomposition. Electrical installations / working materials must comply with the technological safety standards. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Store in original container. Keep containers tightly closed in a cool, well-ventilated place. Store in accordance with the particular national regulations.
- Advice on common storage : Keep away from strong acids, bases, heavy metal salts and other reducing substances.
- Recommended storage temperature : 5 - 30 °C
- Further information on storage stability : No decomposition if stored normally.

### 7.3 Specific end use(s)

- Specific use(s) : For further information, refer to the product technical data sheet.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

## BENOX<sup>®</sup> A-75



Version 3.0      Revision Date: 22.12.2020      SDS Number: 600000000135      Date of last issue: 15.02.2018  
Date of first issue: 25.10.2016

### SECTION 8: Exposure controls/personal protection

#### 8.1 Control parameters

##### Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
Dibenzoyl peroxide	94-36-0	OELV - 8 hrs (TWA)	5 mg/m <sup>3</sup>	IE OEL
Further information: Chemical agents which following exposure may cause sensitisation of the respiratory tract and lead to asthma, rhinitis or extrinsic allergic alveolitis, Where no specific short-term exposure limit is listed, a figure three times the long-term exposure limit value should be used				

##### Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health effects	Value
Dibenzoyl peroxide	Workers	Inhalation	Long-term systemic effects	11.75 mg/m <sup>3</sup>
	Workers	Skin contact	Long-term systemic effects	6.6 mg/kg bw/day

##### Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
Dibenzoyl peroxide	Fresh water	0.000602 mg/l
	Marine water	< 0.0001 mg/l
	Intermittent use/release	0.000602 mg/l
	Sewage treatment plant	0.35 mg/l
	Fresh water sediment	0.338 mg/kg
	Soil	0.0758 mg/kg
	Oral	6.67 mg/kg

#### 8.2 Exposure controls

##### Engineering measures

Minimize workplace exposure concentrations.

##### Personal protective equipment

Eye protection : Tightly fitting safety goggles  
Please wear suitable protective goggles. Also wear face protection if there is a splash hazard.  
Ensure that eyewash stations and safety showers are close to the workstation location.

##### Hand protection

Material : Nitrile rubber  
Break through time : 480 min  
Glove thickness : 0.4 mm

Material : butyl-rubber  
Break through time : 480 min

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

## BENOX<sup>®</sup> A-75



Version	Revision Date:	SDS Number:	Date of last issue: 15.02.2018
3.0	22.12.2020	600000000135	Date of first issue: 25.10.2016

---

Glove thickness	:	0.5 mm
Remarks	:	Choose gloves to protect hands against chemicals depending on the concentration and quantity of the hazardous substance and specific to place of work. For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer. Wash hands before breaks and at the end of workday.
Skin and body protection	:	Select appropriate protective clothing based on chemical resistance data and an assessment of the local exposure potential.
Respiratory protection	:	In the case of dust or aerosol formation use respirator with an approved filter.
Filter type	:	Filter type P

---

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

Appearance	:	powder
Colour	:	white
Odour	:	aromatic
Odour Threshold	:	No data available
pH	:	No data available
Melting point/range	:	Decomposition: Decomposes below the melting point.
Boiling point/boiling range	:	Not applicable
Flash point	:	Not applicable
Evaporation rate	:	No data available
Flammability (solid, gas)	:	Not applicable
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapour pressure	:	No data available



# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

## BENOX<sup>®</sup> A-75



Version	Revision Date:	SDS Number:	Date of last issue: 15.02.2018
3.0	22.12.2020	600000000135	Date of first issue: 25.10.2016

---

Relative vapour density	:	No data available
Bulk density	:	590 kg/m <sup>3</sup> (20 °C)
Solubility(ies)	:	
Water solubility	:	0.0004 g/l insoluble
Solubility in other solvents	:	soluble Solvent: Phthalates
Partition coefficient: n-octanol/water	:	log Pow: 3.2 (20 °C)
Viscosity	:	
Viscosity, dynamic	:	Not applicable
Viscosity, kinematic	:	No data available
Oxidizing properties	:	The substance or mixture is not classified as oxidizing. Organic peroxide

### 9.2 Other information

Self-Accelerating decomposition temperature (SADT)	:	70 °C SADT-Self Accelerating Decomposition Temperature. Lowest temperature at which the tested package size will undergo a self-accelerating decomposition reaction.
--	---	---

---

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

Stable under recommended storage conditions.

### 10.2 Chemical stability

Stable under recommended storage conditions.

### 10.3 Possibility of hazardous reactions

Hazardous reactions	:	Dust may form explosive mixture in air.
---------------------	---	---

### 10.4 Conditions to avoid

Conditions to avoid	:	Protect from contamination. Contact with incompatible substances can cause decomposition at or below SADT. Heat, flames and sparks. Avoid confinement.
---------------------	---	---

### 10.5 Incompatible materials

Materials to avoid	:	Accelerators, strong acids and bases, heavy metals and heavy metal salts, reducing agents
--------------------	---	---

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

## BENOX<sup>®</sup> A-75



Version	Revision Date:	SDS Number:	Date of last issue: 15.02.2018
3.0	22.12.2020	600000000135	Date of first issue: 25.10.2016

---

### 10.6 Hazardous decomposition products

Irritant, caustic, flammable, noxious/toxic gases and vapours can develop in the case of fire and decomposition

---

## SECTION 11: Toxicological information

### 11.1 Information on toxicological effects

#### Acute toxicity

Not classified based on available information.

#### Product:

- |                           |   |   |
|---------------------------|---|---|
| Acute oral toxicity       | : | LD50 (Rat): > 5,000 mg/kg<br>Method: OECD Test Guideline 401<br>Assessment: The substance or mixture has no acute oral toxicity |
| Acute inhalation toxicity | : | LC50 (Rat): 24.3 mg/l<br>Exposure time: 4 h<br>Test atmosphere: dust/mist<br>Method: OECD Test Guideline 403                    |
| Acute dermal toxicity     | : | Remarks: No data available  |

#### Components:

#### Dibenzoyl peroxide:

- |                           |   |   |
|---------------------------|---|---|
| Acute oral toxicity       | : | LD50 (Rat): > 5,000 mg/kg<br>Method: OECD Test Guideline 401<br>Assessment: The substance or mixture has no acute oral toxicity   |
| Acute inhalation toxicity | : | LC50 (Rat): > 24.3 mg/l<br>Exposure time: 4 h<br>Test atmosphere: dust/mist<br>Method: OECD Test Guideline 403<br>Assessment: The substance or mixture has no acute inhalation toxicity |
| Acute dermal toxicity     | : | Remarks: No data available  |

#### Skin corrosion/irritation

Not classified based on available information.

#### Product:

- |         |   |                         |
|---------|---|-------------------------|
| Species | : | Rabbit                  |
| Method  | : | OECD Test Guideline 404 |
| Result  | : | No skin irritation      |

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

## BENOX<sup>®</sup> A-75



Version	Revision Date:	SDS Number:	Date of last issue: 15.02.2018
3.0	22.12.2020	600000000135	Date of first issue: 25.10.2016

---

Remarks : May cause skin irritation in susceptible persons.

Remarks : May cause skin irritation in susceptible persons.

### Components:

#### **Dibenzoyl peroxide:**

Species : Rabbit  
Result : No skin irritation

#### **Serious eye damage/eye irritation**

Causes serious eye irritation.

### Product:

Species : Rabbit  
Method : OECD Test Guideline 405  
Result : Eye irritation

Remarks : May cause irreversible eye damage.

Remarks : May cause irreversible eye damage.

### Components:

#### **Dibenzoyl peroxide:**

Species : Rabbit  
Result : Irritation to eyes, reversing within 7 days

#### **Respiratory or skin sensitisation**

##### **Skin sensitisation**

May cause an allergic skin reaction.

##### **Respiratory sensitisation**

Not classified based on available information.

### Product:

Exposure routes : Skin contact  
Species : Mouse  
Method : Local lymph node assay (LLNA)  
Result : Causes sensitisation.

Remarks : Causes sensitisation.

Remarks : Causes sensitisation.

### Components:

#### **Dibenzoyl peroxide:**

Exposure routes : Skin contact

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

## BENOX<sup>®</sup> A-75



Version	Revision Date:	SDS Number:	Date of last issue: 15.02.2018
3.0	22.12.2020	600000000135	Date of first issue: 25.10.2016

---

Species : Mouse  
Method : Local lymph node assay (LLNA)  
Result : May cause sensitisation by skin contact.

### Germ cell mutagenicity

Not classified based on available information.

#### Product:

Genotoxicity in vitro : Method: OECD Test Guideline 471  
Result: negative

Method: OECD Test Guideline 476  
Result: negative

Genotoxicity in vivo : Test Type: dominant lethal test  
Species: Mouse  
Result: negative

#### Components:

##### **Dibenzoyl peroxide:**

Genotoxicity in vitro : Method: OECD Test Guideline 471  
Result: negative

Method: OECD Test Guideline 476  
Result: negative

Genotoxicity in vivo : Test Type: dominant lethal test  
Species: Mouse  
Result: negative

### Carcinogenicity

Not classified based on available information.

#### Product:

Remarks : This information is not available.

#### Components:

##### **Dibenzoyl peroxide:**

Remarks : This information is not available.

### Reproductive toxicity

Not classified based on available information.

#### Product:

Reproductive toxicity - Assessment : No evidence of adverse effects on sexual function and fertility, or on development, based on animal experiments.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

## BENOX<sup>®</sup> A-75



Version 3.0      Revision Date: 22.12.2020      SDS Number: 600000000135      Date of last issue: 15.02.2018  
Date of first issue: 25.10.2016

---

### Components:

#### **Dibenzoyl peroxide:**

Effects on fertility : Species: Rat, male  
Application Route: Oral  
General Toxicity - Parent: NOAEL: 1,000 mg/kg body weight  
Method: OECD Test Guideline 422

Species: Rat, female  
Application Route: Oral  
General Toxicity - Parent: NOAEL: 500 mg/kg body weight  
Method: OECD Test Guideline 422

Reproductive toxicity - Assessment : No evidence of adverse effects on sexual function and fertility, or on development, based on animal experiments.

#### **STOT - single exposure**

Not classified based on available information.

#### Product:

Assessment : The substance or mixture is not classified as specific target organ toxicant, single exposure.

### Components:

#### **Dibenzoyl peroxide:**

Exposure routes : Ingestion  
Assessment : The substance or mixture is not classified as specific target organ toxicant, single exposure.

#### **STOT - repeated exposure**

Not classified based on available information.

#### Product:

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

### Components:

#### **Dibenzoyl peroxide:**

Exposure routes : Ingestion  
Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

#### **Repeated dose toxicity**

#### Product:

Species : Rat  
NOAEL : 1,000 mg/kg

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

## BENOX<sup>®</sup> A-75



Version	Revision Date:	SDS Number:	Date of last issue: 15.02.2018
3.0	22.12.2020	600000000135	Date of first issue: 25.10.2016

---

Application Route : Oral  
Exposure time : 28 d  
Method : OECD Test Guideline 422

### Components:

#### **Dibenzoyl peroxide:**

Species : Rat  
NOAEL : 1,000 mg/kg  
Application Route : Oral  
Exposure time : 28 d  
Method : OECD Test Guideline 422

#### **Aspiration toxicity**

Not classified based on available information.

#### Product:

No aspiration toxicity classification

### Components:

#### **Dibenzoyl peroxide:**

No aspiration toxicity classification

#### **Further information**

#### Product:

Remarks : No data available

---

## SECTION 12: Ecological information

### 12.1 Toxicity

#### Product:

Toxicity to fish	: EC50 (Oncorhynchus mykiss (rainbow trout)): 0.06 mg/l Exposure time: 96 h Method: OECD Test Guideline 203
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): 0.11 mg/l Exposure time: 48 h Method: OECD Test Guideline 202
Toxicity to algae/aquatic plants	: EC50 (Pseudokirchneriella subcapitata (green algae)): 0.071 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
	NOEC (Pseudokirchneriella subcapitata (green algae)): 0.02

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

## BENOX<sup>®</sup> A-75



Version 3.0      Revision Date: 22.12.2020      SDS Number: 600000000135      Date of last issue: 15.02.2018  
Date of first issue: 25.10.2016

---

mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : EC10: 0.001 mg/l  
Exposure time: 21 d  
Species: Daphnia magna (Water flea)  
Test Type: semi-static test  
Method: OECD Test Guideline 211

Toxicity to microorganisms : EC50 (Bacteria): 35 mg/l  
Exposure time: 30 min  
Method: OECD Test Guideline 209

### Ecotoxicology Assessment

Acute aquatic toxicity : Very toxic to aquatic life.

Chronic aquatic toxicity : Very toxic to aquatic life with long lasting effects.

### Components:

#### **Dibenzoyl peroxide:**

Toxicity to fish : EC50 (Oncorhynchus mykiss (rainbow trout)): 0.06 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 0.11 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (green algae)): 0.071 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

NOEC (Pseudokirchneriella subcapitata (green algae)): 0.02 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

M-Factor (Acute aquatic toxicity) : 10

Toxicity to microorganisms : EC50 (Bacteria): 35 mg/l  
Exposure time: 30 min  
Method: OECD Test Guideline 209

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : EC10: 0.001 mg/l  
Exposure time: 21 d  
Species: Daphnia magna (Water flea)  
Test Type: semi-static test

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

## BENOX<sup>®</sup> A-75



Version	Revision Date:	SDS Number:	Date of last issue: 15.02.2018
3.0	22.12.2020	600000000135	Date of first issue: 25.10.2016

---

Method: OECD Test Guideline 211

M-Factor (Chronic aquatic toxicity) : 10

### Ecotoxicology Assessment

Acute aquatic toxicity : Very toxic to aquatic life.

Chronic aquatic toxicity : Very toxic to aquatic life with long lasting effects.

### 12.2 Persistence and degradability

#### Components:

##### Dibenzoyl peroxide:

Biodegradability : Result: Biodegradable  
Method: OECD Test Guideline 301D

### 12.3 Bioaccumulative potential

#### Components:

##### Dibenzoyl peroxide:

Partition coefficient: n-octanol/water : log Pow: 3.2 (20 °C)

### 12.4 Mobility in soil

No data available

### 12.5 Results of PBT and vPvB assessment

#### Product:

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher..

### 12.6 Other adverse effects

#### Product:

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.  
Very toxic to aquatic life with long lasting effects.

---

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

Product : The product should not be allowed to enter drains, water



# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

## BENOX<sup>®</sup> A-75



Version	Revision Date:	SDS Number:	Date of last issue: 15.02.2018
3.0	22.12.2020	600000000135	Date of first issue: 25.10.2016

---

courses or the soil.  
Do not contaminate ponds, waterways or ditches with chemical or used container.  
Dispose of wastes in an approved waste disposal facility.

Contaminated packaging : Empty remaining contents.  
Dispose of as unused product.  
Do not re-use empty containers.  
Do not burn, or use a cutting torch on, the empty drum.  
Dispose of in accordance with local regulations.

---

### SECTION 14: Transport information

#### 14.1 UN number

ADN : UN 3104  
ADR : UN 3104  
RID : UN 3104  
IMDG : UN 3104  
IATA : UN 3104

#### 14.2 UN proper shipping name

ADN : ORGANIC PEROXIDE TYPE C, SOLID (DIBENZOYL PEROXIDE)  
ADR : ORGANIC PEROXIDE TYPE C, SOLID (DIBENZOYL PEROXIDE)  
RID : ORGANIC PEROXIDE TYPE C, SOLID (DIBENZOYL PEROXIDE)  
IMDG : ORGANIC PEROXIDE TYPE C, SOLID (DIBENZOYL PEROXIDE)  
IATA : Organic peroxide type C, solid (Dibenzoyl peroxide)

#### 14.3 Transport hazard class(es)

ADN : 5.2  
ADR : 5.2  
RID : 5.2  
IMDG : 5.2  
IATA : 5.2

#### 14.4 Packing group

ADN  
Packing group : Not assigned by regulation  
Classification Code : P1

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

## BENOX<sup>®</sup> A-75



Version	Revision Date:	SDS Number:	Date of last issue: 15.02.2018
3.0	22.12.2020	600000000135	Date of first issue: 25.10.2016

---

Labels : 5.2

### ADR

Packing group : Not assigned by regulation  
Classification Code : P1  
Labels : 5.2  
Tunnel restriction code : (D)

### RID

Packing group : Not assigned by regulation  
Classification Code : P1  
Hazard Identification Number : 539  
Labels : 5.2

### IMDG

Packing group : Not assigned by regulation  
Labels : 5.2  
EmS Code : F-J, S-R

### IATA (Cargo)

Packing instruction (cargo aircraft) : 570  
Packing group : Not assigned by regulation  
Labels : Organic Peroxides, Keep Away From Heat

### IATA (Passenger)

Packing instruction (passenger aircraft) : 570  
Packing group : Not assigned by regulation  
Labels : Organic Peroxides, Keep Away From Heat

## 14.5 Environmental hazards

### ADN

Environmentally hazardous : yes

### ADR

Environmentally hazardous : yes

### RID

Environmentally hazardous : yes

### IMDG

Marine pollutant : yes

## 14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

## 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable for product as supplied.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

## BENOX<sup>®</sup> A-75



Version	Revision Date:	SDS Number:	Date of last issue: 15.02.2018
3.0	22.12.2020	600000000135	Date of first issue: 25.10.2016

### SECTION 15: Regulatory information

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, preparations and articles (Annex XVII) : Not applicable

REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59). : Not applicable

REACH - List of substances subject to authorisation (Annex XIV) : Not applicable

Regulation (EC) No 1005/2009 on substances that deplete the ozone layer : Not applicable

Regulation (EU) 2019/1021 on persistent organic pollutants (recast) : Not applicable

Regulation (EC) No 649/2012 of the European Parliament and the Council concerning the export and import of dangerous chemicals : Not applicable

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.

		Quantity 1	Quantity 2
P6b	SELF-REACTIVE SUBSTANCES AND MIXTURES and ORGANIC PEROXIDES	50 t	200 t
E1	ENVIRONMENTAL HAZARDS	100 t	200 t

#### Other regulations:

Gefahrgruppe nach § 3 BGV B4: II, S+ (German regulatory requirements)

Produkt unterliegt dem Sprengstoffgesetz (SprengG; Stoffgruppe C). (German regulatory requirements)

Take note of Directive 94/33/EC on the protection of young people at work or stricter national regulations, where applicable.

#### The components of this product are reported in the following inventories:

TCSI (TW) : On the inventory, or in compliance with the inventory

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

## BENOX<sup>®</sup> A-75



Version	Revision Date:	SDS Number:	Date of last issue: 15.02.2018
3.0	22.12.2020	600000000135	Date of first issue: 25.10.2016

---

TSCA (US)	:	All substances listed as active on the TSCA inventory
AICS (AU)	:	On the inventory, or in compliance with the inventory
DSL (CA)	:	All components of this product are on the Canadian DSL
ENCS (JP)	:	On the inventory, or in compliance with the inventory
ISHL (JP)	:	On the inventory, or in compliance with the inventory
KECI (KR)	:	On the inventory, or in compliance with the inventory
PICCS (PH)	:	On the inventory, or in compliance with the inventory
IECSC (CN)	:	On the inventory, or in compliance with the inventory
NZIoC (NZ)	:	On the inventory, or in compliance with the inventory

### 15.2 Chemical safety assessment

A Chemical Safety Assessment has been carried out for this substance.  
For further information see eSDS.

---

## SECTION 16: Other information

### Further information

Other information : This safety datasheet only contains information relating to safety and does not replace any product information or product specification.  
These safety instructions also apply to empty packaging which may still contain product residues.

Sources of key data used to compile the Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

### Full text of other abbreviations

IE OEL : Ireland. List of Chemical Agents and Occupational Exposure Limit Values - Schedule 1  
IE OEL / OELV - 8 hrs (TWA) : Occupational exposure limit value (8-hour reference period)

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road; AICS - Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx -

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

## BENOX<sup>®</sup> A-75



Version	Revision Date:	SDS Number:	Date of last issue: 15.02.2018
3.0	22.12.2020	600000000135	Date of first issue: 25.10.2016

---

Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

IE / EN