

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## BP-30-FT1

Version	Revision Date:	SDS Number:	Date of last issue: 08.02.2018
3.0	20.02.2020	600000000188	Date of first issue: 18.01.2017

---

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Trade name : BP-30-FT1

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub-  
stance/Mixture : Curing chemical

#### 1.3 Details of the supplier of the safety data sheet

Company : United Initiators GmbH  
Dr.-Gustav-Adolph-Str. 3  
82049 Pullach

Telephone : +49 / 89 / 74422 – 0

E-mail address of person  
responsible for the SDS : contact@united-in.com

#### 1.4 Emergency telephone number

+49 / 89 / 74422 – 0 (24 h)

---

### SECTION 2: Hazards identification

#### 2.1 Classification of the substance or mixture

##### Classification (REGULATION (EC) No 1272/2008)

Organic peroxides, Type F	H242: Heating may cause a fire.
Eye irritation, Category 2	H319: Causes serious eye irritation.
Skin sensitisation, Category 1	H317: May cause an allergic skin reaction.
Reproductive toxicity, Category 1B	H360D: May damage the unborn child.
Short-term (acute) aquatic hazard, Category 1	H400: Very toxic to aquatic life.
Long-term (chronic) aquatic hazard, Category 1	H410: Very toxic to aquatic life with long lasting effects.

#### 2.2 Label elements

##### Labelling (REGULATION (EC) No 1272/2008)


# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## BP-30-FT1

Version 3.0      Revision Date: 20.02.2020      SDS Number: 600000000188      Date of last issue: 08.02.2018  
Date of first issue: 18.01.2017

Hazard pictograms	:	
Signal word	:	Danger
Hazard statements	:	H242 Heating may cause a fire. H317 May cause an allergic skin reaction. H319 Causes serious eye irritation. H360D May damage the unborn child. H410 Very toxic to aquatic life with long lasting effects.
Precautionary statements	:	<b>Prevention:</b> P220 Keep/Store away from clothing/ strong acids, bases, heavy metal salts and other reducing substances /combustible materials. P233 Keep container tightly closed. P235 Keep cool. P261 Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray. P262 Do not get in eyes, on skin, or on clothing. P273 Avoid release to the environment. P280 Wear protective gloves/ protective clothing/ eye protection/ face protection. <b>Response:</b> P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P308 + P313 IF exposed or concerned: Get medical advice/ attention. P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention. P337 + P313 If eye irritation persists: Get medical advice/ attention. P362 + P364 Take off contaminated clothing and wash it before reuse. P370 + P378 In case of fire: Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide to extinguish. <b>Disposal:</b> P501 Dispose of contents/ container to an approved waste disposal plant.

Hazardous components which must be listed on the label:

dicyclohexyl phthalate (CAS-No. 84-61-7)  
Dibenzoyl peroxide (CAS-No. 94-36-0)

### Additional Labelling

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## BP-30-FT1

Version 3.0      Revision Date: 20.02.2020      SDS Number: 600000000188      Date of last issue: 08.02.2018  
Date of first issue: 18.01.2017

Restricted to professional users.

### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

## SECTION 3: Composition/information on ingredients

### 3.2 Mixtures

Chemical nature : Organic Peroxide  
Solid mixture

#### Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
dicyclohexyl phthalate	84-61-7 201-545-9 607-719-00-4 01-2119978223-34	Skin Sens. 1; H317 Repr. 1B; H360D Aquatic Chronic 3; H412	>= 30 - < 35
Dibenzoyl peroxide	94-36-0 202-327-6 617-008-00-0 01-2119511472-50-0006	Org. Perox. B; H241 Eye Irrit. 2; H319 Skin Sens. 1; H317 Aquatic Acute 1; H400 Aquatic Chronic 1; H410	>= 25 - < 30

For explanation of abbreviations see section 16.

## SECTION 4: First aid measures

### 4.1 Description of first aid measures

- General advice : Move out of dangerous area.  
Show this safety data sheet to the doctor in attendance.  
Do not leave the victim unattended.  
Call a physician immediately.
- Protection of first-aiders : First Aid responders should pay attention to self-protection and use the recommended protective clothing
- If inhaled : If unconscious, place in recovery position and seek medical advice.  
If symptoms persist, call a physician.  
If breathed in, move person into fresh air.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## BP-30-FT1

Version	Revision Date:	SDS Number:	Date of last issue: 08.02.2018
3.0	20.02.2020	600000000188	Date of first issue: 18.01.2017

---

- In case of skin contact : In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes.  
Wash contaminated clothing before re-use.  
If on skin, rinse well with water.  
If on clothes, remove clothes.  
If symptoms persist, call a physician.
- In case of eye contact : In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice.  
Remove contact lenses.  
Protect unharmed eye.  
Keep eye wide open while rinsing.  
If eye irritation persists, consult a specialist.
- If swallowed : Keep respiratory tract clear.  
Call a physician immediately.

### 4.2 Most important symptoms and effects, both acute and delayed

- Risks : May cause an allergic skin reaction.  
Causes serious eye irritation.  
May damage the unborn child.

### 4.3 Indication of any immediate medical attention and special treatment needed

- Treatment : Treat symptomatically and supportively.

---

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media

- Suitable extinguishing media : Water spray jet  
Alcohol-resistant foam  
Carbon dioxide (CO<sub>2</sub>)  
Dry chemical
- Unsuitable extinguishing media : High volume water jet

### 5.2 Special hazards arising from the substance or mixture

- Specific hazards during fire-fighting : Contact with incompatible materials or exposure to temperatures exceeding SADT may result in a self-accelerating decomposition reaction with release of flammable vapors which may auto-ignite.  
The product burns violently.  
Flash back possible over considerable distance.  
Vapours may form explosive mixtures with air.  
The product will float on water and can be reignited on surface water.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

## BP-30-FT1



Version	Revision Date:	SDS Number:	Date of last issue: 08.02.2018
3.0	20.02.2020	600000000188	Date of first issue: 18.01.2017

---

Cool closed containers exposed to fire with water spray.

### 5.3 Advice for firefighters

- Special protective equipment for firefighters : Wear self-contained breathing apparatus for firefighting if necessary. Use personal protective equipment.
- Specific extinguishing methods : Do not use a solid water stream as it may scatter and spread fire.  
Remove undamaged containers from fire area if it is safe to do so.  
Use water spray to cool unopened containers.
- Further information : Collect contaminated fire extinguishing water separately. This must not be discharged into drains.  
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.  
Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

---

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

- Personal precautions : Use personal protective equipment.  
Avoid dust formation.  
Avoid breathing dust.  
Remove all sources of ignition.  
Follow safe handling advice and personal protective equipment recommendations.  
Never return spills in original containers for re-use.  
Treat recovered material as described in the section "Disposal considerations".

### 6.2 Environmental precautions

- Environmental precautions : Prevent product from entering drains.  
Prevent further leakage or spillage if safe to do so.  
If the product contaminates rivers and lakes or drains inform respective authorities.

### 6.3 Methods and material for containment and cleaning up

- Methods for cleaning up : Contact with incompatible substances can cause decomposition at or below SADT.  
Clear spills immediately.  
Suppress (knock down) gases/vapours/mists with a water spray jet.  
To clean the floor and all objects contaminated by this material, use plenty of water.  
Soak up with inert absorbent material.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## BP-30-FT1

Version	Revision Date:	SDS Number:	Date of last issue: 08.02.2018
3.0	20.02.2020	600000000188	Date of first issue: 18.01.2017

---

Isolate waste and do not reuse.  
Non-sparking tools should be used.  
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.

### 6.4 Reference to other sections

For personal protection see section 8.

---

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

- Technical measures : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.
- Advice on safe handling : Do not breathe vapours/dust.  
Avoid exposure - obtain special instructions before use.  
Avoid contact with skin and eyes.  
Take precautionary measures against static discharges.  
Never return any product to the container from which it was originally removed.  
Provide sufficient air exchange and/or exhaust in work rooms.  
Avoid confinement.  
Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
Smoking, eating and drinking should be prohibited in the application area.  
Wash thoroughly after handling.  
For personal protection see section 8.  
Persons susceptible to skin sensitisation problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used.  
Protect from contamination.
- Advice on protection against fire and explosion : Avoid dust formation. Provide appropriate exhaust ventilation at places where dust is formed. Keep away from heat and sources of ignition. Use only explosion-proof equipment. Keep away from combustible material.
- Hygiene measures : Keep away from food and drink. When using do not eat or drink. When using do not smoke. Wash hands before breaks and immediately after handling the product.

### 7.2 Conditions for safe storage, including any incompatibilities

- Requirements for storage areas and containers : Avoid impurities (e.g. rust, dust, ash), risk of decomposition.  
Electrical installations / working materials must comply with

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## BP-30-FT1

Version 3.0      Revision Date: 20.02.2020      SDS Number: 600000000188      Date of last issue: 08.02.2018  
Date of first issue: 18.01.2017

the technological safety standards. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Store in original container. Keep containers tightly closed in a cool, well-ventilated place. Store in accordance with the particular national regulations.

Advice on common storage : Keep away from strong acids, bases, heavy metal salts and other reducing substances.

Storage class (TRGS 510) : 5.2, Organic peroxides and self-reacting hazardous materials

Recommended storage temperature : < 30 °C

Further information on storage stability : No decomposition if stored normally.

### 7.3 Specific end use(s)

Specific use(s) : For further information, refer to the product technical data sheet.

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

#### Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
Dibenzoyl peroxide	94-36-0	AGW (Inhalable fraction)	5 mg/m <sup>3</sup>	DE TRGS 900
Peak-limit: excursion factor (category)	1;(I)			
Further information	Senate commission for the review of compounds at the work place dangerous for the health (MAK-commission).			
Silicon dioxide	7631-86-9	AGW (Inhalable fraction)	4 mg/m <sup>3</sup> (Silica)	DE TRGS 900
Further information	Senate commission for the review of compounds at the work place dangerous for the health (MAK-commission)., Colloidal amorphous silica, including pyrogenic silica and in wet processes manufactured silica (precipitated silica, sili-cage)., When there is compliance with the OEL and biological tolerance values, there is no risk of harming the unborn child			

#### Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health effects	Value
Dibenzoyl peroxide	Workers	Inhalation	Long-term systemic effects	11,75 mg/m <sup>3</sup>

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

## BP-30-FT1



Version 3.0      Revision Date: 20.02.2020      SDS Number: 600000000188      Date of last issue: 08.02.2018  
Date of first issue: 18.01.2017

	Workers	Skin contact	Long-term systemic effects	6,6 mg/kg bw/day
dicyclohexyl phthalate	Workers	Inhalation	Long-term systemic effects	35,2 mg/m <sup>3</sup>
	Workers	Skin contact	Long-term systemic effects	0,5 mg/kg bw/day
	Consumers	Inhalation	Long-term systemic effects	0,87 mg/m <sup>3</sup>
	Consumers	Skin contact	Long-term systemic effects	0,25 mg/kg bw/day
	Consumers	Ingestion	Long-term systemic effects	0,25 mg/kg bw/day
	Consumers	Ingestion	Acute systemic effects	0,25 mg/kg bw/day
Silicon dioxide	Workers	Inhalation	Long-term systemic effects	4 mg/m <sup>3</sup>

### Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
Dibenzoyl peroxide	Fresh water	0,000602 mg/l
	Marine water	< 0,0001 mg/l
	Intermittent use/release	0,000602 mg/l
	Sewage treatment plant	0,35 mg/l
	Fresh water sediment	0,338 mg/kg
dicyclohexyl phthalate	Soil	0,0758 mg/kg
	Oral	6,67 mg/kg
	Fresh water	0,036 mg/l
	Marine water	0 mg/l
	Sewage treatment plant	10 mg/l
	Fresh water sediment	1,06 mg/kg dry weight (d.w.)
	Marine sediment	0,106 mg/kg dry weight (d.w.)

## 8.2 Exposure controls

### Engineering measures

Minimize workplace exposure concentrations.

### Personal protective equipment

Eye protection : Tightly fitting safety goggles  
Please wear suitable protective goggles. Also wear face protection if there is a splash hazard.  
Ensure that eyewash stations and safety showers are close to the workstation location.

### Hand protection

Material : butyl-rubber  
Break through time :  $\geq$  480 min  
Glove thickness : 0,5 mm



# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## BP-30-FT1

Version	Revision Date:	SDS Number:	Date of last issue: 08.02.2018
3.0	20.02.2020	600000000188	Date of first issue: 18.01.2017

---

Remarks : Choose gloves to protect hands against chemicals depending on the concentration and quantity of the hazardous substance and specific to place of work. For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer. Wash hands before breaks and at the end of workday.

Skin and body protection : Select appropriate protective clothing based on chemical resistance data and an assessment of the local exposure potential.

Respiratory protection : In the case of dust or aerosol formation use respirator with an approved filter.

Filter type : Filter type P

---

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

Appearance : powder

Colour : white

Odour : aromatic

Odour Threshold : No data available

pH : No data available

Melting point/range : Decomposition: Decomposes below the melting point.

Boiling point/boiling range : Not applicable

Flash point : Not applicable

Evaporation rate : Not applicable

Flammability (solid, gas) : Not applicable

Upper explosion limit / Upper flammability limit : No data available

Lower explosion limit / Lower flammability limit : No data available

Vapour pressure : No data available

Density : ca. 0,8 g/cm<sup>3</sup>

---

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## BP-30-FT1

Version	Revision Date:	SDS Number:	Date of last issue: 08.02.2018
3.0	20.02.2020	600000000188	Date of first issue: 18.01.2017

---

Bulk density : ca. 800 kg/m<sup>3</sup>

Solubility(ies)  
Water solubility : insoluble

Viscosity  
Viscosity, dynamic : Not applicable

Viscosity, kinematic : Not applicable

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

### 9.2 Other information

Self-Accelerating decomposition temperature (SADT) : 55 °C  
Method: UN-Test H.4  
SADT-Self Accelerating Decomposition Temperature. Lowest temperature at which the tested package size will undergo a self-accelerating decomposition reaction.

---

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

Stable under recommended storage conditions.

### 10.2 Chemical stability

Stable under recommended storage conditions.

### 10.3 Possibility of hazardous reactions

Hazardous reactions : Dust may form explosive mixture in air.

### 10.4 Conditions to avoid

Conditions to avoid : Protect from contamination.  
Contact with incompatible substances can cause decomposition at or below SADT.  
Heat, flames and sparks.  
Avoid confinement.

### 10.5 Incompatible materials

Materials to avoid : Accelerators, strong acids and bases, heavy metals and heavy metal salts, reducing agents

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## BP-30-FT1

Version	Revision Date:	SDS Number:	Date of last issue: 08.02.2018
3.0	20.02.2020	600000000188	Date of first issue: 18.01.2017

---

### 10.6 Hazardous decomposition products

Irritant, caustic, flammable, noxious/toxic gases and vapours can develop in the case of fire and decomposition

---

## SECTION 11: Toxicological information

### 11.1 Information on toxicological effects

#### Acute toxicity

Not classified based on available information.

#### Components:

##### **dicyclohexyl phthalate:**

Acute oral toxicity : LD50 (Rat): > 2.000 mg/kg  
Method: OECD Test Guideline 423  
Assessment: The substance or mixture has no acute oral toxicity

Acute dermal toxicity : LD50 (Rat): > 2.000 mg/kg  
Method: OECD Test Guideline 402  
Assessment: The substance or mixture has no acute dermal toxicity

##### **Dibenzoyl peroxide:**

Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg  
Method: OECD Test Guideline 401  
Assessment: The substance or mixture has no acute oral toxicity

Acute inhalation toxicity : LC50 (Rat): > 24,3 mg/l  
Exposure time: 4 h  
Test atmosphere: vapour  
Method: OECD Test Guideline 403  
Assessment: The substance or mixture has no acute inhalation toxicity

Acute dermal toxicity : Remarks: No data available

#### **Skin corrosion/irritation**

Not classified based on available information.

#### Product:

Remarks : May cause skin irritation in susceptible persons.

#### Components:

##### **dicyclohexyl phthalate:**

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## BP-30-FT1

Version	Revision Date:	SDS Number:	Date of last issue: 08.02.2018
3.0	20.02.2020	600000000188	Date of first issue: 18.01.2017

---

Result : No skin irritation

### **Dibenzoyl peroxide:**

Species : Rabbit  
Result : No skin irritation

### **Serious eye damage/eye irritation**

Causes serious eye irritation.

### **Product:**

Remarks : Product dust may be irritating to eyes, skin and respiratory system.

### **Components:**

#### **dicyclohexyl phthalate:**

Result : No eye irritation

### **Dibenzoyl peroxide:**

Species : Rabbit  
Result : Irritation to eyes, reversing within 7 days

### **Respiratory or skin sensitisation**

#### **Skin sensitisation**

May cause an allergic skin reaction.

#### **Respiratory sensitisation**

Not classified based on available information.

### **Product:**

Remarks : Causes sensitisation.

### **Components:**

#### **dicyclohexyl phthalate:**

Exposure routes : Skin contact  
Species : Mouse  
Result : May cause sensitisation by skin contact.

### **Dibenzoyl peroxide:**

Exposure routes : Skin contact  
Species : Mouse  
Method : Local lymph node assay (LLNA)  
Result : May cause sensitisation by skin contact.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

## BP-30-FT1



Version	Revision Date:	SDS Number:	Date of last issue: 08.02.2018
3.0	20.02.2020	600000000188	Date of first issue: 18.01.2017

---

### Germ cell mutagenicity

Not classified based on available information.

#### Components:

##### **dicyclohexyl phthalate:**

Genotoxicity in vitro : Result: negative  
Remarks: In vitro tests did not show mutagenic effects

Genotoxicity in vivo : Remarks: No data available

Germ cell mutagenicity- Assessment :  
Remarks: Based on harmonised classification in EU regulation 1272/2008, Annex VI

##### **Dibenzoyl peroxide:**

Genotoxicity in vitro : Result: negative  
Remarks: In vitro tests did not show mutagenic effects

Genotoxicity in vivo : Result: negative  
Remarks: In vivo tests did not show mutagenic effects

### Carcinogenicity

Not classified based on available information.

#### Components:

##### **dicyclohexyl phthalate:**

Remarks : This information is not available.

Carcinogenicity - Assessment :  
Remarks: Based on harmonised classification in EU regulation 1272/2008, Annex VI

##### **Dibenzoyl peroxide:**

Remarks : Not classified due to data which are conclusive although insufficient for classification.

### Reproductive toxicity

May damage the unborn child.

#### Components:

##### **dicyclohexyl phthalate:**

Reproductive toxicity - Assessment : Clear evidence of adverse effects on development, based on animal experiments.  
Remarks: Based on harmonised classification in EU regulation 1272/2008, Annex VI

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## BP-30-FT1

Version	Revision Date:	SDS Number:	Date of last issue: 08.02.2018
3.0	20.02.2020	600000000188	Date of first issue: 18.01.2017

---

### Dibenzoyl peroxide:

Effects on fertility : Species: Rat, male  
Application Route: Oral  
General Toxicity - Parent: NOAEL: 1.000 mg/kg body weight  
Method: OECD Test Guideline 422

Species: Rat, female  
Application Route: Oral  
General Toxicity - Parent: NOAEL: 500 mg/kg body weight  
Method: OECD Test Guideline 422

Reproductive toxicity - Assessment : No evidence of adverse effects on sexual function and fertility, or on development, based on animal experiments.

### STOT - single exposure

Not classified based on available information.

#### Components:

### Dibenzoyl peroxide:

Exposure routes : Ingestion  
Assessment : The substance or mixture is not classified as specific target organ toxicant, single exposure.

### STOT - repeated exposure

Not classified based on available information.

#### Components:

### Dibenzoyl peroxide:

Exposure routes : Ingestion  
Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

### Repeated dose toxicity

#### Components:

### dicyclohexyl phthalate:

Species : Rat  
NOAEL : 50 mg/kg  
Application Route : Ingestion  
Exposure time : 90 d  
Method : OECD Test Guideline 408

### Aspiration toxicity

Not classified based on available information.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## BP-30-FT1

Version 3.0      Revision Date: 20.02.2020      SDS Number: 600000000188      Date of last issue: 08.02.2018  
Date of first issue: 18.01.2017

---

### Components:

#### **Dibenzoyl peroxide:**

No aspiration toxicity classification

#### **Further information**

#### Product:

Remarks : No data available

---

## SECTION 12: Ecological information

### 12.1 Toxicity

#### Components:

#### **dicyclohexyl phthalate:**

- Toxicity to fish : LC50 (Oryzias latipes (Orange-red killifish)): > 2 mg/l  
Exposure time: 96 h  
Remarks: No toxicity at the limit of solubility
- Toxicity to daphnia and other aquatic invertebrates : NOEC (Daphnia magna (Water flea)): > 2 mg/l  
Exposure time: 48 h  
Remarks: No toxicity at the limit of solubility
- Toxicity to algae : ErC50 (Pseudokirchneriella subcapitata (green algae)): > 2 mg/l  
Exposure time: 72 h  
Test Type: Growth inhibition  
Method: OECD Test Guideline 201  
Remarks: No toxicity at the limit of solubility
- Toxicity to microorganisms : NOEC : > 100 mg/l  
Exposure time: 3 h  
Test Type: Respiration inhibition  
Method: OECD Test Guideline 209
- Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 0,181 mg/l  
Exposure time: 21 d  
Species: Daphnia magna (Water flea)  
Method: OECD Test Guideline 211

#### **Ecotoxicology Assessment**

Chronic aquatic toxicity : Harmful to aquatic life with long lasting effects.

#### **Dibenzoyl peroxide:**

Toxicity to fish : EC50 (Oncorhynchus mykiss (rainbow trout)): 0,06 mg/l

---

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## BP-30-FT1

Version	Revision Date:	SDS Number:	Date of last issue: 08.02.2018
3.0	20.02.2020	600000000188	Date of first issue: 18.01.2017

---

- Exposure time: 96 h  
Method: OECD Test Guideline 203
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 0,11 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202
- Toxicity to algae : EC50 (Pseudokirchneriella subcapitata (green algae)): 0,06 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201
- M-Factor (Acute aquatic toxicity) : 10
- Toxicity to microorganisms : EC50 (Bacteria): 35 mg/l
- Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : EC10: 0,001 mg/l  
Exposure time: 21 d  
Species: Daphnia magna (Water flea)  
Test Type: semi-static test  
Method: OECD Test Guideline 211
- M-Factor (Chronic aquatic toxicity) : 10

### Ecotoxicology Assessment

- Acute aquatic toxicity : Very toxic to aquatic life.
- Chronic aquatic toxicity : Very toxic to aquatic life with long lasting effects.

## 12.2 Persistence and degradability

### Components:

#### **dicyclohexyl phthalate:**

Biodegradability : Result: Readily biodegradable.

#### **Dibenzoyl peroxide:**

Biodegradability : Result: Inherently biodegradable.

## 12.3 Bioaccumulative potential

### Components:

#### **dicyclohexyl phthalate:**

Partition coefficient: n-octanol/water : log Pow: 4,82 (25 °C)



# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## BP-30-FT1

Version	Revision Date:	SDS Number:	Date of last issue: 08.02.2018
3.0	20.02.2020	600000000188	Date of first issue: 18.01.2017

---

### Dibenzoyl peroxide:

Partition coefficient: n-octanol/water : log Pow: 3,2 (20 °C)

### 12.4 Mobility in soil

No data available

### 12.5 Results of PBT and vPvB assessment

#### Product:

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher..

### 12.6 Other adverse effects

#### Product:

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.  
Very toxic to aquatic life with long lasting effects.

---

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

Product : The product should not be allowed to enter drains, water courses or the soil.  
Do not contaminate ponds, waterways or ditches with chemical or used container.  
Dispose of wastes in an approved waste disposal facility.

Contaminated packaging : Empty remaining contents.  
Dispose of as unused product.  
Do not re-use empty containers.  
Do not burn, or use a cutting torch on, the empty drum.  
Dispose of in accordance with local regulations.

---

## SECTION 14: Transport information

### 14.1 UN number

ADR	: UN 3110
RID	: UN 3110
IMDG	: UN 3110
IATA	: UN 3110

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## BP-30-FT1

Version	Revision Date:	SDS Number:	Date of last issue: 08.02.2018
3.0	20.02.2020	600000000188	Date of first issue: 18.01.2017

---

### 14.2 UN proper shipping name

<b>ADR</b>	:	ORGANIC PEROXIDE TYPE F, SOLID (DIBENZOYL PEROXIDE)
<b>RID</b>	:	ORGANIC PEROXIDE TYPE F, SOLID (DIBENZOYL PEROXIDE)
<b>IMDG</b>	:	ORGANIC PEROXIDE TYPE F, SOLID (DIBENZOYL PEROXIDE)
<b>IATA</b>	:	Organic peroxide type F, solid (Dibenzoyl peroxide)

### 14.3 Transport hazard class(es)

<b>ADR</b>	:	5.2
<b>RID</b>	:	5.2
<b>IMDG</b>	:	5.2
<b>IATA</b>	:	5.2

### 14.4 Packing group

<b>ADR</b>		
Packing group	:	Not assigned by regulation
Classification Code	:	P1
Hazard Identification Number	:	539
Labels	:	5.2
Tunnel restriction code	:	(D)
<b>RID</b>		
Packing group	:	Not assigned by regulation
Classification Code	:	P1
Hazard Identification Number	:	539
Labels	:	5.2
<b>IMDG</b>		
Packing group	:	Not assigned by regulation
Labels	:	5.2
EmS Code	:	F-J, S-R
<b>IATA (Cargo)</b>		
Packing instruction (cargo aircraft)	:	570
Packing group	:	Not assigned by regulation
Labels	:	Organic Peroxides, Keep Away From Heat
<b>IATA (Passenger)</b>		
Packing instruction (passenger aircraft)	:	570
Packing group	:	Not assigned by regulation
Labels	:	Organic Peroxides, Keep Away From Heat

### 14.5 Environmental hazards

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## BP-30-FT1

Version	Revision Date:	SDS Number:	Date of last issue: 08.02.2018
3.0	20.02.2020	600000000188	Date of first issue: 18.01.2017

---

### ADR

Environmentally hazardous : yes

### RID

Environmentally hazardous : yes

### IMDG

Marine pollutant : yes

### 14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

### 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable for product as supplied.

---

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59) : dicyclohexyl phthalate

REACH - List of substances subject to authorisation (Annex XIV) : Not applicable

Regulation (EC) No 1005/2009 on substances that deplete the ozone layer : Not applicable

Regulation (EC) No 850/2004 on persistent organic pollutants : Not applicable

Regulation (EC) No 649/2012 of the European Parliament and the Council concerning the export and import of dangerous chemicals : Not applicable

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, preparations and articles (Annex XVII) : Conditions of restriction for the following entries should be considered: dicyclohexyl phthalate (Number on list 30)

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.

		Quantity 1	Quantity 2
E1	ENVIRONMENTAL HAZARDS	100 t	200 t
P6b	SELF-REACTIVE	50 t	200 t

---

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## BP-30-FT1

Version	Revision Date:	SDS Number:	Date of last issue: 08.02.2018
3.0	20.02.2020	600000000188	Date of first issue: 18.01.2017

---

### SUBSTANCES AND MIXTURES and ORGANIC PEROXIDES

Water contaminating class (Germany) : WGK 1 slightly hazardous to water  
Classification according to AwSV, Annex 1 (5.2)

#### Other regulations:

Gefahrgruppe nach § 3 BGV B4: III (German regulatory requirements)

Take note of Law on the protection of mothers at work, in education and in studies (Maternity Protection Act - MuSchG).

Take note of Directive 94/33/EC on the protection of young people at work or stricter national regulations, where applicable.

#### The components of this product are reported in the following inventories:

DSL (CA) : All components of this product are on the Canadian DSL

AICS (AU) : On the inventory, or in compliance with the inventory

ENCS (JP) : On the inventory, or in compliance with the inventory

ISHL (JP) : On the inventory, or in compliance with the inventory

KECI (KR) : On the inventory, or in compliance with the inventory

PICCS (PH) : On the inventory, or in compliance with the inventory

IECSC (CN) : On the inventory, or in compliance with the inventory

TCSI (TW) : On the inventory, or in compliance with the inventory

TSCA (US) : On TSCA Inventory

#### 15.2 Chemical safety assessment

Chemical Safety Assessments have been carried out for these substances.  
For further information see eSDS.

---

### SECTION 16: Other information

#### Full text of H-Statements

H241 : Heating may cause a fire or explosion.  
H317 : May cause an allergic skin reaction.  
H319 : Causes serious eye irritation.  
H360D : May damage the unborn child.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## BP-30-FT1

Version	Revision Date:	SDS Number:	Date of last issue: 08.02.2018
3.0	20.02.2020	600000000188	Date of first issue: 18.01.2017

---

H400 : Very toxic to aquatic life.  
H410 : Very toxic to aquatic life with long lasting effects.  
H412 : Harmful to aquatic life with long lasting effects.

### Full text of other abbreviations

Aquatic Acute : Short-term (acute) aquatic hazard  
Aquatic Chronic : Long-term (chronic) aquatic hazard  
Eye Irrit. : Eye irritation  
Org. Perox. : Organic peroxides  
Repr. : Reproductive toxicity  
Skin Sens. : Skin sensitisation  
DE TRGS 900 : Germany. TRGS 900 - Occupational exposure limit values.  
DE TRGS 900 / AGW : Time Weighted Average

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road; AICS - Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

### Further information

Other information : This safety datasheet only contains information relating to safety and does not replace any product information or prod-

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## BP-30-FT1

Version	Revision Date:	SDS Number:	Date of last issue: 08.02.2018
3.0	20.02.2020	600000000188	Date of first issue: 18.01.2017

---

uct specification.

These safety instructions also apply to empty packaging which may still contain product residues.

Sources of key data used to compile the Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

### Classification of the mixture:

Org. Perox. F	H242
Eye Irrit. 2	H319
Skin Sens. 1	H317
Repr. 1B	H360D
Aquatic Acute 1	H400
Aquatic Chronic 1	H410

### Classification procedure:

Based on product data or assessment
Calculation method
Calculation method
Calculation method
Calculation method
Calculation method

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

DE / EN