

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## BP-30-FT1

Version  
2.0

Revision Date:  
08.02.2018

SDS Number:  
600000000188

Print Date:  
12.02.2018

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Trade name : BP-30-FT1

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub-  
stance/Mixture : Curing chemical

#### 1.3 Details of the supplier of the safety data sheet

Company : United Initiators GmbH  
Dr.-Gustav-Adolph-Str. 3  
82049 Pullach

E-mail address of person  
responsible for the SDS : contact@united-in.com

#### 1.4 Emergency telephone number

+49 / 89 / 74422 – 0 (24 h)

### SECTION 2: Hazards identification

#### 2.1 Classification of the substance or mixture

##### Classification (REGULATION (EC) No 1272/2008)

Eye irritation, Category 2 H319: Causes serious eye irritation.

Skin sensitisation, Category 1 H317: May cause an allergic skin reaction.

Reproductive toxicity, Category 1B H360D: May damage the unborn child.

Acute aquatic toxicity, Category 1 H400: Very toxic to aquatic life.

Chronic aquatic toxicity, Category 1 H410: Very toxic to aquatic life with long lasting effects.

#### 2.2 Label elements

##### Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms :



Signal word : Danger

Hazard statements : H317 May cause an allergic skin reaction.  
H319 Causes serious eye irritation.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## BP-30-FT1

Version  
2.0

Revision Date:  
08.02.2018

SDS Number:  
600000000188

Print Date:  
12.02.2018

H360D May damage the unborn child.  
H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements :

**Prevention:**  
P261 Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.  
P262 Do not get in eyes, on skin, or on clothing.  
P273 Avoid release to the environment.  
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

**Response:**  
P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P308 + P313 IF exposed or concerned: Get medical advice/ attention.  
P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.  
P337 + P313 If eye irritation persists: Get medical advice/ attention.  
P362 + P364 Take off contaminated clothing and wash it before reuse.

**Disposal:**  
P501 Dispose of contents/ container to an approved waste disposal plant.

Hazardous components which must be listed on the label:

Dicyclohexyl phthalate (CAS-No. 84-61-7)

Dibenzoyl peroxide (CAS-No. 94-36-0)

### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

## SECTION 3: Composition/information on ingredients

### 3.2 Mixtures

Chemical nature : Organic Peroxide  
Solid mixture

#### Hazardous components

Chemical name	CAS-No. EC-No. Registration number	Classification	Concentration (% w/w)
Dicyclohexyl phthalate	84-61-7 201-545-9 01-2119978223-34	Skin Sens. 1; H317 Repr. 1B; H360D Aquatic Chronic 3;	>= 30 - < 35

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## BP-30-FT1

Version  
2.0

Revision Date:  
08.02.2018

SDS Number:  
600000000188

Print Date:  
12.02.2018

Dibenzoyl peroxide	94-36-0 202-327-6 01-2119511472-50	H412 Org. Perox. B; H241 Eye Irrit. 2; H319 Skin Sens. 1; H317 Aquatic Acute 1; H400 Aquatic Chronic 1; H410	>= 25 - < 30
--------------------	--	---	--------------

For explanation of abbreviations see section 16.

### SECTION 4: First aid measures

#### 4.1 Description of first aid measures

- General advice : Move out of dangerous area.  
Show this safety data sheet to the doctor in attendance.  
Do not leave the victim unattended.  
Call a physician immediately.
- Protection of first-aiders : First Aid responders should pay attention to self-protection and use the recommended protective clothing
- If inhaled : If unconscious, place in recovery position and seek medical advice.  
If symptoms persist, call a physician.  
If breathed in, move person into fresh air.
- In case of skin contact : In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes.  
Wash contaminated clothing before re-use.  
If on skin, rinse well with water.  
If on clothes, remove clothes.  
If symptoms persist, call a physician.
- In case of eye contact : In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice.  
Remove contact lenses.  
Protect unharmed eye.  
Keep eye wide open while rinsing.  
If eye irritation persists, consult a specialist.
- If swallowed : Keep respiratory tract clear.  
Call a physician immediately.

#### 4.2 Most important symptoms and effects, both acute and delayed

- Risks : May cause an allergic skin reaction.  
Causes serious eye irritation.  
May damage the unborn child.

#### 4.3 Indication of any immediate medical attention and special treatment needed

- Treatment : Treat symptomatically and supportively.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## BP-30-FT1

Version  
2.0

Revision Date:  
08.02.2018

SDS Number:  
600000000188

Print Date:  
12.02.2018

---

### SECTION 5: Firefighting measures

#### 5.1 Extinguishing media

Suitable extinguishing media : Water spray  
Alcohol-resistant foam  
Carbon dioxide (CO<sub>2</sub>)  
Dry chemical

Unsuitable extinguishing media : High volume water jet

#### 5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-fighting : The product burns violently.

#### 5.3 Advice for firefighters

Special protective equipment for firefighters : Wear self-contained breathing apparatus for firefighting if necessary. Use personal protective equipment.

Specific extinguishing methods : Do not use a solid water stream as it may scatter and spread fire.  
Remove undamaged containers from fire area if it is safe to do so.  
Use water spray to cool unopened containers.

Further information : Collect contaminated fire extinguishing water separately. This must not be discharged into drains.  
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.  
Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

---

### SECTION 6: Accidental release measures

#### 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Use personal protective equipment.  
Avoid dust formation.  
Avoid breathing dust.  
Follow safe handling advice and personal protective equipment recommendations.  
Treat recovered material as described in the section "Disposal considerations".

#### 6.2 Environmental precautions

Environmental precautions : Prevent product from entering drains.  
Prevent further leakage or spillage if safe to do so.  
If the product contaminates rivers and lakes or drains inform

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## BP-30-FT1

Version  
2.0

Revision Date:  
08.02.2018

SDS Number:  
600000000188

Print Date:  
12.02.2018

---

respective authorities.

### 6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Clear spills immediately.  
To clean the floor and all objects contaminated by this material, use plenty of water.  
Soak up with inert absorbent material.  
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.

### 6.4 Reference to other sections

For personal protection see section 8.

---

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

Technical measures : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.

Advice on safe handling : Do not breathe vapours/dust.  
Avoid exposure - obtain special instructions before use.  
Avoid contact with skin and eyes.  
Provide sufficient air exchange and/or exhaust in work rooms.  
Smoking, eating and drinking should be prohibited in the application area.  
Wash thoroughly after handling.  
For personal protection see section 8.  
Persons susceptible to skin sensitisation problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used.

Advice on protection against fire and explosion : Avoid dust formation. Provide appropriate exhaust ventilation at places where dust is formed.

Hygiene measures : Keep away from food and drink. When using do not eat or drink. When using do not smoke. Wash hands before breaks and immediately after handling the product.

### 7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers : Electrical installations / working materials must comply with the technological safety standards. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Keep containers tightly closed in a cool, well-ventilated place. Store in accordance with the particular national regulations.

Recommended storage temperature : < 30 °C

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## BP-30-FT1

Version  
2.0

Revision Date:  
08.02.2018

SDS Number:  
600000000188

Print Date:  
12.02.2018

### 7.3 Specific end use(s)

Specific use(s) : For further information, refer to the product technical data sheet.

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

#### Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
Calcium carbonate	Calcium carbonate	TWA (inhalable dust)	10 mg/m <sup>3</sup>	GB EH40
Further information	For the purposes of these limits, respirable dust and inhalable dust are those fractions of airborne dust which will be collected when sampling is undertaken in accordance with the methods described in MDHS14/3 General methods for sampling and gravimetric analysis of respirable and inhalable dust, The COSHH definition of a substance hazardous to health includes dust of any kind when present at a concentration in air equal to or greater than 10 mg.m <sup>-3</sup> 8-hour TWA of inhalable dust or 4 mg.m <sup>-3</sup> 8-hour TWA of respirable dust. This means that any dust will be subject to COSHH if people are exposed above these levels. Some dusts have been assigned specific WELs and exposure to these must comply with the appropriate limit., Most industrial dusts contain particles of a wide range of sizes. The behaviour, deposition and fate of any particular particle after entry into the human respiratory system and the body response that it elicits, depend on the nature and size of the particle. HSE distinguishes two size fractions for limit-setting purposes termed 'inhalable' and 'respirable'. Inhalable dust approximates to the fraction of airborne material that enters the nose and mouth during breathing and is therefore available for deposition in the respiratory tract. Respirable dust approximates to the fraction that penetrates to the gas exchange region of the lung. Fuller definitions and explanatory material are given in MDHS14/3., Where dusts contain components that have their own assigned WEL, all the relevant limits should be complied with., Where no specific short-term exposure limit is listed, a figure three times the long-term exposure should be used			
		TWA (Respirable dust)	4 mg/m <sup>3</sup>	GB EH40
Further information	For the purposes of these limits, respirable dust and inhalable dust are those fractions of airborne dust which will be collected when sampling is undertaken in accordance with the methods described in MDHS14/3 General methods for sampling and gravimetric analysis of respirable and inhalable dust, The COSHH definition of a substance hazardous to health includes dust of any kind when present at a concentration in air equal to or greater than 10 mg.m <sup>-3</sup> 8-hour TWA of inhalable dust or 4 mg.m <sup>-3</sup> 8-hour TWA of respirable dust. This means that any dust will be subject to COSHH if people are exposed above these levels. Some dusts have been assigned specific WELs and exposure to these must comply with the appropriate limit., Most industrial dusts contain particles of a wide range of sizes. The behaviour, deposition and fate of any particular particle after entry into the human respiratory system and the body response that it elicits, depend on the nature and size of the particle.			

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## BP-30-FT1

Version  
2.0

Revision Date:  
08.02.2018

SDS Number:  
600000000188

Print Date:  
12.02.2018

	HSE distinguishes two size fractions for limit-setting purposes termed 'inhalable' and 'respirable'. Inhalable dust approximates to the fraction of airborne material that enters the nose and mouth during breathing and is therefore available for deposition in the respiratory tract. Respirable dust approximates to the fraction that penetrates to the gas exchange region of the lung. Fuller definitions and explanatory material are given in MDHS14/3., Where dusts contain components that have their own assigned WEL, all the relevant limits should be complied with., Where no specific short-term exposure limit is listed, a figure three times the long-term exposure should be used			
Dicyclohexyl phthalate	Dicyclohexyl phthalate	TWA	5 mg/m <sup>3</sup>	GB EH40
Further information	Where no specific short-term exposure limit is listed, a figure three times the long-term exposure should be used			
Dibenzoyl peroxide	Dibenzoyl peroxide	TWA	5 mg/m <sup>3</sup>	GB EH40
Further information	Where no specific short-term exposure limit is listed, a figure three times the long-term exposure should be used			
Silicon dioxide	Silicon dioxide	TWA (inhalable dust)	6 mg/m <sup>3</sup> (Silica)	GB EH40
Further information	For the purposes of these limits, respirable dust and inhalable dust are those fractions of airborne dust which will be collected when sampling is undertaken in accordance with the methods described in MDHS14/3 General methods for sampling and gravimetric analysis of respirable and inhalable dust, The COSHH definition of a substance hazardous to health includes dust of any kind when present at a concentration in air equal to or greater than 10 mg.m <sup>-3</sup> 8-hour TWA of inhalable dust or 4 mg.m <sup>-3</sup> 8-hour TWA of respirable dust. This means that any dust will be subject to COSHH if people are exposed above these levels. Some dusts have been assigned specific WELs and exposure to these must comply with the appropriate limit., Most industrial dusts contain particles of a wide range of sizes. The behaviour, deposition and fate of any particular particle after entry into the human respiratory system and the body response that it elicits, depend on the nature and size of the particle. HSE distinguishes two size fractions for limit-setting purposes termed 'inhalable' and 'respirable'. Inhalable dust approximates to the fraction of airborne material that enters the nose and mouth during breathing and is therefore available for deposition in the respiratory tract. Respirable dust approximates to the fraction that penetrates to the gas exchange region of the lung. Fuller definitions and explanatory material are given in MDHS14/3., Where dusts contain components that have their own assigned WEL, all the relevant limits should be complied with., Where no specific short-term exposure limit is listed, a figure three times the long-term exposure should be used			
		TWA (Respirable dust)	2.4 mg/m <sup>3</sup> (Silica)	GB EH40
Further information	For the purposes of these limits, respirable dust and inhalable dust are those fractions of airborne dust which will be collected when sampling is undertaken in accordance with the methods described in MDHS14/3 General methods for sampling and gravimetric analysis of respirable and inhalable dust, The COSHH definition of a substance hazardous to health includes dust of any kind when present at a concentration in air equal to or greater than 10 mg.m <sup>-3</sup> 8-hour TWA of inhalable dust or 4 mg.m <sup>-3</sup> 8-hour TWA of respirable dust. This means that any dust will be subject to COSHH if people are exposed above these levels. Some dusts have been assigned specific WELs and exposure to these must comply with the appropriate limit., Most industrial dusts contain particles of a wide range of sizes. The behaviour, deposition and fate			

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## BP-30-FT1

Version  
2.0

Revision Date:  
08.02.2018

SDS Number:  
600000000188

Print Date:  
12.02.2018

of any particular particle after entry into the human respiratory system and the body response that it elicits, depend on the nature and size of the particle. HSE distinguishes two size fractions for limit-setting purposes termed 'inhalable' and 'respirable'. Inhalable dust approximates to the fraction of airborne material that enters the nose and mouth during breathing and is therefore available for deposition in the respiratory tract. Respirable dust approximates to the fraction that penetrates to the gas exchange region of the lung. Fuller definitions and explanatory material are given in MDHS14/3., Where dusts contain components that have their own assigned WEL, all the relevant limits should be complied with., Where no specific short-term exposure limit is listed, a figure three times the long-term exposure should be used

### Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health effects	Value
Dibenzoyl peroxide	Workers	Inhalation	Long-term systemic effects	11.75 mg/m <sup>3</sup>
	Workers	Skin contact	Long-term systemic effects	6.6 mg/kg bw/day

### Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
Dibenzoyl peroxide	Fresh water	0.000602 mg/l
	Marine water	< 0.0001 mg/l
	Intermittent use/release	0.000602 mg/l
	Sewage treatment plant	0.35 mg/l
	Fresh water sediment	0.338 mg/kg
	Soil	0.0758 mg/kg
	Oral	6.67 mg/kg

## 8.2 Exposure controls

### Engineering measures

Minimize workplace exposure concentrations.

### Personal protective equipment

Eye protection : Tightly fitting safety goggles  
Please wear suitable protective goggles. Also wear face protection if there is a splash hazard.  
Ensure that eyewash stations and safety showers are close to the workstation location.

### Hand protection

Material : butyl-rubber  
Break through time : >= 480 min  
Glove thickness : 0.5 mm

Remarks : Choose gloves to protect hands against chemicals depending on the concentration and quantity of the hazardous substance and specific to place of work. For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer. Wash hands before breaks and at the end of workday.



# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## BP-30-FT1

Version  
2.0

Revision Date:  
08.02.2018

SDS Number:  
600000000188

Print Date:  
12.02.2018

- 
- Skin and body protection : Select appropriate protective clothing based on chemical resistance data and an assessment of the local exposure potential.
- Respiratory protection : In the case of dust or aerosol formation use respirator with an approved filter.
- 

### SECTION 9: Physical and chemical properties

#### 9.1 Information on basic physical and chemical properties

- Appearance : powder
- Colour : white
- Odour : aromatic
- Odour Threshold : No data available
- pH : No data available
- Melting point/range : Decomposition: Decomposes below the melting point.
- Boiling point/boiling range : Not applicable
- Flash point : Not applicable
- Evaporation rate : Not applicable
- Flammability (solid, gas) : Not applicable
- Upper explosion limit : No data available
- Lower explosion limit : No data available
- Vapour pressure : No data available
- Bulk density : 620 kg/m<sup>3</sup>
- Solubility(ies)  
Water solubility : insoluble
- Viscosity  
Viscosity, dynamic : Not applicable
- Viscosity, kinematic : Not applicable
- Explosive properties : Not explosive
- Oxidizing properties : The substance or mixture is not classified as oxidizing.

#### 9.2 Other information

- Self-Accelerating decomposi- : 60 °C

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## BP-30-FT1

Version  
2.0

Revision Date:  
08.02.2018

SDS Number:  
600000000188

Print Date:  
12.02.2018

tion temperature (SADT)

Method: UN-Test H.4  
SADT-Self Accelerating Decomposition Temperature. Lowest temperature at which the tested package size will undergo a self-accelerating decomposition reaction.

---

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

Stable under recommended storage conditions.

### 10.2 Chemical stability

Stable under recommended storage conditions.

### 10.3 Possibility of hazardous reactions

Hazardous reactions : Dust may form explosive mixture in air.

### 10.4 Conditions to avoid

Conditions to avoid : Contact with incompatible substances can cause decomposition at or below SADT.

### 10.5 Incompatible materials

Materials to avoid : Accelerators, strong acids and bases, heavy metals and heavy metal salts, reducing agents

### 10.6 Hazardous decomposition products

Irritant, caustic, flammable, noxious/toxic gases and vapours can develop in the case of fire and decomposition

---

## SECTION 11: Toxicological information

### 11.1 Information on toxicological effects

#### Acute toxicity

Not classified based on available information.

#### Components:

##### Dicyclohexyl phthalate:

Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg  
Method: OECD Test Guideline 423  
Assessment: The substance or mixture has no acute oral toxicity

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg  
Method: OECD Test Guideline 402  
Assessment: The substance or mixture has no acute dermal toxicity

##### Dibenzoyl peroxide:

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## BP-30-FT1

Version  
2.0

Revision Date:  
08.02.2018

SDS Number:  
600000000188

Print Date:  
12.02.2018

- 
- Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg  
Method: OECD Test Guideline 401  
Assessment: The substance or mixture has no acute oral toxicity
- Acute inhalation toxicity : LC50 (Rat): > 24.3 mg/l  
Exposure time: 4 h  
Test atmosphere: vapour  
Method: OECD Test Guideline 403  
Assessment: The substance or mixture has no acute inhalation toxicity
- Acute dermal toxicity : Remarks: No data available

### **Skin corrosion/irritation**

Not classified based on available information.

#### **Product:**

Remarks: May cause skin irritation and/or dermatitis.

#### **Components:**

##### **Dicyclohexyl phthalate:**

Result: No skin irritation

##### **Dibenzoyl peroxide:**

Species: Rabbit

Result: No skin irritation

### **Serious eye damage/eye irritation**

Causes serious eye irritation.

#### **Product:**

Remarks: Product dust may be irritating to eyes, skin and respiratory system.

#### **Components:**

##### **Dicyclohexyl phthalate:**

Result: No eye irritation

##### **Dibenzoyl peroxide:**

Species: Rabbit

Result: Irritation to eyes, reversing within 7 days

### **Respiratory or skin sensitisation**

#### **Skin sensitisation**

May cause an allergic skin reaction.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## BP-30-FT1

Version  
2.0

Revision Date:  
08.02.2018

SDS Number:  
600000000188

Print Date:  
12.02.2018

---

### **Respiratory sensitisation**

Not classified based on available information.

#### **Product:**

Remarks: Causes sensitisation.

#### **Components:**

##### **Dicyclohexyl phthalate:**

Exposure routes: Skin contact

Species: Mouse

Result: May cause sensitisation by skin contact.

##### **Dibenzoyl peroxide:**

Exposure routes: Skin contact

Species: Mouse

Method: Local lymph node assay (LLNA)

Result: May cause sensitisation by skin contact.

### **Germ cell mutagenicity**

Not classified based on available information.

#### **Components:**

##### **Dicyclohexyl phthalate:**

Genotoxicity in vitro : Result: negative  
Remarks: In vitro tests did not show mutagenic effects

Genotoxicity in vivo : Remarks: No data available

##### **Dibenzoyl peroxide:**

Genotoxicity in vitro : Result: negative  
Remarks: In vitro tests did not show mutagenic effects

Genotoxicity in vivo : Result: negative  
Remarks: In vivo tests did not show mutagenic effects

### **Carcinogenicity**

Not classified based on available information.

#### **Components:**

##### **Dicyclohexyl phthalate:**

Remarks: This information is not available.

##### **Dibenzoyl peroxide:**

Remarks: Not classified due to data which are conclusive although insufficient for classification.

### **Reproductive toxicity**

May damage the unborn child.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## BP-30-FT1

Version  
2.0

Revision Date:  
08.02.2018

SDS Number:  
600000000188

Print Date:  
12.02.2018

### Components:

#### **Dicyclohexyl phthalate:**

Effects on fertility : Remarks: Based on harmonised classification in EU regulation 1272/2008, Annex VI

Reproductive toxicity - Assessment : Clear evidence of adverse effects on development, based on animal experiments.

#### **Dibenzoyl peroxide:**

Effects on fertility : Species: Rat, male  
Application Route: Oral  
General Toxicity - Parent: NOAEL: 1,000 mg/kg body weight  
Method: OECD Test Guideline 422

Species: Rat, female  
Application Route: Oral  
General Toxicity - Parent: NOAEL: 500 mg/kg body weight  
Method: OECD Test Guideline 422

Reproductive toxicity - Assessment : No evidence of adverse effects on sexual function and fertility, or on development, based on animal experiments.

#### **STOT - single exposure**

Not classified based on available information.

### Components:

#### **Dibenzoyl peroxide:**

Exposure routes: Ingestion

Assessment: The substance or mixture is not classified as specific target organ toxicant, single exposure.

#### **STOT - repeated exposure**

Not classified based on available information.

### Components:

#### **Dibenzoyl peroxide:**

Exposure routes: Ingestion

Assessment: The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

#### **Repeated dose toxicity**

### Components:

#### **Dicyclohexyl phthalate:**

Species: Rat

NOAEL: 50 mg/kg

Application Route: Ingestion

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## BP-30-FT1

Version  
2.0

Revision Date:  
08.02.2018

SDS Number:  
600000000188

Print Date:  
12.02.2018

Exposure time: 90 d  
Method: OECD Test Guideline 408

### Aspiration toxicity

Not classified based on available information.

### Components:

#### Dibenzoyl peroxide:

No aspiration toxicity classification

### Further information

#### Product:

Remarks: No data available

---

## SECTION 12: Ecological information

### 12.1 Toxicity

#### Components:

##### Dicyclohexyl phthalate:

Toxicity to fish : LC50 (Oryzias latipes (Orange-red killifish)): > 2 mg/l  
Exposure time: 96 h  
Remarks: No toxicity at the limit of solubility

Toxicity to daphnia and other aquatic invertebrates : NOEC (Daphnia magna (Water flea)): > 2 mg/l  
Exposure time: 48 h  
Remarks: No toxicity at the limit of solubility

Toxicity to algae : ErC50 (Pseudokirchneriella subcapitata (green algae)): > 2 mg/l  
Exposure time: 72 h  
Test Type: Growth inhibition  
Method: OECD Test Guideline 201  
Remarks: No toxicity at the limit of solubility

Toxicity to microorganisms : NOEC : > 100 mg/l  
Exposure time: 3 h  
Test Type: Respiration inhibition  
Method: OECD Test Guideline 209

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 0.181 mg/l  
Exposure time: 21 d  
Species: Daphnia magna (Water flea)  
Method: OECD Test Guideline 211

### Ecotoxicology Assessment

Chronic aquatic toxicity : Harmful to aquatic life with long lasting effects.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## BP-30-FT1

Version  
2.0

Revision Date:  
08.02.2018

SDS Number:  
600000000188

Print Date:  
12.02.2018

### Dibenzoyl peroxide:

- Toxicity to fish : EC50 (Oncorhynchus mykiss (rainbow trout)): 0.06 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 203
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 0.11 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202
- Toxicity to algae : EC50 (Pseudokirchneriella subcapitata (green algae)): 0.06 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

M-Factor (Acute aquatic toxicity) : 10

Toxicity to microorganisms : EC50 (Bacteria): 35 mg/l

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : EC10: 0.001 mg/l  
Exposure time: 21 d  
Species: Daphnia magna (Water flea)  
Test Type: semi-static test  
Method: OECD Test Guideline 211

M-Factor (Chronic aquatic toxicity) : 10

### Ecotoxicology Assessment

- Acute aquatic toxicity : Very toxic to aquatic life.
- Chronic aquatic toxicity : Very toxic to aquatic life with long lasting effects.

## 12.2 Persistence and degradability

### Components:

#### Dicyclohexyl phthalate:

Biodegradability : Result: Readily biodegradable.

#### Dibenzoyl peroxide:

Biodegradability : Result: Inherently biodegradable.

## 12.3 Bioaccumulative potential

### Components:

#### Dicyclohexyl phthalate:

Partition coefficient: n-octanol/water : log Pow: 4.82 (25 °C)

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## BP-30-FT1

Version  
2.0

Revision Date:  
08.02.2018

SDS Number:  
600000000188

Print Date:  
12.02.2018

---

### Dibenzoyl peroxide:

Partition coefficient: n-octanol/water : log Pow: 3.2 (20 °C)

### 12.4 Mobility in soil

No data available

### 12.5 Results of PBT and vPvB assessment

#### Product:

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher..

### 12.6 Other adverse effects

#### Product:

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.  
Very toxic to aquatic life with long lasting effects.

---

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

Product : The product should not be allowed to enter drains, water courses or the soil.  
Do not contaminate ponds, waterways or ditches with chemical or used container.  
Dispose of wastes in an approved waste disposal facility.

Contaminated packaging : Empty remaining contents.  
Dispose of as unused product.  
Do not re-use empty containers.  
Dispose of in accordance with local regulations.

---

## SECTION 14: Transport information

### 14.1 UN number

ADR : UN 3077  
RID : UN 3077  
IMDG : UN 3077  
IATA : UN 3077

### 14.2 UN proper shipping name

ADR : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.

---



# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## BP-30-FT1

Version  
2.0

Revision Date:  
08.02.2018

SDS Number:  
600000000188

Print Date:  
12.02.2018

(DIBENZOYL PEROXIDE)  
**RID** : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.  
(DIBENZOYL PEROXIDE)  
**IMDG** : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.  
(DIBENZOYL PEROXIDE)  
**IATA** : Environmentally hazardous substance, solid, n.o.s.  
(Dibenzoyl peroxide)

### 14.3 Transport hazard class(es)

**ADR** : 9  
**RID** : 9  
**IMDG** : 9  
**IATA** : 9

### 14.4 Packing group

**ADR**  
Packing group : III  
Classification Code : M7  
Hazard Identification Number : 90  
Labels : 9  
Tunnel restriction code : (E)  
**RID**  
Packing group : III  
Classification Code : M7  
Hazard Identification Number : 90  
Labels : 9  
**IMDG**  
Packing group : III  
Labels : 9  
EmS Code : F-A, S-F

**IATA (Cargo)**  
Packing instruction (cargo aircraft) : 956  
Packing instruction (LQ) : Y956  
Packing group : III  
Labels : Miscellaneous

**IATA (Passenger)**  
Packing instruction (passenger aircraft) : 956  
Packing instruction (LQ) : Y956  
Packing group : III  
Labels : Miscellaneous

### 14.5 Environmental hazards

**ADR**  
Environmentally hazardous : yes

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## BP-30-FT1

Version  
2.0

Revision Date:  
08.02.2018

SDS Number:  
600000000188

Print Date:  
12.02.2018

### RID

Environmentally hazardous : yes

### IMDG

Marine pollutant : yes

### IATA (Passenger)

Marine pollutant : yes

### IATA (Cargo)

Marine pollutant : yes

### 14.6 Special precautions for user

Not applicable

### 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable for product as supplied.

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59) : Not applicable

Regulation (EC) No 1005/2009 on substances that deplete the ozone layer : Not applicable

Regulation (EC) No 850/2004 on persistent organic pollutants : Not applicable

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.

		Quantity 1	Quantity 2
E1	ENVIRONMENTAL HAZARDS	100 t	200 t

Other regulations : Gefahrengruppe nach § 3 BGV B4: III (German regulatory requirements)

Take note of Directive 92/85/EEC regarding maternity protection or stricter national regulations, where applicable.

Take note of Directive 94/33/EC on the protection of young people at work or stricter national regulations, where applicable.

### The components of this product are reported in the following inventories:

DSL (CA) : All components of this product are on the Canadian DSL

AICS (AU) : On the inventory, or in compliance with the inventory

NZIoC (NZ) : On the inventory, or in compliance with the inventory

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## BP-30-FT1

Version 2.0	Revision Date: 08.02.2018	SDS Number: 600000000188	Print Date: 12.02.2018
----------------	------------------------------	-----------------------------	---------------------------

ENCS (JP)	:	On the inventory, or in compliance with the inventory
ISHL (JP)	:	On the inventory, or in compliance with the inventory
KECI (KR)	:	On the inventory, or in compliance with the inventory
PICCS (PH)	:	On the inventory, or in compliance with the inventory
IECSC (CN)	:	On the inventory, or in compliance with the inventory
TCSI (TW)	:	On the inventory, or in compliance with the inventory
TSCA (US)	:	On TSCA Inventory

### 15.2 Chemical safety assessment

Chemical Safety Assessments have been carried out for these substances.  
For further information see eSDS.

## SECTION 16: Other information

### Full text of H-Statements

H241	:	Heating may cause a fire or explosion.
H317	:	May cause an allergic skin reaction.
H319	:	Causes serious eye irritation.
H360D	:	May damage the unborn child.
H400	:	Very toxic to aquatic life.
H410	:	Very toxic to aquatic life with long lasting effects.
H412	:	Harmful to aquatic life with long lasting effects.

### Full text of other abbreviations

Aquatic Acute	:	Acute aquatic toxicity
Aquatic Chronic	:	Chronic aquatic toxicity
Eye Irrit.	:	Eye irritation
Org. Perox.	:	Organic peroxides
Repr.	:	Reproductive toxicity
Skin Sens.	:	Skin sensitisation

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road; AICS - Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisa-

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## BP-30-FT1

Version  
2.0

Revision Date:  
08.02.2018

SDS Number:  
600000000188

Print Date:  
12.02.2018

---

tion for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

### Further information

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

GB / EN