

# SAFETY DATA SHEET

## BP-50-FT



Version  
1.1

Revision Date:  
07/17/2017

SDS Number:  
600000000192

Print Date:  
01/23/2018

---

### SECTION 1. IDENTIFICATION

Product name : BP-50-FT

#### Manufacturer or supplier's details

Company name of supplier : United Initiators, Inc.

Address : 555 Garden Street  
Elyria OH 44035

Telephone : +1-440-323-3112

Telefax : +1-440-323-2659

Emergency telephone : CHEMTREC US (24h): +1-800-424-9300  
CHEMTREC WORLD (24h): +1-703-527-3887

E-mail address of person responsible for the SDS : cs-initiators.nafta@united-in.com

#### Recommended use of the chemical and restrictions on use

Recommended use : Hardener

---

### SECTION 2. HAZARDS IDENTIFICATION

#### GHS classification in accordance with the Hazardous Products Regulations

Organic peroxides : Type D

Combustible dust : Category 1

Eye irritation : Category 2A

Skin sensitization : Category 1

Reproductive toxicity : Category 2

Acute aquatic toxicity : Category 1

Chronic aquatic toxicity : Category 2

#### GHS label elements

Hazard pictograms :



Signal Word : Danger

Hazard Statements : H242 Heating may cause a fire.  
May form combustible dust concentrations in air.

---

# SAFETY DATA SHEET

## BP-50-FT



Version  
1.1

Revision Date:  
07/17/2017

SDS Number:  
600000000192

Print Date:  
01/23/2018

H317 May cause an allergic skin reaction.  
H319 Causes serious eye irritation.  
H361 Suspected of damaging fertility or the unborn child.  
H400 Very toxic to aquatic life.  
H411 Toxic to aquatic life with long lasting effects.

Precautionary Statements :

### Prevention:

P201 Obtain special instructions before use.  
P202 Do not handle until all safety precautions have been read and understood.  
P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
P234 Keep only in original packaging.  
P240 Ground and bond container and receiving equipment.  
P261 Avoid breathing dust/ fume/ gas/ mist/ vapors/ spray.  
P264 Wash skin thoroughly after handling.  
P272 Contaminated work clothing must not be allowed out of the workplace.  
P273 Avoid release to the environment.  
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

### Response:

P302 + P352 IF ON SKIN: Wash with plenty of water.  
P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P308 + P313 IF exposed or concerned: Get medical advice/ attention.  
P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.  
P337 + P313 If eye irritation persists: Get medical advice/ attention.  
P362 + P364 Take off contaminated clothing and wash it before reuse.  
P370 + P378 In case of fire: Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide to extinguish.  
P391 Collect spillage.

### Storage:

P403 **Store in a well-ventilated place.**  
P405 **Store locked up.**  
P410 **Protect from sunlight.**  
P411 **Store at temperatures not exceeding < 30 °C/ < 86 °F.**  
P420 **Store separately.**

### Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

### Other hazards

None known.

---

## SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

# SAFETY DATA SHEET

## BP-50-FT



Version 1.1      Revision Date: 07/17/2017      SDS Number: 600000000192      Print Date: 01/23/2018

---

Substance / Mixture : Mixture  
Chemical nature : Organic Peroxide  
Solid mixture

### Hazardous ingredients

Chemical name	CAS-No.	Concentration (% w/w)
Dicyclohexyl phthalate	84-61-7	>= 50 - < 55
Dibenzoyl peroxide	94-36-0	>= 45 - < 50

---

### SECTION 4. FIRST AID MEASURES

General advice : Move out of dangerous area.  
Show this material safety data sheet to the doctor in attendance.  
Do not leave the victim unattended.  
Call a physician immediately.

If inhaled : If unconscious, place in recovery position and seek medical advice.  
If symptoms persist, call a physician.  
If breathed in, move person into fresh air.

In case of skin contact : In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes.  
Wash contaminated clothing before re-use.  
If on skin, rinse well with water.  
If on clothes, remove clothes.  
If symptoms persist, call a physician.

In case of eye contact : In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice.  
Remove contact lenses.  
Protect unharmed eye.  
Keep eye wide open while rinsing.  
If eye irritation persists, consult a specialist.

If swallowed : Keep respiratory tract clear.  
Call a physician immediately.

Most important symptoms and effects, both acute and delayed : May cause an allergic skin reaction.  
Causes serious eye irritation.  
Suspected of damaging fertility or the unborn child.

Protection of first-aiders : First Aid responders should pay attention to self-protection and use the recommended protective clothing

Notes to physician : Treat symptomatically and supportively.

---

### SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media : Water spray

---

# SAFETY DATA SHEET

## BP-50-FT



Version  
1.1

Revision Date:  
07/17/2017

SDS Number:  
600000000192

Print Date:  
01/23/2018

---

- Alcohol-resistant foam  
Carbon dioxide (CO<sub>2</sub>)  
Dry chemical
- Unsuitable extinguishing media : High volume water jet
- Specific hazards during fire fighting : Contact with incompatible materials or exposure to temperatures exceeding SADT may result in a self-accelerating decomposition reaction with release of flammable vapors which may auto-ignite.
- The product burns violently.  
Flash back possible over considerable distance.  
Vapors may form explosive mixtures with air.  
The product will float on water and can be reignited on surface water.  
Cool closed containers exposed to fire with water spray.
- Specific extinguishing methods : Do not use a solid water stream as it may scatter and spread fire.  
Remove undamaged containers from fire area if it is safe to do so.  
Use water spray to cool unopened containers.
- Further information : Collect contaminated fire extinguishing water separately. This must not be discharged into drains.  
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.  
Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
- Special protective equipment for fire-fighters : Wear self-contained breathing apparatus for firefighting if necessary.  
Use personal protective equipment.
- 

### SECTION 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.  
Avoid dust formation.  
Avoid breathing dust.  
Remove all sources of ignition.  
Follow safe handling advice and personal protective equipment recommendations.  
Never return spills in original containers for re-use.  
Treat recovered material as described in the section "Disposal considerations".
- Environmental precautions : Prevent product from entering drains.  
Prevent further leakage or spillage if safe to do so.  
If the product contaminates rivers and lakes or drains inform respective authorities.
- Methods and materials for : Contact with incompatible substances can cause

# SAFETY DATA SHEET

## BP-50-FT



Version 1.1	Revision Date: 07/17/2017	SDS Number: 600000000192	Print Date: 01/23/2018
----------------	------------------------------	-----------------------------	---------------------------

---

containment and cleaning up      decomposition at or below SADT.  
Clear spills immediately.  
Suppress (knock down) gases/vapors/mists with a water spray jet.  
To clean the floor and all objects contaminated by this material, use plenty of water.  
Soak up with inert absorbent material.  
Isolate waste and do not reuse.  
Non-sparking tools should be used.  
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.

---

### SECTION 7. HANDLING AND STORAGE

- Technical measures                    : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.
- Advice on protection against fire and explosion      : Avoid dust formation. Provide appropriate exhaust ventilation at places where dust is formed. Keep away from heat and sources of ignition. Use only explosion-proof equipment. Keep away from combustible material.
- Advice on safe handling             : Do not breathe vapors/dust.  
Avoid exposure - obtain special instructions before use.  
Avoid contact with skin and eyes.  
Take precautionary measures against static discharges.  
Never return any product to the container from which it was originally removed.  
Provide sufficient air exchange and/or exhaust in work rooms.  
Avoid confinement.  
Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
Smoking, eating and drinking should be prohibited in the application area.  
Wash thoroughly after handling.  
For personal protection see section 8.  
Persons susceptible to skin sensitization problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used.  
Protect from contamination.
- Conditions for safe storage         : Avoid impurities (e.g. rust, dust, ash), risk of decomposition.  
Electrical installations / working materials must comply with the technological safety standards.  
Containers which are opened must be carefully resealed and kept upright to prevent leakage.  
Store in original container.  
Keep containers tightly closed in a cool, well-ventilated place.  
Store in accordance with the particular national regulations.

# SAFETY DATA SHEET

## BP-50-FT



Version  
1.1

Revision Date:  
07/17/2017

SDS Number:  
600000000192

Print Date:  
01/23/2018

Materials to avoid : Keep away from strong acids, bases, heavy metal salts and other reducing substances.

Recommended storage temperature : < 30 °C

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Ingredients with workplace control parameters

Ingredients	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Dibenzoyl peroxide	94-36-0	TWA	5 mg/m <sup>3</sup>	CA AB OEL
		TWA	5 mg/m <sup>3</sup>	CA BC OEL
		TWAEV	5 mg/m <sup>3</sup>	CA QC OEL
		TWA	5 mg/m <sup>3</sup>	ACGIH

**Engineering measures** : Minimize workplace exposure concentrations.

#### Personal protective equipment

Respiratory protection : In the case of dust or aerosol formation use respirator with an approved filter.

Filter type : Filter type P

Hand protection

Remarks : Choose gloves to protect hands against chemicals depending on the concentration and quantity of the hazardous substance and specific to place of work.  
For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer.  
Wash hands before breaks and at the end of workday.

Eye protection : Tightly fitting safety goggles  
Please wear suitable protective goggles. Also wear face protection if there is a splash hazard.  
Ensure that eyewash stations and safety showers are close to the workstation location.

Skin and body protection : Select appropriate protective clothing based on chemical resistance data and an assessment of the local exposure potential.

Hygiene measures : Keep away from food and drink.  
When using do not eat or drink.  
When using do not smoke.  
Wash hands before breaks and immediately after handling the product.

# SAFETY DATA SHEET

## BP-50-FT



Version  
1.1

Revision Date:  
07/17/2017

SDS Number:  
600000000192

Print Date:  
01/23/2018

---

### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	powder
Color	:	white
Odor	:	aromatic
pH	:	No data available
Melting point/range	:	Decomposition: Decomposes below the melting point.
Boiling point/boiling range	:	Not applicable
Flash point	:	Not applicable
Flammability (solid, gas)	:	Not applicable
Upper explosion limit	:	No data available
Lower explosion limit	:	No data available
Vapor pressure	:	No data available
Density	:	No data available
Bulk density	:	620 kg/m <sup>3</sup>
Solubility(ies)	:	
Water solubility	:	insoluble
Solubility in other solvents	:	Solvent: Phthalates Description: soluble
Self-Accelerating decomposition temperature (SADT)	:	60 °C Method: UN-Test H.4 SADT-Self Accelerating Decomposition Temperature. Lowest temperature at which the tested package size will undergo a self-accelerating decomposition reaction.
Viscosity	:	
Viscosity, dynamic	:	Not applicable
Viscosity, kinematic	:	No data available
Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing. Organic peroxide

---

### SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	Stable under recommended storage conditions.
------------	---	--

---

# SAFETY DATA SHEET

## BP-50-FT



Version 1.1	Revision Date: 07/17/2017	SDS Number: 600000000192	Print Date: 01/23/2018
----------------	------------------------------	-----------------------------	---------------------------

---

- Chemical stability : Stable under recommended storage conditions.
- Possibility of hazardous reactions : Dust may form explosive mixture in air.
- Conditions to avoid : Protect from contamination.  
Contact with incompatible substances can cause decomposition at or below SADT.  
Heat, flames and sparks.  
Avoid confinement.
- Incompatible materials : Accelerators, strong acids and bases, heavy metals and heavy metal salts, reducing agents
- Hazardous decomposition products : Irritant, caustic, flammable, noxious/toxic gases and vapours can develop in the case of fire and decomposition
- 

### SECTION 11. TOXICOLOGICAL INFORMATION

#### Acute toxicity

Not classified based on available information.

#### Ingredients:

##### **Dicyclohexyl phthalate:**

Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg  
Method: OECD Test Guideline 423  
Assessment: The substance or mixture has no acute oral toxicity

##### **Dibenzoyl peroxide:**

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg  
Method: OECD Test Guideline 401  
Assessment: The substance or mixture has no acute oral toxicity

Acute inhalation toxicity : LC50 (Rat): 24.3 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: OECD Test Guideline 403  
Assessment: The substance or mixture has no acute inhalation toxicity

Acute dermal toxicity : Method: Expert judgment  
Assessment: The substance or mixture has no acute dermal toxicity  
Remarks: Based on data from similar materials

#### **Skin corrosion/irritation**

Not classified based on available information.



# SAFETY DATA SHEET

## BP-50-FT



Version  
1.1

Revision Date:  
07/17/2017

SDS Number:  
600000000192

Print Date:  
01/23/2018

---

**Product:**

Remarks: May cause skin irritation and/or dermatitis.

**Ingredients:**

**Dicyclohexyl phthalate:**

Method: OECD Test Guideline 439  
Result: No skin irritation

**Dibenzoyl peroxide:**

Species: Rabbit  
Method: OECD Test Guideline 404  
Result: No skin irritation

**Serious eye damage/eye irritation**

Causes serious eye irritation.

**Product:**

Remarks: May cause irreversible eye damage.

**Ingredients:**

**Dicyclohexyl phthalate:**

Species: Rabbit  
Result: No eye irritation  
Method: OECD Test Guideline 437

**Dibenzoyl peroxide:**

Species: Rabbit  
Result: Eye irritation  
Method: OECD Test Guideline 405

**Respiratory or skin sensitization**

**Skin sensitization**

May cause an allergic skin reaction.

**Respiratory sensitization**

Not classified based on available information.

**Product:**

Remarks: Causes sensitization.

**Ingredients:**

**Dicyclohexyl phthalate:**

Routes of exposure: Skin contact  
Species: Mouse  
Method: OECD Test Guideline 442B  
Result: May cause sensitization by skin contact.

# SAFETY DATA SHEET

## BP-50-FT



Version  
1.1

Revision Date:  
07/17/2017

SDS Number:  
600000000192

Print Date:  
01/23/2018

---

Assessment: May cause an allergic skin reaction.

### **Dibenzoyl peroxide:**

Species: Mouse  
Method: OECD Test Guideline 429  
Result: May cause sensitization by skin contact.

### **Germ cell mutagenicity**

Not classified based on available information.

### **Ingredients:**

#### **Dibenzoyl peroxide:**

Genotoxicity in vitro : Method: OECD Test Guideline 471  
Result: negative  
: Method: OECD Test Guideline 476  
Result: negative  
Genotoxicity in vivo : Test Type: dominant lethal test  
Species: Mouse  
Result: negative

### **Carcinogenicity**

Not classified based on available information.

### **Ingredients:**

#### **Dibenzoyl peroxide:**

Remarks: negative

### **Reproductive toxicity**

Suspected of damaging fertility or the unborn child.

### **Ingredients:**

#### **Dicyclohexyl phthalate:**

Effects on fertility : Species: Rat  
Application Route: Ingestion  
General Toxicity F1: NOAEL: 107 mg/kg body weight  
Method: OECD Test Guideline 416  
Species: Rat  
Application Route: Oral  
NOAEL: 21 mg/kg,  
F1: 107 mg/kg,  
Method: OECD Test Guideline 416  
Effects on fetal development : Species: Rat  
Application Route: Ingestion  
Developmental Toxicity: LOAEL: 250 mg/kg body weight  
Method: OECD Test Guideline 414

# SAFETY DATA SHEET

## BP-50-FT



Version  
1.1

Revision Date:  
07/17/2017

SDS Number:  
600000000192

Print Date:  
01/23/2018

---

Reproductive toxicity - Assessment : Some evidence of adverse effects on sexual function and fertility, and/or on development, based on animal experiments.

### **Dibenzoyl peroxide:**

Effects on fertility : Species: Rat  
Application Route: Oral  
Fertility: NOAEL: > 1,000 mg/kg body weight  
Method: OECD Test Guideline 422  
Result: No effects on fertility.

### **STOT-single exposure**

Not classified based on available information.

### **STOT-repeated exposure**

Not classified based on available information.

### **Repeated dose toxicity**

#### **Ingredients:**

#### **Dicyclohexyl phthalate:**

Species: Rat  
NOAEL: 50 mg/kg  
Application Route: Ingestion  
Exposure time: 90 d  
Method: OECD Test Guideline 408

#### **Dibenzoyl peroxide:**

Species: Rat  
NOAEL: 1,000 mg/kg  
Application Route: Oral  
Exposure time: 28 d  
Method: OECD Test Guideline 422

### **Aspiration toxicity**

Not classified based on available information.

### **Further information**

#### **Product:**

Remarks: No data available

---

## SECTION 12. ECOLOGICAL INFORMATION

### **Ecotoxicity**

#### **Ingredients:**

#### **Dicyclohexyl phthalate:**

Toxicity to fish : LC50 (Oryzias latipes (Orange-red killifish)): > 2,000 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 203

---

# SAFETY DATA SHEET

## BP-50-FT



Version 1.1      Revision Date: 07/17/2017      SDS Number: 600000000192      Print Date: 01/23/2018

---

- Toxicity to daphnia and other aquatic invertebrates : NOEC (Daphnia magna (Water flea)): > 2 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202
- Toxicity to algae : EC50 (Pseudokirchneriella subcapitata (green algae)): > 2 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201
- Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 0.181 mg/l  
Exposure time: 21 d  
Method: OECD Test Guideline 211
- LOEC (Daphnia magna (Water flea)): 0.572 mg/l  
Exposure time: 21 d  
Method: OECD Test Guideline 211
- Toxicity to microorganisms : NOEC: > 100 mg/l  
Exposure time: 3 h  
Method: OECD Test Guideline 209

### Ecotoxicology Assessment

- Chronic aquatic toxicity : Harmful to aquatic life with long lasting effects.

### Dibenzoyl peroxide:

- Toxicity to fish : EC50 (Oncorhynchus mykiss (rainbow trout)): 0.0602 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 203
- NOEC (Oncorhynchus mykiss (rainbow trout)): 0.0316 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 203
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 0.11 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202
- NOEC (Daphnia magna (Water flea)): 0.077 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202
- Toxicity to algae : EC50 (Pseudokirchneriella subcapitata (green algae)): 0.0711 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201
- NOEC (Pseudokirchneriella subcapitata (green algae)): 0.02 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201
- M-Factor (Acute aquatic toxicity) : 10

# SAFETY DATA SHEET

## BP-50-FT



Version  
1.1

Revision Date:  
07/17/2017

SDS Number:  
600000000192

Print Date:  
01/23/2018

---

Toxicity to microorganisms : EC50 (Bacteria): 35 mg/l  
Exposure time: 0.5 h

### Ecotoxicology Assessment

Acute aquatic toxicity : Very toxic to aquatic life.

Chronic aquatic toxicity : Toxic to aquatic life with long lasting effects.

### Persistence and degradability

#### Ingredients:

##### Dicyclohexyl phthalate:

Biodegradability : Result: Readily biodegradable.

##### Dibenzoyl peroxide:

Biodegradability : Result: Biodegradable  
Method: OECD Test Guideline 301D

### Bioaccumulative potential

#### Ingredients:

##### Dicyclohexyl phthalate:

Partition coefficient: n-octanol/water : log Pow: 4.82 (25 °C)

##### Dibenzoyl peroxide:

Partition coefficient: n-octanol/water : log Pow: 3.2 (20 °C)

### Mobility in soil

No data available

### Other adverse effects

#### Product:

Additional ecological information : **An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.  
Very toxic to aquatic life.  
Toxic to aquatic life with long lasting effects.**

---

## SECTION 13. DISPOSAL CONSIDERATIONS

### Disposal methods

Waste from residues : The product should not be allowed to enter drains, water courses or the soil.  
Do not contaminate ponds, waterways or ditches with chemical or used container.

# SAFETY DATA SHEET

## BP-50-FT



Version  
1.1

Revision Date:  
07/17/2017

SDS Number:  
600000000192

Print Date:  
01/23/2018

Dispose of wastes in an approved waste disposal facility.

Contaminated packaging : Empty remaining contents.  
Dispose of as unused product.  
Do not re-use empty containers.  
Do not burn, or use a cutting torch on, the empty drum.  
Dispose of in accordance with local regulations.

### SECTION 14. TRANSPORT INFORMATION

#### International Regulations

##### UNRTDG

UN number : UN 3106  
Proper shipping name : ORGANIC PEROXIDE TYPE D, SOLID  
(DIBENZOYL PEROXIDE)  
Class : 5.2  
Packing group : Not assigned by regulation  
Labels : 5.2

##### IATA-DGR

UN/ID No. : UN 3106  
Proper shipping name : Organic peroxide type D, solid  
(Dibenzoyl peroxide)  
Class : 5.2  
Packing group : Not assigned by regulation  
Labels : Organic Peroxides, Keep Away From Heat  
Packing instruction (cargo aircraft) : 570  
Packing instruction (passenger aircraft) : 570

##### IMDG-Code

UN number : UN 3106  
Proper shipping name : ORGANIC PEROXIDE TYPE D, SOLID  
(DIBENZOYL PEROXIDE)  
Class : 5.2  
Packing group : Not assigned by regulation  
Labels : 5.2  
EmS Code : F-J, S-R  
Marine pollutant : yes

#### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

#### Domestic regulation

##### TDG

UN number : UN 3106  
Proper shipping name : ORGANIC PEROXIDE TYPE D, SOLID  
(DIBENZOYL PEROXIDE)  
Class : 5.2  
Packing group : II  
Labels : 5.2  
ERG Code : 145  
Marine pollutant : yes

# SAFETY DATA SHEET

## BP-50-FT



Version 1.1	Revision Date: 07/17/2017	SDS Number: 600000000192	Print Date: 01/23/2018
----------------	------------------------------	-----------------------------	---------------------------

---

### SECTION 15. REGULATORY INFORMATION

**NPRI Ingredients** : Dibenzoyl peroxide

**The ingredients of this product are reported in the following inventories:**

AICS (AU) : On the inventory, or in compliance with the inventory

NZIoC (NZ) : On the inventory, or in compliance with the inventory

ENCS (JP) : On the inventory, or in compliance with the inventory

ISHL (JP) : On the inventory, or in compliance with the inventory

KECI (KR) : On the inventory, or in compliance with the inventory

PICCS (PH) : On the inventory, or in compliance with the inventory

IECSC (CN) : On the inventory, or in compliance with the inventory

TCSI (TW) : On the inventory, or in compliance with the inventory

TSCA (US) : On TSCA Inventory

#### Canadian lists

No substances are subject to a Significant New Activity Notification.

---

### SECTION 16. OTHER INFORMATION

#### Full text of other abbreviations

AICS - Australian Inventory of Chemical Substances; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; CPR - Controlled Products Regulations; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship;

# SAFETY DATA SHEET

## BP-50-FT



Version  
1.1

Revision Date:  
07/17/2017

SDS Number:  
600000000192

Print Date:  
01/23/2018

---

REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Revision Date : 07/17/2017

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

CA / Z8