

# SAFETY DATA SHEET

## BP-50-FT



Version  
1.0

Revision Date:  
2018/04/30

SDS Number:  
600000000192

Print Date:  
2018/04/30

### 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : BP-50-FT

#### Recommended use of the chemical and restrictions on use

Recommended use : Hardener

#### Manufacturer or supplier's details

Company : United Initiators GmbH

Address : Dr.-Gustav-Adolph-Str. 3  
82049 Pullach 09

Emergency telephone number : +49 / 89 / 74422 – 0 (24 h)

E-mail address : contact@united-in.com

### 2. HAZARDS IDENTIFICATION

#### GHS Classification

Organic peroxides : Type D

Serious eye damage/eye irritation : Category 2

Skin sensitisation : Category 1

Reproductive toxicity : Category 2

Acute aquatic toxicity : Category 1

Chronic aquatic toxicity : Category 1

#### GHS label elements

Hazard pictograms :



Signal word : Danger

Hazard statements : H242 Heating may cause a fire.  
H317 May cause an allergic skin reaction.  
H319 Causes serious eye irritation.  
H361 Suspected of damaging fertility or the unborn child.  
H400 Very toxic to aquatic life.  
H410 Very toxic to aquatic life with long lasting effects.

# SAFETY DATA SHEET

## BP-50-FT



Version  
1.0

Revision Date:  
2018/04/30

SDS Number:  
600000000192

Print Date:  
2018/04/30

Precautionary statements

:

### Prevention:

P201 Obtain special instructions before use.  
P202 Do not handle until all safety precautions have been read and understood.  
P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking.  
P220 Keep/Store away from clothing/ strong acids, bases, heavy metal salts and other reducing substances /combustible materials.  
P234 Keep only in original container.  
P261 Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.  
P264 Wash the contact area thoroughly after handling.  
P272 Contaminated work clothing should not be allowed out of the workplace.  
P273 Avoid release to the environment.  
P280 Wear protective gloves/ eye protection/ face protection.  
P281 Use personal protective equipment as required.

### Response:

P302 + P352 IF ON SKIN: Wash with plenty of soap and water.  
P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P308 + P313 IF exposed or concerned: Get medical advice/ attention.  
P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.  
P337 + P313 If eye irritation persists: Get medical advice/ attention.  
P363 Wash contaminated clothing before reuse.  
P391 Collect spillage.

### Storage:

P405 Store locked up.  
P410 Protect from sunlight.  
P411 + P235 Store at temperatures not exceeding < 30 °C/ < 86 °F. Keep cool.  
P420 Store away from other materials.

### Disposal:

P501 Dispose of contents and container according to wastes control act.

### Other hazards which do not result in classification

None known.

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Chemical nature : Organic Peroxide  
Solid mixture

### Components

# SAFETY DATA SHEET

## BP-50-FT



Version  
1.0

Revision Date:  
2018/04/30

SDS Number:  
600000000192

Print Date:  
2018/04/30

Chemical name	Common Name	CAS-No.	Concentration (% w/w)
Dicyclohexyl phthalate	Dicyclohexyl phthalate	84-61-7	>= 50 - < 55
Dibenzoyl peroxide	Dibenzoyl peroxide	94-36-0	>= 45 - < 50

### 4. FIRST AID MEASURES

- General advice : Move out of dangerous area.  
Show this safety data sheet to the doctor in attendance.  
Do not leave the victim unattended.  
Call a physician immediately.
- In case of eye contact : In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice.  
Remove contact lenses.  
Protect unharmed eye.  
Keep eye wide open while rinsing.  
If eye irritation persists, consult a specialist.
- In case of skin contact : In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes.  
Wash contaminated clothing before re-use.  
If on skin, rinse well with water.  
If on clothes, remove clothes.  
If symptoms persist, call a physician.
- If inhaled : If unconscious, place in recovery position and seek medical advice.  
If symptoms persist, call a physician.  
If breathed in, move person into fresh air.
- If swallowed : Keep respiratory tract clear.  
Call a physician immediately.
- Most important symptoms and effects, both acute and delayed : May cause an allergic skin reaction.  
Causes serious eye irritation.  
Suspected of damaging fertility or the unborn child.
- Protection of first-aiders : First Aid responders should pay attention to self-protection and use the recommended protective clothing
- Notes to physician : Treat symptomatically and supportively.

### 5. FIREFIGHTING MEASURES

#### Suitable and unsuitable extinguishing media

- Suitable extinguishing media : Water spray  
Alcohol-resistant foam  
Carbon dioxide (CO<sub>2</sub>)  
Dry chemical

# SAFETY DATA SHEET

## BP-50-FT



Version 1.0	Revision Date: 2018/04/30	SDS Number: 600000000192	Print Date: 2018/04/30
----------------	------------------------------	-----------------------------	---------------------------

---

- Unsuitable extinguishing media : High volume water jet
- Specific hazards during fire-fighting : Contact with incompatible materials or exposure to temperatures exceeding SADT may result in a self-accelerating decomposition reaction with release of flammable vapors which may auto-ignite.  
The product burns violently.  
Flash back possible over considerable distance.  
Vapours may form explosive mixtures with air.  
The product will float on water and can be reignited on surface water.  
Cool closed containers exposed to fire with water spray.
- Specific extinguishing methods : Collect contaminated fire extinguishing water separately. This must not be discharged into drains.  
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.  
Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.  
  
Do not use a solid water stream as it may scatter and spread fire.  
Remove undamaged containers from fire area if it is safe to do so.  
Use water spray to cool unopened containers.
- Special protective equipment for firefighters : Wear self-contained breathing apparatus for firefighting if necessary.  
Use personal protective equipment.

---

### 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.  
Avoid dust formation.  
Avoid breathing dust.  
Remove all sources of ignition.  
Follow safe handling advice and personal protective equipment recommendations.  
Never return spills in original containers for re-use.  
Treat recovered material as described in the section "Disposal considerations".
- Environmental precautions : Prevent product from entering drains.  
Prevent further leakage or spillage if safe to do so.  
If the product contaminates rivers and lakes or drains inform respective authorities.
- Methods and materials for containment and cleaning up : Contact with incompatible substances can cause decomposition at or below SADT.  
Clear spills immediately.  
Suppress (knock down) gases/vapours/mists with a water spray jet.

# SAFETY DATA SHEET

## BP-50-FT



Version 1.0	Revision Date: 2018/04/30	SDS Number: 600000000192	Print Date: 2018/04/30
----------------	------------------------------	-----------------------------	---------------------------

---

To clean the floor and all objects contaminated by this material, use plenty of water.  
Soak up with inert absorbent material.  
Isolate waste and do not reuse.  
Non-sparking tools should be used.  
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.

---

### 7. HANDLING AND STORAGE

- Technical measures : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.
- Advice on protection against fire and explosion : Avoid dust formation. Provide appropriate exhaust ventilation at places where dust is formed. Keep away from heat and sources of ignition. Use only explosion-proof equipment. Keep away from combustible material.
- Advice on safe handling : Do not breathe vapours/dust.  
Avoid exposure - obtain special instructions before use.  
Avoid contact with skin and eyes.  
Take precautionary measures against static discharges.  
Never return any product to the container from which it was originally removed.  
Provide sufficient air exchange and/or exhaust in work rooms.  
Avoid confinement.  
Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
Smoking, eating and drinking should be prohibited in the application area.  
Wash thoroughly after handling.  
For personal protection see section 8.  
Persons susceptible to skin sensitisation problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used.  
Protect from contamination.
- Conditions for safe storage : Avoid impurities (e.g. rust, dust, ash), risk of decomposition.  
Electrical installations / working materials must comply with the technological safety standards.  
Containers which are opened must be carefully resealed and kept upright to prevent leakage.  
Store in original container.  
Keep containers tightly closed in a cool, well-ventilated place.  
Store in accordance with the particular national regulations.
- Materials to avoid : Keep away from strong acids, bases, heavy metal salts and other reducing substances.
- Recommended storage temperature : < 30 °C

# SAFETY DATA SHEET

## BP-50-FT



Version  
1.0

Revision Date:  
2018/04/30

SDS Number:  
600000000192

Print Date:  
2018/04/30

### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Dibenzoyl peroxide	94-36-0	TWA	5 mg/m <sup>3</sup>	KR OEL
		TWA	5 mg/m <sup>3</sup>	ACGIH

**Engineering measures** : Minimize workplace exposure concentrations.

#### Personal protective equipment

**Respiratory protection** : In the case of dust or aerosol formation use respirator with an approved filter.

Filter type : Filter type P

**Eye protection** : Tightly fitting safety goggles  
Please wear suitable protective goggles. Also wear face protection if there is a splash hazard.  
Ensure that eyewash stations and safety showers are close to the workstation location.

#### Hand protection

Material : butyl-rubber  
Break through time : >= 480 min  
Glove thickness : 0.5 mm

**Remarks** : Choose gloves to protect hands against chemicals depending on the concentration and quantity of the hazardous substance and specific to place of work. For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer. Wash hands before breaks and at the end of workday.

**Skin and body protection** : Select appropriate protective clothing based on chemical resistance data and an assessment of the local exposure potential.

**Hygiene measures** : Keep away from food and drink.  
When using do not eat or drink.  
When using do not smoke.  
Wash hands before breaks and immediately after handling the product.

### 9. PHYSICAL AND CHEMICAL PROPERTIES

**Appearance** : powder

# SAFETY DATA SHEET

## BP-50-FT



Version 1.0	Revision Date: 2018/04/30	SDS Number: 600000000192	Print Date: 2018/04/30
----------------	------------------------------	-----------------------------	---------------------------

---

Colour	:	white
Odour	:	aromatic
pH	:	No data available
Melting point/range	:	Decomposition: Decomposes below the melting point.
Boiling point/boiling range	:	Not applicable
Flash point	:	Not applicable
Flammability (solid, gas)	:	Not applicable
<b>Upper/Lower explosion limit</b>		
Upper explosion limit	:	No data available
Lower explosion limit	:	No data available
Vapour pressure	:	No data available
Bulk density	:	620 kg/m <sup>3</sup>
Solubility(ies)	:	
Water solubility	:	insoluble
Solubility in other solvents	:	Solvent: Phthalates Description: soluble
Density	:	No data available
Self-Accelerating decomposition temperature (SADT)	:	60 °C Method: UN-Test H.4 SADT-Self Accelerating Decomposition Temperature. Lowest temperature at which the tested package size will undergo a self-accelerating decomposition reaction.
Viscosity	:	
Viscosity, dynamic	:	Not applicable
Viscosity, kinematic	:	No data available
Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing. Organic peroxide

---

### 10. STABILITY AND REACTIVITY

Chemical stability and possibility of hazardous reactions	:	Stable under recommended storage conditions. Stable under recommended storage conditions. Dust may form explosive mixture in air.
---	---	---

# SAFETY DATA SHEET

## BP-50-FT



Version 1.0	Revision Date: 2018/04/30	SDS Number: 600000000192	Print Date: 2018/04/30
----------------	------------------------------	-----------------------------	---------------------------

- 
- |                                  |   |   |
|----------------------------------|---|---|
| Conditions to avoid              | : | Protect from contamination.<br>Contact with incompatible substances can cause decomposition at or below SADT.<br>Heat, flames and sparks.<br>Avoid confinement. |
| Incompatible materials           | : | Accelerators, strong acids and bases, heavy metals and heavy metal salts, reducing agents   |
| Hazardous decomposition products | : | Irritant, caustic, flammable, noxious/toxic gases and vapours can develop in the case of fire and decomposition   |
- 

### 11. TOXICOLOGICAL INFORMATION

#### Health hazard information

##### Acute toxicity

Not classified based on available information.

##### Components:

##### **Dicyclohexyl phthalate:**

- |                       |   |   |
|-----------------------|---|---|
| Acute oral toxicity   | : | LD50 (Rat): > 2,000 mg/kg<br>Method: OECD Test Guideline 423<br>Assessment: The substance or mixture has no acute oral toxicity   |
| Acute dermal toxicity | : | LD50 (Rat): > 2,000 mg/kg<br>Method: OECD Test Guideline 402<br>Assessment: The substance or mixture has no acute dermal toxicity |

##### **Dibenzoyl peroxide:**

- |                           |   |  |
|---------------------------|---|--|
| Acute oral toxicity       | : | LD50 (Rat): > 5,000 mg/kg<br>Method: OECD Test Guideline 401<br>Assessment: The substance or mixture has no acute oral toxicity  |
| Acute inhalation toxicity | : | LC50 (Rat): > 24.3 mg/l<br>Exposure time: 4 h<br>Test atmosphere: vapour<br>Method: OECD Test Guideline 403<br>Assessment: The substance or mixture has no acute inhalation toxicity |
| Acute dermal toxicity     | : | Remarks: No data available   |

##### **Skin corrosion/irritation**

Not classified based on available information.

##### Product:

Remarks: May cause skin irritation and/or dermatitis.



# SAFETY DATA SHEET

## BP-50-FT



Version  
1.0

Revision Date:  
2018/04/30

SDS Number:  
600000000192

Print Date:  
2018/04/30

---

### Components:

#### **Dicyclohexyl phthalate:**

Result: No skin irritation

#### **Dibenzoyl peroxide:**

Species: Rabbit

Result: No skin irritation

#### **Serious eye damage/eye irritation**

Causes serious eye irritation.

### Product:

Remarks: Product dust may be irritating to eyes, skin and respiratory system.

### Components:

#### **Dicyclohexyl phthalate:**

Result: No eye irritation

#### **Dibenzoyl peroxide:**

Species: Rabbit

Result: Irritation to eyes, reversing within 7 days

#### **Respiratory or skin sensitisation**

##### **Skin sensitisation**

May cause an allergic skin reaction.

##### **Respiratory sensitisation**

Not classified based on available information.

### Product:

Remarks: Causes sensitisation.

### Components:

#### **Dicyclohexyl phthalate:**

Exposure routes: Skin contact

Species: Mouse

Result: May cause sensitisation by skin contact.

#### **Dibenzoyl peroxide:**

Exposure routes: Skin contact

Species: Mouse

Method: Local lymph node assay (LLNA)

Result: May cause sensitisation by skin contact.

#### **Carcinogenicity**

Not classified based on available information.

# SAFETY DATA SHEET

## BP-50-FT



Version  
1.0

Revision Date:  
2018/04/30

SDS Number:  
600000000192

Print Date:  
2018/04/30

---

### Components:

#### **Dicyclohexyl phthalate:**

Remarks: This information is not available.

#### **Dibenzoyl peroxide:**

Remarks: Not classified due to data which are conclusive although insufficient for classification.

#### **Germ cell mutagenicity**

Not classified based on available information.

### Components:

#### **Dicyclohexyl phthalate:**

Genotoxicity in vitro : Result: negative  
Remarks: In vitro tests did not show mutagenic effects

Genotoxicity in vivo : Remarks: No data available

#### **Dibenzoyl peroxide:**

Genotoxicity in vitro : Result: negative  
Remarks: In vitro tests did not show mutagenic effects

Genotoxicity in vivo : Result: negative  
Remarks: In vivo tests did not show mutagenic effects

#### **Reproductive toxicity**

Suspected of damaging fertility or the unborn child.

### Components:

#### **Dicyclohexyl phthalate:**

Reproductive toxicity - Assessment : Some evidence of adverse effects on sexual function and fertility, and/or on development, based on animal experiments.

Some evidence of adverse effects on sexual function and fertility, and/or on development, based on animal experiments.

#### **Dibenzoyl peroxide:**

Effects on fertility : Species: Rat, male  
Application Route: Oral  
General Toxicity - Parent: NOAEL: 1,000 mg/kg body weight  
Method: OECD Test Guideline 422

Species: Rat, female  
Application Route: Oral  
General Toxicity - Parent: NOAEL: 500 mg/kg body weight  
Method: OECD Test Guideline 422

Reproductive toxicity - Assessment : No evidence of adverse effects on sexual function and fertility, or on development, based on animal experiments.

# SAFETY DATA SHEET

## BP-50-FT



Version  
1.0

Revision Date:  
2018/04/30

SDS Number:  
600000000192

Print Date:  
2018/04/30

---

### **STOT - single exposure**

Not classified based on available information.

#### **Components:**

##### **Dibenzoyl peroxide:**

Exposure routes: Ingestion

Assessment: The substance or mixture is not classified as specific target organ toxicant, single exposure.

### **STOT - repeated exposure**

Not classified based on available information.

#### **Components:**

##### **Dibenzoyl peroxide:**

Exposure routes: Ingestion

Assessment: The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

### **Repeated dose toxicity**

#### **Components:**

##### **Dicyclohexyl phthalate:**

Species: Rat

NOAEL: 50 mg/kg

Application Route: Ingestion

Exposure time: 90 d

Method: OECD Test Guideline 408

### **Aspiration toxicity**

Not classified based on available information.

#### **Components:**

##### **Dibenzoyl peroxide:**

No aspiration toxicity classification

### **Further information**

#### **Product:**

Remarks: No data available

# SAFETY DATA SHEET

## BP-50-FT



Version  
1.0

Revision Date:  
2018/04/30

SDS Number:  
600000000192

Print Date:  
2018/04/30

### 12. ECOLOGICAL INFORMATION

#### Ecotoxicity

##### Components:

##### **Dicyclohexyl phthalate:**

- Toxicity to fish : LC50 (Oryzias latipes (Orange-red killifish)): > 2 mg/l  
Exposure time: 96 h  
Remarks: No toxicity at the limit of solubility
- Toxicity to daphnia and other aquatic invertebrates : NOEC (Daphnia magna (Water flea)): > 2 mg/l  
Exposure time: 48 h  
Remarks: No toxicity at the limit of solubility
- Toxicity to algae : ErC50 (Pseudokirchneriella subcapitata (green algae)): > 2 mg/l  
Exposure time: 72 h  
Test Type: Growth inhibition  
Method: OECD Test Guideline 201  
Remarks: No toxicity at the limit of solubility
- Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 0.181 mg/l  
Exposure time: 21 d  
Method: OECD Test Guideline 211
- Toxicity to microorganisms : NOEC: > 100 mg/l  
Exposure time: 3 h  
Test Type: Respiration inhibition  
Method: OECD Test Guideline 209

##### **Ecotoxicology Assessment**

- Chronic aquatic toxicity : Harmful to aquatic life with long lasting effects.

##### **Dibenzoyl peroxide:**

- Toxicity to fish : EC50 (Oncorhynchus mykiss (rainbow trout)): 0.06 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 203
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 0.11 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202
- Toxicity to algae : EC50 (Pseudokirchneriella subcapitata (green algae)): 0.06 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201
- M-Factor (Acute aquatic toxicity) : 10
- Toxicity to daphnia and other aquatic invertebrates (Chronic) : EC10 (Daphnia magna (Water flea)): 0.001 mg/l  
Exposure time: 21 d

# SAFETY DATA SHEET

## BP-50-FT



Version 1.0      Revision Date: 2018/04/30      SDS Number: 600000000192      Print Date: 2018/04/30

---

ic toxicity)      Test Type: semi-static test  
Method: OECD Test Guideline 211

M-Factor (Chronic aquatic toxicity) : 10

Toxicity to microorganisms : EC50 (Bacteria): 35 mg/l

### Ecotoxicology Assessment

Acute aquatic toxicity : Very toxic to aquatic life.

Chronic aquatic toxicity : Very toxic to aquatic life with long lasting effects.

### Persistence and degradability

#### Components:

##### **Dicyclohexyl phthalate:**

Biodegradability : Result: Readily biodegradable.

##### **Dibenzoyl peroxide:**

Biodegradability : Result: Inherently biodegradable.

### Bioaccumulative potential

#### Components:

##### **Dicyclohexyl phthalate:**

Partition coefficient: n-octanol/water : log Pow: 4.82 (25 °C)

##### **Dibenzoyl peroxide:**

Partition coefficient: n-octanol/water : log Pow: 3.2 (20 °C)

### Mobility in soil

No data available

### Other adverse effects

#### Product:

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.  
Very toxic to aquatic life with long lasting effects.

---

## 13. DISPOSAL CONSIDERATIONS

### Disposal methods

Waste from residues : The product should not be allowed to enter drains, water courses or the soil.

# SAFETY DATA SHEET

## BP-50-FT



Version	Revision Date:	SDS Number:	Print Date:
1.0	2018/04/30	600000000192	2018/04/30

---

Do not contaminate ponds, waterways or ditches with chemical or used container.  
Dispose of wastes in an approved waste disposal facility.

Contaminated packaging : Empty remaining contents.  
Dispose of as unused product.  
Do not re-use empty containers.  
Do not burn, or use a cutting torch on, the empty drum.  
Dispose of in accordance with local regulations.

### Disposal precautions

Dispose of in accordance with local regulations.

---

## 14. TRANSPORT INFORMATION

### International Regulations

#### UNRTDG

UN number : UN 3106  
Proper shipping name : ORGANIC PEROXIDE TYPE D, SOLID  
(DIBENZOYL PEROXIDE)  
Class : 5.2  
Packing group : Not assigned by regulation  
Labels : 5.2

#### IATA-DGR

UN/ID No. : UN 3106  
Proper shipping name : Organic peroxide type D, solid  
(Dibenzoyl peroxide)  
Class : 5.2  
Packing group : Not assigned by regulation  
Labels : Organic Peroxides, Keep Away From Heat  
Packing instruction (cargo aircraft) : 570  
Packing instruction (passenger aircraft) : 570

#### IMDG-Code

UN number : UN 3106  
Proper shipping name : ORGANIC PEROXIDE TYPE D, SOLID  
(DIBENZOYL PEROXIDE)  
Class : 5.2  
Packing group : Not assigned by regulation  
Labels : 5.2  
EmS Code : F-J, S-R  
Marine pollutant : yes

### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

### National Regulations

Refer to section 15 for specific national regulation.

### Special precautions for user

Not applicable

# SAFETY DATA SHEET

## BP-50-FT



Version  
1.0

Revision Date:  
2018/04/30

SDS Number:  
600000000192

Print Date:  
2018/04/30

### 15. REGULATORY INFORMATION

#### National regulatory information

##### Regulation under the Occupational Safety and Health Act

##### Harmful Substances Prohibited from Manufacturing

Not applicable

##### Harmful Substances Required Permission for Manufacture

Not applicable

##### Harmful Agents to be kept below Occupational Exposure Limits

Chemical name	CAS-No.
Benzoyl peroxide	94-36-0

##### Harmful Agents Required to be kept below Permission Levels

Not applicable

##### Hazardous substances requiring management

Not applicable

##### Controlled Substances Subject to Environment Monitoring

Not applicable

##### Controlled Substances Subject to Health Examination

Not applicable

##### Regulation under the Chemical Control Act

##### Toxic Chemicals

Chemical name	CAS-No.	NIER No.	Threshold limits (%)
benzoyl peroxide	94-36-0	2010-1-613	>= 25 %

##### Restricted Chemicals

Not applicable

##### Prohibited Chemicals

Not applicable

##### Toxic Release Inventory

Not applicable

##### Accident Precaution Chemicals

Not applicable

##### Dangerous Substances Safety Management Act

Not Applicable to Dangerous Materials

##### Wastes Control Act

Industrial waste

Follow article 13 of the act to dispose the product waste

##### Other requirements in domestic and other countries

The components of this product are reported in the following inventories:

# SAFETY DATA SHEET

## BP-50-FT



Version 1.0	Revision Date: 2018/04/30	SDS Number: 600000000192	Print Date: 2018/04/30
----------------	------------------------------	-----------------------------	---------------------------

---

DSL (CA)	:	All components of this product are on the Canadian DSL
AICS (AU)	:	On the inventory, or in compliance with the inventory
NZIoC (NZ)	:	On the inventory, or in compliance with the inventory
ENCS (JP)	:	On the inventory, or in compliance with the inventory
ISHL (JP)	:	On the inventory, or in compliance with the inventory
KECI (KR)	:	On the inventory, or in compliance with the inventory
PICCS (PH)	:	On the inventory, or in compliance with the inventory
IECSC (CN)	:	On the inventory, or in compliance with the inventory
TCSI (TW)	:	On the inventory, or in compliance with the inventory
TSCA (US)	:	On TSCA Inventory

---

### 16. OTHER INFORMATION

#### Full text of other abbreviations

AICS - Australian Inventory of Chemical Substances; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; CPR - Controlled Products Regulations; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System



# SAFETY DATA SHEET

## BP-50-FT



Version 1.0	Revision Date: 2018/04/30	SDS Number: 600000000192	Print Date: 2018/04/30
----------------	------------------------------	-----------------------------	---------------------------

---

Issuing date : 600000000192

**Revision number and date**

Number of Revision : 0.1

Revision Date : 2018/04/30

Date format : yyyy/mm/dd

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

KR / EN