

# BU-50-AL

Version	Revision Date: 13.02.2025	SDS Number:	Date of last issue: 25.11.2024
5.0		60000000039	Date of first issue: 29.03.2016

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier Trade name	: BU-50-AL	
1.2 Relevant identified uses of	the substance or mixture and uses advised against	
Use of the Sub- stance/Mixture	: polymerisation initiators	
1.3 Details of the supplier of th	e safety data sheet	
Company	: United Initiators GmbH DrGustav-Adolph-Str. 3 82049 Pullach	
Telephone	: +49 / 89 / 74422 - 0	
E-mail address of person responsible for the SDS	: contact@united-in.com	

**1.4 Emergency telephone number** 

+44 1235 239670

# **SECTION 2: Hazards identification**

## 2.1 Classification of the substance or mixture

## Classification (REGULATION (EC) No 1272/2008)

Flammable liquids, Category 3	H226: Flammable liquid and vapour.
Organic peroxides, Type C	H242: Heating may cause a fire.
Aspiration hazard, Category 1	H304: May be fatal if swallowed and enters air- ways.
Long-term (chronic) aquatic hazard, Cat- egory 4	H413: May cause long lasting harmful effects to aquatic life.

## 2.2 Label elements

## Labelling (REGULATION (EC) No 1272/2008)

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



# BU-50-AL

Versio 5.0	on	Revision Date: 13.02.2025	-	DS Number: 0000000003	
Hazard pictograms		:			
Si	ignal v	vord	:	Danger	
Hazard statements		:	H226 H242 H304 H413	Flammable liquid and vapour. Heating may cause a fire. May be fatal if swallowed and enters airways. May cause long lasting harmful effects to aquatic life.	
	Suppler Stateme	nental Hazard ents	:	EUH066	Repeated exposure may cause skin dryness or cracking.
P	recaut	ionary statements	:	Prevention	::
				P210 P234 P280	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Keep only in original packaging. Wear protective gloves/ protective clothing/ eye protection/ face protection/ hearing protection.
				Response:	
				P301 + P31	IO IF SWALLOWED: Immediately call a POISON CENTER/ doctor.
				P331 P370 + P37	Do NOT induce vomiting. In case of fire: Use water spray, alcohol- resistant foam, dry chemical or carbon dioxide to extinguish.

## Hazardous components which must be listed on the label:

2,2,4,6,6-pentamethylheptane (CAS-No. 13475-82-6)

# 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.



# BU-50-AL

Version	Revision Date:	SDS Number:	Date of last issue: 25.11.2024
5.0	13.02.2025	60000000039	Date of first issue: 29.03.2016

# **SECTION 3: Composition/information on ingredients**

:

#### 3.2 Mixtures

Chemical nature

Organic Peroxide Liquid mixture

# Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
2,2,4,6,6-pentamethylheptane	13475-82-6 236-757-0 01-2119490725-29	Flam. Liq. 3; H226 Asp. Tox. 1; H304 Aquatic Chronic 4; H413 EUH066	>= 50 - < 55
di-tert-butyl sec-butylidene diper- oxide	2167-23-9 218-507-2 01-2120759172-55- 0001	Org. Perox. C; H242 Aquatic Chronic 4; H413	>= 45 - < 50

For explanation of abbreviations see section 16.

# **SECTION 4: First aid measures**

## 4.1 Description of first aid measures

General advice :	<ul> <li>Take off contaminated clothing and shoes immediately.</li> <li>Call a physician immediately.</li> <li>Never give anything by mouth to an unconscious person.</li> <li>If unconscious, place in recovery position and seek medical advice.</li> <li>Move out of dangerous area.</li> <li>Show this safety data sheet to the doctor in attendance.</li> <li>Do not leave the victim unattended.</li> <li>Symptoms of poisoning may appear several hours later.</li> <li>No artificial respiration, mouth-to-mouth or mouth to nose. Use suitable instruments/apparatus.</li> </ul>
Protection of first-aiders :	First Aid responders should pay attention to self-protection and use the recommended protective clothing
If inhaled :	Administer oxygen if breathing is difficult or cyanosis is ob- served. If breathed in, move person into fresh air. If not breathing, give artificial respiration. Call a physician or poison control centre immediately. If unconscious, place in recovery position and seek medical advice.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878





Version 5.0	Revision Date: 13.02.2025	-	05 Number: 0000000039	Date of last issue: 25.11.2024 Date of first issue: 29.03.2016	
			Keep respiratory	tract clear	
			Reep respiratory		
In ca	ise of skin contact	:	In case of contact for at least 15 min and shoes.		
In case of eye contact		:	In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice. Remove contact lenses. Protect unharmed eye. Keep eye wide open while rinsing. If eye irritation persists, consult a specialist.		
If swallowed		:	Keep respiratory Do NOT induce v	control center. oughly with water. tract clear.	
4.2 Most	important symptoms a	nd e	effects, both acute	e and delayed	
Risk	S	:		allowed and enters airways. Ire may cause skin dryness or cracking.	
4.3 Indica	ation of any immediate	med	dical attention and	d special treatment needed	
Trea	tment	:	Treat symptomati	cally and supportively.	
SECTIO	N 5: Firefighting mea	sur	es		
5.1 Extin	guishing media				
Suita	able extinguishing media	:	Water spray jet Alcohol-resistant Carbon dioxide (C Dry chemical		
Unsu med	uitable extinguishing ia	:	High volume wate	er jet	
5.2 Speci	ial hazards arising from	the	substance or mi	xture	
-	cific hazards during fire-	:	Risk of explosion Possible emissior	if heated under confinement. n of gaseous decomposition products may ous pressure build-up.	

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878





Vers 5.0	ion	Revision Date: 13.02.2025		0S Number: 0000000039	Date of last issue: 25.11.2024 Date of first issue: 29.03.2016
				Contact with incompatible materials or exposure to tempera- tures exceeding SADT may result in a self-accelerating de- composition reaction with release of flammable vapors which may auto-ignite. The product burns violently. Flash back possible over considerable distance. Do not allow run-off from fire fighting to enter drains or water courses. Vapours may form explosive mixtures with air. The product will float on water and can be reignited on surface water. Cool closed containers exposed to fire with water spray.	
5.3 A	Advice f	or firefighters			
	Special for firefi	protective equipment ghters	:		ed breathing apparatus for firefighting if nec- onal protective equipment.
	Specific ods	extinguishing meth-	:	fire. Remove undamag so.	I water stream as it may scatter and spread ged containers from fire area if it is safe to do o cool unopened containers.
	Further	information	:	cumstances and t Use a water spray Collect contamina must not be disch Fire residues and	measures that are appropriate to local cir- he surrounding environment. / to cool fully closed containers. ted fire extinguishing water separately. This arged into drains. contaminated fire extinguishing water must accordance with local regulations.

# **SECTION 6: Accidental release measures**

## 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions	: Follow safe handling advice and personal protective equip- ment recommendations.
	Beware of vapours accumulating to form explosive concentra- tions. Vapours can accumulate in low areas.
	Use personal protective equipment.
	Ensure adequate ventilation.
	Remove all sources of ignition.
	Evacuate personnel to safe areas.
	Never return spills in original containers for re-use.
	Treat recovered material as described in the section "Disposal considerations".

# 6.2 Environmental precautions

Environmental precautions : Prevent product from entering drains.





Version	Revision Date:	SDS Number:	Date of last issue: 25.11.2024
5.0	13.02.2025	60000000039	Date of first issue: 29.03.2016

Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform respective authorities.

# 6.3 Methods and material for containment and cleaning up

Methods for cleaning up	<ul> <li>Contact with incompatible substances can cause decomposition at or below SADT. Clear spills immediately. Suppress (knock down) gases/vapours/mists with a water spray jet. To clean the floor and all objects contaminated by this material, use plenty of water. Soak up with inert absorbent material. Isolate waste and do not reuse. Non-sparking tools should be used. Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.</li> </ul>
	mine which regulations are applicable.

## 6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

# **SECTION 7: Handling and storage**

## 7.1 Precautions for safe handling

Technical measures	:	See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.
Advice on safe handling	:	Open drum carefully as content may be under pressure. Protect from contamination. Do not swallow. Do not breathe vapours/dust. Avoid contact with skin and eyes. Avoid formation of aerosol. Take precautionary measures against static discharges. Never return any product to the container from which it was originally removed. Provide sufficient air exchange and/or exhaust in work rooms. Avoid confinement. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Smoking, eating and drinking should be prohibited in the ap- plication area. Wash thoroughly after handling. For personal protection see section 8.
Advice on protection against fire and explosion	:	Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapours). Keep away





Vers 5.0	sion	Revision Date: 13.02.2025	-	DS Number: 0000000039	Date of last issue: 25.11.2024 Date of first issue: 29.03.2016
				equipment. Keep sources of ignition	urces of ignition. Use only explosion-proof away from open flames, hot surfaces and n. Keep away from combustible material. Do ked flame or any incandescent material.
	Hygier	ne measures	:	food and drink. W	h skin, eyes and clothing. Keep away from /hen using do not eat or drink. When using ash hands before breaks and immediately product.
7.2	Conditi	ons for safe storage,	inc	luding any incom	patibilities
	Requir	ements for storage and containers	:	Store in original of cool, well-ventilat may result in dan ers may rupture. ance with the par (e.g. rust, dust, a tions / working m safety standards.	container. Keep containers tightly closed in a ed place. Store in cool place. Contamination gerous pressure increases - closed contain- Observe label precautions. Store in accord- ticular national regulations. Avoid impurities sh), risk of decomposition. Electrical installa- aterials must comply with the technological Containers which are opened must be care- d kept upright to prevent leakage.
	Advice	on common storage	:		combustible materials. strong acids, bases, heavy metal salts and ıbstances.
	Recon peratu	nmended storage tem- re	:	< 30 °C	
	Furthe age sta	r information on stor- ability	:	Stable under reco	ommended storage conditions.
7.3	Specifi	c end use(s)			
	-	ic use(s)	:	For further inform sheet.	ation, refer to the product technical data

# **SECTION 8: Exposure controls/personal protection**

## 8.1 Control parameters

## **Occupational Exposure Limits**

Contains no substances with occupational exposure limit values.

## Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006

Substance name	End Use	Exposure routes	Potential health ef- fects	Value
di-tert-butyl sec- butylidene diperoxide	Workers	Inhalation	Long-term systemic effects	2.65 mg/m3
	Workers	Skin contact	Long-term systemic	1.5 mg/kg



# BU-50-AL

Version	Revision Date:	SDS Number:	Date of last issue: 25.11.2024
5.0	13.02.2025	60000000039	Date of first issue: 29.03.2016

eneoto				effects	bw/day
--------	--	--	--	---------	--------

# Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006

Substance name	Environmental Compartment	Value
di-tert-butyl sec-butylidene diper- oxide	Fresh water	0.083 mg/l
	Marine water	0.008 mg/l
	Fresh water sediment	0.97 mg/kg dry weight (d.w.)
	Marine sediment	0.097 mg/kg dry weight (d.w.)
	Sewage treatment plant	2 mg/l
	Soil	0.15 mg/kg dry weight (d.w.)

## 8.2 Exposure controls

## Engineering measures

Minimize workplace exposure concentrations.

# Personal protective equipment

Eye/face protection	:	Ensure that eyewash stations and safety showers are close to the workstation location. Please follow all applicable local/national requirements when selecting protective measures for a specific workplace. Always wear eye protection when the potential for inadvertent eye contact with the product cannot be excluded. Tightly fitting safety goggles Please wear suitable protective goggles. Also wear face pro- tection if there is a splash hazard. Equipment should conform to EN 166
Hand protection Material		Nitrile rubber
Break through time	:	480 min
Glove thickness	÷	0.40 mm
Directive	:	Equipment should conform to EN 374
Remarks	:	The data about break through time/strength of material are standard values! The exact break through time/strength of material has to be obtained from the producer of the protec- tive glove. Choose gloves to protect hands against chemicals depending on the concentration and quantity of the hazard- ous substance and specific to place of work. For special ap- plications, we recommend clarifying the resistance to chemi- cals of the aforementioned protective gloves with the glove manufacturer. Wash hands before breaks and at the end of workday.



# BU-50-AL

Version 5.0	Revision Date: 13.02.2025	SDS Number: 600000000039	Date of last issue: 25.11.2024 Date of first issue: 29.03.2016
Skin	and body protection	resistance d potential. Additional b task being p posable suit Wear as app	opriate protective clothing based on chemical ata and an assessment of the local exposure ody garments should be used based upon the erformed (e.g., sleevelets, apron, gauntlets, dis- s) to avoid exposed skin surfaces. propriate: dant antistatic protective clothing.
Resp	iratory protection	approved filt	of dust or aerosol formation use respirator with an er. vith combination filter for vapour/particulate (EN
Fi	lter type	: ABEK-filter	
Prote	ective measures	to the conce	protective equipment must be selected according entration and amount of the dangerous substance ic workplace.

# **SECTION 9: Physical and chemical properties**

## 9.1 Information on basic physical and chemical properties

Physical state	:	liquid
Colour	:	colourless
Odour	:	aromatic
Odour Threshold	:	No data available
Melting point/ range	:	ca15 °C
Boiling point/boiling range	:	Decomposition: Decomposes below the boiling point.
Upper explosion limit / Upper flammability limit	:	Upper explosion limit 4 %(V) (for a component of this mixture)
Lower explosion limit / Lower flammability limit	:	Lower explosion limit 0.5 %(V) (for a component of this mixture)





Versio 5.0	on	Revision Date: 13.02.2025		S Number: 000000039	Date of last issue: 25.11.2024 Date of first issue: 29.03.2016
F	-lash p	point	:	45 °C Method: closed c	up
A	Auto-ig	nition temperature	:	not determined	
		celerating decomposi- nperature (SADT)	:	<ul> <li>70 °C Method: UN-Test H.4 SADT-Self Accelerating Decomposition Temperature. I temperature at which the tested package size will under self-accelerating decomposition reaction.</li> </ul>	
p	bН		:	substance/mixtur	e is non-soluble (in water)
V	/iscosi Visc	ty cosity, dynamic	:	2 mPa.s (20 °C)	
	Viso	cosity, kinematic	:	not determined	
S		ity(ies) er solubility	:	0.0008 g/l (20 °C insoluble	2)
		n coefficient: n- l/water	:	Not applicable	
V	/apour	- pressure	:	0.14 hPa (25 °C) Calculation	
F	Relativ	e density	:	not determined	
C	Density	1	:	0.81 g/cm3 (20 °(	C)
F	Relativ	e vapour density	:	No data available	)
F		e characteristics essment	:	Not applicable	
	Part	ticle size	:	not determined, N	Not applicable
	Part	ticle Size Distribution	:	Not applicable	



# BU-50-AL

Version 5.0	Revision Date: 13.02.2025		S Number: 000000039	Date of last issue: 25.11.2024 Date of first issue: 29.03.2016
	Dustiness	:	Not applicable	
	Shape	:	Not applicable	
	Crystallinity	:	Not applicable	
0.2.046	or information			
	er information plosives	:	Not explosive In use, may form	flammable/explosive vapour-air mixture.
Ox	idizing properties	:	The substance o Organic peroxide	r mixture is not classified as oxidizing.
Fla	ammability (liquids)	:	Flammable liquid	and vapour., Organic peroxide
Se	lf-ignition	:	The substance o	r mixture is not classified as pyrophoric.
Se	If-heating substances	:	The substance o	r mixture is not classified as self heating.
wh	bstances and mixtures, ich in contact with water, nit flammable gases	:	The substance o contact with wate	r mixture does not emit flammable gases in er.
De	esensitised explosives	:	Not applicable	
Ev	aporation rate	:	No data available	e
Re	fractive index	:	1.415	





Date of last issue: 25.11.2024

Date of first issue: 29.03.2016

Version	Revision Date:	SDS Number:
5.0	13.02.2025	6000000039

SECTION 10: Stability and reactivity

#### **10.1 Reactivity**

Stable under recommended storage conditions. Heating may cause a fire or explosion.

#### **10.2 Chemical stability**

Stable under recommended storage conditions.

## 10.3 Possibility of hazardous reactions

Hazardous reactions	:	Vapours may form explosive mixture with air.

#### 10.4 Conditions to avoid

Conditions to avoid	<ul> <li>Protect from contamination.</li> <li>Contact with incompatible substances can cause decomposition at or below SADT.</li> <li>Heat, flames and sparks.</li> <li>Avoid confinement.</li> </ul>
---------------------	---

#### **10.5 Incompatible materials**

Materials to avoid

: Accelerators, strong acids and bases, heavy metals and heavy metal salts, reducing agents

## **10.6 Hazardous decomposition products**

Irritant, caustic, flammable, noxious/toxic gases and vapours can develop in the case of fire and decomposition

## **SECTION 11: Toxicological information**

## 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Acute toxicity

Not classified due to lack of data.

#### Product:

Acute oral toxicity :	LD50 (Rat): > 5,000 mg/kg Method: OECD Test Guideline 401
Acute inhalation toxicity :	LC50 (Rat): > 2.42 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: OECD Test Guideline 436
Acute dermal toxicity :	LD50 (Rat): > 2,000 mg/kg Method: OECD Test Guideline 402 Assessment: The substance or mixture has no acute dermal toxicity Remarks: No mortality observed at this dose.





Version	Revision Date:	SDS Number:	Date of last issue: 25.11.2024
5.0	13.02.2025	60000000039	Date of first issue: 29.03.2016

# Components:

2,2,4,6,6-pentamethylheptane	
Acute oral toxicity	LD50 (Rat): > 5,000 mg/kg Method: OECD Test Guideline 401 Assessment: The substance or mixture has no acute oral tox- icity Remarks: Based on data from similar materials
Acute inhalation toxicity	LC50 (Rat, male and female): > 5,000 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: OECD Test Guideline 403
	Remarks: No data available
Acute dermal toxicity	LD50 Dermal (Rabbit): 3,16 ml/kg Method: OECD Test Guideline 402 Remarks: Based on data from similar materials
di-tert-butyl sec-butylidene di	peroxide:
Acute oral toxicity	LD50 (Rat): > 5,000 mg/kg Method: OECD Test Guideline 401
Acute inhalation toxicity	LC50 (Rat): > 2.42 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: OECD Test Guideline 436
Acute dermal toxicity	LD50 (Rat): > 2,000 mg/kg Method: OECD Test Guideline 402 Assessment: The substance or mixture has no acute dermal toxicity Remarks: No mortality observed at this dose.
Skin corrosion/irritation	

Based on available data, the classification criteria are not met.

# Product:

Species Method Result	:	Rabbit OECD Test Guideline 404 Mild skin irritation
Remarks	:	May cause skin irritation and/or dermatitis.

## Components:

## 2,2,4,6,6-pentamethylheptane:





Version 5.0	Revision Date: 13.02.2025	SDS Number: 60000000039	Date of last issue: 25.11.2024 Date of first issue: 29.03.2016	
----------------	---------------------------	----------------------------	---	--

#### Result

Repeated exposure may cause skin dryness or cracking.

### di-tert-butyl sec-butylidene diperoxide:

Species	:	Rabbit
Method	:	OECD Test Guideline 404
Result	:	Mild skin irritation

:

## Serious eye damage/eye irritation

Based on available data, the classification criteria are not met.

### Product:

Species Method Result		Rabbit OECD Test Guideline 405 No eye irritation
Remarks	:	Vapours may cause irritation to the eyes, respiratory system and the skin.

#### Components:

2,2,4,6,6-pentamethylhe	eptane:	
Result	:	No eye irritation

#### di-tert-butyl sec-butylidene diperoxide:

Species	:	Rabbit
Method	:	OECD Test Guideline 405
Result	:	No eye irritation

#### Respiratory or skin sensitisation

#### Skin sensitisation

Based on available data, the classification criteria are not met.

#### **Respiratory sensitisation**

Not classified due to lack of data.

## Product:

Method :	Guinea pig OECD Test Guideline 406 Does not cause skin sensitisation.
----------	---

## Components:

## di-tert-butyl sec-butylidene diperoxide:

Species	:	Guinea pig
Method	:	OECD Test Guideline 406
Result	:	Does not cause skin sensitisation.

# BU-50-AL



Version	Revision Date:	SDS Number:	Date of last issue: 25.11.2024	
5.0	13.02.2025	60000000039	Date of first issue: 29.03.2016	

# Germ cell mutagenicity Not classified due to lack of data. Product: Genotoxicity in vitro Method: OECD Test Guideline 471 : **Result:** negative Method: OECD Test Guideline 473 **Result:** negative Genotoxicity in vivo : Remarks: No data available **Components:** 2,2,4,6,6-pentamethylheptane: Germ cell mutagenicity- As-: No known effect. sessment di-tert-butyl sec-butylidene diperoxide: Genotoxicity in vitro Method: OECD Test Guideline 471 : **Result:** negative Method: OECD Test Guideline 473 **Result:** negative : Remarks: No data available Genotoxicity in vivo Carcinogenicity Not classified due to lack of data. Product: Remarks : This information is not available. **Components:** 2,2,4,6,6-pentamethylheptane: Carcinogenicity - Assess-: No known effect. ment di-tert-butyl sec-butylidene diperoxide: : This information is not available. Remarks **Reproductive toxicity** Not classified due to lack of data. Product:

Effects on fertility : Remarks: No data available

# BU-50-AL



Vers 5.0	sion	Revision Date: 13.02.2025		0S Number: 0000000039	Date of last issue: 25.11.2024 Date of first issue: 29.03.2016
	Effects	s on foetal develop-	:	Remarks: No data	available
	<u>Comp</u>	onents:			
	2,2,4,6	6,6-pentamethylhepta	ne:		
	Reproo sessm	ductive toxicity - As- ent	:	No known effect.	
	di-tert	-butyl sec-butylidene	dip	eroxide:	
	Effects	s on fertility	:	Remarks: No data	available
	Effects ment	s on foetal develop-	:	Remarks: No data	available
		- single exposure assified due to lack of c	lata.		
	Produ	<u>ct:</u>			
	Remai	ks	:	No data available	
		- repeated exposure assified due to lack of c	lata.		
	<u>Produ</u>	<u>ct:</u>			
	Remai	ks	:	No data available	
	Repea	ted dose toxicity			
	<u>Produ</u>	<u>ct:</u>			
	Specie		:	Rat	
	NOAE	L ation Route	÷	150 mg/kg Oral	
	Metho		:	OECD Test Guide	line 422
	<u>Comp</u>	onents:			
	di-tert	-butyl sec-butylidene	dip	eroxide:	
	Specie		:	Rat	
	NOAE Applic	L ation Route	:	150 mg/kg Oral	
	Metho		:	OECD Test Guide	line 422

# Aspiration toxicity

May be fatal if swallowed and enters airways.

# BU-50-AL



Version	Revision Date:	SDS Number:	Date of last issue: 25.11.2024
5.0	13.02.2025	60000000039	Date of first issue: 29.03.2016

## Product:

May be fatal if swallowed and enters airways.

## **Components:**

## 2,2,4,6,6-pentamethylheptane:

May be fatal if swallowed and enters airways.

## 11.2 Information on other hazards

#### Endocrine disrupting properties

# Product:

TTOULCE.	
Assessment :	The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.
Further information	
Product:	
Remarks :	Solvents may degrease the skin.
Components:	
2,2,4,6,6-pentamethylheptane:	
Remarks :	May cause headache and dizziness.

# **SECTION 12: Ecological information**

# 12.1 Toxicity

Product:		
Toxicity to fish	:	LC50 (Fish): > 10 mg/l Exposure time: 96 h Remarks: No toxicity at the limit of solubility
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): 9.4 mg/l Exposure time: 48 h Method: OECD Test Guideline 202 Remarks: No toxicity at the limit of solubility
Toxicity to algae/aquatic plants	:	EC50 (Pseudokirchneriella subcapitata (green algae)): 100 mg/l Exposure time: 72 h Method: OECD Test Guideline 201

# BU-50-AL



Version 5.0	Revision Date: 13.02.2025	-	OS Number: 0000000039	Date of last issue: 25.11.2024 Date of first issue: 29.03.2016
			Remarks: No toxi	city at the limit of solubility
			mg/l Exposure time: 72 Method: OECD T	
	oxicology Assessment		May aguad long k	acting hormful offacts to aquatic life
	nic aquatic toxicity	:	May cause long la	asting harmful effects to aquatic life.
	<u>oonents:</u> 6,6-pentamethylheptar	<u>م</u> .		
Toxic	ity to daphnia and other ic invertebrates		Exposure time: 48	ation given is based on data obtained from
Toxici plants	ity to algae/aquatic	:	IC50 (algae): > 0. Exposure time: 72 Remarks: Informa similar substance	2 h ation given is based on data obtained from
Ecoto	oxicology Assessment			
Acute	aquatic toxicity	:	This product has	no known ecotoxicological effects.
Chror	nic aquatic toxicity	:	May cause long la	asting harmful effects to aquatic life.
	<b>t-butyl sec-butylidene</b> ity to fish	dip :	LC50 (Fish): > 10 Exposure time: 96	
	ity to daphnia and other ic invertebrates	:	Exposure time: 48 Method: OECD T	
Toxic plants	ity to algae/aquatic	:	mg/l Exposure time: 72 Method: OECD T	
			NOEC (Pseudoki mg/l Exposure time: 72	rchneriella subcapitata (green algae)): > 100 2 h



# BU-50-AL

Version 5.0	Revision Date: 13.02.2025	SDS Number: 60000000039	Date of last issue: 25.11.2024 Date of first issue: 29.03.2016
			Test Guideline 201 xicity at the limit of solubility
	oxicology Assessme	nt	
Chro	nic aquatic toxicity	: May cause long	lasting harmful effects to aquatic life.
12.2 Pers	istence and degradal	oility	
Prod	uct:		
Biode	egradability	: Result: Not read Method: OECD	dily biodegradable. Test Guideline 301B
Com	ponents:		
2,2,4	,6,6-pentamethylhept	ane:	
Biode	egradability	: Result: Not read	dily biodegradable.
di-te	rt-butyl sec-butyliden	e diperoxide:	
Biode	egradability		dily biodegradable. Test Guideline 301B
12.3 Bioa	ccumulative potentia	I	
Com	ponents:		
2,2,4	,6,6-pentamethylhept	ane:	
	ion coefficient: n- ol/water		6.16 (20 °C) /alue is calculated
di-te	rt-butyl sec-butyliden	e diperoxide:	
	ion coefficient: n- ol/water	: log Pow: 5.4 (36	0°C)
12.4 Mobi	ility in soil		
No da	ata available		
12.5 Resı	Ilts of PBT and vPvB	assessment	
Prod	uct:		
Asse	ssment	to be either per	/mixture contains no components considered sistent, bioaccumulative and toxic (PBT), or and very bioaccumulative (vPvB) at levels o
		0.1% or higher.	



# BU-50-AL

Version	Revision Date:	SDS Number:	Date of last issue: 25.11.2024
5.0	13.02.2025	60000000039	Date of first issue: 29.03.2016

## 12.6 Endocrine disrupting properties

## Product:

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

## 12.7 Other adverse effects

Product:	
Additional ecological infor- :	An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.
mation	May cause long lasting harmful effects to aquatic life.

# **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

Product	<ul> <li>Dispose of wastes in an approved waste disposal facility. The product should not be allowed to enter drains, water courses or the soil.</li> <li>Do not contaminate ponds, waterways or ditches with chemi- cal or used container.</li> </ul>
	According to the European Waste Catalogue, Waste Codes are not product specific, but application specific. Waste codes should be assigned by the user, preferably in discussion with the waste disposal authorities.
Contaminated packaging	<ul> <li>Dispose of in accordance with local regulations. Clean container with water. Dispose of contents/ container to an approved waste disposal plant. Empty remaining contents. Dispose of as unused product. Do not re-use empty containers. Do not burn, or use a cutting torch on, the empty drum.</li> </ul>

# **SECTION 14: Transport information**

# 14.1 UN number or ID number

ADR	:	UN 3103
RID	:	UN 3103
IMDG	:	UN 3103

Revision Date:

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

SDS Number:



Version



Date of last issue: 25.11.2024

5.0	13.02.2025		00000000039	Date of first issue: 29.03.2016			
IAT	•		UN 3103				
	n proper shipping name	•	010 3103				
ADF	8	:	: ORGANIC PEROXIDE TYPE C, LIQUID (2,2-DI-(tert-BUTYLPEROXY)BUTANE)				
RID		:	ORGANIC PEROXIDE TYPE C, LIQUID (2,2-DI-(tert-BUTYLPEROXY)BUTANE)				
IMD	G	:		OXIDE TYPE C, LIQUID TYLPEROXY)BUTANE)			
IAT	Α	:	Organic peroxic (2,2-Di-(tert-but	le type C, liquid ylperoxy) butane)			
14.3 Tra	nsport hazard class(es)						
			Class	Subsidiary risks			
ADF	R	:	5.2	ý			
RID			5.2				
IMD			5.2				
IAT			5.2	HEAT			
	king group	-					
ADF							
Pac	king group		Not assigned by	y regulation			
Clas Labe	sification Code	:	P1 5.2				
	nel restriction code	:	(D)				
RID							
	king group ssification Code	÷	Not assigned by P1	y regulation			
	ard Identification Number	:					
Labe	els	:	5.2				
IMD			Net end by				
Labe	king group els	:	Not assigned by 5.2	regulation			
EmS	S Code	:	F-J, S-R				
	A (Cargo) king instruction (cargo	:	570				
Pac	king group	:	Not assigned by				
Labe		:	Organic Peroxic	des, Keep Away From Heat			
	A (Passenger) king instruction (passen-	:	570				
	aircraft)	•	570				
Pac Lab	king group	:	Not assigned by	y regulation des, Keep Away From Heat			
Lab		•	Organic Feruxit	aus, noep Away i tutti tidal			





Version	Revision Date:	SDS Number:	Date of last issue: 25.11.2024
5.0	13.02.2025	60000000039	Date of first issue: 29.03.2016

## 14.5 Environmental hazards

ADR	

Environmentally hazardous	:	no
<b>RID</b> Environmentally hazardous	:	no
IMDG Marine pollutant	:	no

## 14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

## 14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

# **SECTION 15: Regulatory information**

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII)	:	Conditions of restriction for the fol- lowing entries should be considered: Number on list 3: tert-butyl hydrop- eroxide
		Number on list 3
		Number on list 75: If you intend to use this product as tattoo ink, please contact your vendor.
REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59).	:	Not applicable
Regulation (EC) on substances that deplete the ozone layer	:	Not applicable
Regulation (EU) 2019/1021 on persistent organic pollu- tants (recast)	:	Not applicable
Regulation (EU) No 649/2012 of the European Parlia- ment and the Council concerning the export and import	:	Not applicable





Version 5.0	Revision Date: 13.02.2025		DS Number: 0000000039	Date of last issue: 25.11.2024 Date of first issue: 29.03.2016				
of	dangerous chemicals							
	REACH - List of substances subject to authorisation : Not applicable (Annex XIV)							
pea coi	Seveso III: Directive 2012/18/EU of the Euro- pean Parliament and of the Council on the control of major-accident hazards involving dangerous substances.							
	<b>Other regulations:</b> Gefahrgruppe nach TRGS 741: II (German regulatory requirements)							
Th	e components of this pro	oduc	t are reported in t	he following inventories:				
TC	SI (TW)	:	On the inventory,	or in compliance with the inventory				
DS	SL (CA)	:		ins the following components listed on the All other components are on the Canadian				
			di-tert-butyl sec-b	itylidene diperoxide				
EN	ICS (JP)	:	On the inventory,	or in compliance with the inventory				
ISH	HL (JP)	:	On the inventory,	or in compliance with the inventory				
PIC	CCS (PH)	:	On the inventory,	or in compliance with the inventory				
IEC	CSC (CN)	:	On the inventory,	or in compliance with the inventory				

## 15.2 Chemical safety assessment

This information is not available.

## **SECTION 16: Other information**

Full text of H-Statements				
H226	:	Flammable liquid and vapour.		
H242	:	Heating may cause a fire.		
H304	:	May be fatal if swallowed and enters airways.		
H413	:	May cause long lasting harmful effects to aquatic life.		
EUH066	:	Repeated exposure may cause skin dryness or cracking.		
Full text of other abbreviations				
Aquatic Chronic	:	Long-term (chronic) aquatic hazard		
Asp. Tox.	:	Aspiration hazard		
Flam. Liq.	:	Flammable liquids		



# BU-50-AL

Version	Revision Date:	SDS Number:	Date of last issue: 25.11.2024
5.0	13.02.2025	60000000039	Date of first issue: 29.03.2016

Org. Perox.

: Organic peroxides

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways: ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA -European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIOC - New Zealand Inventory of Chemicals: OECD - Organization for Economic Co-operation and Development: OPPTS - Office of Chemical Safety and Pollution Prevention: PBT - Persistent, Bioaccumulative and Toxic substance: PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI -Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

## Further information

Other information	:	This safety datasheet only contains information relating to safety and does not replace any product information or prod- uct specification. These safety instructions also apply to empty packaging which may still contain product residues. The hazards on the label also apply to residues in the con- tainer.
Sources of key data used to compile the Safety Data Sheet	:	Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, http://echa.europa.eu/
Classification of the mixtur	e:	Classification procedure:
Flam. Liq. 3	H2	Based on product data or assessment



# BU-50-AL

Version 5.0	Revision Date: 13.02.2025	SDS Number: 60000000039	Date of last issue: 25.11.2024 Date of first issue: 29.03.2016
Org. F	Perox. C	H242	Based on product data or assessment
Asp. Tox. 1		H304	Based on product data or assessment
Aquatic Chronic 4		H413	Based on product data or assessment

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

IE / EN