

BU-50-WO

Version	Revision Date:	SDS Number:	Date of last issue: 21.02.2023
1.2	10.02.2025	60000000247	Date of first issue: 19.10.2022

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier	
------------------------	--

Trade name : BU-50-WO

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub- : polymerisation initiators stance/Mixture

1.3 Details of the supplier of the safety data sheet

Company	: United Initiators GmbH DrGustav-Adolph-Str. 3 82049 Pullach
Telephone	: +49 / 89 / 74422 - 0
E-mail address of person responsible for the SDS	: contact@united-in.com

1.4 Emergency telephone number

+44 1235 239670

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008) as amended by GB-CLP Regulation, UK SI 2019/720, and UK SI 2020/1567)

Flammable liquids, Category 3	H226: Flammable liquid and vapour.
Organic peroxides, Type C	H242: Heating may cause a fire.
Aspiration hazard, Category 1	H304: May be fatal if swallowed and enters air- ways.
Long-term (chronic) aquatic hazard, Cat- egory 4	H413: May cause long lasting harmful effects to aquatic life.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008) as amended by GB-CLP Regulation, UK SI 2019/720, and UK SI 2020/1567)

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



BU-50-WO

Version 1.2	Revision Date: 10.02.2025	SDS Numbe 6000000002	
Haza	ard pictograms		
Sign	al word	: Danger	
Haza	ard statements	: H226 H242 H304 H413	Flammable liquid and vapour. Heating may cause a fire. May be fatal if swallowed and enters airways. May cause long lasting harmful effects to aquatic life.
Prec	autionary statements	: Preventi	on:
		P210 P234 P280	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Keep only in original packaging. Wear protective gloves/ protective clothing/ eye protection/ face protection.
		Respons	e:
		P301 + P P331 P370 + P	CENTER/ doctor. Do NOT induce vomiting.

Hazardous components which must be listed on the label: White mineral oil (petroleum) (CAS-No. 8042-47-5)

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative tive and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Chemical nature	:	Organic Peroxide
		Liquid mixture

Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
---------------	---	----------------	--------------------------



Asp. Tox. 1; H304

50

>= 45 - < 50

BU-50-WO

Vers 1.2	sion Revision Date: 10.02.2025	SDS Nu 6000000		ate of last issue: 21.02.20 ate of first issue: 19.10.20	
	di-tert-butyl sec-butylid		2167-23-9 218-507-2 01-2120759172 0001	Org. Perox. C; H242 -55- Aquatic Chronic 4; H413	>= 45 - < 5

8042-47-5

232-455-8

01-2119487078-27

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

White mineral oil (petroleum)

4.1 Description of first aid measures

General advice :	Take off contaminated clothing and shoes immediately. Call a physician immediately. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and seek medical advice. Move out of dangerous area. Show this safety data sheet to the doctor in attendance. Do not leave the victim unattended. Symptoms of poisoning may appear several hours later. No artificial respiration, mouth-to-mouth or mouth to nose. Use suitable instruments/apparatus.
Protection of first-aiders :	First Aid responders should pay attention to self-protection and use the recommended protective clothing
If inhaled :	Administer oxygen if breathing is difficult or cyanosis is ob- served. If breathed in, move person into fresh air. If not breathing, give artificial respiration. Call a physician or poison control centre immediately. If unconscious, place in recovery position and seek medical advice. Keep respiratory tract clear.
In case of skin contact :	If symptoms persist, call a physician. In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Wash contaminated clothing before re-use. If on skin, rinse well with water. If on clothes, remove clothes.
In case of eye contact :	In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice. Remove contact lenses. Protect unharmed eye.



Version 1.2	Revision Date: 10.02.2025		0S Number: 0000000247	Date of last issue: 21.02.2023 Date of first issue: 19.10.2022
If swallowed		:	Call a physician ir Contact a poison Rinse mouth thore Keep respiratory to Do NOT induce ve	rsists, consult a specialist. nmediately. control center. oughly with water. rract clear.
4.2 Most i	mportant symptoms a	nd e	effects, both acute	and delayed
Risks		:	May be fatal if sw	allowed and enters airways.
4.3 Indicat Treatr	-	mec :		I special treatment needed cally and supportively.
SECTION	I 5: Firefighting meas	sur	es	
5.1 Exting	uishing media			
Suitat	ble extinguishing media	:	Water spray jet Alcohol-resistant Carbon dioxide (C Dry chemical	
Unsui media	table extinguishing a	:	High volume wate	er jet
5.2 Specia	al hazards arising from	the	substance or mix	xture
Specir fightin	fic hazards during fire-	:	Possible emission lead to a dangero Avoid confinemen Contact with incon tures exceeding S composition react may auto-ignite. The product burns Flash back possit Do not allow run-o courses. Vapours may form The product will fl water.	mpatible materials or exposure to tempera- ADT may result in a self-accelerating de- ion with release of flammable vapors which



BU-50-WO

Version	Revision Date:	SDS Number:	Date of last issue: 21.02.2023
1.2	10.02.2025	60000000247	Date of first issue: 19.10.2022

5.3 Advice for firefighters

Special protective equipment for firefighters	:	Wear self-contained breathing apparatus for firefighting if nec- essary. Use personal protective equipment.
Specific extinguishing meth- ods	:	Do not use a solid water stream as it may scatter and spread fire. Remove undamaged containers from fire area if it is safe to do so. Use water spray to cool unopened containers.
Further information	:	Use extinguishing measures that are appropriate to local cir- cumstances and the surrounding environment. Use a water spray to cool fully closed containers. Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions	 Follow safe handling advice and personal protective equipment recommendations. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas. Use personal protective equipment. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Never return spills in original containers for re-use. Treat recovered material as described in the section "Disposal considerations".
----------------------	--

6.2 Environmental precautions

Environmental precautions	:	Prevent product from entering drains. Prevent further leakage or spillage if safe to do so.
		If the product contaminates rivers and lakes or drains inform respective authorities.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up	:	Contact with incompatible substances can cause decomposi- tion at or below SADT. Clear spills immediately. Suppress (knock down) gases/vapours/mists with a water spray jet. To clean the floor and all objects contaminated by this materi- al, use plenty of water.
-------------------------	---	---

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



BU-50-WO

Version	Revision Date: 10.02.2025	SDS Number:	Date of last issue: 21.02.2023
1.2		60000000247	Date of first issue: 19.10.2022
		Isolate waste a Non-sparking to Local or nation posal of this ma employed in the	ert absorbent material. nd do not reuse. ools should be used. al regulations may apply to releases and dis- aterial, as well as those materials and items e cleanup of releases. You will need to deter- ulations are applicable.

6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Technical measures	:	See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.
Advice on safe handling	:	Open drum carefully as content may be under pressure. Protect from contamination. Do not swallow. Do not breathe vapours/dust. Avoid contact with skin and eyes. Avoid formation of aerosol. Take precautionary measures against static discharges. Never return any product to the container from which it was originally removed. Provide sufficient air exchange and/or exhaust in work rooms. Avoid confinement. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Smoking, eating and drinking should be prohibited in the ap- plication area. Wash thoroughly after handling. For personal protection see section 8.
Advice on protection against fire and explosion	:	Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapours). Keep away from heat and sources of ignition. Use only explosion-proof equipment. Keep away from open flames, hot surfaces and sources of ignition. Keep away from combustible material. Do not spray on a naked flame or any incandescent material.
Hygiene measures	:	Avoid contact with skin, eyes and clothing. Keep away from food and drink. When using do not eat or drink. When using do not smoke. Wash hands before breaks and immediately after handling the product.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage : Store in original container. Keep containers tightly closed in a

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



BU-50-WO

Vers 1.2	ion	Revision Date: 10.02.2025		0S Number: 0000000247	Date of last issue: 21.02.2023 Date of first issue: 19.10.2022
	areas a	and containers		may result in dan ers may rupture. ance with the par (e.g. rust, dust, as tions / working ma safety standards.	ed place. Store in cool place. Contamination gerous pressure increases - closed contain- Observe label precautions. Store in accord- ticular national regulations. Avoid impurities sh), risk of decomposition. Electrical installa- aterials must comply with the technological Containers which are opened must be care- l kept upright to prevent leakage.
	Advice	on common storage	:		combustible materials. strong acids, bases, heavy metal salts and bstances.
	Recom peratur	mended storage tem- e	:	< 30 °C	
	Further age sta	information on stor- bility	:	Stable under reco	mmended storage conditions.
	-	: end use(s) c use(s)	:	For further inform sheet.	ation, refer to the product technical data

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Contains no substances with occupational exposure limit values.

Derived No Effect Level (DNEL):

Substance name	End Use	Exposure routes	Potential health ef- fects	Value
di-tert-butyl sec- butylidene diperoxide	Workers	Inhalation	Long-term systemic effects	2.65 mg/m3
	Workers	Skin contact	Long-term systemic effects	1.5 mg/kg bw/day
White mineral oil (pe- troleum)	Workers	Inhalation	Long-term systemic effects	164.56 mg/m3
	Workers	Skin contact	Long-term systemic effects	217.05 mg/kg bw/day

Predicted No Effect Concentration (PNEC):

Substance name	Environmental Compartment	Value
di-tert-butyl sec-butylidene diper-	Fresh water	0.083 mg/l
oxide		
	Marine water	0.008 mg/l
	Fresh water sediment	0.97 mg/kg dry
		weight (d.w.)
	Marine sediment	0.097 mg/kg dry

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



BU-50-WO

Version 1.2	Revision Date: 10.02.2025	SDS Number: 60000000247	Date of last issue: Date of first issue:	
				weight (d.w.)
		Sewage treat	ment plant	2 mg/l
		Soil		0.15 mg/kg dry weight (d.w.)

8.2 Exposure controls

Engineering measures

Minimize workplace exposure concentrations.

Personal protective equipment

Eye/face protection	:	Ensure that eyewash stations and safety showers are close to the workstation location. Please follow all applicable local/national requirements when selecting protective measures for a specific workplace. Always wear eye protection when the potential for inadvertent eye contact with the product cannot be excluded. Tightly fitting safety goggles Please wear suitable protective goggles. Also wear face pro- tection if there is a splash hazard.
Hand protection		
Material	:	Nitrile rubber
Break through time Glove thickness	•	480 min 0.40 mm
	•	
Remarks	:	The data about break through time/strength of material are standard values! The exact break through time/strength of material has to be obtained from the producer of the protec- tive glove. Choose gloves to protect hands against chemicals depending on the concentration and quantity of the hazard- ous substance and specific to place of work. For special ap- plications, we recommend clarifying the resistance to chemi- cals of the aforementioned protective gloves with the glove manufacturer. Wash hands before breaks and at the end of workday.
Skin and body protection	:	Select appropriate protective clothing based on chemical re- sistance data and an assessment of the local exposure poten- tial. Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces. Wear as appropriate:
		Flame retardant antistatic protective clothing.
Respiratory protection	:	In the case of dust or aerosol formation use respirator with an approved filter.
Filter type	:	ABEK-filter



BU-50-WO

Version	Revision Date: 10.02.2025	SDS Number:	Date of last issue: 21.02.2023
1.2		60000000247	Date of first issue: 19.10.2022
Prote	ctive measures		tective equipment must be selected according ation and amount of the dangerous substance vorkplace.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance	:	liquid
Colour	:	colourless
Odour	:	aromatic
Odour Threshold	:	not determined
рН	:	substance/mixture is non-soluble (in water)
Melting point/ range	:	< -25 °C
Boiling point/boiling range	:	Decomposition: Decomposes below the boiling point.
Flash point	:	55 °C Method: ISO 3679
Flammability (solid, gas)	:	Not applicable
Upper explosion limit / Upper flammability limit	:	Upper explosion limit No data available
Lower explosion limit / Lower flammability limit	:	Lower explosion limit No data available
Vapour pressure	:	not determined
Relative vapour density	:	not determined
Relative density	:	not determined
Density	:	0.86 g/cm3 (20 °C)
Solubility(ies) Water solubility	:	insoluble
Solubility in other solvents	:	No data available

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



BU-50-WO

Vers 1.2	sion	Revision Date: 10.02.2025		S Number: 0000000247	Date of last issue: 21.02.2023 Date of first issue: 19.10.2022
	Partitio octano	n coefficient: n- I/water	:	Not applicable	
	Auto-ig	nition temperature	:	not determined	
	Viscos Visc	ity cosity, dynamic	:	7 mPa.s (20 °C)	
	Viso	cosity, kinematic	:	not determined	
	Explos	ive properties	:	Not explosive In use, may form	flammable/explosive vapour-air mixture.
	Oxidizi	ng properties	:	The substance o Organic peroxide	r mixture is not classified as oxidizing.
9.2	Other in	nformation			
		celerating decomposi- nperature (SADT)	:	temperature at w	t H.4 erating Decomposition Temperature. Lowest hich the tested package size will undergo a decomposition reaction.
	Flamm	ability (liquids)	:	Flammable liquid	and vapour., Organic peroxide
	Self-he	ating substances	:	Not applicable	
				The substance o	r mixture is not classified as self heating.
	Refrac	tive index	:	1.438 at 20 °C	
	Self-ig	nition	:	The substance o	r mixture is not classified as pyrophoric.

SECTION 10: Stability and reactivity

10.1 Reactivity

Stable under recommended storage conditions. Heating may cause a fire or explosion.

10.2 Chemical stability

Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions

Hazardous reactions : Vapours may form explosive mixture with air.

10.4 Conditions to avoid



Version 1.2	Revision Date: 10.02.2025		S Number: 0000000247	Date of last issue: 21.02.2023 Date of first issue: 19.10.2022				
Conditions to avoid		:	Protect from contamination. Contact with incompatible substances can cause decompos tion at or below SADT. Heat, flames and sparks. Avoid confinement.					
10.5 Inco	10.5 Incompatible materials							
Mate	rials to avoid	:		strong acids and bases, heavy metals and alts, reducing agents				
10.6 Haza	ardous decomposition	n proc	lucts					
Irritai	-	-		nd vapours can develop in the case of fire and				
SECTIO	N 11: Toxicological	infor	mation					
11 1 Info	motion on toxicologi		iaata					
	mation on toxicologi	cal en	ects					
	e toxicity classified due to lack of	data.						
Com	ponents:							
di-tert-butyl sec-butylidene dip			eroxide:					
Acute	e oral toxicity	:	LD50 (Rat): > 5 Method: OECD	5,000 mg/kg 9 Test Guideline 401				
Acute	e inhalation toxicity	:	LC50 (Rat): >2 Exposure time: Test atmosphe Method: OECD	4 h				
Acute	e dermal toxicity	:	Assessment: T toxicity	2,000 mg/kg) Test Guideline 402 he substance or mixture has no acute dermal nortality observed at this dose.				
Whit	e mineral oil (petroleu	um):						
	e oral toxicity	:		5,000 mg/kg 9 Test Guideline 401 he substance or mixture has no acute oral tox-				
Acute	e inhalation toxicity	:	LC50 (Rat): > 5 Exposure time: Test atmosphe Method: OECD	4 h				



Versio 1.2	on Revision Date: 10.02.2025		0S Number: 0000000247	Date of last issue: 21.02.2023 Date of first issue: 19.10.2022				
			Assessment: The tion toxicity	substance or mixture has no acute inhala-				
Д	Acute dermal toxicity		LD50 (Rabbit): > 2,000 mg/kg Method: OECD Test Guideline 402 Assessment: The substance or mixture has no acute dermal toxicity Remarks: No mortality observed at this dose.					
	Skin corrosion/irritation Based on available data, the c	las	sification criteria ar	e not met.				
P	Product:							
	Remarks	:	May cause skin ir	ritation and/or dermatitis.				
<u>c</u>	Components:							
d	li-tert-butyl sec-butylidene	dip	eroxide:					
		:	Rabbit					
	Aethod Result	:	OECD Test Guide Mild skin irritation	aine 404				
	Vhite mineral oil (petroleum	ı):						
N	Species Aethod Result	:	Rabbit OECD Test Guide No skin irritation	eline 404				
S	Serious eye damage/eye irri	tati	on					
B	Based on available data, the c	las	sification criteria ar	e not met.				
	Product: Remarks	:	Vapours may cau and the skin.	se irritation to the eyes, respiratory system				
<u>c</u>	Components:							
d	li-tert-butyl sec-butylidene	dip	eroxide:					
	Species	:	Rabbit					
	/lethod Result	:	OECD Test Guide No eye irritation	eline 405				
v	Vhite mineral oil (petroleum	ı):						
	Species	:	Rabbit					
	/lethod Result	:	OECD Test Guide No eye irritation	eline 405				



BU-50-WO

Version	Revision Date:	SDS Number:	Date of last issue: 21.02.2023
1.2	10.02.2025	60000000247	Date of first issue: 19.10.2022

Respiratory or skin sensitisation

Skin sensitisation

Based on available data, the classification criteria are not met.

Respiratory sensitisation

Not classified due to lack of data.

Components:

di-tert-butyl sec-butylidene diperoxide:

Species	:	Guinea pig
Method	:	OECD Test Guideline 406
Result	:	Does not cause skin sensitisation.

White mineral oil (petroleum):

Exposure routes	:	Skin contact
Species	:	Guinea pig
Method	:	OECD Test Guideline 406
Result	:	Does not cause skin sensitisation.

Germ cell mutagenicity

Not classified due to lack of data.

Components:

di-tert-butyl sec-butylidene diperoxide:

Genotoxicity in vitro		Method: OECD Test Guideline 471 Result: negative
		Method: OECD Test Guideline 473 Result: negative
Genotoxicity in vivo	:	Remarks: No data available
White mineral oil (petroleum)):	
Genotoxicity in vitro	:	Method: OECD Test Guideline 476 Result: negative Remarks: Information given is based on data obtained from similar substances.
Genotoxicity in vivo	:	Method: OECD Test Guideline 474 Result: negative Remarks: Based on data from similar materials

Carcinogenicity

Not classified due to lack of data.



rsion	Revision Date: 10.02.2025	-	9S Number: 0000000247	Date of last issue: 21.02.2023 Date of first issue: 19.10.2022
<u>Com</u>	oonents:			
di-ter	t-butyl sec-butyliden	ne dipe	eroxide:	
Rema	arks	:	This informatio	n is not available.
White	e mineral oil (petrole	um):		
Metho	bd	:	OECD Test Gu	ideline 453
Resul		:	negative	from circilor motoriolo
Rema	arks	:	Based on data	from similar materials
-	oductive toxicity			
Not cl	assified due to lack of	data.		
<u>Com</u>	oonents:			
	t-butyl sec-butyliden	•		
Effect	s on fertility	:	Remarks: No d	lata available
Effect ment	s on foetal develop-	:	Remarks: No d	lata available
	- single exposure assified due to lack of	data.		
Com	oonents:			
White	e mineral oil (petrole	um):		
	ssment	:	No data availat	ble
	- repeated exposure assified due to lack of			
Com	oonents:			
White	e mineral oil (petrole	um):		
Asses	ssment	:	The substance	or mixture is not classified as specific target
Rema	arks	:		repeated exposure. lue to data which are conclusive although insuf ification.
Repe	ated dose toxicity			
<u>Com</u>	oonents:			
di-ter	t-butyl sec-butyliden	ne dipe	eroxide:	
Speci	es	:	Rat	
NOAE	EL	:	150 mg/kg	
Applic Metho	cation Route	:	Oral OECD Test Gu	ideline 122
weine	Ju	•	UEUD Test Gu	



BU-50-WO

Version	Revision Date:	SDS Num
1.2	10.02.2025	60000000

umber: Da)000247 Da

Date of last issue: 21.02.2023 Date of first issue: 19.10.2022

Aspiration toxicity

May be fatal if swallowed and enters airways.

Components:

White mineral oil (petroleum):

May be fatal if swallowed and enters airways.

Further information

Product:

Remarks

: Solvents may degrease the skin.

SECTION 12: Ecological information

12.1 Toxicity

Components:

di-tert-butyl sec-butylidene diperoxide:						
Toxicity to fish :	LC50 (Fish): > 10 mg/l Exposure time: 96 h Remarks: No toxicity at the limit of solubility					
Toxicity to daphnia and other : aquatic invertebrates	EC50 (Daphnia magna (Water flea)): 9.4 mg/l Exposure time: 48 h Method: OECD Test Guideline 202 Remarks: No toxicity at the limit of solubility					
Toxicity to algae/aquatic : plants	EC50 (Pseudokirchneriella subcapitata (green algae)): 100 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 Remarks: No toxicity at the limit of solubility					
	NOEC (Pseudokirchneriella subcapitata (green algae)): > 100 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 Remarks: No toxicity at the limit of solubility					
Ecotoxicology Assessment Chronic aquatic toxicity :	May cause long lasting harmful effects to aquatic life.					
White mineral oil (petroleum): Toxicity to fish :	LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l					

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



/ersion I.2	Revision Date: 10.02.2025		0S Number: 0000000247	Date of last issue: 21.02.2023 Date of first issue: 19.10.2022
			E (i oo	
			Exposure time: 96 Method: OECD Te	
			NOEC (Fish): >= 2	
			Exposure time: 96 Method: No inform	
Toxicity to daphnia and other aquatic invertebrates		:	NOEC (Daphnia n Exposure time: 48 Method: No inform	
			EC50 (Daphnia m Exposure time: 48 Method: No inform	
Toxic plants	ity to algae/aquatic	:	NOEC (algae): >= Exposure time: 72 Method: No inform	2 h
	ity to daphnia and other ic invertebrates (Chron- icity)	:	NOEC: 1,000 mg/ Species: Daphnia Method: OECD Te	magna (Water flea)
.2 Persi	stence and degradabili	ity		
<u>Com</u>	oonents:			
di-ter	t-butyl sec-butylidene	dip	eroxide:	
Biode	gradability	:	Result: Not readily Method: OECD Te	y biodegradable. est Guideline 301B
White	e mineral oil (petroleum	ı):		
Biode	gradability	:	Inoculum: activate Result: Readily bio	
			Biodegradation: > Exposure time: 28	60 %
				est Guideline 301B
2.3 Bioa	ccumulative potential			
<u>Com</u>	oonents:			
di-tert-butyl sec-butylidene c Partition coefficient: n- octanol/water		dip	eroxide:	
		:	log Pow: 5.4 (30 °	C)
White	e mineral oil (petroleum	ı):		
	ion coefficient: n- ol/water	:	Remarks: No data	a available



BU-50-WO

Version	Revision Date:	SDS Number:	Date of last issue: 21.02.2023
1.2	10.02.2025	600000000247	Date of first issue: 19.10.2022

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Product:		
Assessment	:	This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.
12.6 Other adverse effects		
Product:		
Endocrine disrupting poten- tial	:	The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.
Additional ecological infor- mation	:	An environmental hazard cannot be excluded in the event of unprofessional handling or disposal. May cause long lasting harmful effects to aquatic life.

SECTION 13: Disposal considerations

13.1 Waste treatment methods	
Product	 Dispose of wastes in an approved waste disposal facility. The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemi- cal or used container.
Contaminated packaging	 Dispose of in accordance with local regulations. Clean container with water. Dispose of contents/ container to an approved waste disposal plant. Empty remaining contents. Dispose of as unused product. Do not re-use empty containers. Do not burn, or use a cutting torch on, the empty drum.

SECTION 14: Transport information

14.1 UN number

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Vers 1.2	sion	Revision Date: 10.02.2025		OS Number: 0000000247	Date of last issue: 21.02.2023 Date of first issue: 19.10.2022
	ADR		:	UN 3103	
	RID		:	UN 3103	
	IMDG		:	UN 3103	
	ΙΑΤΑ		:	UN 3103	
14.2	2 UN pro	oper shipping name			
	ADR		:		XIDE TYPE C, LIQUID YLPEROXY)BUTANE)
	RID		:		XIDE TYPE C, LIQUID YLPEROXY)BUTANE)
	IMDG		:		XIDE TYPE C, LIQUID YLPEROXY)BUTANE)
	ΙΑΤΑ		:	Organic peroxide (2,2-Di-(tert-butyl	
14.3	8 Transp	oort hazard class(es)			
				Class	Subsidiary risks
	ADR		:	5.2	
	RID		:	5.2	
	IMDG		:	5.2	
	ΙΑΤΑ		:	5.2	HEAT
14.4	Packin	ng group			
	Classifi Labels	g group ication Code restriction code	:	Not assigned by r P1 5.2 (D)	regulation
	Classifi	g group ication Code I Identification Number	:	Not assigned by r P1 539 5.2	regulation
	IMDG Packing Labels EmS C	g group ode	: : :	Not assigned by r 5.2 F-J, S-R	regulation
	aircraft	g instruction (cargo	:	570 Not assigned by r Organic Peroxide	regulation s, Keep Away From Heat



BU-50-WO

Version	Revision Date:	SDS Number:	Date of last issue: 21.02.2023
1.2	10.02.2025	60000000247	Date of first issue: 19.10.2022

IATA (Passenger)

Packing instruction (passen-	:	570
ger aircraft)		
Packing group	:	Not assigned by regulation
Labels	:	Organic Peroxides, Keep Away From Heat

14.5 Environmental hazards

ADR Environmentally hazardous	:	no
RID Environmentally hazardous	:	no
IMDG Marine pollutant	:	no

14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Relevant EU provisions transposed through retained EU law

UK REACH List of restrictions (Annex 17)	:	Conditions of restriction for the fol- lowing entries should be considered: Number on list 3: tert-butyl hydrop- eroxide
UK REACH Candidate list of substances of very high concern (SVHC) for Authorisation	:	Number on list 3 Not applicable
The Persistent Organic Pollutants Regulations (retained Regulation (EU) 2019/1021 as amended for Great Britain)	:	Not applicable
Regulation (EC) on substances that deplete the ozone layer	:	Not applicable
UK REACH List of substances subject to authorisation (Annex XIV)	:	Not applicable
GB Export and import of hazardous chemicals - Prior	:	Not applicable



BU-50-WO

Version	Revision Date:	SDS Number:	Date of last issue: 21.02.2023	
1.2	10.02.2025	60000000247	Date of first issue: 19.10.2022	

Informed Consent (PIC) Regulation

Control of Major Accident Hazards Regulations P6b 2015 (COMAH)

SELF-REACTIVE SUBSTANCES AND MIXTURES and ORGANIC PEROXIDES

Other regulations:

Take note of The Management of Health and Safety at Work Regulations 1999 (requirements relating to new and expectant mothers at work contained in Regulation 16 to 18) and of the Pregnant Workers Directive 92/85/EEC.

Take note of The Management of Health and Safety at Work Regulations 1999 (requirements relating to protection of young people at work contained in Regulation 19) and of Directive 94/33/EC on the protection of young people at work.

The components of this product are reported in the following inventories:

TCSI (TW)	:	On the inventory, or in compliance with the inventory
TSCA (US)	:	All substances listed as active on the TSCA inventory
AIIC (AU)	:	On the inventory, or in compliance with the inventory
DSL (CA)	:	This product contains the following components listed on the Canadian NDSL. All other components are on the Canadian DSL.
		di-tert-butyl sec-butylidene diperoxide
PICCS (PH)	:	On the inventory, or in compliance with the inventory
IECSC (CN)	:	On the inventory, or in compliance with the inventory

15.2 Chemical safety assessment

This information is not available.

SECTION 16: Other information

Full text of H-Statements		
H242 H304 H413	:	Heating may cause a fire. May be fatal if swallowed and enters airways. May cause long lasting harmful effects to aquatic life.
Full text of other abbreviation	ons	
Aquatic Chronic Asp. Tox. Org. Perox.	: : :	Long-term (chronic) aquatic hazard Aspiration hazard Organic peroxides

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



BU-50-WO

Version	Revision Date:	SDS Number:	Date of last issue: 21.02.2023
1.2	10.02.2025	60000000247	Date of first issue: 19.10.2022

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA -European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals: RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of very high concern; TCSI - Taiwan Chemical Substance Inventory; TECI -Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Further information

compile the Safety Data

Sheet

Other information	:	This safety datasheet only contains information relating to safety and does not replace any product information or prod- uct specification. These safety instructions also apply to empty packaging which may still contain product residues. The hazards on the label also apply to residues in the con- tainer.
Sources of key data used to	:	Internal technical data, data from raw material SDSs, OECD

Classification of the mixture:

Classification procedure:

eChem Portal search results and European Chemicals Agen-

cy, http://echa.europa.eu/



BU-50-WO

Version 1.2	Revision Date: 10.02.2025	SDS Number: 60000000247	Date of last issue: 21.02.2023 Date of first issue: 19.10.2022
Elam Lia 2		H226	Based on product data or approximant
Flam. Liq. 3 Org. Perox. C		H242	Based on product data or assessment Based on product data or assessment
Asp. Tox. 1		H304	Calculation method
Aquatic Chronic 4		H413	Calculation method

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

GB / EN