

BU-50-WO

Version	Revision Date: 10.02.2025	SDS Number:	Date of last issue: 21.02.2023
3.3		60000000247	Date of first issue: 25.04.2016
-			

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier	
Trade name	: BU-50-WO
1.2 Relevant identified uses	of the substance or mixture and uses advised against
Use of the Sub- stance/Mixture	: polymerisation initiators
1.3 Details of the supplier of	the safety data sheet
Company	: United Initiators GmbH DrGustav-Adolph-Str. 3 82049 Pullach
Telephone	: +49 / 89 / 74422 - 0
E-mail address of person responsible for the SDS	: contact@united-in.com

1.4 Emergency telephone number

+44 1235 239670

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Flammable liquids, Category 3	H226: Flammable liquid and vapour.
Organic peroxides, Type C	H242: Heating may cause a fire.
Aspiration hazard, Category 1	H304: May be fatal if swallowed and enters air- ways.
Long-term (chronic) aquatic hazard, Cat- egory 4	H413: May cause long lasting harmful effects to aquatic life.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



BU-50-WO

Version 3.3	Revision Date: 10.02.2025	-	DS Number: 00000000247	Date of last issue: 21.02.2023 Date of first issue: 25.04.2016
Haz	ard pictograms	:		
Sigr	al word	:	Danger	
Haz	ard statements	:	H226 H242 H304 H413	Flammable liquid and vapour. Heating may cause a fire. May be fatal if swallowed and enters airways. May cause long lasting harmful effects to aquatic life.
Prec	cautionary statements	:	Prevention	:
			P210 P234 P280	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Keep only in original packaging. Wear protective gloves/ protective clothing/ eye
			1 200	protection/ face protection.
			Response:	
			P301 + P31	0 IF SWALLOWED: Immediately call a POISON CENTER/ doctor.
			P331 P370 + P37	Do NOT induce vomiting.

Hazardous components which must be listed on the label:

White mineral oil (petroleum) (CAS-No. 8042-47-5)

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

5

3.2 Mixtures

Chemical nature



BU-50-WO

Version	Revision Date:	SDS Number:	Date of last issue: 21.02.2023
3.3	10.02.2025	60000000247	Date of first issue: 25.04.2016

Liquid mixture

Components

CAS-No.	Classification	Concentration
EC-No.		(% w/w)
Index-No.		
Registration number		
2167-23-9	Org. Perox. C; H242	>= 45 - < 50
218-507-2	Aquatic Chronic 4;	
01-2120759172-55-	H413	
0001		
8042-47-5	Asp. Tox. 1; H304	>= 45 - < 50
232-455-8		
01-2119487078-27		
	EC-No. Index-No. Registration number 2167-23-9 218-507-2 01-2120759172-55- 0001 8042-47-5 232-455-8	EC-No. Index-No. Registration number Org. Perox. C; H242 2167-23-9 Org. Perox. C; H242 218-507-2 Aquatic Chronic 4; 01-2120759172-55- H413 0001 S042-47-5 8042-47-5 Asp. Tox. 1; H304 232-455-8 01-2119487078-27

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice	:	Take off contaminated clothing and shoes immediately. Call a physician immediately. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and seek medical advice. Move out of dangerous area. Show this safety data sheet to the doctor in attendance. Do not leave the victim unattended. Symptoms of poisoning may appear several hours later. No artificial respiration, mouth-to-mouth or mouth to nose. Use suitable instruments/apparatus.
Protection of first-aiders	:	First Aid responders should pay attention to self-protection and use the recommended protective clothing
If inhaled	:	Administer oxygen if breathing is difficult or cyanosis is ob- served. If breathed in, move person into fresh air. If not breathing, give artificial respiration. Call a physician or poison control centre immediately. If unconscious, place in recovery position and seek medical advice. Keep respiratory tract clear.
In case of skin contact	:	If symptoms persist, call a physician. In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Wash contaminated clothing before re-use. If on skin, rinse well with water.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878





Version 3.3	Revision Date: 10.02.2025	SDS Number: 60000000247	Date of last issue: 21.02.2023 Date of first issue: 25.04.2016
		If on clothes, re	emove clothes.
In cas	se of eye contact	of water and se Remove contac Protect unharm Keep eye wide	
lf swa	Illowed	Rinse mouth th Keep respirator Do NOT induce	on control center. oroughly with water. ry tract clear.
4.2 Most i	mportant symptoms	s and effects, both ac	ute and delayed
Risks		: May be fatal if	swallowed and enters airways.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment	
Treatment	

: Treat symptomatically and supportively.

SECTION 5: Firefighting measures

5.1 Extinguishing media Suitable extinguishing media	:	Water spray jet Alcohol-resistant foam Carbon dioxide (CO2) Dry chemical
Unsuitable extinguishing media	:	High volume water jet
5.2 Special hazards arising from	the	substance or mixture
Specific hazards during fire- fighting	:	Risk of explosion if heated under confinement. Possible emission of gaseous decomposition products may lead to a dangerous pressure build-up. Avoid confinement. Contact with incompatible materials or exposure to tempera- tures exceeding SADT may result in a self-accelerating de- composition reaction with release of flammable vapors which may auto-ignite. The product burns violently. Flash back possible over considerable distance. Do not allow run-off from fire fighting to enter drains or water courses.

Vapours may form explosive mixtures with air.





Versio 3.3		evision Date: 0.02.2025		DS Number: 0000000247	Date of last issue: 21.02.2023 Date of first issue: 25.04.2016
				The product will float on water and can be reignited on surface water.	
				Cool closed conta	iners exposed to fire with water spray.
5.3 Ad	dvice for	firefighters			
Special protective equipment for firefighters		:	Wear self-contained breathing apparatus for firefighting if nec- essary. Use personal protective equipment.		
Specific extinguishing meth- ods		:	fire.	water stream as it may scatter and spread	
			Remove undamag	ged containers from fire area if it is safe to do	
				Use water spray to cool unopened containers.	
Further information		:	cumstances and t Use a water spray Collect contamina must not be disch Fire residues and	measures that are appropriate to local cir- he surrounding environment. / to cool fully closed containers. ted fire extinguishing water separately. This arged into drains. contaminated fire extinguishing water must accordance with local regulations.	

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions	: Follow safe handling advice and per ment recommendations. Beware of vapours accumulating to	
	tions. Vapours can accumulate in lo	
	Use personal protective equipment.	
	Ensure adequate ventilation.	
	Remove all sources of ignition.	
	Evacuate personnel to safe areas.	
	Never return spills in original contair	ters for re-use.
	Treat recovered material as describe considerations".	ed in the section "Disposal

6.2 Environmental precautions

Environmental precautions	: Prevent product from entering drains.	
	Prevent further leakage or spillage if safe to do so.	
	If the product contaminates rivers and lakes or drains respective authorities.	inform
	respective authorities.	

6.3 Methods and material for containment and cleaning up

Methods for cleaning up	:	Contact with incompatible substances can cause decomposi-
		tion at or below SADT.
		Clear spills immediately.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878





Version	Revision Date:	SDS Number:	Date of last issue: 21.02.2023	
3.3	10.02.2025	60000000247	Date of first issue: 25.04.2016	

Suppress (knock down) gases/vapours/mists with a water spray jet.

To clean the floor and all objects contaminated by this material, use plenty of water.

Soak up with inert absorbent material.

Isolate waste and do not reuse. Non-sparking tools should be used.

Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.

6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Technical measures :	See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.
Advice on safe handling :	Open drum carefully as content may be under pressure. Protect from contamination. Do not swallow. Do not breathe vapours/dust. Avoid contact with skin and eyes. Avoid formation of aerosol. Take precautionary measures against static discharges. Never return any product to the container from which it was originally removed. Provide sufficient air exchange and/or exhaust in work rooms. Avoid confinement. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Smoking, eating and drinking should be prohibited in the ap- plication area. Wash thoroughly after handling. For personal protection see section 8.
Advice on protection against : fire and explosion	Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapours). Keep away from heat and sources of ignition. Use only explosion-proof equipment. Keep away from open flames, hot surfaces and sources of ignition. Keep away from combustible material. Do not spray on a naked flame or any incandescent material.
Hygiene measures :	Avoid contact with skin, eyes and clothing. Keep away from food and drink. When using do not eat or drink. When using do not smoke. Wash hands before breaks and immediately after handling the product.

BU-50-WO



Version	Revision Date:	SDS Number:	Date of last issue: 21.02.2023
3.3	10.02.2025	60000000247	Date of first issue: 25.04.2016

7.2 Conditions for safe storage, including any incompatibilities

	Requirements for storage areas and containers	:	Store in original container. Keep containers tightly closed in a cool, well-ventilated place. Store in cool place. Contamination may result in dangerous pressure increases - closed containers may rupture. Observe label precautions. Store in accordance with the particular national regulations. Avoid impurities (e.g. rust, dust, ash), risk of decomposition. Electrical installations / working materials must comply with the technological safety standards. Containers which are opened must be carefully resealed and kept upright to prevent leakage.
	Advice on common storage	:	Keep away from combustible materials. Keep away from strong acids, bases, heavy metal salts and other reducing substances.
	Recommended storage tem- perature	:	< 30 °C
	Further information on stor- age stability	:	Stable under recommended storage conditions.
7.3	Specific end use(s) Specific use(s)	:	For further information, refer to the product technical data

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form	Control parameters	Basis
		of exposure)		
White mineral oil	8042-47-5	OELV - 8 hrs	5 mg/m3	IE OEL
(petroleum)		(TWA) (inhalable		
		fraction)		

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006

sheet.

	. ,			
Substance name	End Use	Exposure routes	Potential health ef- fects	Value
di-tert-butyl sec-	Workers	Inhalation	Long-term systemic	2.65 mg/m3
butylidene diperoxide			effects	
	Workers	Skin contact	Long-term systemic	1.5 mg/kg
			effects	bw/day
White mineral oil (pe-	Workers	Inhalation	Long-term systemic	164.56 mg/m3
troleum)			effects	-
	Workers	Skin contact	Long-term systemic	217.05 mg/kg
			effects	bw/day



BU-50-WO

Version	Revision Date:	SDS Number:	Date of last issue: 21.02.2023
3.3	10.02.2025	60000000247	Date of first issue: 25.04.2016

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006

Substance name	Environmental Compartment	Value
di-tert-butyl sec-butylidene diper- oxide	Fresh water	0.083 mg/l
	Marine water	0.008 mg/l
	Fresh water sediment	0.97 mg/kg dry weight (d.w.)
	Marine sediment	0.097 mg/kg dry weight (d.w.)
	Sewage treatment plant	2 mg/l
	Soil	0.15 mg/kg dry weight (d.w.)

8.2 Exposure controls

Engineering measures

Minimize workplace exposure concentrations.

Personal protective equipment

Eye/face protection :	Ensure that eyewash stations and safety showers are close to the workstation location. Please follow all applicable local/national requirements when selecting protective measures for a specific workplace. Always wear eye protection when the potential for inadvertent eye contact with the product cannot be excluded. Tightly fitting safety goggles Please wear suitable protective goggles. Also wear face pro- tection if there is a splash hazard. Equipment should conform to EN 166
Hand protection Material : Break through time : Glove thickness :	Nitrile rubber 480 min 0.40 mm
Directive :	Equipment should conform to EN 374
Remarks :	The data about break through time/strength of material are standard values! The exact break through time/strength of material has to be obtained from the producer of the protec- tive glove. Choose gloves to protect hands against chemicals depending on the concentration and quantity of the hazard- ous substance and specific to place of work. For special ap- plications, we recommend clarifying the resistance to chemi- cals of the aforementioned protective gloves with the glove manufacturer. Wash hands before breaks and at the end of workday.
Skin and body protection :	Select appropriate protective clothing based on chemical

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



BU-50-WO

Version 3.3	Revision Date: 10.02.2025		DS Number: 00000000247	Date of last issue: 21.02.2023 Date of first issue: 25.04.2016
			potential. Additional body g task being perfor posable suits) to Wear as appropri	nd an assessment of the local exposure arments should be used based upon the med (e.g., sleevelets, apron, gauntlets, dis- avoid exposed skin surfaces. ate: antistatic protective clothing.
Res	spiratory protection	:	In the case of due approved filter.	st or aerosol formation use respirator with an
			Respirator with co 141)	ombination filter for vapour/particulate (EN
	Filter type	:	ABEK-filter	
Pro	tective measures	:		ctive equipment must be selected according on and amount of the dangerous substance rkplace.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state		liquid
Colour	:	colourless
Odour	:	aromatic
Odour Threshold	:	not determined
Melting point/ range	:	< -25 °C
Boiling point/boiling range	:	Decomposition: Decomposes below the boiling point.
Flammability	:	Not applicable
Upper explosion limit / Upper flammability limit	:	Upper explosion limit No data available
Lower explosion limit / Lower	:	Lower explosion limit

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878





Vers 3.3	sion	Revision Date: 10.02.2025		S Number: 0000000247	Date of last issue: 21.02.2023 Date of first issue: 25.04.2016
	flamma	bility limit		No data available	
	Flash p	oint	:	55 °C Method: ISO 367	9
	Auto-ig	nition temperature	:	not determined	
		celerating decomposi- nperature (SADT)	:	temperature at w	: H.4 erating Decomposition Temperature. Lowest hich the tested package size will undergo a decomposition reaction.
	рН		:	substance/mixtur	e is non-soluble (in water)
	Viscosi Visc	ty osity, dynamic	:	7 mPa.s (20 °C)	
	Visc	osity, kinematic	:	not determined	
	Solubili Wat	ty(ies) er solubility	:	insoluble	
	Solu	bility in other solvents	:	No data available	
	Partition octanol	n coefficient: n- /water	:	Not applicable	
	Vapour	pressure	:	not determined	
	Relative	e density	:	not determined	
	Density	,	:	0.86 g/cm3 (20 °(C)
	Relative	e vapour density	:	not determined	

9.2 Other information

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



BU-50-WO

Vers 3.3	sion	Revision Date: 10.02.2025		S Number: 0000000247	Date of last issue: 21.02.2023 Date of first issue: 25.04.2016
	Explos	ives	:	Not explosive In use, may form	flammable/explosive vapour-air mixture.
	Oxidizi	ng properties	:	The substance of Organic peroxide	r mixture is not classified as oxidizing.
	Flamm	ability (liquids)	:	Flammable liquid	and vapour., Organic peroxide
	Self-ig	nition	:	The substance of	r mixture is not classified as pyrophoric.
	Self-he	eating substances	:	Not applicable	
				The substance of	r mixture is not classified as self heating.
	which i	nces and mixtures, in contact with water, ammable gases	:	The substance of contact with wate	r mixture does not emit flammable gases in er.
	Desen	sitised explosives	:	Not applicable	
	Refrac	tive index	:	1.438 at 20 °C	

SECTION 10: Stability and reactivity

10.1 Reactivity

Stable under recommended storage conditions. Heating may cause a fire or explosion.

10.2 Chemical stability

Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions

Hazardous reactions	:	Vapours may form explosive mixture with air.
---------------------	---	--

10.4 Conditions to avoid

Conditions to avoid : Pro

: Protect from contamination. Contact with incompatible substances can cause decomposi-





Version	Revision Date:	SDS Number:	Date of last issue: 21.02.2023
3.3	10.02.2025	60000000247	Date of first issue: 25.04.2016

tion at or below SADT. Heat, flames and sparks. Avoid confinement.

10.5 Incompatible materials

Materials to avoid

: Accelerators, strong acids and bases, heavy metals and heavy metal salts, reducing agents

10.6 Hazardous decomposition products

Irritant, caustic, flammable, noxious/toxic gases and vapours can develop in the case of fire and decomposition

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Not classified due to lack of data.

Components:

di-tert-butyl sec-butylidene diperoxide:

Acute oral toxicity :	LD50 (Rat): > 5,000 mg/kg Method: OECD Test Guideline 401
Acute inhalation toxicity :	LC50 (Rat): > 2.42 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: OECD Test Guideline 436
Acute dermal toxicity :	LD50 (Rat): > 2,000 mg/kg Method: OECD Test Guideline 402 Assessment: The substance or mixture has no acute dermal toxicity Remarks: No mortality observed at this dose.
White mineral oil (petroleum):	
Acute oral toxicity :	LD50 (Rat): > 5,000 mg/kg Method: OECD Test Guideline 401 Assessment: The substance or mixture has no acute oral tox- icity
Acute inhalation toxicity :	LC50 (Rat): > 5.2 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: OECD Test Guideline 403 Assessment: The substance or mixture has no acute inhala- tion toxicity





Version 3.3	Revision Date: 10.02.2025		OS Number: 0000000247	Date of last issue: 21.02.2023 Date of first issue: 25.04.2016
Acı	ute dermal toxicity	:	Method: OECD T Assessment: The toxicity	
	in corrosion/irritation sed on available data, the o	clas	sification criteria ar	e not met.
	oduct:			
	marks	:	May cause skin ir	ritation and/or dermatitis.
<u>Co</u>	mponents:			
di-t	tert-butyl sec-butylidene	dip	eroxide:	
	ecies thod	:	Rabbit OECD Test Guide	alina 404
	sult	:	Mild skin irritation	
	nite mineral oil (petroleun	n):		
Me	ecies thod sult	:	Rabbit OECD Test Guide No skin irritation	eline 404
Se	rious eye damage/eye irri	itati	on	
Bas	sed on available data, the o	clas	sification criteria ar	e not met.
	oduct:			
Re	marks	:	vapours may cau and the skin.	se irritation to the eyes, respiratory system
<u>Co</u>	mponents:			
di-t	tert-butyl sec-butylidene	dip	eroxide:	
	ecies	:	Rabbit	- Vin - 405
	thod sult	:	OECD Test Guide No eye irritation	eline 405
	nite mineral oil (petroleun	n):		
	ecies thod	:	Rabbit OECD Test Guide	aline 405
	sult	:	No eye irritation	
Re	spiratory or skin sensitis	atic	n	
Ski	in sensitisation			

Based on available data, the classification criteria are not met.





Version	Revision Date:	SDS Number:	Date of last issue: 21.02.2023
3.3	10.02.2025	60000000247	Date of first issue: 25.04.2016

Respiratory sensitisation

Not classified due to lack of data.

Components:

di-tert-butyl sec-butylidene diperoxide:

Species	:	Guinea pig
Method	:	OECD Test Guideline 406
Result	:	Does not cause skin sensitisation.

White mineral oil (petroleum):

Exposure routes	:	Skin contact
Species	:	Guinea pig
Method	:	OECD Test Guideline 406
Result	:	Does not cause skin sensitisation.

Germ cell mutagenicity

Not classified due to lack of data.

Components:

di-tert-butyl sec-butylidene diperoxide:

Genotoxicity in vitro :	Method: OECD Test Guideline 471 Result: negative
	Method: OECD Test Guideline 473 Result: negative
Genotoxicity in vivo :	Remarks: No data available
White mineral oil (petroleum):	
Genotoxicity in vitro :	Method: OECD Test Guideline 476 Result: negative

		Remarks: Information given is based on data obtained from similar substances.
Genotoxicity in vivo	:	Method: OECD Test Guideline 474 Result: negative

Remarks: Based on data from similar materials

Carcinogenicity

Not classified due to lack of data.

Components:

di-tert-butyl sec-butylidene diperoxide:

Remarks : This information is not available.





Version 3.3	Revision Date: 10.02.2025	SDS Number: 60000000247	Date of last issue: 21.02.2023 Date of first issue: 25.04.2016	

White mineral oil (petroleum):Method:Result:Remarks:Based on data from similar materials

Reproductive toxicity

Not classified due to lack of data.

Components:

di-tert-butyl sec-butylidene diperoxide:

Effects on fertility	:	Remarks: No data available
----------------------	---	----------------------------

Effects on foetal develop-	:	Remarks: No data available
ment		

STOT - single exposure

Not classified due to lack of data.

Components:

White mineral oil (petroleum):

Assessment : No data available

STOT - repeated exposure

Not classified due to lack of data.

Components:

White mineral oil (petroleum):

Assessment	:	The substance or mixture is not classified as specific target
		organ toxicant, repeated exposure.
Remarks	:	Not classified due to data which are conclusive although insuf-
		ficient for classification.

Repeated dose toxicity

Components:

di-tert-butyl sec-butylidene diperoxide:

Species	:	Rat
NOAEL	:	150 mg/kg
Application Route	:	Oral
Method	:	OECD Test Guideline 422

Aspiration toxicity

May be fatal if swallowed and enters airways.





Version	Revision Date:	SDS Number:	Date of last issue: 21.02.2023
3.3	10.02.2025	60000000247	Date of first issue: 25.04.2016

Components:

White mineral oil (petroleum):

May be fatal if swallowed and enters airways.

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Further information

Product:

Remarks : Solvents may degrease the skin.

SECTION 12: Ecological information

12.1 Toxicity

Components:

di-tert-butyl sec-butylidene diperoxide:

	ч.р	
Toxicity to fish	:	LC50 (Fish): > 10 mg/l Exposure time: 96 h Remarks: No toxicity at the limit of solubility
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): 9.4 mg/l Exposure time: 48 h Method: OECD Test Guideline 202 Remarks: No toxicity at the limit of solubility
Toxicity to algae/aquatic plants	:	EC50 (Pseudokirchneriella subcapitata (green algae)): 100 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 Remarks: No toxicity at the limit of solubility NOEC (Pseudokirchneriella subcapitata (green algae)): > 100 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 Remarks: No toxicity at the limit of solubility





Vers 3.3	sion	Revision Date: 10.02.2025	-	DS Number: 0000000247	Date of last issue: 21.02.2023 Date of first issue: 25.04.2016	
	Ecotox	cicology Assessment				
		c aquatic toxicity	:	May cause long la	asting harmful effects to aquatic life.	
			- \			
	Toxicity	mineral oil (petroleun	1):	LC50 (Oncorbying	hus mykiss (rainbow trout)): > 100 mg/l	
	TOXICITY		•	Ecso (Oncomyne Exposure time: 96 Method: OECD T	3 h	
				NOEC (Fish): >= Exposure time: 96 Method: No inforr	3 h	
		v to daphnia and other invertebrates	:	NOEC (Daphnia r Exposure time: 48 Method: No inforr		
				EC50 (Daphnia m Exposure time: 48 Method: No inforr		
	Toxicity plants	/ to algae/aquatic	:	NOEC (algae): >= Exposure time: 72 Method: No inforr	2 h	
		/ to daphnia and other invertebrates (Chron- ity)	:		n magna (Water flea)	
12.2	12.2 Persistence and degradability					
	Compo	onents:				
	di-tert-butyl sec-butylidene diperoxide:					
		radability	:	Result: Not readil	y biodegradable. est Guideline 301B	
	White I	mineral oil (petroleun	n):			
		radability	:	Inoculum: activate Result: Readily bi Biodegradation: >	odegradable. • 60 %	

12.3 Bioaccumulative potential

Components:

di-tert-butyl sec-butylidene diperoxide:			
Partition coefficient: n-	:	log Pow: 5.4 (30 °C)	

Exposure time: 28 d

Method: OECD Test Guideline 301B





Version	Revision Date:	SDS Number:	Date of last issue: 21.02.2023
3.3	10.02.2025	60000000247	Date of first issue: 25.04.2016

octanol/water

White mineral oil (petroleum):

Partition coefficient: n- : Remarks: No data available octanol/water

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment

: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

12.6 Endocrine disrupting properties

Product:

Assessment	: The substance/mixture does not contain components consid- ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

12.7 Other adverse effects

Product:

Additional ecological infor-	:	An environmental hazard cannot be excluded in the event of
mation		unprofessional handling or disposal.
		May cause long lasting harmful effects to aquatic life.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

 Dispose of wastes in an approved waste disposal facility. The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container.
According to the European Waste Catalogue, Waste Codes

are not product specific, but application specific. Waste codes should be assigned by the user, preferably in discussion with the waste disposal authorities.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



BU-50-WO

Version	Revision Date: 10.02.2025	SDS Number:	Date of last issue: 21.02.2023
3.3		60000000247	Date of first issue: 25.04.2016
Conta	minated packaging	Clean container Dispose of cont plant. Empty remainin Dispose of as u Do not re-use e	ents/ container to an approved waste disposal g contents.

SECTION 14: Transport information

14.1 UN number or ID number ADR : UN 3103 RID : UN 3103 IMDG UN 3103 : ΙΑΤΑ UN 3103 : 14.2 UN proper shipping name ADR : ORGANIC PEROXIDE TYPE C, LIQUID (2,2-DI-(tert-BUTYLPEROXY)BUTANE) RID : ORGANIC PEROXIDE TYPE C, LIQUID (2,2-DI-(tert-BUTYLPEROXY)BUTANE) : ORGANIC PEROXIDE TYPE C, LIQUID IMDG (2,2-DI-(tert-BUTYLPEROXY)BUTANE) ΙΑΤΑ : Organic peroxide type C, liquid (2,2-Di-(tert-butylperoxy) butane) 14.3 Transport hazard class(es) Class Subsidiary risks ADR 5.2 : RID 5.2 : IMDG 5.2 : ΙΑΤΑ 2 5.2 HEAT 14.4 Packing group ADR Packing group Not assigned by regulation : Classification Code P1 : Labels 5.2 : Tunnel restriction code : (D) RID Packing group Not assigned by regulation :

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878





	ate of last issue: 21.02.2023 ate of first issue: 25.04.2016
--	---

	Classification Code Hazard Identification Number Labels	:	P1 539 5.2
	IMDG Packing group Labels EmS Code	-	Not assigned by regulation 5.2 F-J, S-R
i	IATA (Cargo) Packing instruction (cargo aircraft) Packing group Labels	:	570 Not assigned by regulation Organic Peroxides, Keep Away From Heat
	IATA (Passenger) Packing instruction (passen- ger aircraft) Packing group Labels	:	570 Not assigned by regulation Organic Peroxides, Keep Away From Heat
14.5	Environmental hazards		

ADR Environmentally hazardous	:	no
RID Environmentally hazardous	:	no
IMDG Marine pollutant	:	no

14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII) : Conditions of restriction for the following entries should be considered: Number on list 3: tert-butyl hydrop-

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878





Version 3.3	Revision Date: 10.02.2025	SDS Number: 60000000247	Date of last issue: 21.02.2023 Date of first issue: 25.04.2016	
-				

eroxide

Number on list 3

			Number on list 75: If you intend to use this product as tattoo ink, please contact your vendor.	
REACH - Candidate List of Subs Concern for Authorisation (Article		:	Not applicable	
Regulation (EC) on substances t layer	hat deplete the ozone	:	Not applicable	
Regulation (EU) 2019/1021 on potential tents (recast)	ersistent organic pollu-	:	Not applicable	
Regulation (EU) No 649/2012 of the European Parlia- ment and the Council concerning the export and import of dangerous chemicals			Not applicable	
REACH - List of substances subject to authorisation : Not applicable (Annex XIV)				
Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.				
Other regulations:				
Gefahrgruppe nach TRGS 741: I	I (German regulatory re	equire	ements)	
The components of this produ	ct are reported in the	follo	wing inventories:	
TCSI (TW)	•		npliance with the inventory	
TSCA (US) :	All substances listed	as ac	ctive on the TSCA inventory	
AIIC (AU) :	On the inventory, or i	n cor	npliance with the inventory	
DSL (CA) :			following components listed on the components are on the Canadian	

di-tert-butyl sec-butylidene diperoxide

PICCS (PH)	:	On the inventory, or in compliance with the inventory
IECSC (CN)	:	On the inventory, or in compliance with the inventory



BU-50-WO

Version	Revision Date:	SDS Number:	Date of last issue: 21.02.2023
3.3	10.02.2025	60000000247	Date of first issue: 25.04.2016

15.2 Chemical safety assessment

This information is not available.

SECTION 16: Other information

Full text of H-Statements	
H242 :	Heating may cause a fire.
H304 :	May be fatal if swallowed and enters airways.
H413 :	May cause long lasting harmful effects to aquatic life.
Full text of other abbreviation	5
Aquatic Chronic :	Long-term (chronic) aquatic hazard
Asp. Tox. :	Aspiration hazard
Org. Perox. :	Organic peroxides
IE ÕEL :	Ireland. List of Chemical Agents and Carcinogens with Occu- pational Exposure Limit Values - Code of Practice, Schedule 1 and 2
IE OEL / OELV - 8 hrs (TWA) :	Occupational exposure limit value (8-hour reference period)

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA -European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIOC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI -



BU-50-WO

Version	Revision Date:	SDS Number:	Date of last issue: 21.02.2023
3.3	10.02.2025	60000000247	Date of first issue: 25.04.2016

Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

safety and does not repl uct specification. These safety instruction may still contain product	nly contains information relating to lace any product information or prod- s also apply to empty packaging which t residues. al also apply to residues in the con-		
eChem Portal search re	Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, http://echa.europa.eu/		
	Classification procedure:		
1226	Based on product data or assessment		
1242	Based on product data or assessment		
1304	Calculation method		
413	Calculation method		
4	safety and does not repl uct specification. These safety instruction may still contain product The hazards on the labe tainer. Internal technical data, of eChem Portal search re cy, http://echa.europa.et 226 242 304		

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

IE / EN