

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



CAROAT®

Version	Revision Date:	SDS Number:	Date of last issue: 23.03.2023
6.4	18.03.2025	600000000017	Date of first issue: 22.03.2016

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : CAROAT®

Unique Formula Identifier (UFI) : K9V3-80SC-X00Q-KM4K

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub-stance/Mixture : Oxidizing agents

Recommended restrictions on use : Exposure Scenario is available as separate attachment., For further information see eSDS.

1.3 Details of the supplier of the safety data sheet

Company : United Initiators GmbH
Dr.-Gustav-Adolph-Str. 3
82049 Pullach

Telephone : +49 / 89 / 74422 – 0

E-mail address of person responsible for the SDS : contact@united-in.com

1.4 Emergency telephone number

+44 1235 239670

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Acute toxicity, Category 4	H302: Harmful if swallowed.
Skin corrosion, Sub-category 1B	H314: Causes severe skin burns and eye damage.
Serious eye damage, Category 1	H318: Causes serious eye damage.
Long-term (chronic) aquatic hazard, Category 3	H412: Harmful to aquatic life with long lasting effects.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



CAROAT®

Version	Revision Date:	SDS Number:	Date of last issue: 23.03.2023
6.4	18.03.2025	600000000017	Date of first issue: 22.03.2016

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms :



Signal word : Danger

Hazard statements : H302 Harmful if swallowed.
H314 Causes severe skin burns and eye damage.
H412 Harmful to aquatic life with long lasting effects.

Precautionary statements : **Prevention:**
P260 Do not breathe dust.
P273 Avoid release to the environment.
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection/ hearing protection.

Response:

P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.

P304 + P340 + P310 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/ doctor.

P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor.

Hazardous components which must be listed on the label:

pentapotassium bis(peroxymonosulphate) bis(sulphate) (CAS-No. 70693-62-8)

Additional Labelling

EUH208 Contains Dipotassium peroxodisulphate. May produce an allergic reaction.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



CAROAT®

Version 6.4 Revision Date: 18.03.2025 SDS Number: 600000000017 Date of last issue: 23.03.2023
Date of first issue: 22.03.2016

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Chemical nature : crystalline
Solid

Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
pentapotassium bis(peroxymonosulphate) bis(sulphate)	70693-62-8 274-778-7 01-2119485567-22- 0001	Acute Tox. 4; H302 Skin Corr. 1B; H314 Eye Dam. 1; H318 Aquatic Chronic 3; H412 Acute toxicity esti- mate Acute oral toxicity: 500 mg/kg	< 100
Dipotassium peroxodisulphate	7727-21-1 231-781-8 016-061-00-1 01-2119495676-19- 0000	Ox. Sol. 3; H272 Acute Tox. 4; H302 Skin Irrit. 2; H315 Eye Irrit. 2; H319 Resp. Sens. 1; H334 Skin Sens. 1; H317 STOT SE 3; H335 (Respiratory system)	< 3

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice : Take off contaminated clothing and shoes immediately.
Call a physician immediately.
Never give anything by mouth to an unconscious person.
If unconscious, place in recovery position and seek medical advice.
Move out of dangerous area.
Show this safety data sheet to the doctor in attendance.
Do not leave the victim unattended.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



CAROAT®

Version	Revision Date:	SDS Number:	Date of last issue: 23.03.2023
6.4	18.03.2025	600000000017	Date of first issue: 22.03.2016

Symptoms of poisoning may appear several hours later.

- Protection of first-aiders : First Aid responders should pay attention to self-protection and use the recommended protective clothing
- If inhaled : Administer oxygen if breathing is difficult or cyanosis is observed.
If breathed in, move person into fresh air.
If not breathing, give artificial respiration.
Respiratory tract burning possible if aerosols are inhaled.
If unconscious, place in recovery position and seek medical advice.
If symptoms persist, call a physician.
- In case of skin contact : If symptoms persist, call a physician.
Immediate medical treatment is necessary as untreated wounds from corrosion of the skin heal slowly and with difficulty.
In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes.
Wash contaminated clothing before re-use.
If on skin, rinse well with water.
If on clothes, remove clothes.
- In case of eye contact : Small amounts splashed into eyes can cause irreversible tissue damage and blindness.
In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
Continue rinsing eyes during transport to hospital.
Remove contact lenses.
Protect unharmed eye.
Keep eye wide open while rinsing.
If eye irritation persists, consult a specialist.
- If swallowed : Call a physician immediately.
Rinse mouth thoroughly with water.
Keep respiratory tract clear.
Do NOT induce vomiting.
If symptoms persist, call a physician.

4.2 Most important symptoms and effects, both acute and delayed

- Risks : Harmful if swallowed.
Causes serious eye damage.
Causes severe burns.

4.3 Indication of any immediate medical attention and special treatment needed

- Treatment : Treat symptomatically and supportively.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



CAROAT®

Version	Revision Date:	SDS Number:	Date of last issue: 23.03.2023
6.4	18.03.2025	600000000017	Date of first issue: 22.03.2016

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media : Foam
Water spray jet
Alcohol-resistant foam
Carbon dioxide (CO₂)
Dry chemical

Unsuitable extinguishing media : High volume water jet

5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-fighting : Hazardous decomposition products may be formed under fire conditions (see section 10).

Do not allow run-off from fire fighting to enter drains or water courses.

5.3 Advice for firefighters

Special protective equipment for firefighters : Wear self-contained breathing apparatus for firefighting if necessary. Use personal protective equipment.

Specific extinguishing methods : Do not use a solid water stream as it may scatter and spread fire.
Remove undamaged containers from fire area if it is safe to do so.
Use water spray to cool unopened containers.

Further information : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Collect contaminated fire extinguishing water separately. This must not be discharged into drains.
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Follow safe handling advice and personal protective equipment recommendations.
Use personal protective equipment.
Avoid dust formation.
Avoid breathing dust.
Treat recovered material as described in the section "Disposal considerations".

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



CAROAT®

Version	Revision Date:	SDS Number:	Date of last issue: 23.03.2023
6.4	18.03.2025	600000000017	Date of first issue: 22.03.2016

6.2 Environmental precautions

Environmental precautions : Prevent product from entering drains.
Prevent further leakage or spillage if safe to do so.
If the product contaminates rivers and lakes or drains inform
respective authorities.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Clear spills immediately.
To clean the floor and all objects contaminated by this materi-
al, use plenty of water.
Soak up with inert absorbent material.
Local or national regulations may apply to releases and dis-
posal of this material, as well as those materials and items
employed in the cleanup of releases. You will need to deter-
mine which regulations are applicable.

6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Technical measures : See Engineering measures under EXPOSURE
CONTROLS/PERSONAL PROTECTION section.

Advice on safe handling : Avoid formation of respirable particles.
Do not swallow.
Do not breathe vapours/dust.
Avoid contact with skin and eyes.
Provide sufficient air exchange and/or exhaust in work rooms.
Smoking, eating and drinking should be prohibited in the ap-
plication area.
Wash thoroughly after handling.
For personal protection see section 8.

Advice on protection against fire and explosion : Avoid dust formation. Provide appropriate exhaust ventilation
at places where dust is formed.

Hygiene measures : Avoid contact with skin, eyes and clothing. Keep away from
food and drink. When using do not eat or drink. When using
do not smoke. Wash hands before breaks and immediately
after handling the product.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers : Keep in a dry place. Observe label precautions. Store in ac-
cordance with the particular national regulations. Electrical
installations / working materials must comply with the techno-
logical safety standards. Containers which are opened must

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



CAROAT®

Version 6.4 Revision Date: 18.03.2025 SDS Number: 600000000017 Date of last issue: 23.03.2023
Date of first issue: 22.03.2016

be carefully resealed and kept upright to prevent leakage.

Advice on common storage : Never allow product to get in contact with water during storage.
Keep away from strong acids, bases, heavy metal salts and other reducing substances.

Recommended storage temperature : < 30 °C

Further information on storage stability : For quality reasons

No decomposition if stored normally.

7.3 Specific end use(s)

Specific use(s) : For further information, refer to the product technical data sheet.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

dusts non-specific 4 mg/m³
Value type (Form of exposure): OELV - 8 hrs (TWA) (Respirable dust)
Basis: IE OEL

10 mg/m³
Value type (Form of exposure): OELV - 8 hrs (TWA) (inhalable dust)
Basis: IE OEL

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
Dipotassium peroxodisulphate	7727-21-1	OELV - 8 hrs (TWA)	0.1 mg/m ³ (S2O8)	IE OEL
Further information: Chemical agents which following exposure may cause sensitisation of the respiratory tract and lead to asthma, rhinitis or extrinsic allergic alveolitis				

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006

Substance name	End Use	Exposure routes	Potential health effects	Value
pentapotassium bis(peroxymonosulph	Workers	Inhalation	Long-term local effects	0.112 mg/m ³

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



CAROAT®

Version 6.4 Revision Date: 18.03.2025 SDS Number: 600000000017 Date of last issue: 23.03.2023
Date of first issue: 22.03.2016

Substance	Exposure Scenario	Route	Effect	Value
ate) bis(sulphate)	Workers	Skin contact	Long-term systemic effects	4 mg/kg bw/day
Dipotassium peroxodisulphate	Workers	Inhalation	Long-term local effects	0.824 mg/m ³
	Workers	Skin contact	Long-term systemic effects	10.3 mg/kg bw/day
	Consumers	Inhalation	Long-term local effects	0.421 mg/m ³
	Consumers	Skin contact	Long-term systemic effects	5.2 mg/kg bw/day
	Consumers	Ingestion	Long-term systemic effects	0.52 mg/kg bw/day
	Consumers	Ingestion	Acute systemic effects	1.55 mg/kg bw/day

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006

Substance name	Environmental Compartment	Value
pentapotassium bis(peroxymonosulphate) bis(sulphate)	Fresh water	0.0222 mg/l
	Marine water	0.00222 mg/l
	Fresh water sediment	0.07992 mg/kg dry weight (d.w.)
	Marine sediment	0.007992 mg/kg dry weight (d.w.)
	Sewage treatment plant	1 mg/l
Dipotassium peroxodisulphate	Fresh water	0.518 mg/l
	Intermittent use/release	0.763 mg/l
	Marine water	0.052 mg/l
	Sewage treatment plant	3.6 mg/l
	Fresh water sediment	2.03 mg/kg dry weight (d.w.)
	Marine sediment	0.203 mg/kg dry weight (d.w.)
	Soil	0.1 mg/kg dry weight (d.w.)

8.2 Exposure controls

Engineering measures

Minimize workplace exposure concentrations.

Personal protective equipment

Eye/face protection : Ensure that eyewash stations and safety showers are close to the workstation location.
Please follow all applicable local/national requirements when selecting protective measures for a specific workplace.
Always wear eye protection when the potential for inadvertent

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



CAROAT®

Version	Revision Date:	SDS Number:	Date of last issue: 23.03.2023
6.4	18.03.2025	600000000017	Date of first issue: 22.03.2016

eye contact with the product cannot be excluded.
Tightly fitting safety goggles
Please wear suitable protective goggles. Also wear face protection if there is a splash hazard.

Equipment should conform to EN 166

Hand protection

Material : Nitrile rubber
Break through time : 480 min
Glove thickness : 0.40 mm

Material : butyl-rubber
Break through time : 480 min
Glove thickness : 0.47 mm

Directive : Equipment should conform to EN 374

Remarks : The data about break through time/strength of material are standard values! The exact break through time/strength of material has to be obtained from the producer of the protective glove. Choose gloves to protect hands against chemicals depending on the concentration and quantity of the hazardous substance and specific to place of work. For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer. Wash hands before breaks and at the end of workday.

Skin and body protection : Select appropriate protective clothing based on chemical resistance data and an assessment of the local exposure potential.
Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces.
Wear as appropriate:
Flame retardant antistatic protective clothing.

Respiratory protection : In the case of dust or aerosol formation use respirator with an approved filter.

Respirator with combination filter for vapour/particulate (EN 141)

Filter type : Filter type P

Protective measures : The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



CAROAT®

Version	Revision Date:	SDS Number:	Date of last issue: 23.03.2023
6.4	18.03.2025	600000000017	Date of first issue: 22.03.2016

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	:	Crystalline solid
Colour	:	white
Odour	:	odourless
Odour Threshold	:	not determined
Melting point/ range	:	Decomposition: Decomposes below the melting point.
Boiling point/boiling range	:	not determined
Flammability	:	does not ignite
Upper explosion limit / Upper flammability limit	:	Upper explosion limit No data available
Lower explosion limit / Lower flammability limit	:	Lower explosion limit No data available
Flash point	:	Not applicable
Auto-ignition temperature	:	not determined
Self-Accelerating decomposition temperature (SADT)	:	> 80 °C Method: UN-Test H.4 SADT-Self Accelerating Decomposition Temperature. Lowest temperature at which the tested package size will undergo a self-accelerating decomposition reaction.
pH	:	2.3 Concentration: 10 g/l
Viscosity Viscosity, dynamic	:	Not applicable

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



CAROAT®

Version	Revision Date:	SDS Number:	Date of last issue: 23.03.2023
6.4	18.03.2025	600000000017	Date of first issue: 22.03.2016

Viscosity, kinematic	:	Not applicable
Solubility(ies) Water solubility	:	ca. 300 g/l (20 °C) soluble
Partition coefficient: n- octanol/water	:	Not applicable
Vapour pressure	:	< 0.001 hPa (25 °C)
Relative density	:	not determined
Density	:	ca. 2.35 g/cm ³ (20 °C)
Bulk density	:	ca. 1,100 kg/m ³
Relative vapour density	:	not determined
Particle characteristics Assessment	:	This substance/ mixture does not contain nanoforms (accord- ing to REACH Regulation) based on: Measurement data
Particle size	:	not determined
Particle Size Distribution	:	D10 = 89 µm Type of distribution: volume distribution Measurement technique: laser diffraction
Dustiness	:	Avoid dust formation.
Shape	:	not determined
Crystallinity	:	not determined
Surface treatment /Coatings	:	Not applicable

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



CAROAT®

Version	Revision Date:	SDS Number:	Date of last issue: 23.03.2023
6.4	18.03.2025	600000000017	Date of first issue: 22.03.2016

9.2 Other information

- | | | |
|--|---|---|
| Explosives | : | Not explosive |
| Oxidizing properties | : | No oxidising effect. |
| Self-ignition | : | The substance or mixture is not classified as pyrophoric. |
| Self-heating substances | : | The substance or mixture is not classified as self heating. |
| Substances and mixtures, which in contact with water, emit flammable gases | : | The substance or mixture does not emit flammable gases in contact with water. |
| Desensitised explosives | : | Not applicable |
| Evaporation rate | : | No data available |

SECTION 10: Stability and reactivity

10.1 Reactivity

Stable under recommended storage conditions.

10.2 Chemical stability

Stable under recommended storage conditions.
No decomposition if stored normally.

10.3 Possibility of hazardous reactions

Hazardous reactions	:	Even small amounts of moisture or impurities can noticeably reduce the self-accelerating decomposition temperature (SADT). Avoid moisture.
---------------------	---	---

10.4 Conditions to avoid

Conditions to avoid	:	Protect from contamination. Protect from moisture.
---------------------	---	---

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



CAROAT®

Version	Revision Date:	SDS Number:	Date of last issue: 23.03.2023
6.4	18.03.2025	600000000017	Date of first issue: 22.03.2016

10.5 Incompatible materials

Materials to avoid : Accelerators, strong acids and bases, heavy metals and heavy metal salts, reducing agents
Avoid impurities (e.g. rust, dust, ash), risk of decomposition.

10.6 Hazardous decomposition products

Irritant, caustic, flammable, noxious/toxic gases and vapours can develop in the case of fire and decomposition

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Harmful if swallowed.

Product:

Acute oral toxicity	:	LD50 (Rat): 500 mg/kg Method: OECD Test Guideline 423
Acute inhalation toxicity	:	LC0 (Rat): > 5 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: OECD Test Guideline 403 Assessment: The substance or mixture has no acute inhalation toxicity Remarks: Expert judgement
Acute dermal toxicity	:	LD50 (Rat): > 5,000 mg/kg Method: OECD Test Guideline 402

Components:

pentapotassium bis(peroxymonosulphate) bis(sulphate):

Acute oral toxicity	:	LD50 (Rat): 500 mg/kg Method: OECD Test Guideline 423
Acute inhalation toxicity	:	LC0 (Rat): > 5 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: OECD Test Guideline 403 Assessment: The substance or mixture has no acute inhalation toxicity Remarks: Expert judgement
Acute dermal toxicity	:	LD50 (Rat): > 5,000 mg/kg Method: OECD Test Guideline 402

Dipotassium peroxodisulphate:

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



CAROAT®

Version	Revision Date:	SDS Number:	Date of last issue: 23.03.2023
6.4	18.03.2025	600000000017	Date of first issue: 22.03.2016

Acute oral toxicity : LD50 (Rat, male): 742 mg/kg
Method: OECD Test Guideline 401
Assessment: The component/mixture is moderately toxic after single ingestion.

Acute inhalation toxicity : LC50 (Rat): > 5.1 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: OECD Test Guideline 403
Assessment: The substance or mixture has no acute inhalation toxicity
Remarks: Expert judgement

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg
Assessment: The substance or mixture has no acute dermal toxicity
Remarks: Expert judgement

Skin corrosion/irritation

Causes severe burns.

Product:

Species : Rabbit
Method : OECD Test Guideline 404
Result : Causes burns.

Remarks : Extremely corrosive and destructive to tissue.

Components:

pentapotassium bis(peroxymonosulphate) bis(sulphate):

Species : Rabbit
Method : OECD Test Guideline 404
Result : Causes burns.

Dipotassium peroxodisulphate:

Species : Rabbit
Method : OECD Test Guideline 404
Result : Skin irritation

Serious eye damage/eye irritation

Causes serious eye damage.

Product:

Species : Rabbit
Method : OECD Test Guideline 405
Result : Risk of serious damage to eyes.

Remarks : May cause irreversible eye damage.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



CAROAT®

Version	Revision Date:	SDS Number:	Date of last issue: 23.03.2023
6.4	18.03.2025	600000000017	Date of first issue: 22.03.2016

Components:

pentapotassium bis(peroxymonosulphate) bis(sulphate):

Species : Rabbit
Method : OECD Test Guideline 405
Result : Risk of serious damage to eyes.

Dipotassium peroxodisulphate:

Species : Rabbit
Method : OECD Test Guideline 405
Result : Eye irritation

Respiratory or skin sensitisation

Skin sensitisation

Based on available data, the classification criteria are not met.

Respiratory sensitisation

Based on available data, the classification criteria are not met.

Product:

Exposure routes : Skin contact
Species : Guinea pig
Method : OECD Test Guideline 406
Result : Did not cause sensitisation on laboratory animals.

Exposure routes : Inhalation
Method : Expert judgement
Result : Does not cause respiratory sensitisation.
Remarks : Expert judgement

Test Type : Local lymph node assay (LLNA)
Species : Mouse
Method : OECD Test Guideline 442B
Result : Does not cause skin sensitisation.
GLP : yes
Remarks : Information given is based on tests on the mixture itself.

Assessment : Did not cause sensitisation on laboratory animals.

Components:

pentapotassium bis(peroxymonosulphate) bis(sulphate):

Exposure routes : Skin contact
Species : Guinea pig
Method : OECD Test Guideline 406
Result : Did not cause sensitisation on laboratory animals.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



CAROAT®

Version	Revision Date:	SDS Number:	Date of last issue: 23.03.2023
6.4	18.03.2025	600000000017	Date of first issue: 22.03.2016

Test Type : Local lymph node assay (LLNA)
Species : Mouse
Method : OECD Test Guideline 442B
Result : Did not cause sensitisation on laboratory animals.

Dipotassium peroxodisulphate:

Exposure routes : Skin contact
Species : Guinea pig
Method : OECD Test Guideline 406
Result : May cause sensitisation by skin contact.

Exposure routes : inhalation (dust/mist/fume)
Result : May cause sensitisation by inhalation.
Remarks : Expert judgement

Germ cell mutagenicity

Not classified due to lack of data.

Product:

Genotoxicity in vitro : Method: OECD Test Guideline 473
Result: positive

Method: OECD Test Guideline 476
Result: positive

Method: OECD Test Guideline 471
Result: negative

Genotoxicity in vivo : Test Type: In vivo micronucleus test
Species: Mouse (male and female)
Application Route: Oral
Method: OECD Test Guideline 474
Result: negative

Test Type: In vivo mammalian alkaline comet assay
Species: Rat (male)
Application Route: Oral
Method: OECD Test Guideline 489
Result: negative

Components:

pentapotassium bis(peroxymonosulphate) bis(sulphate):

Genotoxicity in vitro : Test Type: Ames test
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 471
Result: negative

Test Type: In vitro mammalian cell gene mutation test

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



CAROAT®

Version	Revision Date:	SDS Number:	Date of last issue: 23.03.2023
6.4	18.03.2025	600000000017	Date of first issue: 22.03.2016

Method: OECD Test Guideline 476
Result: Equivocal

Test Type: Chromosome aberration test in vitro
Method: OECD Test Guideline 473
Result: positive

Test Type: In vitro mammalian cell gene mutation test
Method: OECD Test Guideline 490
Result: negative

Genotoxicity in vivo : Test Type: In vivo micronucleus test
Species: Mouse (male and female)
Application Route: Oral
Method: OECD Test Guideline 474
Result: negative

Test Type: In vivo mammalian alkaline comet assay
Species: Rat (male)
Application Route: Oral
Method: OECD Test Guideline 489
Result: negative

Dipotassium peroxodisulphate:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Result: negative
Remarks: Based on data from similar materials

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo
cytogenetic assay)
Species: Mouse
Application Route: Intraperitoneal injection
Result: negative
Remarks: Based on data from similar materials

Carcinogenicity

Not classified due to lack of data.

Product:

Remarks : This information is not available.

Components:

pentapotassium bis(peroxymonosulphate) bis(sulphate):

Remarks : This information is not available.

Dipotassium peroxodisulphate:

Species : Mouse

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



CAROAT®

Version	Revision Date:	SDS Number:	Date of last issue: 23.03.2023
6.4	18.03.2025	600000000017	Date of first issue: 22.03.2016

Application Route : Skin contact
Exposure time : 52 weeks
Method : OECD Test Guideline 451
Result : negative

Reproductive toxicity

Not classified due to lack of data.

Product:

Components:

pentapotassium bis(peroxymonosulphate) bis(sulphate):

Dipotassium peroxodisulphate:

Effects on fertility : Species: Rat
Application Route: Ingestion
Method: OECD Test Guideline 421
Result: negative

Effects on foetal development : Species: Rat
Application Route: Ingestion
Method: OECD Test Guideline 421
Result: negative

STOT - single exposure

Based on available data, the classification criteria are not met.

Product:

Assessment : The substance or mixture is not classified as specific target organ toxicant, single exposure.

Components:

Dipotassium peroxodisulphate:

Assessment : May cause respiratory irritation.

STOT - repeated exposure

Not classified due to lack of data.

Repeated dose toxicity

Product:

Species : Rat, male and female
LOAEL : > 1,000 mg/kg
Application Route : Oral
Exposure time : 28 d
Method : OECD Test Guideline 407
Remarks : Subacute toxicity

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



CAROAT®

Version	Revision Date:	SDS Number:	Date of last issue: 23.03.2023
6.4	18.03.2025	600000000017	Date of first issue: 22.03.2016

Species : Rat, male and female
LOAEL : 600 mg/kg
Application Route : Oral
Exposure time : 90 d
Method : OECD Test Guideline 408
Remarks : Subchronic toxicity

Components:

pentapottassium bis(peroxymonosulphate) bis(sulphate):

Species : Rat, male and female
LOAEL : > 1,000 mg/kg
Application Route : Oral
Exposure time : 28 d
Method : OECD Test Guideline 407
Remarks : Subacute toxicity

Species : Rat, male and female
LOAEL : 600 mg/kg
Application Route : Oral
Exposure time : 90 d
Method : OECD Test Guideline 408
Remarks : Subchronic toxicity

Dipotassium peroxodisulphate:

Species : Rat
NOAEL : 1,000 mg/kg
LOAEL : 3,000 mg/kg
Application Route : Ingestion
Exposure time : 90 d
Method : OECD Test Guideline 408

Aspiration toxicity

Not classified due to lack of data.

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Further information

Product:

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



CAROAT®

Version	Revision Date:	SDS Number:	Date of last issue: 23.03.2023
6.4	18.03.2025	600000000017	Date of first issue: 22.03.2016

Remarks : No data available

SECTION 12: Ecological information

12.1 Toxicity

Product:

- Toxicity to fish : NOEC (Oncorhynchus mykiss (rainbow trout)): 0.5 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 3.5 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202
- Toxicity to algae/aquatic plants : ErC50 (Pseudokirchneriella subcapitata (green algae)): > 1 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201
- Toxicity to fish (Chronic toxicity) : NOEC: 0.5 mg/l
Exposure time: 37 d
- Toxicity to microorganisms : EC50 (Bacteria): 100 mg/l
Exposure time: 3 h
Method: OECD Test Guideline 209

Ecotoxicology Assessment

- Chronic aquatic toxicity : Harmful to aquatic life with long lasting effects.

Components:

pentapotassium bis(peroxymonosulphate) bis(sulphate):

- Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 53 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 3.5 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202
- Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (green algae)): > 1 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201
- NOEC (Pseudokirchneriella subcapitata (green algae)): 0.5 mg/l

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



CAROAT®

Version	Revision Date:	SDS Number:	Date of last issue: 23.03.2023
6.4	18.03.2025	600000000017	Date of first issue: 22.03.2016

Exposure time: 72 h
Method: OECD Test Guideline 201

Ecotoxicology Assessment

Acute aquatic toxicity : Toxic to aquatic life.
Chronic aquatic toxicity : Harmful to aquatic life with long lasting effects.

Dipotassium peroxodisulphate:

Toxicity to fish : LC50 (Scophthalmus maximus (turbot)): 107.6 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203
Remarks: Based on data from similar materials

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): 120 mg/l
aquatic invertebrates
Exposure time: 48 h
Remarks: Based on data from similar materials

Toxicity to algae/aquatic : EC50 (Phaeodactylum): 320 mg/l
plants
Exposure time: 72 h
Method: OECD Test Guideline 201
Remarks: Based on data from similar materials

NOEC (Phaeodactylum): 32 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201
Remarks: Based on data from similar materials

Toxicity to microorganisms : EC10 (Pseudomonas putida): 36 mg/l
Exposure time: 18 h
Remarks: Based on data from similar materials

12.2 Persistence and degradability

Product:

Biodegradability : Remarks: The methods for determining the biological degradability are not applicable to inorganic substances.

Components:

pentapotassium bis(peroxymonosulphate) bis(sulphate):

Biodegradability : Remarks: The methods for determining the biological degradability are not applicable to inorganic substances.

Dipotassium peroxodisulphate:

Biodegradability : Remarks: The methods for determining biodegradability are not applicable to inorganic substances.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



CAROAT®

Version	Revision Date:	SDS Number:	Date of last issue: 23.03.2023
6.4	18.03.2025	600000000017	Date of first issue: 22.03.2016

12.3 Bioaccumulative potential

Components:

Dipotassium peroxodisulphate:

Partition coefficient: n-
octanol/water : Remarks: Not applicable

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

12.6 Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

12.7 Other adverse effects

Product:

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.
Toxic to aquatic life.
Harmful to aquatic life with long lasting effects.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product : Dispose of wastes in an approved waste disposal facility.
The product should not be allowed to enter drains, water courses or the soil.
Do not contaminate ponds, waterways or ditches with chemical or used container.

According to the European Waste Catalogue, Waste Codes are not product specific, but application specific.
Waste codes should be assigned by the user, preferably in

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



CAROAT®

Version	Revision Date:	SDS Number:	Date of last issue: 23.03.2023
6.4	18.03.2025	600000000017	Date of first issue: 22.03.2016

discussion with the waste disposal authorities.

Contaminated packaging : Dispose of in accordance with local regulations.
Clean container with water.
Dispose of contents/ container to an approved waste disposal plant.
Empty remaining contents.
Dispose of as unused product.
Do not re-use empty containers.

SECTION 14: Transport information

14.1 UN number or ID number

ADR	:	UN 3260
RID	:	UN 3260
IMDG	:	UN 3260
IATA	:	UN 3260

14.2 UN proper shipping name

ADR	:	CORROSIVE SOLID, ACIDIC, INORGANIC, N.O.S. (Potassium Monopersulfate)
RID	:	CORROSIVE SOLID, ACIDIC, INORGANIC, N.O.S. (Potassium Monopersulfate)
IMDG	:	CORROSIVE SOLID, ACIDIC, INORGANIC, N.O.S. (Potassium Monopersulfate)
IATA	:	Corrosive solid, acidic, inorganic, n.o.s. (Potassium Monopersulfate)

14.3 Transport hazard class(es)

	Class	Subsidiary risks
ADR	: 8	
RID	: 8	
IMDG	: 8	
IATA	: 8	

14.4 Packing group

ADR		
Packing group	:	II
Classification Code	:	C2
Hazard Identification Number	:	80
Labels	:	8
Tunnel restriction code	:	(E)

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



CAROAT®

Version	Revision Date:	SDS Number:	Date of last issue: 23.03.2023
6.4	18.03.2025	600000000017	Date of first issue: 22.03.2016

RID

Packing group : II
Classification Code : C2
Hazard Identification Number : 80
Labels : 8

IMDG

Packing group : II
Labels : 8
EmS Code : F-A, S-B

IATA (Cargo)

Packing instruction (cargo aircraft) : 863
Packing instruction (LQ) : Y844
Packing group : II
Labels : Corrosive

IATA (Passenger)

Packing instruction (passenger aircraft) : 859
Packing instruction (LQ) : Y844
Packing group : II
Labels : Corrosive

14.5 Environmental hazards

ADR

Environmentally hazardous : no

RID

Environmentally hazardous : no

IMDG

Marine pollutant : no

14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



CAROAT®

Version	Revision Date:	SDS Number:	Date of last issue: 23.03.2023
6.4	18.03.2025	600000000017	Date of first issue: 22.03.2016

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII)	:	Conditions of restriction for the following entries should be considered: Number on list 75: If you intend to use this product as tattoo ink, please contact your vendor.
REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59).	:	Not applicable
Regulation (EC) on substances that deplete the ozone layer	:	Not applicable
Regulation (EU) 2019/1021 on persistent organic pollutants (recast)	:	Not applicable
Regulation (EU) No 649/2012 of the European Parliament and the Council concerning the export and import of dangerous chemicals	:	Not applicable
REACH - List of substances subject to authorisation (Annex XIV)	:	Not applicable
Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.	:	Not applicable

Other regulations:

Take note of Directive 94/33/EC on the protection of young people at work or stricter national regulations, where applicable.

The components of this product are reported in the following inventories:

TCSI (TW)	:	On the inventory, or in compliance with the inventory
TSCA (US)	:	All substances listed as active on the TSCA inventory
AIIC (AU)	:	All components are listed on the inventory, regulatory obligations/restrictions apply
DSL (CA)	:	All components of this product are on the Canadian DSL
ENCS (JP)	:	On the inventory, or in compliance with the inventory

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



CAROAT®

Version	Revision Date:	SDS Number:	Date of last issue: 23.03.2023
6.4	18.03.2025	600000000017	Date of first issue: 22.03.2016

ISHL (JP) : On the inventory, or in compliance with the inventory

KECI (KR) : On the inventory, or in compliance with the inventory

PICCS (PH) : On the inventory, or in compliance with the inventory

IECSC (CN) : On the inventory, or in compliance with the inventory

TECI (TH) : On the inventory, or in compliance with the inventory

15.2 Chemical safety assessment

A Chemical Safety Assessment has been carried out for this substance.
For further information see eSDS.

SECTION 16: Other information

Full text of H-Statements

H272 : May intensify fire; oxidizer.

H302 : Harmful if swallowed.

H314 : Causes severe skin burns and eye damage.

H315 : Causes skin irritation.

H317 : May cause an allergic skin reaction.

H318 : Causes serious eye damage.

H319 : Causes serious eye irritation.

H334 : May cause allergy or asthma symptoms or breathing difficulties if inhaled.

H335 : May cause respiratory irritation.

H412 : Harmful to aquatic life with long lasting effects.

Full text of other abbreviations

Acute Tox. : Acute toxicity

Aquatic Chronic : Long-term (chronic) aquatic hazard

Eye Dam. : Serious eye damage

Eye Irrit. : Eye irritation

Ox. Sol. : Oxidizing solids

Resp. Sens. : Respiratory sensitisation

Skin Corr. : Skin corrosion

Skin Irrit. : Skin irritation

Skin Sens. : Skin sensitisation

STOT SE : Specific target organ toxicity - single exposure

IE OEL : Ireland. List of Chemical Agents and Carcinogens with Occupational Exposure Limit Values - Code of Practice, Schedule 1 and 2

IE OEL / OELV - 8 hrs (TWA) : Occupational exposure limit value (8-hour reference period)

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Test-

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



CAROAT®

Version	Revision Date:	SDS Number:	Date of last issue: 23.03.2023
6.4	18.03.2025	600000000017	Date of first issue: 22.03.2016

ing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

Further information

Other information : This safety datasheet only contains information relating to safety and does not replace any product information or product specification.
These safety instructions also apply to empty packaging which may still contain product residues.
The hazards on the label also apply to residues in the container.

Sources of key data used to compile the Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Classification of the mixture:

Acute Tox. 4	H302
Skin Corr. 1B	H314
Eye Dam. 1	H318
Aquatic Chronic 3	H412

Classification procedure:

Based on product data or assessment
Based on product data or assessment
Based on product data or assessment
Based on product data or assessment

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



CAROAT®

Version	Revision Date:	SDS Number:	Date of last issue: 23.03.2023
6.4	18.03.2025	600000000017	Date of first issue: 22.03.2016

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

IE / EN