

SAFETY DATA SHEET

CAROAT[®]



Version	Revision Date:	SDS Number (Internal):	MSDS number: AA00974-0000000493
3.2	2024/03/13	600000000017	Date of last issue: 2024/03/04
			Date of first issue: 2016/10/05

1. PRODUCT AND COMPANY IDENTIFICATION

Product name : CAROAT[®]

Recommended use of the chemical and restrictions on use

Recommended use : Oxidizing agent

Manufacturer or supplier's details

Company : United Initiators (Shanghai) Co., Ltd

Address : Room 501, Bldg. 1, No. 1 Shangda Road
Shanghai, China, 200444

Telephone : +86 21 61172758

Emergency telephone number : +82-02-6245-1610

E-mail address : cs-initiators.cn@united-in.com

2. HAZARDS IDENTIFICATION

GHS Classification

Acute toxicity (Oral) : Category 4

Skin corrosion/irritation : Category 1B

Serious eye damage/eye irritation : Category 1

Long-term (chronic) aquatic hazard : Category 3

GHS label elements

Hazard pictograms :



Signal word : Danger

Hazard statements : H302 Harmful if swallowed.
H314 Causes severe skin burns and eye damage.
H318 Causes serious eye damage.
H412 Harmful to aquatic life with long lasting effects.

SAFETY DATA SHEET

CAROAT®



Version 3.2	Revision Date: 2024/03/13	SDS Number (Internal): 600000000017	MSDS number: AA00974-0000000493 Date of last issue: 2024/03/04 Date of first issue: 2016/10/05
----------------	------------------------------	--	--

Precautionary statements :

Prevention:

P260 Do not breathe dust.
P264 Wash the contact area thoroughly after handling.
P270 Do not eat, drink or smoke when using this product.
P273 Avoid release to the environment.
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

Response:

P301 + P312 + P330 IF SWALLOWED: Call a POISON CENTER/ doctor if you feel unwell. Rinse mouth.
P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.
P304 + P340 + P310 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/ doctor.
P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor.
P363 Wash contaminated clothing before reuse.

Storage:

P405 Store locked up.

Disposal:

P501 Dispose of contents and container according to wastes control act.

Other hazards which do not result in classification

No data available

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture
Chemical nature : crystalline
Solid

Components

Chemical name	Common Name	CAS-No.	Concentration (% w/w)
pentapotassium bis(peroxymonosulphate) bis(sulphate)	pentapotassium bis(peroxymonosulphate)	70693-62-8	< 100

SAFETY DATA SHEET

CAROAT[®]



Version 3.2 Revision Date: 2024/03/13 SDS Number (Internal): 600000000017 MSDS number: AA00974-0000000493
Date of last issue: 2024/03/04
Date of first issue: 2016/10/05

	bis(sulphate)		
Dipotassium peroxodisulphate	Dipotassium peroxodisulphate	7727-21-1	< 3
magnesium carbonate	magnesium carbonate	546-93-0	< 2

4. FIRST AID MEASURES

- General advice : Take off contaminated clothing and shoes immediately.
Call a physician immediately.
Never give anything by mouth to an unconscious person.
If unconscious, place in recovery position and seek medical advice.
Move out of dangerous area.
Show this safety data sheet to the doctor in attendance.
Do not leave the victim unattended.
Symptoms of poisoning may appear several hours later.
- In case of eye contact : Small amounts splashed into eyes can cause irreversible tissue damage and blindness.
In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
Continue rinsing eyes during transport to hospital.
Remove contact lenses.
Protect unharmed eye.
Keep eye wide open while rinsing.
If eye irritation persists, consult a specialist.
- In case of skin contact : If symptoms persist, call a physician.
Immediate medical treatment is necessary as untreated wounds from corrosion of the skin heal slowly and with difficulty.
In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes.
Wash contaminated clothing before re-use.
If on skin, rinse well with water.
If on clothes, remove clothes.
- If inhaled : Administer oxygen if breathing is difficult or cyanosis is observed.
If breathed in, move person into fresh air.
If not breathing, give artificial respiration.
Respiratory tract burning possible if aerosols are inhaled.
If unconscious, place in recovery position and seek medical advice.

SAFETY DATA SHEET

CAROAT®



Version	Revision Date:	SDS Number (Internal):	MSDS number: AA00974-0000000493
3.2	2024/03/13	600000000017	Date of last issue: 2024/03/04
			Date of first issue: 2016/10/05

- If symptoms persist, call a physician.
- If swallowed : Call a physician immediately.
Rinse mouth thoroughly with water.
Keep respiratory tract clear.
Do NOT induce vomiting.
If symptoms persist, call a physician.
- Most important symptoms and effects, both acute and delayed : Harmful if swallowed.
Causes serious eye damage.
Causes severe burns.
- Protection of first-aiders : First Aid responders should pay attention to self-protection and use the recommended protective clothing
- Notes to physician : Treat symptomatically and supportively.
-

5. FIREFIGHTING MEASURES

Suitable and unsuitable extinguishing media

- Suitable extinguishing media : Foam
Water spray jet
Alcohol-resistant foam
Carbon dioxide (CO₂)
Dry chemical
- Unsuitable extinguishing media : High volume water jet
- Specific hazards during fire-fighting : Hazardous decomposition products may be formed under fire conditions (see section 10).

Do not allow run-off from fire fighting to enter drains or water courses.
- Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Collect contaminated fire extinguishing water separately. This must not be discharged into drains.
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

Do not use a solid water stream as it may scatter and spread fire.
Remove undamaged containers from fire area if it is safe to do so.
Use water spray to cool unopened containers.
- Special protective equipment for firefighters : Wear self-contained breathing apparatus for firefighting if necessary.

SAFETY DATA SHEET

CAROAT®



Version	Revision Date:	SDS Number (Internal):	MSDS number: AA00974-0000000493
3.2	2024/03/13	600000000017	Date of last issue: 2024/03/04
			Date of first issue: 2016/10/05

Use personal protective equipment.

6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Follow safe handling advice and personal protective equipment recommendations.
Use personal protective equipment.
Avoid dust formation.
Avoid breathing dust.
Treat recovered material as described in the section "Disposal considerations".
- Environmental precautions : Prevent product from entering drains.
Prevent further leakage or spillage if safe to do so.
If the product contaminates rivers and lakes or drains inform respective authorities.
- Methods and materials for containment and cleaning up : Clear spills immediately.
To clean the floor and all objects contaminated by this material, use plenty of water.
Soak up with inert absorbent material.
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.
-

7. HANDLING AND STORAGE

- Technical measures : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.
- Advice on protection against fire and explosion : Avoid dust formation.
Provide appropriate exhaust ventilation at places where dust is formed.
- Advice on safe handling : Avoid formation of respirable particles.
Do not swallow.
Do not breathe vapours/dust.
Avoid contact with skin and eyes.
Provide sufficient air exchange and/or exhaust in work rooms.
Smoking, eating and drinking should be prohibited in the application area.
Wash thoroughly after handling.
For personal protection see section 8.
- Conditions for safe storage : Keep in a dry place.
Observe label precautions.
Store in accordance with the particular national regulations.
Electrical installations / working materials must comply with the technological safety standards.
-

SAFETY DATA SHEET

CAROAT®



Version 3.2 Revision Date: 2024/03/13 SDS Number (Internal): 600000000017 MSDS number: AA00974-0000000493
Date of last issue: 2024/03/04
Date of first issue: 2016/10/05

Containers which are opened must be carefully resealed and kept upright to prevent leakage.

Materials to avoid : Never allow product to get in contact with water during storage.

Recommended storage temperature : < 30 °C

Further information on storage stability : For quality reasons

No decomposition if stored normally.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Dipotassium peroxodisulphate	7727-21-1	TWA	0.1 mg/m ³ (Persulphate)	ACGIH
magnesium carbonate	546-93-0	TWA	10 mg/m ³	KR OEL

Other ingredients, which are listed in section 3 but not listed in this section, do not have established occupational exposure limit values.

Engineering measures : Minimize workplace exposure concentrations.

Personal protective equipment. Among the following personal protective equipment, the PPEs which require safety certification need to be certified by KOSHA.

Respiratory protection : In the case of dust or aerosol formation use respirator with an approved filter.

Filter type : Filter type P

Eye protection : Ensure that eyewash stations and safety showers are close to the workstation location.
Please follow all applicable local/national requirements when selecting protective measures for a specific workplace.
Always wear eye protection when the potential for inadvertent eye contact with the product cannot be excluded.
Tightly fitting safety goggles
Please wear suitable protective goggles. Also wear face protection if there is a splash hazard.

Hand protection

SAFETY DATA SHEET

CAROAT®



Version	Revision Date:	SDS Number (Internal):	MSDS number: AA00974-0000000493
3.2	2024/03/13	600000000017	Date of last issue: 2024/03/04
			Date of first issue: 2016/10/05

Material : Nitrile rubber
Break through time : 480 min
Glove thickness : 0.40 mm

Material : butyl-rubber
Break through time : 480 min
Glove thickness : 0.47 mm

Remarks : The data about break through time/strength of material are standard values! The exact break through time/strength of material has to be obtained from the producer of the protective glove. Choose gloves to protect hands against chemicals depending on the concentration and quantity of the hazardous substance and specific to place of work. For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer. Wash hands before breaks and at the end of workday.

Skin and body protection : Select appropriate protective clothing based on chemical resistance data and an assessment of the local exposure potential.
Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces.
Wear as appropriate:
Flame retardant antistatic protective clothing.

Protective measures : The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Hygiene measures : Avoid contact with skin, eyes and clothing.
Keep away from food and drink.
When using do not eat or drink.
When using do not smoke.
Wash hands before breaks and immediately after handling the product.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : solid

Colour : white

SAFETY DATA SHEET

CAROAT®



Version	Revision Date:	SDS Number (Internal):	MSDS number: AA00974-0000000493
3.2	2024/03/13	600000000017	Date of last issue: 2024/03/04
			Date of first issue: 2016/10/05

Odour	:	odourless
Odour Threshold	:	not determined
pH	:	2.3 Concentration: 10 g/l
Melting point/range	:	Decomposition: Decomposes below the melting point.
Boiling point/boiling range	:	not determined
Flash point	:	Not applicable
Evaporation rate	:	No data available
Flammability (solid, gas)	:	does not ignite
Self-ignition	:	The substance or mixture is not classified as pyrophoric.
Upper explosion limit / Upper flammability limit	:	Upper explosion limit No data available
Lower explosion limit / Lower flammability limit	:	Lower explosion limit No data available
Vapour pressure	:	< 0.001 hPa (25 °C)
Bulk density	:	ca. 1,100 kg/m ³
Solubility(ies) Water solubility	:	ca. 300 g/l soluble (20 °C)
Relative vapour density	:	not determined
Relative density	:	not determined
Density	:	ca. 2.35 g/cm ³ (20 °C)
Partition coefficient: n-octanol/water	:	Not applicable
Auto-ignition temperature	:	not determined
Self-Accelerating decomposition temperature (SADT)	:	> 80 °C Method: UN-Test H.4 SADT-Self Accelerating Decomposition Temperature. Lowest temperature at which the tested package size will undergo a

SAFETY DATA SHEET

CAROAT®



Version	Revision Date:	SDS Number (Internal):	MSDS number: AA00974-0000000493
3.2	2024/03/13	600000000017	Date of last issue: 2024/03/04
			Date of first issue: 2016/10/05

self-accelerating decomposition reaction.

Viscosity

Viscosity, dynamic : Not applicable

Viscosity, kinematic : Not applicable

Explosive properties : Not explosive

Oxidizing properties : No oxidising effect.

Self-heating substances : The substance or mixture is not classified as self heating.

Particle size : not determined

Particle Size Distribution : D10 = 89 µm
Type of distribution: volume distribution
Measurement technique: laser diffraction

10. STABILITY AND REACTIVITY

Chemical stability and possibility of hazardous reactions : Stable under recommended storage conditions.
Stable under recommended storage conditions., No decomposition if stored normally.
Even small amounts of moisture or impurities can noticeably reduce the self-accelerating decomposition temperature (SADT).
Avoid moisture.

Conditions to avoid : Protect from contamination.
Protect from moisture.

Incompatible materials : Accelerators, strong acids and bases, heavy metals and heavy metal salts, reducing agents
Avoid impurities (e.g. rust, dust, ash), risk of decomposition.

Not applicable

Hazardous decomposition products : Irritant, caustic, flammable, noxious/toxic gases and vapours can develop in the case of fire and decomposition

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure : No data available

SAFETY DATA SHEET

CAROAT®



Version 3.2	Revision Date: 2024/03/13	SDS Number (Internal): 600000000017	MSDS number: AA00974-0000000493 Date of last issue: 2024/03/04 Date of first issue: 2016/10/05
----------------	------------------------------	--	--

Health hazard information

Acute toxicity

Harmful if swallowed.

Product:

- Acute oral toxicity : LD50 (Rat): 500 mg/kg
Method: OECD Test Guideline 423
- Acute inhalation toxicity : LC0 (Rat): > 5 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: OECD Test Guideline 403
Assessment: The substance or mixture has no acute inhalation toxicity
Remarks: Expert judgement
- Acute dermal toxicity : LD50 (Rat): > 5,000 mg/kg
Method: OECD Test Guideline 402

Components:

pentapotassium bis(peroxymonosulphate) bis(sulphate):

- Acute oral toxicity : LD50 (Rat): 500 mg/kg
Method: OECD Test Guideline 423
- Acute inhalation toxicity : LC0 (Rat): > 5 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: OECD Test Guideline 403
Assessment: The substance or mixture has no acute inhalation toxicity
Remarks: Expert judgement
- Acute dermal toxicity : LD50 (Rat): > 5,000 mg/kg
Method: OECD Test Guideline 402

Dipotassium peroxodisulphate:

- Acute oral toxicity : LD50 (Rat, male): 742 mg/kg
Method: OECD Test Guideline 401
Assessment: The component/mixture is moderately toxic after single ingestion.
- Acute inhalation toxicity : LC50 (Rat): > 5.1 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: OECD Test Guideline 403
Assessment: The substance or mixture has no acute inhalation toxicity

SAFETY DATA SHEET

CAROAT®



Version	Revision Date:	SDS Number (Internal):	MSDS number: AA00974-0000000493
3.2	2024/03/13	600000000017	Date of last issue: 2024/03/04
			Date of first issue: 2016/10/05

Remarks: Expert judgement

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg
Assessment: The substance or mixture has no acute dermal toxicity
Remarks: Expert judgement

magnesium carbonate:

Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg
Method: OECD Test Guideline 420
Assessment: The substance or mixture has no acute oral toxicity
Remarks: No mortality observed at this dose.

Skin corrosion/irritation

Causes severe burns.

Product:

Species : Rabbit
Method : OECD Test Guideline 404
Result : Causes burns.

Remarks : Extremely corrosive and destructive to tissue.

Components:

pentapotassium bis(peroxymonosulphate) bis(sulphate):

Species : Rabbit
Method : OECD Test Guideline 404
Result : Causes burns.

Dipotassium peroxodisulphate:

Species : Rabbit
Method : OECD Test Guideline 404
Result : Skin irritation

Serious eye damage/eye irritation

Causes serious eye damage.

Product:

Species : Rabbit
Result : Risk of serious damage to eyes.
Method : OECD Test Guideline 405

Remarks : May cause irreversible eye damage.

SAFETY DATA SHEET

CAROAT®



Version	Revision Date:	SDS Number (Internal):	MSDS number: AA00974-0000000493
3.2	2024/03/13	600000000017	Date of last issue: 2024/03/04
			Date of first issue: 2016/10/05

Components:

pentapotassium bis(peroxymonosulphate) bis(sulphate):

Species : Rabbit
Result : Risk of serious damage to eyes.
Method : OECD Test Guideline 405

Dipotassium peroxodisulphate:

Species : Rabbit
Result : Eye irritation
Method : OECD Test Guideline 405

Respiratory or skin sensitisation

Product:

Exposure routes : Skin contact
Species : Guinea pig
Method : OECD Test Guideline 406
Result : Did not cause sensitisation on laboratory animals.

Exposure routes : Inhalation
Method : Expert judgement
Result : Does not cause respiratory sensitisation.
Remarks : Expert judgement

Test Type : Local lymph node assay (LLNA)
Species : Mouse
Method : OECD Test Guideline 442B
Result : Does not cause skin sensitisation.
GLP : yes
Remarks : Information given is based on tests on the mixture itself.

Assessment : Did not cause sensitisation on laboratory animals.

Components:

pentapotassium bis(peroxymonosulphate) bis(sulphate):

Exposure routes : Skin contact
Species : Guinea pig
Method : OECD Test Guideline 406
Result : Did not cause sensitisation on laboratory animals.

Test Type : Local lymph node assay (LLNA)
Species : Mouse
Method : OECD Test Guideline 442B
Result : Did not cause sensitisation on laboratory animals.

Dipotassium peroxodisulphate:

Exposure routes : Skin contact

SAFETY DATA SHEET

CAROAT®



Version	Revision Date:	SDS Number (Internal):	MSDS number: AA00974-0000000493
3.2	2024/03/13	600000000017	Date of last issue: 2024/03/04
			Date of first issue: 2016/10/05

Species : Guinea pig
Method : OECD Test Guideline 406
Result : May cause sensitisation by skin contact.

Exposure routes : inhalation (dust/mist/fume)
Result : May cause sensitisation by inhalation.
Remarks : Expert judgement

Carcinogenicity

Product:

Remarks : This information is not available.

Components:

pentapotassium bis(peroxymonosulphate) bis(sulphate):

No data available

Remarks : This information is not available.

Dipotassium peroxodisulphate:

No data available

Species : Mouse
Application Route : Skin contact
Exposure time : 52 weeks
Method : OECD Test Guideline 451
Result : negative

magnesium carbonate:

No data available

Germ cell mutagenicity

Product:

Genotoxicity in vitro : Method: OECD Test Guideline 473
Result: positive

Method: OECD Test Guideline 476
Result: positive

Method: OECD Test Guideline 471
Result: negative

Genotoxicity in vivo : Test Type: In vivo micronucleus test
Species: Mouse (male and female)
Application Route: Oral
Method: OECD Test Guideline 474
Result: negative

SAFETY DATA SHEET

CAROAT®



Version	Revision Date:	SDS Number (Internal):	MSDS number: AA00974-0000000493
3.2	2024/03/13	600000000017	Date of last issue: 2024/03/04
			Date of first issue: 2016/10/05

Test Type: In vivo mammalian alkaline comet assay
Species: Rat (male)
Application Route: Oral
Method: OECD Test Guideline 489
Result: negative

Components:

pentapotassium bis(peroxymonosulphate) bis(sulphate):

No data available

Genotoxicity in vitro : Test Type: Ames test
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 471
Result: negative

Test Type: In vitro mammalian cell gene mutation test
Method: OECD Test Guideline 476
Result: Equivocal

Test Type: Chromosome aberration test in vitro
Method: OECD Test Guideline 473
Result: positive

Test Type: In vitro mammalian cell gene mutation test
Method: OECD Test Guideline 490
Result: negative

Genotoxicity in vivo : Test Type: In vivo micronucleus test
Species: Mouse (male and female)
Application Route: Oral
Method: OECD Test Guideline 474
Result: negative

Test Type: In vivo mammalian alkaline comet assay
Species: Rat (male)
Application Route: Oral
Method: OECD Test Guideline 489
Result: negative

Dipotassium peroxodisulphate:

No data available

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Result: negative
Remarks: Based on data from similar materials

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)
Species: Mouse

SAFETY DATA SHEET

CAROAT®



Version	Revision Date:	SDS Number (Internal):	MSDS number: AA00974-0000000493
3.2	2024/03/13	600000000017	Date of last issue: 2024/03/04
			Date of first issue: 2016/10/05

Application Route: Intraperitoneal injection
Result: negative
Remarks: Based on data from similar materials

magnesium carbonate:

No data available

Reproductive toxicity

Product:

Components:

pentapotassium bis(peroxymonosulphate) bis(sulphate):

No data available

Dipotassium peroxodisulphate:

No data available

Effects on fertility : Species: Rat
Application Route: Ingestion
Method: OECD Test Guideline 421
Result: negative

Effects on foetal development : Species: Rat
Application Route: Ingestion
Method: OECD Test Guideline 421
Result: negative

magnesium carbonate:

No data available

STOT - single exposure

Product:

Assessment : The substance or mixture is not classified as specific target organ toxicant, single exposure.

Components:

Dipotassium peroxodisulphate:

Assessment : May cause respiratory irritation.

STOT - repeated exposure

No data available

SAFETY DATA SHEET

CAROAT®



Version	Revision Date:	SDS Number (Internal):	MSDS number: AA00974-0000000493
3.2	2024/03/13	600000000017	Date of last issue: 2024/03/04
			Date of first issue: 2016/10/05

Repeated dose toxicity

Product:

Species : Rat, male and female
LOAEL : > 1,000 mg/kg
Application Route : Oral
Exposure time : 28 d
Method : OECD Test Guideline 407
Remarks : Subacute toxicity

Species : Rat, male and female
LOAEL : 600 mg/kg
Application Route : Oral
Exposure time : 90 d
Method : OECD Test Guideline 408
Remarks : Subchronic toxicity

Components:

pentapotassium bis(peroxymonosulphate) bis(sulphate):

Species : Rat, male and female
LOAEL : > 1,000 mg/kg
Application Route : Oral
Exposure time : 28 d
Method : OECD Test Guideline 407
Remarks : Subacute toxicity

Species : Rat, male and female
LOAEL : 600 mg/kg
Application Route : Oral
Exposure time : 90 d
Method : OECD Test Guideline 408
Remarks : Subchronic toxicity

Dipotassium peroxodisulphate:

Species : Rat
NOAEL : 1,000 mg/kg
LOAEL : 3,000 mg/kg
Application Route : Ingestion
Exposure time : 90 d
Method : OECD Test Guideline 408

Aspiration toxicity

No data available

Experience with human exposure

No data available

Toxicology, Metabolism, Distribution

No data available

SAFETY DATA SHEET

CAROAT®



Version 3.2	Revision Date: 2024/03/13	SDS Number (Internal): 600000000017	MSDS number: AA00974-0000000493 Date of last issue: 2024/03/04 Date of first issue: 2016/10/05
----------------	------------------------------	--	--

Neurological effects

No data available

Further information

Product:

Remarks : No data available

12. ECOLOGICAL INFORMATION

Ecotoxicity

Product:

Toxicity to fish : NOEC (Oncorhynchus mykiss (rainbow trout)): 0.5 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 3.5 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : ErC50 (Pseudokirchneriella subcapitata (green algae)): > 1 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201

Toxicity to fish (Chronic toxicity) : NOEC: 0.5 mg/l
Exposure time: 37 d

Toxicity to microorganisms : EC50 (Bacteria): 100 mg/l
Exposure time: 3 h
Method: OECD Test Guideline 209

Ecotoxicology Assessment

Chronic aquatic toxicity : Harmful to aquatic life with long lasting effects.

Components:

pentapotassium bis(peroxymonosulphate) bis(sulphate):

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 53 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 3.5 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (green algae)): > 1 mg/l

SAFETY DATA SHEET

CAROAT®



Version 3.2	Revision Date: 2024/03/13	SDS Number (Internal): 600000000017	MSDS number: AA00974-0000000493 Date of last issue: 2024/03/04 Date of first issue: 2016/10/05
----------------	------------------------------	--	--

Exposure time: 72 h
Method: OECD Test Guideline 201

NOEC (Pseudokirchneriella subcapitata (green algae)): 0.5 mg/l

Exposure time: 72 h
Method: OECD Test Guideline 201

Ecotoxicology Assessment

Acute aquatic toxicity : Toxic to aquatic life.

Chronic aquatic toxicity : Harmful to aquatic life with long lasting effects.

Dipotassium peroxodisulphate:

Toxicity to fish : LC50 (Scophthalmus maximus (turbot)): 107.6 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203
Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 120 mg/l
Exposure time: 48 h
Remarks: Based on data from similar materials

Toxicity to algae/aquatic plants : EC50 (Phaeodactylum): 320 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201
Remarks: Based on data from similar materials

NOEC (Phaeodactylum): 32 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201
Remarks: Based on data from similar materials

Toxicity to microorganisms : EC10 (Pseudomonas putida): 36 mg/l
Exposure time: 18 h
Remarks: Based on data from similar materials

Persistence and degradability

Product:

Biodegradability : Remarks: The methods for determining the biological degradability are not applicable to inorganic substances.

Components:

pentapotassium bis(peroxymonosulphate) bis(sulphate):

Biodegradability : Remarks: The methods for determining the biological degradability are not applicable to inorganic substances.

SAFETY DATA SHEET

CAROAT[®]



Version 3.2	Revision Date: 2024/03/13	SDS Number (Internal): 600000000017	MSDS number: AA00974-0000000493 Date of last issue: 2024/03/04 Date of first issue: 2016/10/05
----------------	------------------------------	--	--

Dipotassium peroxodisulphate:

Biodegradability : Remarks: The methods for determining biodegradability are not applicable to inorganic substances.

Bioaccumulative potential

Components:

Dipotassium peroxodisulphate:

Partition coefficient: n-octanol/water : Remarks: Not applicable

Mobility in soil

No data available

Other adverse effects

Product:

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.
Toxic to aquatic life.
Harmful to aquatic life with long lasting effects.

13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Dispose of wastes in an approved waste disposal facility. The product should not be allowed to enter drains, water courses or the soil.
Do not contaminate ponds, waterways or ditches with chemical or used container.

Contaminated packaging : Dispose of in accordance with local regulations.
Clean container with water.
Dispose of contents/ container to an approved waste disposal plant.
Empty remaining contents.
Dispose of as unused product.
Do not re-use empty containers.

Disposal precautions

Dispose of contents and container according to wastes control act.

14. TRANSPORT INFORMATION

International Regulations

UNRTDG

SAFETY DATA SHEET

CAROAT®



Version	Revision Date:	SDS Number (Internal):	MSDS number: AA00974-0000000493
3.2	2024/03/13	600000000017	Date of last issue: 2024/03/04
			Date of first issue: 2016/10/05

UN number : UN 3260
Proper shipping name : CORROSIVE SOLID, ACIDIC, INORGANIC, N.O.S.
(Potassium Monopersulfate)
Class : 8
Packing group : II
Labels : 8
Environmentally hazardous : no

IATA-DGR

UN/ID No. : UN 3260
Proper shipping name : Corrosive solid, acidic, inorganic, n.o.s.
(Potassium Monopersulfate)
Class : 8
Packing group : II
Labels : Corrosive
Packing instruction (cargo aircraft) : 863
Packing instruction (passenger aircraft) : 859

IMDG-Code

UN number : UN 3260
Proper shipping name : CORROSIVE SOLID, ACIDIC, INORGANIC, N.O.S.
(Potassium Monopersulfate)
Class : 8
Packing group : II
Labels : 8
EmS Code : F-A, S-B
Marine pollutant : no

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National Regulations

Refer to section 15 for specific national regulation.

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

15. REGULATORY INFORMATION

National regulatory information

Regulation under the Occupational Safety and Health Act

Harmful Substances Prohibited from Manufacturing

Not applicable

SAFETY DATA SHEET

CAROAT®



Version 3.2 Revision Date: 2024/03/13 SDS Number (Internal): 600000000017 MSDS number: AA00974-0000000493
Date of last issue: 2024/03/04
Date of first issue: 2016/10/05

Harmful Substances Required Permission for Manufacture

Not applicable

Harmful Agents to be kept below Occupational Exposure Limits

Chemical name	CAS-No.
Magnesite	546-93-0

Harmful Agents Required to be kept below Permission Levels

Not applicable

Hazardous substances requiring management

Not applicable

Special Management Materials

Not applicable

Controlled Substances Subject to Environment Monitoring

Chemical name	CAS-No.	Threshold limits (%)
Mineral dusts	546-93-0	

Controlled Substances Subject to Health Examination

Chemical name	CAS-No.	Threshold limits (%)
Mineral dusts	546-93-0	

Regulation under the Chemicals Control Act

Toxic Chemicals

Not applicable

Restricted Chemicals

Not applicable

Prohibited Chemicals

Not applicable

Toxic Release Inventory

Not applicable

Accident Precaution Chemicals

Not applicable

Dangerous Substances Safety Management Act

Not Applicable to Dangerous Materials

Wastes Control Act

Industrial waste

Follow article 13 of the act to dispose the product waste

Other requirements in domestic and other countries

The components of this product are reported in the following inventories:

TCSI (TW) : On the inventory, or in compliance with the inventory

SAFETY DATA SHEET

CAROAT®



Version	Revision Date:	SDS Number (Internal):	MSDS number: AA00974-0000000493
3.2	2024/03/13	600000000017	Date of last issue: 2024/03/04
			Date of first issue: 2016/10/05

TSCA (US)	:	All substances listed as active on the TSCA inventory
AIIIC (AU)	:	On the inventory, or in compliance with the inventory
DSL (CA)	:	All components of this product are on the Canadian DSL
ENCS (JP)	:	On the inventory, or in compliance with the inventory
ISHL (JP)	:	On the inventory, or in compliance with the inventory
KECI (KR)	:	On the inventory, or in compliance with the inventory
PICCS (PH)	:	On the inventory, or in compliance with the inventory
IECSC (CN)	:	On the inventory, or in compliance with the inventory
TECI (TH)	:	On the inventory, or in compliance with the inventory

16. OTHER INFORMATION

Further information

Sources of key data used to compile the Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Issuing date : 2016/10/05

Revision number and date

Number of Revision : 3.2

Revision Date : 2024/03/13

Other information : This safety datasheet only contains information relating to safety and does not replace any product information or product specification.
These safety instructions also apply to empty packaging which may still contain product residues.
The hazards on the label also apply to residues in the container.

Date format : yyyy/mm/dd

SAFETY DATA SHEET

CAROAT®



Version	Revision Date:	SDS Number (Internal):	MSDS number: AA00974-0000000493
3.2	2024/03/13	600000000017	Date of last issue: 2024/03/04
			Date of first issue: 2016/10/05

Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)
KR OEL : Harmful Agents to be kept below Occupational Exposure Limits

ACGIH / TWA : 8-hour, time-weighted average
KR OEL / TWA : Time Weighted Average

AllC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECl - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

KR / EN

SAFETY DATA SHEET

CAROAT[®]



Version	Revision Date:	SDS Number (Internal):	MSDS number: AA00974-0000000493
3.2	2024/03/13	600000000017	Date of last issue: 2024/03/04
			Date of first issue: 2016/10/05
