

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



CP

Version	Revision Date:	SDS Number:	Date of last issue: 01.03.2017
2.0	14.05.2019	600000000018	Date of first issue: 05.07.2016

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : CP

REACH Registration Number : 01-2120770269-45-0000

Substance name : hydrogen peroxide-urea

EC-No. : 204-701-4

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub-
stance/Mixture : Oxidizing agents

1.3 Details of the supplier of the safety data sheet

Company : United Initiators GmbH
Dr.-Gustav-Adolph-Str. 3
82049 Pullach

E-mail address of person
responsible for the SDS : contact@united-in.com

1.4 Emergency telephone number

+49 / 89 / 74422 – 0 (24 h)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Oxidizing solids, Category 3	H272: May intensify fire; oxidizer.
Skin irritation, Category 2	H315: Causes skin irritation.
Serious eye damage, Category 1	H318: Causes serious eye damage.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)


SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

CP



Version 2.0 Revision Date: 14.05.2019 SDS Number: 600000000018 Date of last issue: 01.03.2017
Date of first issue: 05.07.2016

Hazard pictograms	:	
Signal word	:	Danger
Hazard statements	:	H272 May intensify fire; oxidizer. H315 Causes skin irritation. H318 Causes serious eye damage.
Precautionary statements	:	Prevention: P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P220 Keep/Store away from clothing/ combustible materials. P232 Protect from moisture. P262 Do not get in eyes, on skin, or on clothing. P280 Wear protective gloves/ protective clothing/ eye protection/ face protection. Response: P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P315 Get immediate medical advice/ attention. P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention. P362 + P364 Take off contaminated clothing and wash it before reuse. Disposal: P501 Dispose of contents/ container to an approved waste disposal plant.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.1 Substances

Substance name : hydrogen peroxide-urea
EC-No. : 204-701-4
Chemical nature : Solid

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

CP



Version 2.0 Revision Date: 14.05.2019 SDS Number: 600000000018 Date of last issue: 01.03.2017
Date of first issue: 05.07.2016

Components

Chemical name	CAS-No. EC-No.	Concentration (% w/w)
hydrogen peroxide--urea	124-43-6 204-701-4	<= 100

SECTION 4: First aid measures

4.1 Description of first aid measures

- General advice : Move out of dangerous area.
Show this safety data sheet to the doctor in attendance.
Do not leave the victim unattended.
Call a physician immediately.
- Protection of first-aiders : First Aid responders should pay attention to self-protection and use the recommended protective clothing
- If inhaled : If unconscious, place in recovery position and seek medical advice.
If symptoms persist, call a physician.
If breathed in, move person into fresh air.
- In case of skin contact : In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes.
Wash contaminated clothing before re-use.
If on skin, rinse well with water.
If on clothes, remove clothes.
If symptoms persist, call a physician.
- In case of eye contact : Small amounts splashed into eyes can cause irreversible tissue damage and blindness.
In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
Continue rinsing eyes during transport to hospital.
Remove contact lenses.
Protect unharmed eye.
Keep eye wide open while rinsing.
If eye irritation persists, consult a specialist.
- If swallowed : Keep respiratory tract clear.
Do NOT induce vomiting.
Call a physician immediately.
Rinse mouth thoroughly with water.

4.2 Most important symptoms and effects, both acute and delayed

- Risks : Causes skin irritation.
Causes serious eye damage.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

CP



Version	Revision Date:	SDS Number:	Date of last issue: 01.03.2017
2.0	14.05.2019	600000000018	Date of first issue: 05.07.2016

4.3 Indication of any immediate medical attention and special treatment needed

Treatment : Treat symptomatically and supportively.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media : Water spray
Alcohol-resistant foam
Carbon dioxide (CO₂)
Dry chemical

Unsuitable extinguishing media : High volume water jet

5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-fighting : Contact with incompatible materials or exposure to temperatures exceeding SADT may result in a self-accelerating decomposition reaction with release of flammable vapors which may auto-ignite.
Cool closed containers exposed to fire with water spray.

5.3 Advice for firefighters

Special protective equipment for firefighters : Wear self-contained breathing apparatus for firefighting if necessary. Use personal protective equipment.

Specific extinguishing methods : Do not use a solid water stream as it may scatter and spread fire.
Remove undamaged containers from fire area if it is safe to do so.
Use water spray to cool unopened containers.

Further information : Collect contaminated fire extinguishing water separately. This must not be discharged into drains.
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Use personal protective equipment.
Avoid dust formation.
Avoid breathing dust.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

CP



Version	Revision Date:	SDS Number:	Date of last issue: 01.03.2017
2.0	14.05.2019	600000000018	Date of first issue: 05.07.2016

Remove all sources of ignition.
Follow safe handling advice and personal protective equipment recommendations.
Never return spills in original containers for re-use.
Treat recovered material as described in the section "Disposal considerations".

6.2 Environmental precautions

Environmental precautions : Prevent product from entering drains.
Prevent further leakage or spillage if safe to do so.
If the product contaminates rivers and lakes or drains inform respective authorities.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Contact with incompatible substances can cause decomposition at or below SADT.
Clear spills immediately.
Suppress (knock down) gases/vapours/mists with a water spray jet.
To clean the floor and all objects contaminated by this material, use plenty of water.
Soak up with inert absorbent material.
Isolate waste and do not reuse.
Non-sparking tools should be used.
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.

6.4 Reference to other sections

For personal protection see section 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Technical measures : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.

Advice on safe handling : Do not swallow.
Do not breathe vapours/dust.
Avoid contact with skin and eyes.
Take precautionary measures against static discharges.
Never return any product to the container from which it was originally removed.
Provide sufficient air exchange and/or exhaust in work rooms.
Avoid confinement.
Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

CP



Version 2.0 Revision Date: 14.05.2019 SDS Number: 600000000018 Date of last issue: 01.03.2017
Date of first issue: 05.07.2016

Smoking, eating and drinking should be prohibited in the application area.
Wash thoroughly after handling.
For personal protection see section 8.
Protect from contamination.

Advice on protection against fire and explosion : Avoid dust formation. Provide appropriate exhaust ventilation at places where dust is formed. Keep away from combustible material.

Hygiene measures : Keep away from food and drink. When using do not eat or drink. When using do not smoke. Wash hands before breaks and immediately after handling the product.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers : Avoid impurities (e.g. rust, dust, ash), risk of decomposition. Electrical installations / working materials must comply with the technological safety standards. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Store in original container. Store in accordance with the particular national regulations.

Advice on common storage : Keep away from strong acids, bases, heavy metal salts and other reducing substances.

Storage class (TRGS 510) : 5.1B, Oxidizing hazardous materials

Recommended storage temperature : < 30 °C

Further information on storage stability : No decomposition if stored normally.

7.3 Specific end use(s)

Specific use(s) : For further information, refer to the product technical data sheet.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Contains no substances with occupational exposure limit values.

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health effects	Value
hydrogen peroxide--urea	Workers	Inhalation	Long-term systemic effects	20,1 mg/m3

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

CP



Version 2.0 Revision Date: 14.05.2019 SDS Number: 600000000018 Date of last issue: 01.03.2017
Date of first issue: 05.07.2016

	Workers	Skin contact	Long-term systemic effects	1,15 mg/m3
--	---------	--------------	----------------------------	------------

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
hydrogen peroxide--urea	Fresh water	0,036 mg/l
	Marine water	0,036 mg/l
	Sewage treatment plant	12,86 mg/l
	Fresh water sediment	0,13 mg/kg
	Marine sediment	0,13 mg/kg
	Soil	0,005 mg/kg

8.2 Exposure controls

Engineering measures

Minimize workplace exposure concentrations.

Personal protective equipment

Eye protection : Tightly fitting safety goggles
Please wear suitable protective goggles. Also wear face protection if there is a splash hazard.
Ensure that eyewash stations and safety showers are close to the workstation location.

Hand protection

Material : butyl-rubber
Break through time : \geq 480 min
Glove thickness : 0,5 mm

Remarks : Choose gloves to protect hands against chemicals depending on the concentration and quantity of the hazardous substance and specific to place of work. For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer. Wash hands before breaks and at the end of workday.

Skin and body protection : Select appropriate protective clothing based on chemical resistance data and an assessment of the local exposure potential.

Respiratory protection : In the case of dust or aerosol formation use respirator with an approved filter.

Filter type : Filter type P

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



CP

Version	Revision Date:	SDS Number:	Date of last issue: 01.03.2017
2.0	14.05.2019	600000000018	Date of first issue: 05.07.2016

Appearance	:	crystalline
Colour	:	white
Odour	:	characteristic
Odour Threshold	:	No data available
pH	:	5,2 Concentration: 100 g/l
Melting point/range	:	ca. 72,5 °C Decomposition
Initial boiling point and boiling range	:	Not applicable Decomposition
Flash point	:	Not applicable
Evaporation rate	:	Not applicable
Flammability (solid, gas)	:	does not ignite, not auto-flammable
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapour pressure	:	No data available
Density	:	ca. 0,65 g/cm ³ (20 °C)
Bulk density	:	650 kg/m ³
Solubility(ies) Water solubility	:	500 g/l soluble (20 °C)
Partition coefficient: n-octanol/water	:	log Pow: 0,09 (25 °C)
Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is classified as oxidizing with the category 3.

9.2 Other information

Self-Accelerating decomposition temperature (SADT)	:	60 °C Method: UN-Test H.4 SADT-Self Accelerating Decomposition Temperature. Lowest
----------------------------------------------------	---	------------------------------------------------------------------------------------------

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

CP



Version	Revision Date:	SDS Number:	Date of last issue: 01.03.2017
2.0	14.05.2019	600000000018	Date of first issue: 05.07.2016

temperature at which the tested package size will undergo a self-accelerating decomposition reaction.

SECTION 10: Stability and reactivity

10.1 Reactivity

Stable under recommended storage conditions.

10.2 Chemical stability

Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions

Hazardous reactions : Dust may form explosive mixture in air.

10.4 Conditions to avoid

Conditions to avoid : No data available

10.5 Incompatible materials

Materials to avoid : Accelerators, strong acids and bases, heavy metals and heavy metal salts, reducing agents

10.6 Hazardous decomposition products

Irritant, caustic, flammable, noxious/toxic gases and vapours can develop in the case of fire and decomposition

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Not classified based on available information.

Product:

Acute oral toxicity : LD50 (Rat): > 2.000 mg/kg
Assessment: The substance or mixture has no acute oral toxicity
Remarks: Not classified due to data which are conclusive although insufficient for classification.

Acute inhalation toxicity : Remarks: No data available

Acute dermal toxicity : LD50 (Rabbit): > 2.000 mg/kg
Method: Expert judgement
Assessment: The substance or mixture has no acute dermal toxicity
Remarks: Not classified due to data which are conclusive

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



CP

Version 2.0 Revision Date: 14.05.2019 SDS Number: 600000000018 Date of last issue: 01.03.2017
Date of first issue: 05.07.2016

although insufficient for classification.

Components:

hydrogen peroxide--urea:

Acute oral toxicity : LD50 (Rat): > 2.000 mg/kg
Assessment: The substance or mixture has no acute oral toxicity
Remarks: Not classified due to data which are conclusive although insufficient for classification.

Acute inhalation toxicity : Remarks: No data available

Acute dermal toxicity : LD50 (Rabbit): > 2.000 mg/kg
Method: Expert judgement
Assessment: The substance or mixture has no acute dermal toxicity
Remarks: Not classified due to data which are conclusive although insufficient for classification.

Skin corrosion/irritation

Causes skin irritation.

Product:

Species : reconstructed human epidermis (RhE)
Result : Skin irritation

Remarks : May cause skin irritation in susceptible persons.

Components:

hydrogen peroxide--urea:

Species : reconstructed human epidermis (RhE)
Result : Skin irritation

Serious eye damage/eye irritation

Causes serious eye damage.

Product:

Species : Bovine cornea
Result : Risk of serious damage to eyes.

Remarks : May cause irreversible eye damage.

Components:

hydrogen peroxide--urea:

Species : Bovine cornea

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



CP

Version	Revision Date:	SDS Number:	Date of last issue: 01.03.2017
2.0	14.05.2019	600000000018	Date of first issue: 05.07.2016

| Result : Risk of serious damage to eyes.

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Product:

| Exposure routes : Skin contact
| Result : Does not cause skin sensitisation.
| Remarks : Based on available data, the classification criteria are not met.

Components:

hydrogen peroxide--urea:

| Exposure routes : Skin contact
| Result : Does not cause skin sensitisation.
| Remarks : Based on available data, the classification criteria are not met.

Germ cell mutagenicity

Not classified based on available information.

Product:

| Genotoxicity in vitro : Test Type: Ames test
Result: positive
| Genotoxicity in vivo : Test Type: in vivo assay
Result: negative
Remarks: In vivo tests did not show mutagenic effects

Components:

hydrogen peroxide--urea:

| Genotoxicity in vitro : Test Type: Ames test
Result: positive
| Genotoxicity in vivo : Test Type: in vivo assay
Result: negative
Remarks: In vivo tests did not show mutagenic effects

Carcinogenicity

Not classified based on available information.

Product:

Remarks : This information is not available.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



CP

Version 2.0 Revision Date: 14.05.2019 SDS Number: 600000000018 Date of last issue: 01.03.2017
Date of first issue: 05.07.2016

Components:

hydrogen peroxide--urea:

Remarks : This information is not available.

Reproductive toxicity

Not classified based on available information.

Components:

hydrogen peroxide--urea:

Effects on fertility : Remarks: No data available

Effects on foetal development : Remarks: No data available

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

Not classified based on available information.

Repeated dose toxicity

Product:

Species : Mouse
NOAEL : 71,8 mg/kg
Application Route : Oral

Species : Rat
NOAEL : 338,4 mg/kg
Application Route : Skin contact

Components:

hydrogen peroxide--urea:

Species : Mouse
NOAEL : 71,8 mg/kg
Application Route : Oral

Species : Rat
NOAEL : 338,4 mg/kg
Application Route : Skin contact

Aspiration toxicity

Not classified based on available information.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

CP



Version	Revision Date:	SDS Number:	Date of last issue: 01.03.2017
2.0	14.05.2019	600000000018	Date of first issue: 05.07.2016

Product:

No data available

Components:

hydrogen peroxide--urea:

No data available

Further information

Product:

Remarks : No data available

SECTION 12: Ecological information

12.1 Toxicity

Product:

Toxicity to fish	:	LC50 : 37,4 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia (water flea)): 5,6 mg/l Exposure time: 48 h
Toxicity to algae	:	NOEC (algae): 6,8 mg/l Exposure time: 72 h
Toxicity to microorganisms	:	EC10 : 11 mg/l End point: Growth rate Exposure time: 18 h

Components:

hydrogen peroxide--urea:

Toxicity to fish	:	LC50 : 37,4 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia (water flea)): 5,6 mg/l Exposure time: 48 h
Toxicity to algae	:	NOEC (algae): 6,8 mg/l Exposure time: 72 h
Toxicity to microorganisms	:	EC10 : 11 mg/l End point: Growth rate Exposure time: 18 h

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

CP



Version	Revision Date:	SDS Number:	Date of last issue: 01.03.2017
2.0	14.05.2019	600000000018	Date of first issue: 05.07.2016

12.2 Persistence and degradability

Product:

Biodegradability : Result: Readily biodegradable.

Components:

hydrogen peroxide--urea:

Biodegradability : Result: Readily biodegradable.

12.3 Bioaccumulative potential

Components:

hydrogen peroxide--urea:

Partition coefficient: n-
octanol/water : log Pow: 0,09 (25 °C)

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher..

12.6 Other adverse effects

Product:

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.
Toxic to aquatic life.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product : The product should not be allowed to enter drains, water courses or the soil.
Do not contaminate ponds, waterways or ditches with chemical or used container.
Dispose of wastes in an approved waste disposal facility.

Contaminated packaging : Empty remaining contents.
Dispose of as unused product.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



CP

Version	Revision Date:	SDS Number:	Date of last issue: 01.03.2017
2.0	14.05.2019	600000000018	Date of first issue: 05.07.2016

Do not re-use empty containers.
Do not burn, or use a cutting torch on, the empty drum.
Dispose of in accordance with local regulations.

SECTION 14: Transport information

14.1 UN number

ADN	:	UN 1511
ADR	:	UN 1511
RID	:	UN 1511
IMDG	:	UN 1511
IATA	:	UN 1511

14.2 UN proper shipping name

ADN	:	UREA HYDROGEN PEROXIDE
ADR	:	UREA HYDROGEN PEROXIDE
RID	:	UREA HYDROGEN PEROXIDE
IMDG	:	UREA HYDROGEN PEROXIDE
IATA	:	Urea hydrogen peroxide

14.3 Transport hazard class(es)

ADN	:	5.1
ADR	:	5.1
RID	:	5.1
IMDG	:	5.1
IATA	:	5.1

14.4 Packing group

ADN	:	
Packing group	:	III
Classification Code	:	OC2
Hazard Identification Number	:	58
Labels	:	5.1 (8)

ADR	:	
Packing group	:	III
Classification Code	:	OC2
Hazard Identification Number	:	58
Labels	:	5.1 (8)
Tunnel restriction code	:	(E)

RID

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



CP

Version	Revision Date:	SDS Number:	Date of last issue: 01.03.2017
2.0	14.05.2019	600000000018	Date of first issue: 05.07.2016

Packing group : III
Classification Code : OC2
Hazard Identification Number : 58
Labels : 5.1 (8)

IMDG

Packing group : III
Labels : 5.1 (8)
EmS Code : F-A, S-Q

IATA (Cargo)

Packing instruction (cargo aircraft) : 563
Packing instruction (LQ) : Y545
Packing group : III
Labels : Oxidizer, Corrosive

IATA (Passenger)

Packing instruction (passenger aircraft) : 559
Packing instruction (LQ) : Y545
Packing group : III
Labels : Oxidizer, Corrosive

14.5 Environmental hazards

ADN

Environmentally hazardous : no

ADR

Environmentally hazardous : no

RID

Environmentally hazardous : no

IMDG

Marine pollutant : no

14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59) : Not applicable

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

CP



Version 2.0 Revision Date: 14.05.2019 SDS Number: 600000000018 Date of last issue: 01.03.2017
Date of first issue: 05.07.2016

REACH - List of substances subject to authorisation (Annex XIV) : Not applicable

Regulation (EC) No 1005/2009 on substances that deplete the ozone layer : Not applicable

Regulation (EC) No 850/2004 on persistent organic pollutants : Not applicable

Regulation (EC) No 649/2012 of the European Parliament and the Council concerning the export and import of dangerous chemicals : Not applicable

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, preparations and articles (Annex XVII) : Not applicable

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.

		Quantity 1	Quantity 2
P8	OXIDIZING LIQUIDS AND SOLIDS	50 t	200 t

Water contaminating class (Germany) : WGK 1 slightly hazardous to water

The components of this product are reported in the following inventories:

DSL (CA) : None of the components of this product are on the Canadian DSL, but all are on the NDSL

AICS (AU) : On the inventory, or in compliance with the inventory

NZIoC (NZ) : On the inventory, or in compliance with the inventory

KECI (KR) : On the inventory, or in compliance with the inventory

PICCS (PH) : On the inventory, or in compliance with the inventory

IECSC (CN) : On the inventory, or in compliance with the inventory

TCSI (TW) : On the inventory, or in compliance with the inventory

TSCA (US) : On TSCA Inventory

15.2 Chemical safety assessment

A Chemical Safety Assessment has been carried out for this substance.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

CP



Version	Revision Date:	SDS Number:	Date of last issue: 01.03.2017
2.0	14.05.2019	600000000018	Date of first issue: 05.07.2016

SECTION 16: Other information

Full text of other abbreviations

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road; AICS - Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

Further information

Other information : This safety datasheet only contains information relating to safety and does not replace any product information or product specification.
These safety instructions also apply to empty packaging which may still contain product residues.

Sources of key data used to compile the Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

CP



Version	Revision Date:	SDS Number:	Date of last issue: 01.03.2017
2.0	14.05.2019	600000000018	Date of first issue: 05.07.2016

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

DE / EN