CP



 Version
 Revision Date:
 SDS Number:
 Date of last issue: 13.07.2023

 1.4
 13.07.2023
 600000000018
 Date of first issue: 07.10.2022

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : CP

REACH Registration Number : 01-2120770269-45-0000

Substance name : hydrogen peroxide-urea

EC-No. : 204-701-4

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub- : Oxidizing agents

stance/Mixture

1.3 Details of the supplier of the safety data sheet

Company : United Initiators GmbH

Dr.-Gustav-Adolph-Str. 3

82049 Pullach

Telephone : +49 / 89 / 74422 - 0

E-mail address of person

responsible for the SDS

: contact@united-in.com

1.4 Emergency telephone number

+44 1235 239670

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008) as amended by GB-CLP Regulation, UK SI 2019/720, and UK SI 2020/1567)

Oxidizing solids, Category 3 H272: May intensify fire; oxidizer.

Skin irritation, Category 2 H315: Causes skin irritation.

Serious eye damage, Category 1 H318: Causes serious eye damage.



 Version
 Revision Date:
 SDS Number:
 Date of last issue: 13.07.2023

 1.4
 13.07.2023
 600000000018
 Date of first issue: 07.10.2022

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008) as amended by GB-CLP Regulation, UK SI 2019/720, and UK SI 2020/1567)

Hazard pictograms :





Signal word : Danger

Hazard statements : H272 May intensify fire; oxidizer.

H315 Causes skin irritation.

H318 Causes serious eye damage.

Precautionary statements : Prevention:

P210 Keep away from heat/ sparks/ open flames/ hot surfac-

es. No smoking.

P220 Keep/ Store away from clothing/ combustible materials.

P232 Protect from moisture.

P262 Do not get in eyes, on skin, or on clothing.

P280 Wear protective gloves/ protective clothing/ eye protec-

tion/ face protection.

Response:

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and

easy to do. Continue rinsing.

P315 Get immediate medical advice/ attention.

P333 + P313 If skin irritation or rash occurs: Get medical

advice/ attention.

P362 + P364 Take off contaminated clothing and wash it

before reuse.

P370 + P378 In case of fire: Use water spray to extinguish.

Disposal:

P501 Dispose of contents/ container to an approved waste

disposal plant.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.1 Substances

CP



 Version
 Revision Date:
 SDS Number:
 Date of last issue: 13.07.2023

 1.4
 13.07.2023
 600000000018
 Date of first issue: 07.10.2022

Substance name : hydrogen peroxide-urea

EC-No. : 204-701-4

Chemical nature : Solid

Components

Chemical name	CAS-No. EC-No.	Concentration (% w/w)
hydrogen peroxideurea	124-43-6 204-701-4	<= 100

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice : Move out of dangerous area.

Show this safety data sheet to the doctor in attendance.

Do not leave the victim unattended. Call a physician immediately.

Protection of first-aiders : First Aid responders should pay attention to self-protection

and use the recommended protective clothing

If inhaled : If unconscious, place in recovery position and seek medical

advice.

If symptoms persist, call a physician.

If breathed in, move person into fresh air.

In case of skin contact : In case of contact, immediately flush skin with plenty of water

for at least 15 minutes while removing contaminated clothing

and shoes.

Wash contaminated clothing before re-use.

If on skin, rinse well with water.
If on clothes, remove clothes.
If symptoms persist, call a physician.

In case of eye contact : Small amounts splashed into eyes can cause irreversible tis-

sue damage and blindness.

In the case of contact with eyes, rinse immediately with plenty

of water and seek medical advice.

Continue rinsing eyes during transport to hospital.

Remove contact lenses. Protect unharmed eye.

Keep eye wide open while rinsing.

If eye irritation persists, consult a specialist.

If swallowed : Keep respiratory tract clear.

Do NOT induce vomiting.

CP



Version 1.4 Revision Date: 13.07.2023

SDS Number: 60000000018

Date of last issue: 13.07.2023 Date of first issue: 07.10.2022

Call a physician immediately.

Rinse mouth thoroughly with water.

4.2 Most important symptoms and effects, both acute and delayed

Risks : Causes skin irritation.

Causes serious eye damage.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment : Treat symptomatically and supportively.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media : Water spray jet

Alcohol-resistant foam Carbon dioxide (CO2)

Dry chemical

Unsuitable extinguishing

media

High volume water jet

5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-

fighting

: Contact with incompatible materials or exposure to temperatures exceeding SADT may result in a self-accelerating decomposition reaction with release of flammable vapors which

may auto-ignite.

Cool closed containers exposed to fire with water spray.

5.3 Advice for firefighters

Special protective equipment :

for firefighters

Wear self-contained breathing apparatus for firefighting if nec-

essary. Use personal protective equipment.

Specific extinguishing meth-

ods

Do not use a solid water stream as it may scatter and spread

fire.

Remove undamaged containers from fire area if it is safe to do

SO.

Use water spray to cool unopened containers.

Further information : Collect contaminated fire extinguishing water separately. This

must not be discharged into drains.

Fire residues and contaminated fire extinguishing water must

be disposed of in accordance with local regulations.

Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment.



 Version
 Revision Date:
 SDS Number:
 Date of last issue: 13.07.2023

 1.4
 13.07.2023
 600000000018
 Date of first issue: 07.10.2022

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Use personal protective equipment.

Avoid dust formation. Avoid breathing dust.

Remove all sources of ignition.

Follow safe handling advice and personal protective equip-

ment recommendations.

Never return spills in original containers for re-use.

Treat recovered material as described in the section "Disposal

considerations".

6.2 Environmental precautions

Environmental precautions : Prevent product from entering drains.

Prevent further leakage or spillage if safe to do so.

If the product contaminates rivers and lakes or drains inform

respective authorities.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Contact with incompatible substances can cause decomposi-

tion at or below SADT. Clear spills immediately.

Suppress (knock down) gases/vapours/mists with a water

sprav jet.

To clean the floor and all objects contaminated by this materi-

al, use plenty of water.

Soak up with inert absorbent material. Isolate waste and do not reuse. Non-sparking tools should be used.

Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to deter-

mine which regulations are applicable.

6.4 Reference to other sections

For personal protection see section 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Technical measures : See Engineering measures under EXPOSURE

CONTROLS/PERSONAL PROTECTION section.

Advice on safe handling : Do not swallow.

Do not breathe vapours/dust. Avoid contact with skin and eyes.



Version Revision Date: 1.4 13.07.2023

SDS Number: 60000000018

Date of last issue: 13.07.2023 Date of first issue: 07.10.2022

Take precautionary measures against static discharges. Never return any product to the container from which it was originally removed.

Provide sufficient air exchange and/or exhaust in work rooms.

Avoid confinement.

Keep away from heat, hot surfaces, sparks, open flames and

other ignition sources. No smoking.

Smoking, eating and drinking should be prohibited in the ap-

plication area.

Wash thoroughly after handling. For personal protection see section 8.

Protect from contamination.

Advice on protection against

fire and explosion

Avoid dust formation. Provide appropriate exhaust ventilation at places where dust is formed. Keep away from combustible

material.

Hygiene measures : Keep away from food and drink. When using do not eat or

drink. When using do not smoke. Wash hands before breaks

and immediately after handling the product.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers

Avoid impurities (e.g. rust, dust, ash), risk of decomposition. Electrical installations / working materials must comply with the technological safety standards. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Store in original container. Store in accordance with

the particular national regulations.

Advice on common storage : Keep away from strong acids, bases, heavy metal salts and

other reducing substances.

Recommended storage tem-

perature

< 30 °C

Further information on stor-

age stability

No decomposition if stored normally.

7.3 Specific end use(s)

Specific use(s) : For further information, refer to the product technical data

sheet.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Contains no substances with occupational exposure limit values.

Derived No Effect Level (DNEL):



 Version
 Revision Date:
 SDS Number:
 Date of last issue: 13.07.2023

 1.4
 13.07.2023
 600000000018
 Date of first issue: 07.10.2022

Substance name	End Use	Exposure routes	Potential health ef-	Value
			fects	
hydrogen peroxide urea	Workers	Inhalation	Long-term systemic effects	20.1 mg/m3
	Workers	Skin contact	Long-term systemic effects	1.15 mg/m3

Predicted No Effect Concentration (PNEC):

Substance name	Environmental Compartment Value	
hydrogen peroxideurea	Fresh water	0.036 mg/l
	Marine water	0.036 mg/l
	Sewage treatment plant	12.86 mg/l
	Fresh water sediment	0.13 mg/kg
	Marine sediment	0.13 mg/kg
	Soil	0.005 mg/kg

8.2 Exposure controls

Engineering measures

Minimize workplace exposure concentrations.

Personal protective equipment

Eye/face protection : Tightly fitting safety goggles

Please wear suitable protective goggles. Also wear face pro-

tection if there is a splash hazard.

Ensure that eyewash stations and safety showers are close to

the workstation location.

Please follow all applicable local/national requirements when

selecting protective measures for a specific workplace.

Hand protection

Material : butyl-rubber
Break through time : 480 min
Glove thickness : 0.47 mm

Material : Nitrile rubber Break through time : 480 min Glove thickness : 0.20 mm

Remarks : The data about break through time/strength of material are

standard values! The exact break through time/strength of material has to be obtained from the producer of the protective glove. Choose gloves to protect hands against chemicals depending on the concentration and quantity of the hazardous substance and specific to place of work. For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer. Wash hands before breaks and at the end of

workday.

CP



 Version
 Revision Date:
 SDS Number:
 Date of last issue: 13.07.2023

 1.4
 13.07.2023
 600000000018
 Date of first issue: 07.10.2022

Skin and body protection : Select appropriate protective clothing based on chemical re-

sistance data and an assessment of the local exposure poten-

tial.

Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable

suits) to avoid exposed skin surfaces.

Wear as appropriate:

Flame retardant antistatic protective clothing.

Respiratory protection : In the case of dust or aerosol formation use respirator with an

approved filter.

Filter type : Filter type P

Protective measures : The type of protective equipment must be selected according

to the concentration and amount of the dangerous substance

at the specific workplace.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance : crystalline

Colour : white

Odour : characteristic

Odour Threshold : No data available

pH : 5.2

Concentration: 100 g/l

Melting point/range : ca. 72.5 °C

Decomposition

Initial boiling point and boiling

range

Not applicable Decomposition

Flash point : Not applicable

Evaporation rate : Not applicable

Flammability (solid, gas) : does not ignite, not auto-flammable

Upper explosion limit / Upper

flammability limit

Upper explosion limit No data available

Lower explosion limit / Lower

flammability limit

Lower explosion limit No data available

CP



 Version
 Revision Date:
 SDS Number:
 Date of last issue: 13.07.2023

 1.4
 13.07.2023
 600000000018
 Date of first issue: 07.10.2022

Vapour pressure : No data available

Relative vapour density : not determined

Relative density : not determined

Density : not determined

Bulk density : ca. 650 kg/m3

Solubility(ies)

Water solubility : 500 g/l soluble (20 °C)

Partition coefficient: n-

octanol/water

log Pow: 0.09 (25 °C)

Auto-ignition temperature : not determined

Decomposition

Viscosity

Viscosity, dynamic : Not applicable

Viscosity, kinematic : Not applicable

Explosive properties : Not explosive

Avoid dust formation.

Oxidizing properties : The substance or mixture is classified as oxidizing with the

category 3.

9.2 Other information

Self-Accelerating decomposi-

tion temperature (SADT)

60 °C

Method: UN-Test H.4

SADT-Self Accelerating Decomposition Temperature. Lowest temperature at which the tested package size will undergo a

self-accelerating decomposition reaction.

Self-heating substances : The substance or mixture is not classified as self heating.

Particle size : not determined

Particle Size Distribution : $D10 = 171 \mu m$

Type of distribution: volume distribution Measurement technique: laser diffraction

Self-ignition : The substance or mixture is not classified as pyrophoric.

CP



 Version
 Revision Date:
 SDS Number:
 Date of last issue: 13.07.2023

 1.4
 13.07.2023
 600000000018
 Date of first issue: 07.10.2022

SECTION 10: Stability and reactivity

10.1 Reactivity

Stable under recommended storage conditions.

10.2 Chemical stability

Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions

Hazardous reactions : Dust may form explosive mixture in air.

10.4 Conditions to avoid

Conditions to avoid : No data available

10.5 Incompatible materials

Materials to avoid : Accelerators, strong acids and bases, heavy metals and

heavy metal salts, reducing agents

10.6 Hazardous decomposition products

Irritant, caustic, flammable, noxious/toxic gases and vapours can develop in the case of fire and decomposition

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Not classified based on available information.

Product:

Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg

Method: OECD Test Guideline 423

Assessment: The substance or mixture has no acute oral tox-

ıcıty

Remarks: Not classified due to data which are conclusive

although insufficient for classification.

Acute inhalation toxicity : Remarks: No data available

study scientifically unjustified

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg

Method: Expert judgement

Assessment: The substance or mixture has no acute dermal

toxicity

Remarks: Not classified due to data which are conclusive

although insufficient for classification. Based on data from similar materials

CP



 Version
 Revision Date:
 SDS Number:
 Date of last issue: 13.07.2023

 1.4
 13.07.2023
 600000000018
 Date of first issue: 07.10.2022

Components:

hydrogen peroxide--urea:

Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg

Method: OECD Test Guideline 423

Assessment: The substance or mixture has no acute oral tox-

icity

Remarks: Not classified due to data which are conclusive

although insufficient for classification.

Acute inhalation toxicity : Remarks: No data available

study scientifically unjustified

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg

Method: Expert judgement

Assessment: The substance or mixture has no acute dermal

toxicity

Remarks: Not classified due to data which are conclusive

although insufficient for classification. Based on data from similar materials

Skin corrosion/irritation

Causes skin irritation.

Product:

Species : reconstructed human epidermis (RhE)

Method : OECD Test Guideline 439

Result : Skin irritation

Remarks : May cause skin irritation in susceptible persons.

Components:

hydrogen peroxide--urea:

Species : reconstructed human epidermis (RhE)

Method : OECD Test Guideline 439

Result : Skin irritation

Serious eye damage/eye irritation

Causes serious eye damage.

Product:

Species : Bovine cornea

Method : OECD Test Guideline 437
Result : Risk of serious damage to eyes.

Remarks : May cause irreversible eye damage.

CP



 Version
 Revision Date:
 SDS Number:
 Date of last issue: 13.07.2023

 1.4
 13.07.2023
 600000000018
 Date of first issue: 07.10.2022

Components:

hydrogen peroxide--urea:

Species : Bovine cornea

Method : OECD Test Guideline 437
Result : Risk of serious damage to eyes.

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Product:

Exposure routes : Skin contact

Result : Does not cause skin sensitisation.

Remarks : Based on available data, the classification criteria are not met.

Components:

hydrogen peroxide--urea:

Exposure routes : Skin contact

Result : Does not cause skin sensitisation.

Remarks : Based on available data, the classification criteria are not met.

Germ cell mutagenicity

Not classified based on available information.

Product:

Genotoxicity in vitro : Test Type: Ames test

Result: positive

Genotoxicity in vivo : Test Type: in vivo assay

Result: negative

Remarks: In vivo tests did not show mutagenic effects

Components:

hydrogen peroxide--urea:

Genotoxicity in vitro : Test Type: Ames test

Result: positive

Genotoxicity in vivo : Test Type: in vivo assay

Result: negative

Remarks: In vivo tests did not show mutagenic effects

CP



 Version
 Revision Date:
 SDS Number:
 Date of last issue: 13.07.2023

 1.4
 13.07.2023
 600000000018
 Date of first issue: 07.10.2022

Carcinogenicity

Not classified based on available information.

Product:

Remarks : This information is not available.

Components:

hydrogen peroxide--urea:

Remarks : This information is not available.

Reproductive toxicity

Not classified based on available information.

Components:

hydrogen peroxide--urea:

Effects on fertility : Remarks: No data available

Effects on foetal develop: : Remarks: No data available

ment

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

Not classified based on available information.

Repeated dose toxicity

Product:

Species : Mouse NOAEL : 71.8 mg/kg

Application Route : Oral

Species : Rat

NOAEL : 338.4 mg/kg Application Route : Skin contact

Components:

hydrogen peroxide--urea:

Species : Mouse NOAEL : 71.8 mg/kg

Application Route : Oral

Species : Rat

NOAEL : 338.4 mg/kg Application Route : Skin contact

CP



 Version
 Revision Date:
 SDS Number:
 Date of last issue: 13.07.2023

 1.4
 13.07.2023
 600000000018
 Date of first issue: 07.10.2022

Aspiration toxicity

Not classified based on available information.

Product:

No data available

Components:

hydrogen peroxide--urea:

No data available

Further information

Product:

Remarks : No data available

SECTION 12: Ecological information

12.1 Toxicity

Product:

Toxicity to fish : LC50 : 37.4 mg/l

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia (water flea)): 5.6 mg/l

Exposure time: 48 h

Toxicity to algae/aquatic

plants

NOEC (algae): 6.8 mg/l Exposure time: 72 h

Toxicity to microorganisms : EC10 : 11 mg/l

End point: Growth rate Exposure time: 18 h

Components:

hydrogen peroxide--urea:

Toxicity to fish : LC50 : 37.4 mg/l

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia (water flea)): 5.6 mg/l

Exposure time: 48 h

Toxicity to algae/aquatic

plants

NOEC (algae): 6.8 mg/l Exposure time: 72 h

CP



 Version
 Revision Date:
 SDS Number:
 Date of last issue: 13.07.2023

 1.4
 13.07.2023
 600000000018
 Date of first issue: 07.10.2022

Toxicity to microorganisms : EC10 : 11 mg/l

End point: Growth rate Exposure time: 18 h

12.2 Persistence and degradability

Product:

Biodegradability : Result: Readily biodegradable.

Components:

hydrogen peroxide--urea:

Biodegradability : Result: Readily biodegradable.

12.3 Bioaccumulative potential

Components:

hydrogen peroxide--urea:

Partition coefficient: n-

octanol/water

: log Pow: 0.09 (25 °C)

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment : This substance/mixture contains no components considered

to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (VPVB) at levels of

0.1% or higher.

12.6 Other adverse effects

Product:

Endocrine disrupting poten-

tial

The substance/mixture does not contain components considered to have endocrine disrupting properties according to

REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at

levels of 0.1% or higher.

Additional ecological infor-

mation

: An environmental hazard cannot be excluded in the event of

unprofessional handling or disposal.

Toxic to aquatic life.

CP



 Version
 Revision Date:
 SDS Number:
 Date of last issue: 13.07.2023

 1.4
 13.07.2023
 600000000018
 Date of first issue: 07.10.2022

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product : The product should not be allowed to enter drains, water

courses or the soil.

Do not contaminate ponds, waterways or ditches with chemi-

cal or used container.

Dispose of wastes in an approved waste disposal facility.

Contaminated packaging : Empty remaining contents.

Dispose of as unused product. Do not re-use empty containers.

Do not burn, or use a cutting torch on, the empty drum.

Dispose of in accordance with local regulations.

SECTION 14: Transport information

14.1 UN number

ADR : UN 1511
RID : UN 1511
IMDG : UN 1511
IATA : UN 1511

14.2 UN proper shipping name

ADR : UREA HYDROGEN PEROXIDE

RID : UREA HYDROGEN PEROXIDE

IMDG : UREA HYDROGEN PEROXIDE

IATA : Urea hydrogen peroxide

14.3 Transport hazard class(es)

ADR : 5.1

RID : 5.1

IMDG : 5.1

IATA : 5.1

14.4 Packing group

ADR

Packing group : III
Classification Code : OC2
Hazard Identification Number : 58
Labels : 5.1 (8)
Tunnel restriction code : (E)



 Version
 Revision Date:
 SDS Number:
 Date of last issue: 13.07.2023

 1.4
 13.07.2023
 600000000018
 Date of first issue: 07.10.2022

RID

Packing group : III
Classification Code : OC2
Hazard Identification Number : 58
Labels : 5.1 (8)

IMDG

Packing group : III
Labels : 5.1 (8)
EmS Code : F-A, S-Q

IATA (Cargo)

Packing instruction (cargo : 563

aircraft)

Packing instruction (LQ) : Y545
Packing group : III

Labels : Oxidizer, Corrosive

IATA (Passenger)

Packing instruction (passen: 559

ger aircraft)

Packing instruction (LQ) : Y545
Packing group : III

Labels : Oxidizer, Corrosive

14.5 Environmental hazards

ADR

Environmentally hazardous : no

RID

Environmentally hazardous : no

IMDG

Marine pollutant : no

14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Relevant EU provisions transposed through retained EU law

Regulation (EC) No 1005/2009 on substances that de- : Not applicable

plete the ozone layer

CP



 Version
 Revision Date:
 SDS Number:
 Date of last issue: 13.07.2023

 1.4
 13.07.2023
 600000000018
 Date of first issue: 07.10.2022

Regulation (EU) 2019/1148 on the marketing and use of : hydrogen peroxide

explosives precursors

UK REACH List of substances subject to authorisation : Not applicable

(Annex XIV)

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of

major-accident hazards involving dangerous substances.

Quantity 1 Quantity 2

P8 OXIDIZING LIQUIDS AND 50 t 200 t

SOLIDS

The components of this product are reported in the following inventories:

TCSI (TW) : On the inventory, or in compliance with the inventory

TSCA (US) : All substances listed as active on the TSCA inventory

AllC (AU) : On the inventory, or in compliance with the inventory

DSL (CA) : This product contains the following components listed on the

Canadian NDSL. All other components are on the Canadian

DSL.

hydrogen peroxide--urea

KECI (KR) : On the inventory, or in compliance with the inventory

PICCS (PH) : On the inventory, or in compliance with the inventory

IECSC (CN) : On the inventory, or in compliance with the inventory

NZIoC (NZ) : On the inventory, or in compliance with the inventory

15.2 Chemical safety assessment

A Chemical Safety Assessment has been carried out for this substance.

SECTION 16: Other information

Further information

Other information : This safety datasheet only contains information relating to

safety and does not replace any product information or prod-

uct specification.

These safety instructions also apply to empty packaging which

may still contain product residues.



 Version
 Revision Date:
 SDS Number:
 Date of last issue: 13.07.2023

 1.4
 13.07.2023
 600000000018
 Date of first issue: 07.10.2022

Sources of key data used to compile the Safety Data Sheet

Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, http://echa.europa.eu/

Full text of other abbreviations

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA -European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of very high concern; TCSI - Taiwan Chemical Substance Inventory; TECI -Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

GB / EN

CP



 Version
 Revision Date:
 SDS Number:
 Date of last issue: 13.07.2023

 1.4
 13.07.2023
 600000000018
 Date of first issue: 07.10.2022