according to the OSHA Hazard Communication Standard



# **CUROX®BRK-A08**

Version Revision Date: SDS Number: Date of last issue: 06/11/2024 5.0 06/14/2024 600000000286 Date of first issue: 01/16/2017

#### **SECTION 1. IDENTIFICATION**

Trade name : CUROX®BRK-A08

Manufacturer or supplier's details

Company name of supplier : United Initiators, Inc.

Address : 555 Garden Street

Elyria OH 44035 USA

Telephone : +1-440-323-3112

Telefax : +1-440-323-2659

Emergency telephone : CHEMTREC US (24h): +1-800-424-9300

CHEMTREC WORLD (24h): +1-703-527-3887

E-mail address of person responsible for the SDS

person : cs-initiators.nafta@united-in.com

Recommended use of the chemical and restrictions on use

Recommended use : Oxidizing agents

#### SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Oxidizing solids : Category 3

Combustible dust

Acute toxicity (Oral) : Category 4

Skin irritation : Category 2

Eye irritation : Category 2A

Respiratory sensitization : Category 1

Skin sensitization : Category 1

Specific target organ toxicity : Category 3 (Respiratory system)

- single exposure

#### **GHS** label elements

according to the OSHA Hazard Communication Standard



# CUROX®BRK-A08

Version Revision Date: SDS Number: Date of last issue: 06/11/2024 5.0 06/14/2024 600000000286 Date of first issue: 01/16/2017

Hazard pictograms :







Signal Word : Danger

Hazard Statements : H272 May intensify fire; oxidizer.

If small particles are generated during further processing, handling or by other means, may form combustible dust

concentrations in air. H302 Harmful if swallowed. H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

H334 May cause allergy or asthma symptoms or breathing

difficulties if inhaled.

H335 May cause respiratory irritation.

Precautionary Statements

# Prevention:

P210 Keep away from heat.

P220 Keep/Store away from clothing/ combustible materials.

P221 Take any precaution to avoid mixing with combustibles.

P261 Avoid breathing dust.

P264 Wash skin thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P271 Use only outdoors or in a well-ventilated area.

P272 Contaminated work clothing must not be allowed out of

the workplace.

P280 Wear protective gloves/ eye protection/ face protection. P285 In case of inadequate ventilation wear respiratory protection.

#### Response:

P301 + P312 + P330 IF SWALLOWED: Call a POISON

CENTER/ doctor if you feel unwell. Rinse mouth.

P302 + P352 IF ON SKIN: Wash with plenty of soap and water. P304 + P340 + P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/

doctor if you feel unwell.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P333 + P313 If skin irritation or rash occurs: Get medical advice/attention.

P337 + P313 If eye irritation persists: Get medical advice/ attention

P342 + P311 If experiencing respiratory symptoms: Call a

POISON CENTER/ doctor.
P362 Take off contaminated clothing and wash before reuse.
P370 + P378 In case of fire: Use water spray to extinguish.

according to the OSHA Hazard Communication Standard



# CUROX®BRK-A08

Version Revision Date: SDS Number: Date of last issue: 06/11/2024 5.0 06/14/2024 600000000286 Date of first issue: 01/16/2017

Storage:

P403 + P233 Store in a well-ventilated place. Keep container

tightly closed.

P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved waste dis-

posal plant.

Other hazards

None known.

#### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Chemical nature : Persulphate

Formulated product

#### Components

Chemical name	CAS-No.	Concentration (% w/w)
Ammonium persulphate	7727-54-0	>= 80 - < 90

Actual concentration is withheld as a trade secret

### **SECTION 4. FIRST AID MEASURES**

General advice : Take off contaminated clothing and shoes immediately.

Call a physician immediately.

Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and seek medical

advice.

Move out of dangerous area.

Show this material safety data sheet to the doctor in

attendance.

Do not leave the victim unattended.

Symptoms of poisoning may appear several hours later.

If inhaled : Administer oxygen if breathing is difficult or cyanosis is

observed.

If breathed in, move person into fresh air. If not breathing, give artificial respiration.

Call a physician or poison control center immediately.

according to the OSHA Hazard Communication Standard



# CUROX®BRK-A08

Version Revision Date: SDS Number: Date of last issue: 06/11/2024 5.0 06/14/2024 600000000286 Date of first issue: 01/16/2017

If unconscious, place in recovery position and seek medical

advice.

Keep respiratory tract clear.

In case of skin contact : If symptoms persist, call a physician.

In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing

and shoes.

Wash contaminated clothing before re-use.

If on skin, rinse well with water. If on clothes, remove clothes.

In case of eye contact : Small amounts splashed into eyes can cause irreversible

tissue damage and blindness.

In the case of contact with eyes, rinse immediately with plenty

of water and seek medical advice.

Remove contact lenses. Protect unharmed eye.

Keep eye wide open while rinsing.

If eye irritation persists, consult a specialist.

If swallowed : Call a physician immediately.

Rinse mouth thoroughly with water.

Keep respiratory tract clear.

If symptoms persist, call a physician.

Most important symptoms and effects, both acute and

and effects, bo

Harmful if swallowed.
Causes skin irritation.

May cause an allergic skin reaction.

Causes serious eye irritation.

May cause allergy or asthma symptoms or breathing difficul-

ties if inhaled.

May cause respiratory irritation.

sensitizing effects

Protection of first-aiders : First Aid responders should pay attention to self-protection

and use the recommended protective clothing

Notes to physician : Treat symptomatically and supportively.

# **SECTION 5. FIRE-FIGHTING MEASURES**

Suitable extinguishing media : Foam

Water spray jet

Unsuitable extinguishing

media

High volume water jet

Specific hazards during fire

fighting

Contact with incompatible materials or exposure to temperatures exceeding SADT may result in a self-

accelerating decomposition reaction with release of flammable

according to the OSHA Hazard Communication Standard



# CUROX®BRK-A08

Version Revision Date: SDS Number: Date of last issue: 06/11/2024 5.0 06/14/2024 600000000286 Date of first issue: 01/16/2017

vapors which may auto-ignite.

Do not allow run-off from fire fighting to enter drains or water

courses.

Cool closed containers exposed to fire with water spray.

Specific extinguishing meth-

ods

Do not use a solid water stream as it may scatter and spread

fire

Remove undamaged containers from fire area if it is safe to do

SO.

Use water spray to cool unopened containers.

Suppress (knock down) gases/vapors/mists with a water spray

iet.

Further information : Use extinguishing measures that are appropriate to local

circumstances and the surrounding environment. Use a water spray to cool fully closed containers.

Collect contaminated fire extinguishing water separately. This

must not be discharged into drains.

Fire residues and contaminated fire extinguishing water must

be disposed of in accordance with local regulations.

Special protective equipment :

for fire-fighters

Wear self-contained breathing apparatus for firefighting if

necessary.

Use personal protective equipment.

#### **SECTION 6. ACCIDENTAL RELEASE MEASURES**

Personal precautions, protective equipment and emer-

gency procedures

Follow safe handling advice and personal protective

equipment recommendations.

Use personal protective equipment.

Avoid dust formation. Avoid breathing dust. Ensure adequate ventilation. Remove all sources of ignition.

Never return spills in original containers for re-use.

Treat recovered material as described in the section "Disposal

considerations".

Environmental precautions : Prevent product from entering drains.

Prevent further leakage or spillage if safe to do so.

If the product contaminates rivers and lakes or drains inform

respective authorities.

Methods and materials for containment and cleaning up

Contact with incompatible materials or exposure to temperatures exceeding SADT may result in a self-

accelerating decomposition reaction with release of flammable

vapors which may auto-ignite.

Clear spills immediately.

Suppress (knock down) gases/vapors/mists with a water spray

according to the OSHA Hazard Communication Standard



# CUROX®BRK-A08

Version Revision Date: SDS Number: Date of last issue: 06/11/2024 5.0 06/14/2024 600000000286 Date of first issue: 01/16/2017

jet.

To clean the floor and all objects contaminated by this

material, use plenty of water.

Soak up with inert absorbent material. Isolate waste and do not reuse. Non-sparking tools should be used.

Local or national regulations may apply to releases and disposal of this material, as well as those materials and items

employed in the cleanup of releases. You will need to

determine which regulations are applicable.

#### **SECTION 7. HANDLING AND STORAGE**

Technical measures : See Engineering measures under EXPOSURE

CONTROLS/PERSONAL PROTECTION section.

Advice on protection against

fire and explosion

Keep away from combustible material.

Avoid dust formation.

Provide appropriate exhaust ventilation at places where dust

is formed.

Advice on safe handling : Avoid formation of respirable particles.

Protect from contamination.

Protect from moisture.

Do not swallow.

Do not breathe vapors/dust.

Avoid exposure - obtain special instructions before use.

Avoid contact with skin and eyes.

Take precautionary measures against static discharges. Never return any product to the container from which it was

originally removed.

Provide sufficient air exchange and/or exhaust in work rooms.

Avoid confinement.

Keep away from heat, hot surfaces, sparks, open flames and

other ignition sources. No smoking.

Smoking, eating and drinking should be prohibited in the

application area.

Wash thoroughly after handling.

For personal protection see section 8.

Persons susceptible to skin sensitization problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being

used.

Conditions for safe storage : Store in original container.

Keep containers tightly closed in a cool, well-ventilated place.

Keep in a dry place.

Observe label precautions.

Store in accordance with the particular national regulations. Avoid impurities (e.g. rust, dust, ash), risk of decomposition.

according to the OSHA Hazard Communication Standard



# **CUROX®BRK-A08**

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 06/11/2024

 5.0
 06/14/2024
 600000000286
 Date of first issue: 01/16/2017

Electrical installations / working materials must comply with

the technological safety standards.

Containers which are opened must be carefully resealed and

kept upright to prevent leakage.

Materials to avoid : Never allow product to get in contact with water during

storage.

Keep away from combustible materials.

Keep away from strong acids, bases, heavy metal salts and

other reducing substances.

Recommended storage tem-

perature

< 86 °F

< 30 °C

Further information on stor-

age stability

Stable under recommended storage conditions.

#### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Ammonium persulphate	7727-54-0	TWA	0.1 mg/m3 (Persulphate)	ACGIH

**Engineering measures** : Minimize workplace exposure concentrations.

Personal protective equipment

Respiratory protection : In the case of dust or aerosol formation use respirator with an

approved filter.

Filter type : Filter type P

Use NIOSH approved respiratory protection.

Hand protection

Material : butyl-rubber
Break through time : 480 min
Glove thickness : 0.47 mm

Material : Nitrile rubber Break through time : 480 min Glove thickness : 0.40 mm

according to the OSHA Hazard Communication Standard



# CUROX®BRK-A08

Version Revision Date: SDS Number: Date of last issue: 06/11/2024 5.0 06/14/2024 600000000286 Date of first issue: 01/16/2017

Remarks : The data about break through time/strength of material are

standard values! The exact break through time/strength of material has to be obtained from the producer of the protective glove. Choose gloves to protect hands against chemicals depending on the concentration and quantity of the

hazardous substance and specific to place of work. For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer. Wash hands before

breaks and at the end of workday.

Eye protection : Ensure that eyewash stations and safety showers are close

to the workstation location.

Please follow all applicable local/national requirements when selecting protective measures for a specific workplace. Always wear eye protection when the potential for inadvertent

eye contact with the product cannot be excluded.

Tightly fitting safety goggles

Please wear suitable protective goggles. Also wear face

protection if there is a splash hazard.

Skin and body protection : Select appropriate protective clothing based on chemical

resistance data and an assessment of the local exposure

potential.

Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets,

disposable suits) to avoid exposed skin surfaces.

Wear as appropriate:

Flame retardant antistatic protective clothing.

Protective measures : The type of protective equipment must be selected according

to the concentration and amount of the dangerous substance

at the specific workplace.

Hygiene measures : Avoid contact with skin, eyes and clothing.

Keep away from food and drink. When using do not eat or drink. When using do not smoke.

Wash hands before breaks and immediately after handling

the product.

#### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : granular

according to the OSHA Hazard Communication Standard



# CUROX®BRK-A08

Version Revision Date: SDS Number: Date of last issue: 06/11/2024 5.0 06/14/2024 600000000286 Date of first issue: 01/16/2017

Color : light yellow

Odor : not significant

Odor Threshold : not determined

pH : 4

Concentration: ca. 10 g/l

Melting point/range : Decomposes before melting.

Boiling point/boiling range : Not applicable

Flash point : Not applicable

Evaporation rate : No data available

Flammability (solid, gas) : May form combustible dust concentrations in air during

processing, handling or other means., May form combustible

dust concentrations in air.

Self-ignition : The substance or mixture is not classified as pyrophoric.

Upper explosion limit / Upper

flammability limit

Upper explosion limit

No data available

Lower explosion limit / Lower

flammability limit

Lower explosion limit

No data available

Vapor pressure : Not applicable

Relative vapor density : not determined

Relative density : not determined

Density : ca. 1.8 g/cm3

Bulk density : No data available

Solubility(ies)

Water solubility : partly soluble

Partition coefficient: n-

octanol/water

Not applicable

Autoignition temperature : Not applicable

according to the OSHA Hazard Communication Standard



# **CUROX®BRK-A08**

Version Revision Date: SDS Number: Date of last issue: 06/11/2024 5.0 06/14/2024 600000000286 Date of first issue: 01/16/2017

Viscosity

Viscosity, dynamic : Not applicable

Viscosity, kinematic : Not applicable

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is classified as oxidizing with the

category 3.

Self-heating substances : The substance or mixture is not classified as self heating.

Particle size : not determined

#### **SECTION 10. STABILITY AND REACTIVITY**

Reactivity : Stable under recommended storage conditions.

May intensify fire; oxidizer.

Chemical stability : Stable under recommended storage conditions.

No decomposition if stored normally.

Possibility of hazardous reac-

tions

Avoid moisture.

Conditions to avoid : Protect from contamination.

Protect from moisture.

Incompatible materials : Accelerators, strong acids and bases, heavy metals and

heavy metal salts, reducing agents

Impurities

Hazardous decomposition

products

: Irritant, caustic, flammable, noxious/toxic gases and vapours

can develop in the case of fire and decomposition

# **SECTION 11. TOXICOLOGICAL INFORMATION**

# Acute toxicity

Harmful if swallowed.

**Product:** 

Acute oral toxicity : Acute toxicity estimate: 824.54 mg/kg

according to the OSHA Hazard Communication Standard



# **CUROX®BRK-A08**

Version Revision Date: SDS Number: Date of last issue: 06/11/2024 5.0 06/14/2024 600000000286 Date of first issue: 01/16/2017

Method: Calculation method

**Components:** 

Ammonium persulphate:

Acute oral toxicity : LD50 (Rat, male): 742 mg/kg

Method: OECD Test Guideline 401

Assessment: The component/mixture is moderately toxic after

single ingestion.

Remarks: Based on test data

Acute inhalation toxicity : LC50 (Rat): > 5.1 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Method: OECD Test Guideline 403

Assessment: The substance or mixture has no acute inhala-

tion toxicity

Remarks: Expert judgment

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg

Assessment: The substance or mixture has no acute dermal

toxicity

Remarks: Expert judgment

Skin corrosion/irritation

Causes skin irritation.

**Product:** 

Remarks : May cause skin irritation in susceptible persons.

**Components:** 

Ammonium persulphate:

Species : Rabbit

Method : OECD Test Guideline 404

Result : Skin irritation

Serious eye damage/eye irritation

Causes serious eye irritation.

**Product:** 

Remarks : May cause irreversible eye damage.

**Components:** 

Ammonium persulphate:

Species : Rabbit

Result : Irritating to eyes.

Method : OECD Test Guideline 405

according to the OSHA Hazard Communication Standard



# **CUROX®BRK-A08**

Version Revision Date: SDS Number: Date of last issue: 06/11/2024 5.0 06/14/2024 600000000286 Date of first issue: 01/16/2017

#### Respiratory or skin sensitization

#### Skin sensitization

May cause an allergic skin reaction.

#### Respiratory sensitization

May cause allergy or asthma symptoms or breathing difficulties if inhaled.

**Product:** 

Remarks : Causes sensitization.

## **Components:**

# Ammonium persulphate:

Routes of exposure : Skin contact Species : Guinea pig

Method : OECD Test Guideline 406

Result : May cause sensitization by skin contact.

Routes of exposure : inhalation (dust/mist/fume)

Result : May cause sensitization by inhalation.

# Germ cell mutagenicity

Not classified due to lack of data.

#### Components:

### Ammonium persulphate:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Genotoxicity in vivo : Species: Mouse

Application Route: Intraperitoneal Method: OECD Test Guideline 474

Result: negative

# Carcinogenicity

Not classified due to lack of data.

#### Components:

### Ammonium persulphate:

Species : Mouse
Application Route : Skin contact
Exposure time : 52 weeks

Method : OECD Test Guideline 451

Result : negative

IARC No ingredient of this product present at levels greater than or equal to 0.1% is

according to the OSHA Hazard Communication Standard



# **CUROX®BRK-A08**

Version Revision Date: SDS Number: Date of last issue: 06/11/2024 5.0 06/14/2024 600000000286 Date of first issue: 01/16/2017

identified as probable, possible or confirmed human carcinogen by IARC.

OSHA No component of this product present at levels greater than or equal to 0.1% is

on OSHA's list of regulated carcinogens.

NTP No ingredient of this product present at levels greater than or equal to 0.1% is

identified as a known or anticipated carcinogen by NTP.

#### Reproductive toxicity

Not classified due to lack of data.

### **Components:**

## Ammonium persulphate:

Effects on fertility : Species: Rat

Application Route: Ingestion

General Toxicity Parent: NOAEL: >= 250 mg/kg body weight General Toxicity F1: NOAEL: >= 250 mg/kg body weight

Method: OECD Test Guideline 421

# STOT-single exposure

May cause respiratory irritation.

# **Components:**

# Ammonium persulphate:

Assessment : May cause respiratory irritation.

### STOT-repeated exposure

Not classified due to lack of data.

### **Components:**

## Ammonium persulphate:

Assessment : The substance or mixture is not classified as specific target

organ toxicant, repeated exposure.

# Repeated dose toxicity

## **Components:**

## Ammonium persulphate:

Species : Rat

NOAEL : 1,000 mg/kg LOAEL : 3,000 mg/kg Application Route : Ingestion

Exposure time : 90 d

Method : OECD Test Guideline 408

Species : Rat

according to the OSHA Hazard Communication Standard



# **CUROX®BRK-A08**

Version Revision Date: SDS Number: Date of last issue: 06/11/2024 5.0 06/14/2024 600000000286 Date of first issue: 01/16/2017

NOAEL : 41.1 mg/kg Application Route : oral (feed) Exposure time : 28 d

Method : OECD Test Guideline 407

Species : Rat

NOAEL : 0.0103 mg/l

Application Route : inhalation (dust/mist/fume)
Method : OECD Test Guideline 413

Species : Rat

0.005 mg/l

Application Route : inhalation (dust/mist/fume)
Method : OECD Test Guideline 413

Aspiration toxicity

Not classified due to lack of data.

**Further information** 

**Product:** 

Remarks : No data available

#### **SECTION 12. ECOLOGICAL INFORMATION**

#### **Ecotoxicity**

# **Components:**

Ammonium persulphate:

Toxicity to fish : LC50 (Scophthalmus maximus (turbot)): 107.6 mg/l

Exposure time: 96 h

Method: OECD Test Guideline 203

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 120 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

Toxicity to algae/aquatic

plants

EC50 (Phaeodactylum): 320 mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

NOEC (Phaeodactylum): 32 mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

Toxicity to microorganisms : EC10 (Pseudomonas putida): 36 mg/l

Exposure time: 18 h

according to the OSHA Hazard Communication Standard



# **CUROX®BRK-A08**

Version Revision Date: SDS Number: Date of last issue: 06/11/2024 5.0 06/14/2024 600000000286 Date of first issue: 01/16/2017

# Persistence and degradability

### **Components:**

### Ammonium persulphate:

Biodegradability : Remarks: The methods for determining biodegradability are

not applicable to inorganic substances.

## Bioaccumulative potential

# **Components:**

# Ammonium persulphate:

Partition coefficient: n-

octanol/water

: Remarks: Not applicable

# Mobility in soil

No data available

### Other adverse effects

## **Product:**

Ozone-Depletion Potential : Regulation: 40 CFR Protection of Environment; Part 82 Pro-

tection of Stratospheric Ozone - CAA Section 602 Class I

Substances

Remarks: This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

Additional ecological infor-

mation

No data available

### **SECTION 13. DISPOSAL CONSIDERATIONS**

# Disposal methods

Waste from residues : Dispose of wastes in an approved waste disposal facility.

The product should not be allowed to enter drains, water

courses or the soil.

Do not contaminate ponds, waterways or ditches with

chemical or used container.

Contaminated packaging : Dispose of in accordance with local regulations.

Clean container with water.

Dispose of contents/ container to an approved waste disposal

plant.

Empty remaining contents.

Dispose of as unused product.

Do not re-use empty containers.

according to the OSHA Hazard Communication Standard



# **CUROX®BRK-A08**

Version Revision Date: SDS Number: Date of last issue: 06/11/2024 60000000286 Date of first issue: 01/16/2017 5.0 06/14/2024

Do not burn, or use a cutting torch on, the empty drum.

#### **SECTION 14. TRANSPORT INFORMATION**

#### International Regulations

**UNRTDG** 

UN 1444 **UN** number

Proper shipping name AMMONIUM PERSULPHATE

Class 5.1 Packing group Ш 5.1 Labels Environmentally hazardous no

**IATA-DGR** 

UN/ID No. UN 1444

Proper shipping name Ammonium persulphate

Class 5.1 Packing group Ш Oxidizer Labels 563 Packing instruction (cargo

aircraft)

Packing instruction (passen-559

ger aircraft)

**IMDG-Code** 

**UN** number UN 1444

Proper shipping name AMMONIUM PERSULPHATE

Class 5.1 Packing group Ш Labels 5.1 F-A, S-Q EmS Code

Marine pollutant

#### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

# Domestic regulation

**49 CFR** 

UN 1444 UN/ID/NA number

Proper shipping name Ammonium persulfate

Class 5.1 Ш Packing group

**OXIDIZE R** Labels **ERG Code** 140 Marine pollutant no

# Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data

according to the OSHA Hazard Communication Standard



# CUROX®BRK-A08

Version Revision Date: SDS Number: Date of last issue: 06/11/2024 5.0 06/14/2024 600000000286 Date of first issue: 01/16/2017

Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

## **SECTION 15. REGULATORY INFORMATION**

#### **CERCLA Reportable Quantity**

This material does not contain any components with a CERCLA RQ.

#### SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

#### SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards : Oxidizer (liquid, solid or gas)

Combustible dust

Acute toxicity (any route of exposure) Respiratory or skin sensitization

Skin corrosion or irritation

Serious eye damage or eye irritation

Specific target organ toxicity (single or repeated exposure)

SARA 313 : This material does not contain any chemical components with

known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

# Clean Air Act

This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 112 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 111 SOCMI Intermediate or Final VOC's (40 CFR 60.489).

#### **Clean Water Act**

This product does not contain any Hazardous Substances listed under the U.S. CleanWater Act, Section 311, Table 116.4A.

This product does not contain any Hazardous Chemicals listed under the U.S. CleanWater Act, Section 311, Table 117.3.

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307

This product does not contain any priority pollutants related to the U.S. Clean Water Act

#### California Prop. 65

This product does not contain any chemicals known to the State of California to cause cancer, birth, or any other reproductive defects.

according to the OSHA Hazard Communication Standard



# CUROX®BRK-A08

Version Revision Date: SDS Number: Date of last issue: 06/11/2024 5.0 06/14/2024 60000000286 Date of first issue: 01/16/2017

#### International Regulations

#### The ingredients of this product are reported in the following inventories:

TCSI (TW) On the inventory, or in compliance with the inventory

TSCA (US) All substances listed as active on the TSCA inventory

AIIC (AU) All components are listed on the inventory, regulatory

obligations/restrictions apply

DSL (CA) All components of this product are on the Canadian DSL

ENCS (JP) On the inventory, or in compliance with the inventory

ISHL (JP) On the inventory, or in compliance with the inventory

KECI (KR) On the inventory, or in compliance with the inventory

PICCS (PH) On the inventory, or in compliance with the inventory

IECSC (CN) On the inventory, or in compliance with the inventory

#### **TSCA list**

No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

# **SECTION 16. OTHER INFORMATION**

# **Further information**

This material safety datasheet only contains information relating to safety and does not replace any product information or product specification.

These safety instructions also apply to empty packaging which may still contain product residues. The hazards on the label also apply to residues in the container.

Sources of key data used to compile the Material Safety

Data Sheet

eChem Portal search results and European Chemicals Agency, http://echa.europa.eu/

Internal technical data, data from raw material SDSs, OECD

Revision Date 06/14/2024

# Full text of other abbreviations

**ACGIH** USA. ACGIH Threshold Limit Values (TLV)

according to the OSHA Hazard Communication Standard



# CUROX®BRK-A08

Version Revision Date: SDS Number: Date of last issue: 06/11/2024 5.0 06/14/2024 600000000286 Date of first issue: 01/16/2017

ACGIH / TWA : 8-hour, time-weighted average

AllC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC -International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

US / Z8