

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



CUROX[®] BRK-A12

| | | | |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 2022/06/02 |
| 1.5 | 2024/06/14 | 600000000050 | Date of first issue: 2019/08/08 |

1. PRODUCT AND COMPANY IDENTIFICATION

Product name : CUROX[®] BRK-A12

Chemical nature : Persulphate
Formulated product

Manufacturer or supplier's details

Company : United Initiators (Shanghai) Co., Ltd

Address : Room 501, Bldg. 1, No. 1 Shangda Road
Shanghai, China, 200444

Telephone : +86 21 61172758

Emergency telephone number : +86 21 61172758

E-mail address : cs-initiators.cn@united-in.com

Recommended use of the chemical and restrictions on use

Recommended use : Oxidizing agents

2. HAZARDS IDENTIFICATION

Emergency Overview

| | |
|-------------------|-------------------|
| Appearance | : granular |
| Colour | : light yellow |
| Odour | : not significant |

May intensify fire; oxidizer. Harmful if swallowed. Causes skin irritation. May cause an allergic skin reaction. Causes serious eye irritation. May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause respiratory irritation.

GHS Classification

Oxidizing solids : Category 3

Acute toxicity (Oral) : Category 4

Skin corrosion/irritation : Category 2

Serious eye damage/eye irritation : Category 2A

Respiratory sensitisation : Category 1

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



CUROX® BRK-A12

| | | | |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 2022/06/02 |
| 1.5 | 2024/06/14 | 600000000050 | Date of first issue: 2019/08/08 |

Skin sensitisation : Category 1

Specific target organ toxicity - single exposure : Category 3 (respiratory tract irritation)

GHS label elements

Hazard pictograms : 

Signal word : Danger

Hazard statements : H272 May intensify fire; oxidizer.
H302 Harmful if swallowed.
H315 Causes skin irritation.
H317 May cause an allergic skin reaction.
H319 Causes serious eye irritation.
H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.
H335 May cause respiratory irritation.

Precautionary statements : **Prevention:**
P210 Keep away from heat.
P220 Keep/ Store away from clothing/ combustible materials.
P221 Take any precaution to avoid mixing with combustibles.
P261 Avoid breathing dust.
P264 Wash skin thoroughly after handling.
P270 Do not eat, drink or smoke when using this product.
P271 Use only outdoors or in a well-ventilated area.
P272 Contaminated work clothing should not be allowed out of the workplace.
P280 Wear protective gloves/ eye protection/ face protection.
P284 Wear respiratory protection.

Response:
P301 + P312 + P330 IF SWALLOWED: Call a POISON CENTER/ doctor if you feel unwell. Rinse mouth.
P302 + P352 IF ON SKIN: Wash with plenty of water.
P304 + P340 + P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/ doctor if you feel unwell.
P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.
P337 + P313 If eye irritation persists: Get medical advice/ attention.

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



CUROX® BRK-A12

| | | | |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 2022/06/02 |
| 1.5 | 2024/06/14 | 600000000050 | Date of first issue: 2019/08/08 |

P342 + P311 If experiencing respiratory symptoms: Call a POISON CENTER/ doctor.
P362 + P364 Take off contaminated clothing and wash it before reuse.
P370 + P378 In case of fire: Use water spray to extinguish.

Storage:

P403 + P233 Store in a well-ventilated place. Keep container tightly closed.
P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

Physical and chemical hazards

May intensify fire; oxidizer.

Health hazards

Harmful if swallowed. Causes skin irritation. Causes serious eye irritation. May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause an allergic skin reaction. May cause respiratory irritation.

Environmental hazards

Not classified based on available information.

Other hazards which do not result in classification

None known.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

| Chemical name | CAS-No. | Concentration (% w/w) |
|----------------------|-----------|-----------------------|
| Ammonium persulphate | 7727-54-0 | >= 75 -<= 85 |

4. FIRST AID MEASURES

General advice : Take off contaminated clothing and shoes immediately.
Call a physician immediately.
Never give anything by mouth to an unconscious person.
If unconscious, place in recovery position and seek medical advice.
Move out of dangerous area.

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



CUROX® BRK-A12

| | | | |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 2022/06/02 |
| 1.5 | 2024/06/14 | 600000000050 | Date of first issue: 2019/08/08 |

- Show this safety data sheet to the doctor in attendance.
Do not leave the victim unattended.
Symptoms of poisoning may appear several hours later.
- If inhaled : Administer oxygen if breathing is difficult or cyanosis is observed.
If breathed in, move person into fresh air.
If not breathing, give artificial respiration.
Call a physician or poison control centre immediately.
If unconscious, place in recovery position and seek medical advice.
Keep respiratory tract clear.
- In case of skin contact : If symptoms persist, call a physician.
In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes.
Wash contaminated clothing before re-use.
If on skin, rinse well with water.
If on clothes, remove clothes.
- In case of eye contact : Small amounts splashed into eyes can cause irreversible tissue damage and blindness.
In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
Remove contact lenses.
Protect unharmed eye.
Keep eye wide open while rinsing.
If eye irritation persists, consult a specialist.
- If swallowed : Call a physician immediately.
Rinse mouth thoroughly with water.
Keep respiratory tract clear.
If symptoms persist, call a physician.
- Most important symptoms and effects, both acute and delayed : Harmful if swallowed.
Causes skin irritation.
May cause an allergic skin reaction.
Causes serious eye irritation.
May cause allergy or asthma symptoms or breathing difficulties if inhaled.
May cause respiratory irritation.
sensitising effects
- Protection of first-aiders : First Aid responders should pay attention to self-protection and use the recommended protective clothing
- Notes to physician : Treat symptomatically and supportively.
-

5. FIREFIGHTING MEASURES

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



CUROX® BRK-A12

| | | | |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 2022/06/02 |
| 1.5 | 2024/06/14 | 600000000050 | Date of first issue: 2019/08/08 |

- Suitable extinguishing media : Foam
Water spray jet
- Unsuitable extinguishing media : High volume water jet
- Specific hazards during fire-fighting : Contact with incompatible materials or exposure to temperatures exceeding SADT may result in a self-accelerating decomposition reaction with release of flammable vapors which may auto-ignite.
Do not allow run-off from fire fighting to enter drains or water courses.
Cool closed containers exposed to fire with water spray.
- Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Use a water spray to cool fully closed containers.
Collect contaminated fire extinguishing water separately. This must not be discharged into drains.
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
- Do not use a solid water stream as it may scatter and spread fire.
Remove undamaged containers from fire area if it is safe to do so.
Use water spray to cool unopened containers.
Suppress (knock down) gases/vapours/mists with a water spray jet.
- Special protective equipment for firefighters : Wear self-contained breathing apparatus for firefighting if necessary.
Use personal protective equipment.

6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Follow safe handling advice and personal protective equipment recommendations.
Use personal protective equipment.
Avoid dust formation.
Avoid breathing dust.
Ensure adequate ventilation.
Remove all sources of ignition.
- Environmental precautions : Prevent product from entering drains.
Prevent further leakage or spillage if safe to do so.
If the product contaminates rivers and lakes or drains inform respective authorities.
- Methods and materials for containment and cleaning up : Contact with incompatible materials or exposure to temperatures exceeding SADT may result in a self-accelerating de-

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



CUROX® BRK-A12

| | | | |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 2022/06/02 |
| 1.5 | 2024/06/14 | 600000000050 | Date of first issue: 2019/08/08 |

composition reaction with release of flammable vapors which may auto-ignite.
Clear spills immediately.
Suppress (knock down) gases/vapours/mists with a water spray jet.
To clean the floor and all objects contaminated by this material, use plenty of water.
Soak up with inert absorbent material.
Isolate waste and do not reuse.
Non-sparking tools should be used.
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.

Prevention of secondary hazards : Never return spills in original containers for re-use.
Treat recovered material as described in the section "Disposal considerations".

7. HANDLING AND STORAGE

Handling

Technical measures : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.

Advice on protection against fire and explosion : Keep away from combustible material.
Avoid dust formation.
Provide appropriate exhaust ventilation at places where dust is formed.

Advice on safe handling : Avoid formation of respirable particles.
Protect from contamination.
Protect from moisture.
Do not swallow.
Do not breathe vapours/dust.
Avoid exposure - obtain special instructions before use.
Avoid contact with skin and eyes.
Take precautionary measures against static discharges.
Never return any product to the container from which it was originally removed.
Provide sufficient air exchange and/or exhaust in work rooms.
Avoid confinement.
Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
Smoking, eating and drinking should be prohibited in the application area.
Wash thoroughly after handling.
For personal protection see section 8.
Persons susceptible to skin sensitisation problems or asthma, allergies, chronic or recurrent respiratory disease should not

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



CUROX® BRK-A12

Version 1.5 Revision Date: 2024/06/14 SDS Number: 600000000050 Date of last issue: 2022/06/02
Date of first issue: 2019/08/08

be employed in any process in which this mixture is being used.

Avoidance of contact : Accelerators, strong acids and bases, heavy metals and heavy metal salts, reducing agents
Impurities

Accelerators, strong acids and bases, heavy metals and heavy metal salts, reducing agents

Storage

Conditions for safe storage : Store in original container.
Keep containers tightly closed in a cool, well-ventilated place.
Keep in a dry place.
Observe label precautions.
Store in accordance with the particular national regulations.
Avoid impurities (e.g. rust, dust, ash), risk of decomposition.
Electrical installations / working materials must comply with the technological safety standards.
Containers which are opened must be carefully resealed and kept upright to prevent leakage.

Materials to avoid : Never allow product to get in contact with water during storage.
Keep away from combustible materials.
Keep away from strong acids, bases, heavy metal salts and other reducing substances.

Recommended storage temperature : < 30 °C

Further information on storage stability : Stable under recommended storage conditions.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

| Components | CAS-No. | Value type (Form of exposure) | Control parameters / Permissible concentration | Basis |
|----------------------|-----------|-------------------------------|--|-------|
| Ammonium persulphate | 7727-54-0 | TWA | 0.1 mg/m ³ (Persulphate) | ACGIH |

Engineering measures : Minimize workplace exposure concentrations.

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



CUROX® BRK-A12

| | | | |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 2022/06/02 |
| 1.5 | 2024/06/14 | 600000000050 | Date of first issue: 2019/08/08 |

Personal protective equipment

Respiratory protection : In the case of dust or aerosol formation use respirator with an approved filter.

Filter type : Filter type P

In the case of dust or aerosol formation use respirator with an approved filter.

Filter type P

Eye/face protection : Ensure that eyewash stations and safety showers are close to the workstation location.
Please follow all applicable local/national requirements when selecting protective measures for a specific workplace.
Always wear eye protection when the potential for inadvertent eye contact with the product cannot be excluded.
Tightly fitting safety goggles
Please wear suitable protective goggles. Also wear face protection if there is a splash hazard.

Skin and body protection : Select appropriate protective clothing based on chemical resistance data and an assessment of the local exposure potential.
Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces.
Wear as appropriate:
Flame retardant antistatic protective clothing.

Hand protection

Material : butyl-rubber
Break through time : 480 min
Glove thickness : 0.47 mm

Material : Nitrile rubber
Break through time : 480 min
Glove thickness : 0.40 mm

Remarks : The data about break through time/strength of material are standard values! The exact break through time/strength of material has to be obtained from the producer of the protective glove. Choose gloves to protect hands against chemicals depending on the concentration and quantity of the hazardous substance and specific to place of work. For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer. Wash hands before breaks and at the end of workday.

Protective measures : The type of protective equipment must be selected according

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



CUROX® BRK-A12

| | | | |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 2022/06/02 |
| 1.5 | 2024/06/14 | 600000000050 | Date of first issue: 2019/08/08 |

to the concentration and amount of the dangerous substance at the specific workplace.

Hygiene measures : Avoid contact with skin, eyes and clothing.
Keep away from food and drink.
When using do not eat or drink.
When using do not smoke.
Wash hands before breaks and immediately after handling the product.

9. PHYSICAL AND CHEMICAL PROPERTIES

| | | |
|--|---|---|
| Appearance | : | granular |
| Colour | : | light yellow |
| Odour | : | not significant |
| Odour Threshold | : | not determined |
| pH | : | 4 Concentration: ca. 10 g/l |
| Melting point/range | : | Decomposes before melting. |
| Boiling point/boiling range | : | Not applicable |
| Flash point | : | Not applicable |
| Evaporation rate | : | No data available |
| Flammability (solid, gas) | : | May form combustible dust concentrations in air during processing, handling or other means., May form combustible dust concentrations in air. |
| Self-ignition | : | The substance or mixture is not classified as pyrophoric. |
| Upper explosion limit / Upper flammability limit | : | Upper explosion limit No data available |
| Lower explosion limit / Lower flammability limit | : | Lower explosion limit No data available |

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



CUROX® BRK-A12

| | | | |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 2022/06/02 |
| 1.5 | 2024/06/14 | 600000000050 | Date of first issue: 2019/08/08 |

| | | |
|--|---|---|
| Vapour pressure | : | Not applicable |
| Relative vapour density | : | Not applicable |
| Relative density | : | not determined |
| Density | : | 1.86 g/cm ³ |
| Bulk density | : | ca. 1,000 kg/m ³ |
| Solubility(ies) Water solubility | : | partly soluble |
| Partition coefficient: n-octanol/water | : | Not applicable |
| Auto-ignition temperature | : | Not applicable |
| Viscosity Viscosity, dynamic | : | Not applicable |
| Viscosity, kinematic | : | Not applicable |
| Explosive properties | : | Not explosive Avoid dust formation. |
| Oxidizing properties | : | The substance or mixture is classified as oxidizing with the category 3. |
| Self-heating substances | : | The substance or mixture is not classified as self heating. |
| Particle size | : | not determined |
| Particle Size Distribution | : | D10 = 430 µm Type of distribution: volume distribution Measurement technique: laser diffraction |

10. STABILITY AND REACTIVITY

| | | |
|--------------------------------|---|--|
| Reactivity | : | Stable under recommended storage conditions. May intensify fire; oxidizer. |
| Chemical stability | : | Stable under recommended storage conditions. No decomposition if stored normally. |
| Possibility of hazardous reac- | : | Avoid moisture. |

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



CUROX® BRK-A12

| | | | |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 2022/06/02 |
| 1.5 | 2024/06/14 | 600000000050 | Date of first issue: 2019/08/08 |

| | | |
|----------------------------------|---|--|
| tions | | Avoid moisture. Even small amounts of moisture or impurities can noticeably reduce the self-accelerating decomposition temperature (SADT). |
| Conditions to avoid | : | Protect from contamination. Protect from moisture. Protect from contamination. Protect from moisture. Contact with incompatible substances can cause decomposition at or below SADT. Even small amounts of moisture or impurities can noticeably reduce the self-accelerating decomposition temperature (SADT). |
| Incompatible materials | : | Accelerators, strong acids and bases, heavy metals and heavy metal salts, reducing agents Impurities Accelerators, strong acids and bases, heavy metals and heavy metal salts, reducing agents |
| Hazardous decomposition products | : | Irritant, caustic, flammable, noxious/toxic gases and vapours can develop in the case of fire and decomposition |

11. TOXICOLOGICAL INFORMATION

Acute toxicity

Harmful if swallowed.

Product:

Acute oral toxicity : Acute toxicity estimate: 862.79 mg/kg
Method: Calculation method

Components:

Ammonium persulphate:

Acute oral toxicity : LD50 (Rat, male): 742 mg/kg
Method: OECD Test Guideline 401
Assessment: The component/mixture is moderately toxic after single ingestion.
Remarks: Based on test data

Acute inhalation toxicity : LC50 (Rat): > 5.1 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: OECD Test Guideline 403
Assessment: The substance or mixture has no acute inhalation toxicity

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



CUROX® BRK-A12

Version 1.5 Revision Date: 2024/06/14 SDS Number: 600000000050 Date of last issue: 2022/06/02
Date of first issue: 2019/08/08

Remarks: Expert judgement

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg
Assessment: The substance or mixture has no acute dermal toxicity
Remarks: Expert judgement

Skin corrosion/irritation

Causes skin irritation.

Product:

Remarks : May cause skin irritation in susceptible persons.

Components:

Ammonium persulphate:

Species : Rabbit
Method : OECD Test Guideline 404
Result : Skin irritation

Serious eye damage/eye irritation

Causes serious eye irritation.

Product:

Remarks : May cause irreversible eye damage.

Components:

Ammonium persulphate:

Species : Rabbit
Result : Irritating to eyes.
Method : OECD Test Guideline 405

Respiratory or skin sensitisation

Skin sensitisation

May cause an allergic skin reaction.

Respiratory sensitisation

May cause allergy or asthma symptoms or breathing difficulties if inhaled.

Product:

Remarks : Causes sensitisation.

Components:

Ammonium persulphate:

Exposure routes : Skin contact
Species : Guinea pig

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



CUROX® BRK-A12

| | | | |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 2022/06/02 |
| 1.5 | 2024/06/14 | 600000000050 | Date of first issue: 2019/08/08 |

Method : OECD Test Guideline 406
Result : May cause sensitisation by skin contact.

Exposure routes : inhalation (dust/mist/fume)
Result : May cause sensitisation by inhalation.

Germ cell mutagenicity

Not classified due to lack of data.

Components:

Ammonium persulphate:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Result: negative

Genotoxicity in vivo : Species: Mouse
Application Route: Intraperitoneal
Method: OECD Test Guideline 474
Result: negative

Carcinogenicity

Not classified due to lack of data.

Components:

Ammonium persulphate:

Species : Mouse
Application Route : Skin contact
Exposure time : 52 weeks
Method : OECD Test Guideline 451
Result : negative

Reproductive toxicity

Not classified due to lack of data.

Components:

Ammonium persulphate:

Effects on fertility : Species: Rat
Application Route: Ingestion
General Toxicity - Parent: NOAEL: \geq 250 mg/kg body weight
General Toxicity F1: NOAEL: \geq 250 mg/kg body weight
Method: OECD Test Guideline 421

STOT - single exposure

May cause respiratory irritation.

Product:

Assessment : May cause respiratory irritation.

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



CUROX® BRK-A12

| | | | |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 2022/06/02 |
| 1.5 | 2024/06/14 | 600000000050 | Date of first issue: 2019/08/08 |

Components:

Ammonium persulphate:

Assessment : May cause respiratory irritation.

STOT - repeated exposure

Not classified due to lack of data.

Components:

Ammonium persulphate:

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Repeated dose toxicity

Components:

Ammonium persulphate:

Species : Rat
NOAEL : 1,000 mg/kg
LOAEL : 3,000 mg/kg
Application Route : Ingestion
Exposure time : 90 d
Method : OECD Test Guideline 408

Species : Rat
NOAEL : 41.1 mg/kg
Application Route : oral (feed)
Exposure time : 28 d
Method : OECD Test Guideline 407

Species : Rat
NOAEL : 0.0103 mg/l
Application Route : inhalation (dust/mist/fume)
Method : OECD Test Guideline 413

Species : Rat
NOAEL : 0.005 mg/l
Application Route : inhalation (dust/mist/fume)
Method : OECD Test Guideline 413

Aspiration toxicity

Not classified due to lack of data.

Further information

Product:

Remarks : No data available

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



CUROX® BRK-A12

| | | | |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 2022/06/02 |
| 1.5 | 2024/06/14 | 600000000050 | Date of first issue: 2019/08/08 |

12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

Ammonium persulphate:

- Toxicity to fish : LC50 (Scophthalmus maximus (turbot)): 107.6 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 120 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202
- Toxicity to algae/aquatic plants : EC50 (Phaeodactylum): 320 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201
- NOEC (Phaeodactylum): 32 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201
- Toxicity to microorganisms : EC10 (Pseudomonas putida): 36 mg/l
Exposure time: 18 h

Persistence and degradability

Components:

Ammonium persulphate:

- Biodegradability : Remarks: The methods for determining biodegradability are not applicable to inorganic substances.

Bioaccumulative potential

Components:

Ammonium persulphate:

- Partition coefficient: n-octanol/water : Remarks: Not applicable

Mobility in soil

No data available

Other adverse effects

Product:

- Additional ecological information : No data available

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



CUROX® BRK-A12

| | | | |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 2022/06/02 |
| 1.5 | 2024/06/14 | 600000000050 | Date of first issue: 2019/08/08 |

13. DISPOSAL CONSIDERATIONS

Disposal methods

- Waste from residues : Dispose of wastes in an approved waste disposal facility. The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container.
- Contaminated packaging : Dispose of in accordance with local regulations. Clean container with water. Dispose of contents/ container to an approved waste disposal plant. Empty remaining contents. Dispose of as unused product. Do not re-use empty containers. Do not burn, or use a cutting torch on, the empty drum.

14. TRANSPORT INFORMATION

International Regulations

UNRTDG

- UN number : UN 1444
Proper shipping name : AMMONIUM PERSULPHATE
Class : 5.1
Packing group : III
Labels : 5.1
Environmentally hazardous : no

IATA-DGR

- UN/ID No. : UN 1444
Proper shipping name : Ammonium persulphate
Class : 5.1
Packing group : III
Labels : Oxidizer
Packing instruction (cargo aircraft) : 563
Packing instruction (passenger aircraft) : 559

IMDG-Code

- UN number : UN 1444
Proper shipping name : AMMONIUM PERSULPHATE

Class : 5.1
Packing group : III
Labels : 5.1
EmS Code : F-A, S-Q

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



CUROX® BRK-A12

| | | | |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 2022/06/02 |
| 1.5 | 2024/06/14 | 600000000050 | Date of first issue: 2019/08/08 |

Marine pollutant : no

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National Regulations

GB 6944/12268

UN number : UN 1444
Proper shipping name : AMMONIUM PERSULPHATE
Class : 5.1
Packing group : III
Labels : 5.1
Marine pollutant : no

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

15. REGULATORY INFORMATION

National regulatory information

Law on the Prevention and Control of Occupational Diseases

Regulations on Safety Management of Hazardous Chemicals

Catalogue of Hazardous Chemicals : Listed

Identification of Major Hazard Installations for Hazardous Chemicals (GB 18218)

| No. / Code | Chemical name / Category | Threshold quantity |
|------------|------------------------------|--------------------|
| W9.2 | Oxidising solids and liquids | 200 t |

The components of this product are reported in the following inventories:

TSCA (US) : All substances listed as active on the TSCA inventory

AiIC (AU) : All components are listed on the inventory, regulatory obligations/restrictions apply

DSL (CA) : All components of this product are on the Canadian DSL

ENCS (JP) : On the inventory, or in compliance with the inventory

ISHL (JP) : On the inventory, or in compliance with the inventory

KECI (KR) : On the inventory, or in compliance with the inventory

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



CUROX® BRK-A12

| | | | |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 2022/06/02 |
| 1.5 | 2024/06/14 | 600000000050 | Date of first issue: 2019/08/08 |

PICCS (PH) : On the inventory, or in compliance with the inventory

IECSC (CN) : On the inventory, or in compliance with the inventory

16. OTHER INFORMATION

Revision Date : 2024/06/14

Further information

Other information : This safety datasheet only contains information relating to safety and does not replace any product information or product specification.
These safety instructions also apply to empty packaging which may still contain product residues.
The hazards on the label also apply to residues in the container.

Sources of key data used to compile the Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Date format : yyyy/mm/dd

Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)

ACGIH / TWA : 8-hour, time-weighted average

AllC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



CUROX® BRK-A12

| | | | |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 2022/06/02 |
| 1.5 | 2024/06/14 | 600000000050 | Date of first issue: 2019/08/08 |

Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECl - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

CN / EN