CUROX[®]M-102



Version 2.1	Revision Date: 19.11.2024		S Number: 0000000258	Date of last issue: 25.07.2022 Date of first issue: 18.02.2022
1. PRODI	JCT AND COMPANY ID	ENT	IFICATION	
Prod	uct name	:	CUROX [®] M-102	
Man	ufacturer or supplier's c	letai	ils	
Com	pany	:	United Initiators	GmbH
Addr	ess	:	DrGustav-Adolp 82049 Pullach	ph-Str. 3
Eme	rgency telephone number	• :	+44 1235 23967	1
E-ma	ail address	:	contact@united-i	in.com
Reco	ommended use of the cl	nem	ical and restriction	ons on use
Reco	mmended use	:	Hardener	

2. HAZARDS IDENTIFICATION

GHS Classification Flammable liquids	:	Category 4
Organic peroxides	:	Туре D
Acute toxicity (Oral)	:	Category 4
Acute toxicity (Inhalation)	:	Category 4
Skin corrosion/irritation	:	Sub-category 1B
Serious eye damage/eye irri- tation	:	Category 1
Reproductive toxicity	:	Category 2
Short-term (acute) aquatic hazard	:	Category 2
Long-term (chronic) aquatic hazard	:	Category 3
GHS label elements		
Hazard pictograms	:	
Signal word	:	Danger

CUROX[®]M-102



Version 2.1	Revision Date: 19.11.2024	SDS Number: 60000000258	Date of last issue: 25.07.2022 Date of first issue: 18.02.2022
Haza	rd statements	H302 + H332 H H314 Causes s H361 Suspecte H401 Toxic to	may cause a fire. Harmful if swallowed or if inhaled. severe skin burns and eye damage. ed of damaging fertility or the unborn child.
Preca	autionary statements	P210 Keep aw and other igniti P234 Keep onl P240 Ground a P261 Avoid bre P264 Wash ha P270 Do not ea P271 Use only P273 Avoid rel P280 Wear pro	ead and follow all safety instructions before use. ay from heat, hot surfaces, sparks, open flames on sources. No smoking. y in original packaging. and bond container and receiving equipment. eathing mist or vapours. nds thoroughly after handling. at, drink or smoke when using this product. outdoors or with adequate ventilation. ease to the environment. otective gloves/ protective clothing/ eye protec- ction/ hearing protection.
		Rinse mouth. P301 + P330 + induce vomiting P302 + P361 + contaminated of minutes. P304 + P340 + and keep comf help immediate P305 + P354 + with water for s sent and easy P318 IF expos P363 Wash co P370 + P378 In	P354 IF ON SKIN: Take off immediately all clothing. Immediately rinse with water for several P316 IF INHALED: Remove person to fresh air ortable for breathing. Get emergency medical
		P405 Store l P410 Protec P411 Store a	n a well-ventilated place. ocked up. t from sunlight. at temperatures not exceeding < 30 °C/ < 86 °F. reparately.
		Disposal: P501 Dispose disposal plant.	of contents/ container to an approved waste

Other hazards which do not result in classification None known.



Version	Revision Date:	SDS Number:	Date of last issue: 25.07.2022
2.1	19.11.2024	60000000258	Date of first issue: 18.02.2022

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture	:	Mixture
Chemical nature	:	Organic Peroxide

Liquid mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
Trimethylpentanediol isobutyrate	6846-50-0	>= 55 - < 65
2-Butanone, peroxide	1338-23-4	>= 30 - < 35

4. FIRST AID MEASURES

General advice :	Take off contaminated clothing and shoes immediately. Call a physician immediately. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and seek medical advice. Move out of dangerous area. Show this safety data sheet to the doctor in attendance. Do not leave the victim unattended. Symptoms of poisoning may appear several hours later.
If inhaled :	Administer oxygen if breathing is difficult or cyanosis is ob- served. Call a physician immediately. If breathed in, move person into fresh air. If not breathing, give artificial respiration. Respiratory tract burning possible if aerosols are inhaled. Call a physician or poison control centre immediately. If unconscious, place in recovery position and seek medical advice. Keep respiratory tract clear.
In case of skin contact :	If symptoms persist, call a physician. Immediate medical treatment is necessary as untreated wounds from corrosion of the skin heal slowly and with difficul- ty. In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Wash contaminated clothing before re-use. If on skin, rinse well with water. If on clothes, remove clothes.
In case of eye contact :	Small amounts splashed into eyes can cause irreversible tis- sue damage and blindness. In the case of contact with eyes, rinse immediately with plenty



Versi 2.1	ion	Revision Date: 19.11.2024			Date of last issue: 25.07.2022 Date of first issue: 18.02.2022
				Remove contact le Protect unharmed Keep eye wide ope	yes during transport to hospital. nses. eye.
	lf swalle	owed	:	Call a physician im Rinse mouth thoro Keep respiratory tr Do NOT induce vo If symptoms persis	ughly with water. act clear. miting.
		nportant symptoms ects, both acute and d	:	Harmful if swallowe Causes serious ey Suspected of dama Causes severe but	e damage. aging fertility or the unborn child.
	Protect	ion of first-aiders	:		rs should pay attention to self-protection mended protective clothing
	Notes to physician		:	Treat symptomatic	ally and supportively.
5. Fl	REFIGI	TING MEASURES			
	Suitable	e extinguishing media	:	Water spray jet Alcohol-resistant fo Carbon dioxide (Co Dry chemical	
	Unsuita media	able extinguishing	:	High volume water	jet
	Specific	c hazards during fire-	:	Possible emission lead to a dangerou Avoid confinement Contact with incom tures exceeding S/ composition reaction may auto-ignite. The product burns Flash back possibl Do not allow run-of courses. Vapours may form The product will flow water.	npatible materials or exposure to tempera- ADT may result in a self-accelerating de- on with release of flammable vapors which
	Specific ods	c extinguishing meth-	:		measures that are appropriate to local cir- ne surrounding environment.



Vers 2.1	sion Revision Date: 19.11.2024		Number: 00000258	Date of last issue: 25.07.2022 Date of first issue: 18.02.2022
		C m F	ollect contamina nust not be disch ire residues and	y to cool fully closed containers. ated fire extinguishing water separately. This larged into drains. contaminated fire extinguishing water must accordance with local regulations.
		fi R s	re. emove undama o.	d water stream as it may scatter and spread ged containers from fire area if it is safe to do to cool unopened containers.
	Special protective equipment for firefighters	е	ssary.	ed breathing apparatus for firefighting if nec- tective equipment.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec- tive equipment and emer- gency procedures	 Follow safe handling advice and personal protective equipment recommendations. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas. Use personal protective equipment. Remove all sources of ignition. Never return spills in original containers for re-use. Treat recovered material as described in the section "Disposal considerations".
Environmental precautions	 Prevent product from entering drains. Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform respective authorities.
Methods and materials for containment and cleaning up	 Contact with incompatible substances can cause decomposition at or below SADT. Clear spills immediately. Suppress (knock down) gases/vapours/mists with a water spray jet. To clean the floor and all objects contaminated by this material, use plenty of water. Soak up with inert absorbent material. Isolate waste and do not reuse. Non-sparking tools should be used. Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.

7. HANDLING AND STORAGE



Version 2.1	Revision Date: 19.11.2024	-	0S Number: 0000000258	Date of last issue: 25.07.2022 Date of first issue: 18.02.2022
Tech	nnical measures	:		measures under EXPOSURE SONAL PROTECTION section.
	ce on protection against and explosion	:	(which might caus Keep away from H Use only explosio Keep away from o ignition. Keep away from o	action to avoid static electricity discharge se ignition of organic vapours). neat and sources of ignition. n-proof equipment. open flames, hot surfaces and sources of combustible material. naked flame or any incandescent material.
Advi	ce on safe handling	:	Protect from conta Do not swallow. Do not breathe va Avoid exposure - Avoid contact with Avoid formation o Take precautiona Never return any originally removed Provide sufficient Avoid confinement Keep away from h other ignition sour Smoking, eating a plication area. Wash thoroughly	apours/dust. obtain special instructions before use. n skin and eyes. f aerosol. ry measures against static discharges. product to the container from which it was d. air exchange and/or exhaust in work rooms. nt. meat, hot surfaces, sparks, open flames and rces. No smoking. and drinking should be prohibited in the ap-
Cond	ditions for safe storage	:	Store in cool place Keep in a well-ver Contamination matched closed containers Observe label pres Store in accordan Avoid impurities (Electrical installat the technological	ightly closed in a cool, well-ventilated place. e. ntilated place. ay result in dangerous pressure increases - may rupture. ecautions. ce with the particular national regulations. e.g. rust, dust, ash), risk of decomposition. ions / working materials must comply with safety standards. are opened must be carefully resealed and
Mate	erials to avoid	:		combustible materials. strong acids, bases, heavy metal salts and bstances.
Reco pera	ommended storage tem- ture	:	< 30 °C	
	ner information on stor- stability	:	Stable under reco	mmended storage conditions.



Version	Revision Date:	SDS Number:	Date of last issue: 25.07.2022
2.1	19.11.2024	60000000258	Date of first issue: 18.02.2022

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components with workplace		1		•
Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis
2-Butanone, peroxide	1338-23-4	C	0.2 ppm	ACGIH
Engineering measures		kplace exposure	• • • •	
Personal protective equipme	nt			
Respiratory protection	: In the case of approved filte		formation use respira	tor with an
Filter type	: ABEK-filter			
Hand protection Material Break through time Glove thickness Material Break through time Glove thickness	 Nitrile rubber 30 min 0.40 mm butyl-rubber 480 min 0.47 mm 			
Remarks	standard valu material has tive glove. Ch depending or ous substanc plications, we cals of the af	tes! The exact br to be obtained fro noose gloves to p the concentration e and specific to precommend cla porementioned pro	time/strength of mate eak through time/stree om the producer of the protect hands against on and quantity of the place of work. For sp rifying the resistance btective gloves with the fore breaks and at the	ength of e protec- chemicals hazard- becial ap- to chemi- ne glove
Eye protection	the workstation Please follow selecting prot Always wear eye contact w Tightly fitting Please wear	on location. all applicable loc tective measures eye protection w vith the product c safety goggles	and safety showers a cal/national requireme for a specific workpla hen the potential for i annot be excluded. re goggles. Also wear ard.	ents when ace. nadvertent
Skin and body protection	sistance data tial. Additional bo being perforn	and an assessm	clothing based on che nent of the local expo uld be used based up ets, apron, gauntlets urfaces.	sure poten- oon the task



Version 2.1	Revision Date: 19.11.2024	SDS Number: 60000000258	Date of last issue: 25.07.2022 Date of first issue: 18.02.2022
		Wear as appro Flame retardan	priate: It antistatic protective clothing.
Protec	tive measures		tective equipment must be selected according ation and amount of the dangerous substance workplace.
Hygier	ne measures	Keep away fror When using do When using do	vith skin, eyes and clothing. n food and drink. not eat or drink. not smoke. efore breaks and immediately after handling the

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	liquid
Colour	:	colourless
Odour	:	characteristic
Odour Threshold	:	not determined
рН	:	No data available substance/mixture is non-soluble (in water)
Melting point/ range	:	< -25 °C
Boiling point/boiling range	:	Decomposition: Decomposes below the boiling point.
Flash point	:	84 °C
		Method: ISO 3679, closed cup
Flammability (solid, gas)	:	Not applicable
Flammability (liquids)	:	Organic peroxide
Self-ignition	:	The substance or mixture is not classified as self heating. The substance or mixture is not classified as pyrophoric.
		The substance or mixture is not classified as pyrophoric.
Upper explosion limit / Upper flammability limit	:	Upper explosion limit No data available
Lower explosion limit / Lower flammability limit	:	Lower explosion limit No data available
Vapour pressure	:	< 1.5 hPa (25 °C)

CUROX[®]M-102



Vers 2.1	sion	Revision Date: 19.11.2024		S Number: 000000258	Date of last issue: 25.07.2022 Date of first issue: 18.02.2022
				(for a component	of this mixture)
	Relative	e vapour density	:	not determined	
	Relative	e density	:	not determined	
	Density		:	1.01 g/cm3 (20 °	C)
	Solubilit Wate	ty(ies) er solubility	:	practically insolul	ble
	Solu	bility in other solvents	:	Solvent: Phthalat Description: com	
	Partition octanol	n coefficient: n- /water	:	Not applicable	
	Auto-ig	nition temperature	:	not determined	
		celerating decomposi- perature (SADT)	:	temperature at w	H.4 erating Decomposition Temperature. Lowest hich the tested package size will undergo a decomposition reaction.
	Viscosit Visc	y osity, dynamic	:	13 mPa.s (20 °C)
	Visc	osity, kinematic	:	not determined	
	Explosiv	ve properties	:	Not explosive In air mixture.	use, may form flammable/explosive vapour-
	Oxidizir	ng properties	:	The substance of Organic peroxide	r mixture is not classified as oxidizing.
	Self-hea	ating substances	:	Not applicable	
				The substance of	r mixture is not classified as self heating.
	Refracti	ve index	:	1.438 (20 °C)	
	Desens	itised explosives	:	Not applicable	

10. STABILITY AND REACTIVITY

Reactivity	:	Stable under recommended storage conditions. Heating may cause a fire or explosion.
Chemical stability	:	Stable under recommended storage conditions. No decomposition if stored normally.
Possibility of hazardous reac-	:	Vapours may form explosive mixture with air.



Version 2.1	Revision Date: 19.11.2024	SDS Number: 60000000025	
tions			
Cond	ditions to avoid	Contact v tion at or Heat, flan	om contamination. vith incompatible substances can cause decomposi- below SADT. nes and sparks. nfinement.
Incor	npatible materials		ors, strong acids and bases, heavy metals and etal salts, reducing agents
Haza prod	ardous decomposition ucts		austic, flammable, noxious/toxic gases and vapours lop in the case of fire and decomposition

11. TOXICOLOGICAL INFORMATION

Acute toxicity Harmful if swallowed or if inha	led	
Product:		
Acute oral toxicity	:	Acute toxicity estimate: 1,450 mg/kg Method: Calculation method
Acute inhalation toxicity	:	Acute toxicity estimate: 4.35 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: Calculation method
Acute dermal toxicity	:	Acute toxicity estimate: > 5,000 mg/kg Method: Calculation method
Components:		
Trimethylpentanediol isobut	tyra	ate:
Acute oral toxicity	:	LD50 (Rat): > 2,000 mg/kg Method: Expert judgement Assessment: The substance or mixture has no acute oral tox- icity

Acute inhalation toxicity	LCLo (Rat): > 0.12 mg/l Exposure time: 6 h Test atmosphere: vapour Method: Expert judgement Assessment: The substance or mixture has no acute inhala- tion toxicity Remarks: No mortality observed at this dose.
Acute dermal toxicity	LD50 (Guinea pig): > 2,000 mg/kg Method: Expert judgement Assessment: The substance or mixture has no acute dermal toxicity

2-Butanone, peroxide:



sion	Revision Date: 19.11.2024	SDS Numb 600000000	
Acute	oral toxicity		xicity estimate: 500 mg/kg Expert judgement
Acute	inhalation toxicity	Exposu Test atm Method Assessr short te	exicity estimate: 1.5 mg/l re time: 4 h nosphere: dust/mist Expert judgement nent: The component/mixture is moderately toxic after m inhalation. s: Based on data from similar materials
Acute	dermal toxicity		xicity estimate: 2,500 mg/kg Expert judgement
	corrosion/irritation es severe burns.		
<u>Produ</u>	<u>ict:</u>		
Rema	rks	: Extreme	ly corrosive and destructive to tissue.
<u>Comp</u>	oonents:		
Trime	thylpentanediol isob	utyrate:	
Specie		: Guinea	pig
Expos Result	sure time	: 24 h · No skin	irritation
Rema			n available data, the classification criteria are not m
2-But	anone, peroxide:		
Specie		: Rabbit	
Resul	t	: Causes	burns.
	us eye damage/eye ir		
	es serious eye damage).	
<u>Produ</u>			
Rema	rks	: May cau	ise irreversible eye damage.
<u>Comp</u>	oonents:		
Trime	thylpentanediol isob	utyrate:	
Specie		: Rabbit	
	sure time	: 24 h	
Resul	τ	: No eye	Irritation
2-But	anone, peroxide:		
Resul	•		ble effects on the eye



Version 2.1	Revision Date: 19.11.2024	-	S Number: 0000000258	Date of last issue: 25.07.2022 Date of first issue: 18.02.2022
Resp	piratory or skin sensi	tisatio	n	
-	sensitisation	f data.		
•	biratory sensitisation classified due to lack o			
<u>Com</u>	ponents:			
Trim	ethylpentanediol iso	butyra	te:	
Spec Resu		:	Guinea pig Does not cause	skin sensitisation.
2-Bu	tanone, peroxide:			
Spec Meth Resu	od		Guinea pig OECD Test Gui Does not cause	deline 406 skin sensitisation.
Asse	ssment	:	Harmful if swall	owed., Harmful if inhaled.
<u>Com</u>	elassified due to lack o ponents: ethylpentanedial isol		to.	
	ethylpentanediol iso otoxicity in vitro	butyra :	Test Type: In vi	tro mammalian cell gene mutation test Test Guideline 476 e
			Test Type: Ame Method: Regula (Ames test) Result: negative	ation (EC) No. 440/2008, Annex, B.13/14
				omosome aberration test in vitro Test Guideline 473 e
	tanone, peroxide: otoxicity in vitro	:	Method: OECD Result: negative	Test Guideline 473
			-	Test Guideline 471
			Method: OECD Result: negative	Test Guideline 476 e

Carcinogenicity

Not classified due to lack of data.



Date of last issue: 25.07.2022
Date of first issue: 18.02.2022
is not available.
generation reproduction toxicity study e: Ingestion Fest Guideline 414
maging fertility or the unborn child., Some erse effects on sexual function and fertility, pment, based on animal experiments.
e: oral (gavage) - Parent: NOAEL: 50 mg/kg body weight ^r est Guideline 421
leline 407
wed., Harmful if inhaled.

Acute aquatic toxicity

Chronic aquatic toxicity

2-Butanone, peroxide:

Toxicity to fish

:

CUROX[®]M-102



1	Revision Date: 19.11.2024	-	DS Number: 0000000258	Date of last issue: 25.07.2022 Date of first issue: 18.02.2022
Compo	onents:			
	hylpentanediol isobut ssified due to data white	-		ough insufficient for classification.
Furthe	r information			
Produc Remark		:	No data available	
Compo	onents:			
Trimetl	hylpentanediol isobu	tyra	ate:	
Remark	<s< td=""><td>:</td><td>No data available</td><td>3</td></s<>	:	No data available	3
ECOLO	GICAL INFORMATION	N		
	icity	N		
Ecotox <u>Compo</u>	icity		ate:	
Ecotox <u>Compo</u>	icity onents: hylpentanediol isobu		NOEC (Fish): >= Exposure time: 9	
Ecotox <u>Compo</u> TrimetI Toxicity Toxicity	icity onents: hylpentanediol isobu	tyra :	NOEC (Fish): >= Exposure time: 9 Method: OECD T	6 h 'est Guideline 203 water flea)): >= 1.46 mg/l
Ecotox <u>Compo</u> TrimetI Toxicity Toxicity	icity onents: hylpentanediol isobur to fish	tyra :	NOEC (Fish): >= Exposure time: 9 Method: OECD T EC50 (Daphnia (Exposure time: 4	6 h Test Guideline 203 water flea)): >= 1.46 mg/l 8 h (water flea)): 0.7 mg/l
Ecotox Compo TrimetI Toxicity Toxicity aquatic	icity onents: hylpentanediol isobur to fish	tyra :	NOEC (Fish): >= Exposure time: 9 Method: OECD T EC50 (Daphnia (Exposure time: 4 NOEC (Daphnia Exposure time: 2 EC50 (Chlorella Exposure time: 7	6 h Test Guideline 203 water flea)): >= 1.46 mg/l 8 h (water flea)): 0.7 mg/l 1 d pyrenoidosa (algae)): > 7.49 mg/l

: This product has no known ecotoxicological effects.

Harmful to aquatic life with long lasting effects.

: LC50 (Poecilia reticulata (guppy)): 44.2 mg/l

Method: OECD Test Guideline 203

Exposure time: 96 h

14/19



sion	Revision Date: 19.11.2024		DS Number: 0000000258	Date of last issue: 25.07.2022 Date of first issue: 18.02.2022
			Exposure time	a reticulata (guppy)): 18 mg/l : 96 h) Test Guideline 203
	ty to daphnia and othe c invertebrates	r:	Exposure time	a magna (Water flea)): 39 mg/l : 48 h) Test Guideline 202
				ia magna (Water flea)): 26.7 mg/l) Test Guideline 202
Toxicit plants	ty to algae/aquatic	:	mg/l Exposure time	okirchneriella subcapitata (green algae)): 5.6 : 72 h) Test Guideline 201
			mg/l Exposure time	lokirchneriella subcapitata (green algae)): 2. : 72 h) Test Guideline 201
Toxicit	ty to microorganisms	:	EC50 (Bacteria Exposure time	: 0.5 h
) Test Guideline 209
Persis	stence and degradab	ility		D Test Guideline 209
	stence and degradab onents:	ility		0 Test Guideline 209
<u>Comp</u>	-	-	Method: OECE	0 Test Guideline 209
<u>Comp</u> Trimet	onents:	-	Method: OECE ate: Result: rapidly Exposure time	biodegradable
<u>Comp</u> Trimet Biodeg	onents: thylpentanediol isob	-	Method: OECE ate: Result: rapidly Exposure time	biodegradable : 28 d
Comp Trimet Biodeg 2-Buta	onents: thylpentanediol isob gradability	utyra :	Method: OECE ate: Result: rapidly Exposure time Method: OECE Result: Readily	biodegradable : 28 d
Comp Trime Biodeg 2-Buta Biodeg	onents: thylpentanediol isob gradability anone, peroxide:	utyra :	Method: OECE ate: Result: rapidly Exposure time Method: OECE Result: Readily	biodegradable : 28 d) Test Guideline 301B / biodegradable.
Comp Trime Biodeg 2-Buta Biodeg Bioace	onents: thylpentanediol isob gradability anone, peroxide: gradability	utyra :	Method: OECE ate: Result: rapidly Exposure time Method: OECE Result: Readily	biodegradable : 28 d) Test Guideline 301B / biodegradable.
Comp Trimet Biodeg 2-Buta Biodeg Bioace	onents: thylpentanediol isob gradability anone, peroxide: gradability cumulative potential	utyra :	Method: OECE ate: Result: rapidly Exposure time Method: OECE Result: Readily Method: OECE	biodegradable : 28 d) Test Guideline 301B / biodegradable.
Comp Trimed Biodeg 2-Buta Biodeg Bioacc Comp Trimed	onents: thylpentanediol isob gradability anone, peroxide: gradability cumulative potential onents:	utyra :	Method: OECE ate: Result: rapidly Exposure time Method: OECE Result: Readily Method: OECE Ate: Species: Fish	biodegradable : 28 d) Test Guideline 301B / biodegradable.
Comp Trime Biodeg 2-Buta Biodeg Bioacc Comp Trime Bioacc	onents: thylpentanediol isob gradability anone, peroxide: gradability cumulative potential onents: thylpentanediol isob	utyra :	Method: OECE ate: Result: rapidly Exposure time Method: OECE Result: Readily Method: OECE Ate: Species: Fish	biodegradable : 28 d D Test Guideline 301B / biodegradable. D Test Guideline 301D
Comp Trime Biodeg 2-Buta Biodeg Bioacc Comp Trime Bioacc Partitic octanc	onents: thylpentanediol isob gradability anone, peroxide: gradability cumulative potential onents: thylpentanediol isob cumulation	utyra :	Method: OECE ate: Result: rapidly Exposure time Method: OECE Result: Readily Method: OECE ate: Species: Fish Bioconcentratio	biodegradable : 28 d D Test Guideline 301B / biodegradable. D Test Guideline 301D



Version 2.1	Revision Date: 19.11.2024		0S Number: 0000000258	Date of last issue: 25.07.2022 Date of first issue: 18.02.2022
	bility in soil data available			
Oth	ner adverse effects			
Add	Product: Additional ecological infor- mation		 An environmental hazard cannot be excluded in the even unprofessional handling or disposal. Toxic to aquatic life. Harmful to aquatic life with long lasting effects. 	
	POSAL CONSIDERATIO	NS		
	ste from residues	:	The product shou courses or the so	ate ponds, waterways or ditches with chemi-
Coi	ntaminated packaging	:	Clean container v Dispose of conter plant. Empty remaining Dispose of as unit Do not re-use em	nts/ container to an approved waste disposal contents. used product.

14. TRANSPORT INFORMATION

International Regulations

UNRTDG UN number Proper shipping name Class Packing group Labels Environmentally hazardous	:	UN 3105 ORGANIC PEROXIDE TYPE D, LIQUID (METHYL ETHYL KETONE PEROXIDE(S)) 5.2 Not assigned by regulation 5.2 no
IATA-DGR UN/ID No. Proper shipping name Class Packing group Labels Packing instruction (cargo aircraft) Packing instruction (passen- ger aircraft)	:	UN 3105 Organic peroxide type D, liquid (Methyl ethyl ketone peroxide(s)) 5.2 Not assigned by regulation Organic Peroxides, Keep Away From Heat 570



Version 2.1	Revision Date: 19.11.2024	SDS Number: 600000000258	
UN n Prope Class Packi Label EmS	ing group	(METHYL : 5.2	PEROXIDE TYPE D, LIQUID ETHYL KETONE PEROXIDE(S)) ed by regulation

Transport in bulk according to IMO instruments

Not applicable for product as supplied.

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

Gefahrgruppe nach TRGS 741: II (German regulatory requirements)

The components of this product are reported in the following inventories:

TCSI (TW)	:	On the inventory, or in compliance with the inventory
TSCA (US)	:	All substances listed as active on the TSCA inventory
AIIC (AU)	:	On the inventory, or in compliance with the inventory
DSL (CA)	:	All components of this product are on the Canadian DSL
ENCS (JP)	:	On the inventory, or in compliance with the inventory
ISHL (JP)	:	On the inventory, or in compliance with the inventory
KECI (KR)	:	On the inventory, or in compliance with the inventory
PICCS (PH)	:	On the inventory, or in compliance with the inventory
IECSC (CN)	:	On the inventory, or in compliance with the inventory
TECI (TH)	:	On the inventory, or in compliance with the inventory

16. OTHER INFORMATION

Further information

Other information

: This safety datasheet only contains information relating to



Version 2.1	Revision Date: 19.11.2024	SDS Numbe 6000000002			
		uct speci These sa may still	safety and does not replace any product information or prod- uct specification. These safety instructions also apply to empty packaging which may still contain product residues. The hazards on the label also apply to residues in the con- tainer.		
	es of key data used to e the Safety Data	eChem F	echnical data, data from raw material SDSs, OECD Portal search results and European Chemicals Agen- /echa.europa.eu/		
Full te ACGI⊦	xt of other abbreviatio		GIH Threshold Limit Values (TLV)		

ACGIH : USA. ACGIH	Threshold Limit Values (TLV
--------------------	-----------------------------

ACGIH / C Ceiling limit

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation: DSL - Domestic Substances List (Canada): ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development: OPPTS - Office of Chemical Safety and Pollution Prevention: PBT - Persistent, Bioaccumulative and Toxic substance: PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

CUROX®M-102



VersionRevision Date:SDS Number:2.119.11.202460000000258

Date of last issue: 25.07.2022 Date of first issue: 18.02.2022

AE / EN