

CUROX®M-202

Version	Revision Date:	SDS Number:	Date of last issue: 08.03.2023
4.1	18.12.2024	60000000259	Date of first issue: 20.07.2016

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier		
Trade name	:	CUROX®M-202
1.2 Relevant identified uses of	the s	ubstance or mixture and uses advised against
Use of the Sub- stance/Mixture	:	Hardener
1.3 Details of the supplier of th	e saf	ety data sheet
Company	:	United Initiators GmbH DrGustav-Adolph-Str. 3 82049 Pullach
Telephone	:	+49 / 89 / 74422 – 0
E-mail address of person	:	contact@united-in.com

1.4 Emergency telephone number

responsible for the SDS

+44 1235 239670

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Organic peroxides, Type D	H242: Heating may cause a fire.
Acute toxicity, Category 4	H302: Harmful if swallowed.
Acute toxicity, Category 4	H332: Harmful if inhaled.
Skin corrosion, Sub-category 1B	H314: Causes severe skin burns and eye damage.
Serious eye damage, Category 1	H318: Causes serious eye damage.
Reproductive toxicity, Category 2	H361: Suspected of damaging fertility or the un- born child.
Long-term (chronic) aquatic hazard, Cat- egory 3	H412: Harmful to aquatic life with long lasting ef- fects.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



CUROX®M-202

Version	Revision Date:	SDS Number:	Date of last issue: 08.03.2023
4.1	18.12.2024	60000000259	Date of first issue: 20.07.2016

2.2 Label elements

Labelling (REGULATION (EC) Hazard pictograms :	No 1272/200	
Signal word :	Danger	
Hazard statements :	H242 H302 + H33 H314 H361 H412	Heating may cause a fire. Harmful if swallowed or if inhaled. Causes severe skin burns and eye damage. Suspected of damaging fertility or the unborn child. Harmful to aquatic life with long lasting effects.
Precautionary statements :	Prevention	:
	P210 P234 P280	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Keep only in original packaging. Wear protective gloves/ protective clothing/ eye protection/ face protection/ hearing protection.
	Response:	
	P303 + P36	61 + P353 IF ON SKIN (or hair): Take off immedi- ately all contaminated clothing. Rinse skin with water.
	P304 + P34	40 + P310 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immedi- ately call a POISON CENTER/ doctor.
	P305 + P35	51 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rins- ing. Immediately call a POISON CENTER/ doctor.
	P370 + P37	

Hazardous components which must be listed on the label:

Trimethylpentanediol isobutyrate (CAS-No. 6846-50-0) 2-Butanone peroxide; Reaction mass of butane-2,2-diyl dihydroperoxide and dioxydibutane-2,2-diyl dihydroperoxide (CAS-No. 1338-23-4)

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.



CUROX®M-202

Version	Revision Date:	SDS Number:	Date of last issue: 08.03.2023
4.1	18.12.2024	60000000259	Date of first issue: 20.07.2016

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

5

3.2 Mixtures

Organic Peroxide Liquid mixture

Components

Chemical name	CAS-No.	Classification	Concentration
	EC-No. Index-No. Registration number		Concentration (% w/w)
Trimethylpentanediol isobutyrate	6846-50-0 229-934-9 01-2119451093-47	Repr. 2; H361 Aquatic Chronic 3; H412	>= 55 - < 65
2-Butanone peroxide; Reaction mass of butane-2,2-diyl dihydrop- eroxide and dioxydibutane-2,2-diyl dihydroperoxide	1338-23-4 700-954-4 01-2119514691-43- 0000	Org. Perox. D; H242 Acute Tox. 4; H302 Acute Tox. 4; H332 Skin Corr. 1B; H314 Eye Dam. 1; H318 Acute toxicity esti- mate Acute oral toxicity: 500 mg/kg Acute inhalation tox- icity (dust/mist): 1.5 mg/l Acute dermal toxicity: 2,500 mg/kg	>= 25 - < 30
Butanone	78-93-3 201-159-0 606-002-00-3	Flam. Liq. 2; H225 Eye Irrit. 2; H319 STOT SE 3; H336 (Central nervous system) EUH066	>= 1 - < 5
hydrogen peroxide	7722-84-1 231-765-0 008-003-00-9 01-2119485845-22	Ox. Liq. 1; H271 Acute Tox. 4; H302 Acute Tox. 4; H332 Skin Corr. 1A; H314	>= 1 - < 2.5

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



CUROX®M-202

Eye Dam. 1; H318 STOT SE 3; H335 (Respiratory system) Aquatic Chronic 3; H412 $\phantom{aaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaa$	Version 4.1	Revision Date: 18.12.2024	SDS Number: 60000000259	Date of last issue: 08.03.2023 Date of first issue: 20.07.2016
Acute inhalation tox- icity (dust/mist): 1.5 mg/l				STOT SE 3; H335 (Respiratory system) Aquatic Chronic 3; H412specific concentration limit Ox. Liq. 1; H271 >= 70 % Ox. Liq. 2; H272 50 - < 70 % Skin Corr. 1A; H314 >= 70 % Skin Corr. 1B; H314 50 - < 70 % Skin Irrit. 2; H315 35 - < 50 % Eye Dam. 1; H318 $8 - < 50 \%$ Eye Irrit. 2; H319 $5 - < 8 \%$ STOT SE 3; H335 >= 35 % Aquatic Chronic 3; H412 >= 63 %Acute toxicity estimate Acute inhalation tox- icity (dust/mist): 1.5

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice	 Take off contaminated clothing and shoes immediately. Call a physician immediately. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and seek medical advice. Move out of dangerous area. Show this safety data sheet to the doctor in attendance. Do not leave the victim unattended. Symptoms of poisoning may appear several hours later.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Version 4.1	Revision Date: 18.12.2024	SDS Number: 600000000259	Date of last issue: 08.03.2023 Date of first issue: 20.07.2016
Prote	ction of first-aiders		nders should pay attention to self-protection commended protective clothing
lf inha	aled	served. Call a physicia If breathed in, If not breathing Respiratory tra Call a physicia	move person into fresh air. g, give artificial respiration. Ict burning possible if aerosols are inhaled. n or poison control centre immediately. , place in recovery position and seek medical
In cas	se of skin contact	Immediate me wounds from c ty. In case of cont for at least 15 and shoes. Wash contami If on skin, rinse	ersist, call a physician. dical treatment is necessary as untreated corrosion of the skin heal slowly and with difficul- cact, immediately flush skin with plenty of water minutes while removing contaminated clothing nated clothing before re-use. e well with water. emove clothes.
In cas	se of eye contact	sue damage au In the case of o of water and se Continue rinsir Remove conta Protect unharn Keep eye wide	contact with eyes, rinse immediately with plenty eek medical advice. ng eyes during transport to hospital. ct lenses.
lf swa	llowed	Keep respirato Do NOT induce	noroughly with water. ry tract clear.
4.2 Most i	mportant symptoms	and effects, both ac	ute and delayed
Risks		: Harmful if swal Causes seriou	llowed or if inhaled. s eye damage. Jamaging fertility or the unborn child.
			llowed or if inhaled. s eye damage.



Version 4.1	Revision Date: 18.12.2024		0S Number: 0000000259	Date of last issue: 08.03.2023 Date of first issue: 20.07.2016
			Suspected of dar Causes severe b	naging fertility or the unborn child. urns.
	tion of any immediate	meo :		d special treatment needed ically and supportively.
SECTIO	N 5: Firefighting mea	sur	es	
	guishing media			
-	ble extinguishing media	:	Water spray jet Alcohol-resistant Carbon dioxide ((Dry chemical	
Unsu medi	itable extinguishing a	:	High volume wate	er jet
5.2 Speci	al hazards arising from	the	e substance or mi	xture
Spec fighti	ific hazards during fire- ng	:	Possible emission lead to a dangero Avoid confinement Contact with inco tures exceeding & composition react may auto-ignite. The product burn Flash back possi Do not allow run- courses. Vapours may form The product will f water.	mpatible materials or exposure to tempera- SADT may result in a self-accelerating de- tion with release of flammable vapors which
	e for firefighters		14/ 14	
•	ial protective equipment efighters	: Wear self-contained breathing apparatus for firefighting if ne essary. Use personal protective equipment.		
Spec ods	ific extinguishing meth-	:	fire. Remove undama so.	d water stream as it may scatter and spread aged containers from fire area if it is safe to do to cool unopened containers.
Furth	er information	:	: Use extinguishing measures that are appropriate to local c cumstances and the surrounding environment.	



CUROX®M-202

Version	Revision Date:	SDS Number:	Date of last issue: 08.03.2023
4.1	18.12.2024	60000000259	Date of first issue: 20.07.2016

Use a water spray to cool fully closed containers. Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions :	Follow safe handling advice and personal protective equip- ment recommendations. Beware of vapours accumulating to form explosive concentra- tions. Vapours can accumulate in low areas. Use personal protective equipment. Remove all sources of ignition. Never return spills in original containers for re-use. Treat recovered material as described in the section "Disposal considerations".
------------------------	--

6.2 Environmental precautions

Environmental precautions	:	Prevent product from entering drains.
		Prevent further leakage or spillage if safe to do so.
		If the product contaminates rivers and lakes or drains inform
		respective authorities.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up	 Contact with incompatible substances can cause decomposition at or below SADT. Clear spills immediately. Suppress (knock down) gases/vapours/mists with a water spray jet. To clean the floor and all objects contaminated by this material, use plenty of water. Soak up with inert absorbent material. Isolate waste and do not reuse. Non-sparking tools should be used.
	Non-sparking tools should be used. Local or national regulations may apply to releases and dis- posal of this material, as well as those materials and items employed in the cleanup of releases. You will need to deter- mine which regulations are applicable.

6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.





Version	Revision Date: 18.12.2024	SDS Number:	Date of last issue: 08.03.2023
4.1		60000000259	Date of first issue: 20.07.2016

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Technical measures	:	See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.
Advice on safe handling	:	Open drum carefully as content may be under pressure. Protect from contamination. Do not swallow. Do not breathe vapours/dust. Avoid exposure - obtain special instructions before use. Avoid contact with skin and eyes. Avoid formation of aerosol. Take precautionary measures against static discharges. Never return any product to the container from which it was originally removed. Provide sufficient air exchange and/or exhaust in work rooms. Avoid confinement. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Smoking, eating and drinking should be prohibited in the ap- plication area. Wash thoroughly after handling. For personal protection see section 8.
Advice on protection against fire and explosion	:	Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapours). Keep away from heat and sources of ignition. Use only explosion-proof equipment. Keep away from open flames, hot surfaces and sources of ignition. Keep away from combustible material. Do not spray on a naked flame or any incandescent material.
Hygiene measures	:	Avoid contact with skin, eyes and clothing. Keep away from food and drink. When using do not eat or drink. When using do not smoke. Wash hands before breaks and immediately after handling the product.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage : areas and containers	Store in original container. Keep containers tightly closed in a cool, well-ventilated place. Store in cool place. Keep in a well-ventilated place. Contamination may result in dangerous pressure increases - closed containers may rupture. Observe label precautions. Store in accordance with the particular national regulations. Avoid impurities (e.g. rust, dust, ash), risk of decomposition. Electrical installations / working materials must comply with the technological safety standards. Containers which are opened must be carefully resealed and kept upright to prevent leakage.
--	--



CUROX®M-202

Versi 4.1	ion	Revision Date: 18.12.2024		OS Number: 0000000259	Date of last issue: 08.03.2023 Date of first issue: 20.07.2016
	Advice	on common storage	:		combustible materials. strong acids, bases, heavy metal salts and ıbstances.
	Recom peratur	mended storage tem- e	:	< 30 °C	
	Further age sta	information on stor- bility	:	Stable under reco	ommended storage conditions.
7.3 S	7.3 Specific end use(s)				
:	Specifi	c use(s)	:	For further inform sheet.	ation, refer to the product technical data

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis		
2-Butanone perox- ide; Reaction mass of butane-2,2-diyl dihydroperoxide and dioxydibutane- 2,2-diyl dihydrop- eroxide	1338-23-4	OELV - 15 min (STEL)	0.2 ppm 1.5 mg/m3	IE OEL		
Butanone	78-93-3	STEL	300 ppm 900 mg/m3	2000/39/EC		
	Further inform	Further information: Indicative				
		TWA	200 ppm 600 mg/m3	2000/39/EC		
	Further inform	Further information: Indicative				
		OELV - 8 hrs (TWA)	200 ppm 600 mg/m3	IE OEL		
			which have the capacity to pe ith it, and be absorbed into th			
		OELV - 15 min (STEL)	300 ppm 900 mg/m3	IE OEL		
		ner information: Substances which have the capacity to penetrate intact when they come in contact with it, and be absorbed into the body				
hydrogen peroxide	7722-84-1	OELV - 8 hrs (TWA)	1 ppm 1.5 mg/m3	IE OEL		
		OELV - 15 min (STEL)	2 ppm 3 mg/m3	IE OEL		

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



CUROX®M-202

Version	Revis
4.1	18.12

vision Date: 12.2024 SDS Number: 60000000259

Date of last issue: 08.03.2023 Date of first issue: 20.07.2016

Substance name	End Use	Exposure routes	Potential health ef- fects	Value
2-Butanone peroxide; Reaction mass of butane-2,2-diyl dihy- droperoxide and diox- ydibutane-2,2-diyl dihydroperoxide	Workers	Inhalation	Long-term systemic effects	2.35 mg/m3
	Workers	Skin contact	Long-term systemic effects	1.33 mg/kg bw/day
	Workers	Inhalation	Acute systemic ef- fects	7.05 mg/m3
Trimethylpentanediol isobutyrate	Workers	Inhalation	Long-term systemic effects	17.62 mg/m3
	Workers	Skin contact	Long-term local ef- fects	5 mg/kg bw/day
	Consumers	Inhalation	Long-term systemic effects	4.35 mg/m3
	Consumers	Skin contact	Long-term systemic effects	5 mg/kg bw/day
	Consumers	Oral	Long-term systemic effects	5 mg/kg bw/day
Butanone	Workers	Skin contact	Long-term systemic effects	1161 mg/kg bw/day
	Workers	Inhalation	Long-term systemic effects	600 mg/m3
hydrogen peroxide	Workers	Inhalation	Acute local effects	3 mg/m3
<u> </u>	Workers	Inhalation	Long-term local ef- fects	1.4 mg/m3

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006

Substance name	Environmental Compartment	Value
2-Butanone peroxide; Reaction	Fresh water	0.0056 mg/l
mass of butane-2,2-diyl dihy-		
droperoxide and dioxydibutane-		
2,2-diyl dihydroperoxide		
	Marine water	0.00056 mg/l
	Intermittent use/release	0.056 mg/l
	Sewage treatment plant	1.2 mg/l
	Fresh water sediment	0.0876 mg/kg
	Marine sediment	0.00876 mg/kg
	Soil	0.0142 mg/kg
Trimethylpentanediol isobutyrate	Fresh water	0.014 mg/l
	Marine water	0.001 mg/l
	Fresh water sediment	5.29 mg/kg dry
		weight (d.w.)
	Marine sediment	0.529 mg/kg dry
		weight (d.w.)
	Soil	1.05 mg/kg dry
		weight (d.w.)

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



CUROX®M-202

Version	Revision Date:	SDS Number:	Date of last issue: 08.03.2023
4.1	18.12.2024	60000000259	Date of first issue: 20.07.2016

	Sewage treatment plant	3 mg/l
Butanone	Fresh water	55.8 mg/l
	Marine water	55.8 mg/l
	Intermittent use/release	55.8 mg/l
	Sewage treatment plant	709 mg/l
	Fresh water sediment	284.7 mg/kg dry weight (d.w.)
	Soil	22.5 mg/kg
hydrogen peroxide	Sewage treatment plant	4.66 mg/l
	Fresh water	0.0126 mg/l
	Marine sediment	0.047 mg/l
	Fresh water sediment	0.047 mg/l
	Marine water	0.0126 mg/l
	Soil	0.0023 mg/l

8.2 Exposure controls

Engineering measures

Minimize workplace exposure concentrations.

Personal protective equipment

Eye/face protection	:	Ensure that eyewash stations and safety showers are close to the workstation location. Please follow all applicable local/national requirements when selecting protective measures for a specific workplace. Always wear eye protection when the potential for inadvertent eye contact with the product cannot be excluded. Tightly fitting safety goggles Please wear suitable protective goggles. Also wear face pro- tection if there is a splash hazard. Equipment should conform to EN 166
Hand protection Material Break through time Glove thickness Directive	:	Nitrile rubber 30 min 0.40 mm Equipment should conform to EN 374
Material Break through time Glove thickness Directive		butyl-rubber 480 min 0.47 mm Equipment should conform to EN 374
Remarks	÷	The data about break through time/strength of material are standard values! The exact break through time/strength of material has to be obtained from the producer of the protec- tive glove. Choose gloves to protect hands against chemicals depending on the concentration and quantity of the hazard- ous substance and specific to place of work. For special ap-

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



CUROX®M-202

Version 4.1	Revision Date: 18.12.2024		DS Number: 0000000259	Date of last issue: 08.03.2023 Date of first issue: 20.07.2016
			cals of the aforem	ommend clarifying the resistance to chemi- nentioned protective gloves with the glove ash hands before breaks and at the end of
Skin and body protection		:	resistance data a potential.	e protective clothing based on chemical nd an assessment of the local exposure
			task being perform posable suits) to a Wear as appropri	
_				intistatic protective clothing.
Resp	iratory protection	:	In the case of dus approved filter.	t or aerosol formation use respirator with an
				ombination filter for vapour/particulate (EN
Fi	lter type	:	ABEK-filter	
Prote	ective measures	:		ctive equipment must be selected according on and amount of the dangerous substance rkplace.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	:	liquid
Colour	:	colourless
Odour	:	characteristic
Odour Threshold	:	not determined
Melting point/ range	:	< -25 °C
Boiling point/boiling range	:	Decomposition: Decomposes below the boiling point.
Flammability	:	Not applicable



Versi 4.1	on	Revision Date: 18.12.2024		S Number: 000000259	Date of last issue: 08.03.2023 Date of first issue: 20.07.2016
		xplosion limit / Upper pility limit	:	Upper explosion No data available	
		xplosion limit / Lower pility limit	:	Lower explosion No data available	
I	Flash po	pint	:	90 °C Method: ISO 367	9, closed cup
,	Auto-igr	nition temperature	:	not determined	
		celerating decomposi- perature (SADT)	:	temperature at w	t H.4 erating Decomposition Temperature. Lowest hich the tested package size will undergo a decomposition reaction.
i	рН		:	No data available	e substance/mixture is non-soluble (in water)
Ņ	Viscosit Visco	y osity, dynamic	:	16 mPa.s (20 °C))
	Visco	osity, kinematic	:	not determined	
:	Solubilit Wate	y(ies) er solubility	:	practically insolul	ble
	Solu	bility in other solvents	:	No data available	
	Partitior octanol/	n coefficient: n- Water	:	Not applicable	
,	Vapour	pressure	:	< 1.5 hPa (25 °C) (for a component	
I	Relative	density	:	not determined	
I	Density		:	1.01 g/cm3 (20 °(C)

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



CUROX®M-202

Vers 4.1	sion	Revision Date: 18.12.2024		S Number: 0000000259	Date of last issue: 08.03.2023 Date of first issue: 20.07.2016
	Relativ	e vapour density	:	not determined	
9.2 Other information		nformation			
	Explos	ives	:	Not explosive In use, may form	flammable/explosive vapour-air mixture.
	Oxidizi	ng properties	:	The substance o Organic peroxide	r mixture is not classified as oxidizing.
	Flammability (liquids)		:	Organic peroxide	
	Self-ig	nition	:	The substance o	r mixture is not classified as pyrophoric.
	Self-he	eating substances	:	The substance o	r mixture is not classified as self heating.
	which i	inces and mixtures, in contact with water, ammable gases	:	The substance o contact with wate	r mixture does not emit flammable gases in er.
	Desen	sitised explosives	:	Not applicable	
	Refrac	tive index	:	1.437 at 20 °C	

SECTION 10: Stability and reactivity

10.1 Reactivity

Stable under recommended storage conditions. Heating may cause a fire or explosion.

10.2 Chemical stability

Stable under recommended storage conditions. No decomposition if stored normally.

10.3 Possibility of hazardous reactions

Hazardous reactions : Vapours may form explosive mixture with air.

10.4 Conditions to avoid

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



CUROX®M-202

Versi 4.1	on Revision Date: 18.12.2024	SDS Number: 60000000259	Date of last issue: 08.03.2023 Date of first issue: 20.07.2016	
Conditions to avoid		: Protect from cont Contact with inco tion at or below S Heat, flames and Avoid confinement	ompatible substances can cause decomposi- SADT. sparks.	
10.5	Incompatible materials			
Materials to avoid		: Accelerators, strong acids and bases, heavy metals and heavy metal salts, reducing agents		
10.6	Hazardous decomposition	products		
	Irritant, caustic, flammable, n decomposition	oxious/toxic gases and	vapours can develop in the case of fire and	
SEC	TION 11: Toxicological in	nformation		
11.1	Information on hazard clas	ses as defined in Reg	ulation (EC) No 1272/2008	
	Acute toxicity Harmful if swallowed or if inh	aled.		
Ī	Product:			
1	Acute oral toxicity	: Acute toxicity estin Method: Calculation		

Test atmosphere: dust/mist Method: Calculation method	Acute inhalation toxicity	:	•
--	---------------------------	---	---

Components:

Trimethylpentanediol isobutyrate:

Acute oral toxicity :	LD50 (Rat): > 2,000 mg/kg Method: Expert judgement Assessment: The substance or mixture has no acute oral tox- icity
Acute inhalation toxicity :	LCLo (Rat): > 0.12 mg/l Exposure time: 6 h Test atmosphere: vapour Method: Expert judgement Assessment: The substance or mixture has no acute inhala- tion toxicity Remarks: No mortality observed at this dose.
Acute dermal toxicity :	LD50 (Guinea pig): > 2,000 mg/kg Method: Expert judgement Assessment: The substance or mixture has no acute dermal

CUROX®M-202



Version	Revision Date:	SDS Number:	Date of last issue: 08.03.2023
4.1	18.12.2024	60000000259	Date of first issue: 20.07.2016

toxicity

2-Butanone peroxide; Read tane-2,2-diyl dihydroperoxi		n mass of butane-2,2-diyl dihydroperoxide and dioxydibu-
Acute oral toxicity	:	Acute toxicity estimate: 500 mg/kg Method: Expert judgement
Acute inhalation toxicity	:	Acute toxicity estimate: 1.5 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: Expert judgement Assessment: The component/mixture is moderately toxic after short term inhalation. Remarks: Based on data from similar materials
Acute dermal toxicity	:	Acute toxicity estimate: 2,500 mg/kg Method: Expert judgement
Butanone:		
Acute oral toxicity	:	LD50 (Rat): 2,193 mg/kg Method: OECD Test Guideline 423
Acute inhalation toxicity	:	Remarks: No data available
Acute dermal toxicity	:	LD50 (Rabbit): > 5,000 mg/kg Method: OECD Test Guideline 402 Remarks: Based on available data, the classification criteria are not met.
hydrogen peroxide:		
Acute oral toxicity	:	LD50 (Rat, male and female): 431 mg/kg Method: Expert judgement Assessment: The component/mixture is moderately toxic after single ingestion.
Acute inhalation toxicity	:	Acute toxicity estimate: 1.5 mg/l Exposure time: 4 h Test atmosphere: dust/mist Assessment: The component/mixture is moderately toxic after short term inhalation. Remarks: Based on harmonised classification in EU regulation 1272/2008, Annex VI
Acute dermal toxicity	:	LD50 (Rabbit): 9,200 mg/kg Remarks: No adverse effect has been observed in acute tox- icity tests.



	Revision Date: 18.12.2024	SDS Number: 600000000259	Date of last issue: 08.03.2023 Date of first issue: 20.07.2016
Skin c	orrosion/irritation		
Causes	s severe burns.		
Produ	ct.		
Remar		: Extremely co	prosive and destructive to tissue.
Remai		. Extremely ce	
<u>Comp</u>	onents:		
Trimet	hylpentanediol iso	butyrate:	
Specie	S	: Guinea pig	
	ure time	: 24 h	
Result		: No skin irrita	
Remar	ks	: Based on av	ailable data, the classification criteria are not
	none peroxide; Re ,2-diyl dihydropero		ane-2,2-diyl dihydroperoxide and dioxydib
Specie	S	: Rabbit	
Result		: Causes burn	S.
Butan	one:		
Specie	S	: Rabbit	
Assess	sment	: Repeated ex	posure may cause skin dryness or cracking.
Method			Guideline 404
Result		: No skin irrita	tion
hydrog	gen peroxide:		
Result		: Corrosive	
Seriou	ıs eye damage/eye	irritation	
Cause	s serious eye dama	ge.	
Produ	ct.	-	
Remar		· May causa ir	reversible eye damage.
Remai	K3	. May cause in	reversible eye damage.
<u>Comp</u>	onents:		
Trimet	hylpentanediol isc	butyrate:	
Specie	S	: Rabbit	
Exposi	ure time	: 24 h	
Result		: No eye irritat	ion
	none peroxide; Re ,2-diyl dihydropero		ane-2,2-diyl dihydroperoxide and dioxydib
Result			ffects on the eye
	000-		
Butane			



sion	Revision Date: 18.12.2024	SDS Number: 600000000259	Date of last issue: 08.03.2023 Date of first issue: 20.07.2016
Speci		: Rabbit	t Ovideline 405
Method Result		: Eye irritatio	t Guideline 405 on
hydro	ogen peroxide:		
Result Remarks			effects on the eye peroxide, 35%
Resp	iratory or skin sensi	tisation	
	sensitisation lassified due to lack o	f data.	
-	iratory sensitisation lassified due to lack o		
<u>Com</u>	ponents:		
Trime	ethylpentanediol iso	butyrate:	
Speci Resu		: Guinea pig : Does not c	ause skin sensitisation.
	tanone peroxide; Re 2,2-diyl dihydropero		itane-2,2-diyl dihydroperoxide and dioxydibu
Speci		: Guinea pig	
Metho Resu			t Guideline 406 ause skin sensitisation.
Asses	ssment	: Harmful if s	swallowed., Harmful if inhaled.
Buta	none:		
_			
	sure routes	: Skin contac	
Speci	ies	: Guinea pig	
	ies od	: Guinea pig : OECD Tes	
Speci Metho Resu	ies od It	: Guinea pig : OECD Tes	t Guideline 406
Speci Metho Resu Germ	ies od	: Guinea pig : OECD Tes : Does not c	t Guideline 406
Speci Metho Resu Germ Not c	ies od It n cell mutagenicity	: Guinea pig : OECD Tes : Does not c	t Guideline 406
Speci Metho Resu Germ Not c Com	ies od It n cell mutagenicity lassified due to lack o	: Guinea pig : OECD Tes : Does not c f data.	t Guideline 406
Speci Metho Resu Germ Not c <u>Com</u>	ies od It cell mutagenicity lassified due to lack o ponents:	: Guinea pig : OECD Tes : Does not c f data. butyrate: : Test Type:	t Guideline 406 ause skin sensitisation. In vitro mammalian cell gene mutation test ECD Test Guideline 476





Version 4.1	Revision Date: 18.12.2024	SDS Number: 600000000259	Date of last issue: 08.03.2023 Date of first issue: 20.07.2016
		(Ames test) Result: nega	tive
			Chromosome aberration test in vitro CD Test Guideline 473 tive
	tanone peroxide; Re 2,2-diyl dihydropero		ane-2,2-diyl dihydroperoxide and dioxydibu-
	toxicity in vitro		CD Test Guideline 473 tive
		Method: OE0 Result: nega	CD Test Guideline 471 tive
		Method: OE0 Result: nega	CD Test Guideline 476 tive
Buta	none:		
Geno	toxicity in vitro	: Method: OE Result: nega	CD Test Guideline 471 tive
		Method: OE0 Result: nega	CD Test Guideline 476 tive
		Method: OE(Result: nega	CD Test Guideline 473 tive
Geno	toxicity in vivo		Route: Intraperitoneal CD Test Guideline 474
hydro	ogen peroxide:		
	toxicity in vitro	: Test Type: B Result: nega positive	acterial reverse mutation assay (AMES) tive
			formation taken from reference works and the
		Method: OE Result: posit	Chromosome aberration test in vitro CD Test Guideline 473 ive formation taken from reference works and the
Geno	toxicity in vivo	cytogenetic a	fammalian erythrocyte micronucleus test (in vivo assay) use (male and female)



ersion .1	Revision Date: 18.12.2024	SDS Number: 600000000259	Date of last issue: 08.03.2023 Date of first issue: 20.07.2016
		Result: neg	CD Test Guideline 474 ative ydrogen peroxide, 35%
Germ sessn		: Based on a	vailable data, the classification criteria are not me
	nogenicity assified due to lack of	data.	
Comp	oonents:		
	anone peroxide; Rea 2,2-diyl dihydroperox		tane-2,2-diyl dihydroperoxide and dioxydibu-
Rema	irks	: This informa	ation is not available.
-	o gen peroxide: nogenicity - Assess-	: Carcinogen	icity classification not possible from current data.
Suspe	oductive toxicity ected of damaging ferti	lity or the unborn o	child.
	oonents:		
	ethylpentanediol isob s on foetal develop-	: Test Type: Species: Ra Application	Route: Ingestion CD Test Guideline 414
Repro sessn	ductive toxicity - As- nent	evidence of	of damaging fertility or the unborn child., Some adverse effects on sexual function and fertility, evelopment, based on animal experiments.
	anone peroxide; Rea 2,2-diyl dihydroperox		tane-2,2-diyl dihydroperoxide and dioxydibu-
Effect	s on fertility	General To	Route: oral (gavage) xicity - Parent: NOAEL: 50 mg/kg body weight CD Test Guideline 421
Butar	none:		
	s on fertility		at Route: oral (drinking water) xicity - Parent: NOAEL: 10,000 mg/l
		20	/ 32

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



	Revision Date: 18.12.2024		OS Number: 0000000259	Date of last issue: 08.03.2023 Date of first issue: 20.07.2016
Effects	s on foetal develop-		Method: OECD Remarks: Based Species: Rat Application Rout General Toxicity Method: OECD	F1: NOAEL: 10,000 mg/l Test Guideline 416 I on data from similar materials e: oral (drinking water) - Parent: LOAEL: 20,000 mg/l Test Guideline 416 I on data from similar materials
ment			Application Rout General Toxicity weight Teratogenicity: N	e: Inhalation Maternal: NOAEC: ca. 1,002 mg/kg body NOAEC Parent: ca. 1,002 mg/kg body weig Test Guideline 414
-	,	:	No data availabl	e
Not cla	- single exposure assified due to lack of o conents:	data.		
Not cla <u>Comp</u> Butan	assified due to lack of o	data. :	May cause drow	siness or dizziness.
Not cla <u>Comp</u> Butan Asses hydro Targe	assified due to lack of o ponents: none:	data. : :	May cause drow Respiratory Trac May cause respi	t
Not cla <u>Comp</u> Butan Asses hydro Targe Asses STOT	assified due to lack of o <u>conents:</u> none: ssment ogen peroxide: t Organs	:	Respiratory Trac	t
Not cla Comp Butan Asses hydro Targe Asses STOT Not cla	assified due to lack of o <u>ponents:</u> none: ssment ogen peroxide: t Organs ssment - repeated exposure	:	Respiratory Trac	t
Not cla Comp Butan Asses hydro Targe Asses STOT Not cla Comp	assified due to lack of o <u>ponents:</u> none: ssment t Organs ssment - repeated exposure assified due to lack of o <u>ponents:</u> pgen peroxide:	:	Respiratory Trac	t ratory irritation.
Not cla <u>Comp</u> Butan Asses hydro Targe Asses STOT Not cla <u>Comp</u> hydro Rema	assified due to lack of o <u>ponents:</u> none: ssment t Organs ssment - repeated exposure assified due to lack of o <u>ponents:</u> pgen peroxide:	:	Respiratory Trac May cause respi	t ratory irritation.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878





Version	Revision Date:	SDS Number:	Date of last issue: 08.03.2023	
4.1	18.12.2024	60000000259	Date of first issue: 20.07.2016	

Species NOAEL Application Route Exposure time Method	: Rat : 200 mg/kg : oral (gavage) : 28 d : OECD Test Guideline 407
Repeated dose toxicity - Assessment	: Harmful if swallowed., Harmful if inhaled.
hydrogen peroxide:	
Species NOAEL Application Route Exposure time Remarks	 Mouse, female 37 mg/kg oral (drinking water) 90 d hydrogen peroxide, 35%
Species NOAEL Application Route Exposure time Remarks	 Mouse, males 26 mg/kg oral (drinking water) 90 hydrogen peroxide, 35%

Aspiration toxicity

Not classified due to lack of data.

Components:

Trimethylpentanediol isobutyrate:

Not classified due to data which are conclusive although insufficient for classification.

hydrogen peroxide:

Based on available data, the classification criteria are not met.

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Further information

Product:

Remarks

: No data available



CUROX®M-202

Version	Revision Date:	SDS Number:	Date of last issue: 08.03.2023	
4.1	18.12.2024	60000000259	Date of first issue: 20.07.2016	

Components:

Trimethylpentanediol isobutyrate:				
Remarks	:	No data available		

SECTION 12: Ecological information

12.1 Toxicity

Components:

Chronic aquatic toxicity

Trimethylpentanediol isobutyrate:					
Toxicity to fish	:	NOEC (Fish): >= 6 mg/l Exposure time: 96 h Method: OECD Test Guideline 203			
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia (water flea)): >= 1.46 mg/l Exposure time: 48 h			
		NOEC (Daphnia (water flea)): 0.7 mg/l Exposure time: 21 d			
Toxicity to algae/aquatic plants	:	EC50 (Chlorella pyrenoidosa (algae)): > 7.49 mg/l Exposure time: 72 h Method: OECD Test Guideline 201			
Toxicity to daphnia and other aquatic invertebrates (Chron- ic toxicity)	:	LOEC: 0.7 mg/l Exposure time: 21 d Species: Daphnia magna (Water flea)			
Ecotoxicology Assessment Acute aquatic toxicity	:	This product has no known ecotoxicological effects.			

2-Butanone peroxide; Reaction mass of butane-2,2-diyl dihydroperoxide and dioxydibutane-2,2-diyl dihydroperoxide:

: Harmful to aquatic life with long lasting effects.

Toxicity to fish :	50 (Poecilia reticul posure time: 96 h thod: OECD Test	ata (guppy)): 44.2 mg/l Guideline 203
	EC (Poecilia reticu posure time: 96 h thod: OECD Test	ulata (guppy)): 18 mg/l Guideline 203
Toxicity to daphnia and other : aquatic invertebrates	50 (Daphnia magr posure time: 48 h thod: OECD Test	na (Water flea)): 39 mg/l Guideline 202



Version 4.1	Revision Date: 18.12.2024		0S Number: 0000000259	Date of last issue: 08.03.2023 Date of first issue: 20.07.2016
				a magna (Water flea)): 26.7 mg/l Test Guideline 202
	Toxicity to algae/aquatic plants		mg/l Exposure time:	irchneriella subcapitata (green algae)): 5.6 72 h Test Guideline 201
			mg/l Exposure time:	kirchneriella subcapitata (green algae)): 2.1 72 h Test Guideline 201
Toxic	ity to microorganisms	:	EC50 (Bacteria) Exposure time: Method: OECD	
Buta	none:			
Toxic	ity to fish	:	Exposure time:	les promelas (fathead minnow)): 2,993 mg/l 96 h Test Guideline 203
	ity to daphnia and other tic invertebrates	:	Exposure time:	magna (Water flea)): 308 mg/l 48 h Test Guideline 202
Toxic plants	ity to algae/aquatic s	:	mg/l Exposure time:	irchneriella subcapitata (green algae)): 2,029 96 h Test Guideline 201
Toxic	ity to microorganisms	:	NOEC (Pseudo Exposure time: Method: DIN 38	
hvdro	ogen peroxide:			
-	ity to fish	:	LC50 (Pimepha Exposure time:	les promelas (fathead minnow)): 16.4 mg/l 96 h
	ity to daphnia and other tic invertebrates	:	LC50 (Daphnia Exposure time:	pulex (Water flea)): 2.4 mg/l 48 h
Toxic plants	ity to algae/aquatic S	:	EC50 (Skeleton Exposure time:	ema costatum (marine diatom)): 1.38 mg/l 72 h
			NOEC (Skeleto Exposure time:	nema costatum (marine diatom)): 0.63 mg/l 72 h
Toxic	ity to microorganisms	:	EC50 (activated	l sludge): > 1,000 mg/l

UNITED INITIATORS driving your success

Version 4.1	Revision Date: 18.12.2024	SDS Number: 600000000259	Date of last issue: 08.03.2023 Date of first issue: 20.07.2016		
		Exposure ti Method: OE	me: 3 h ECD Test Guideline 209		
Toxicity to daphnia and other aquatic invertebrates (Chron-ic toxicity)		Exposure ti	NOEC: 0.63 mg/l Exposure time: 21 d Species: Daphnia magna (Water flea)		
12.2 Pers	istence and degradabil	ity			
Com	ponents:				
Trim	ethylpentanediol isobu	tyrate:			
Biode	egradability	Exposure ti	dly biodegradable me: 28 d ECD Test Guideline 301B		
	tanone peroxide; Reac 2,2-diyl dihydroperoxid		tane-2,2-diyl dihydroperoxide and dioxydibu-		
	egradability	: Result: Rea	adily biodegradable. ECD Test Guideline 301D		
Buta	none:				
Biode	egradability		adily biodegradable. ECD Test Guideline 301D		
hydr	ogen peroxide:				
Biode	egradability	: Result: Rea	adily biodegradable.		
12.3 Bioa	ccumulative potential				
<u>Com</u>	ponents:				
Trim	ethylpentanediol isobu	tyrate:			
Bioad	ccumulation	: Species: Fi Bioconcent	sh ration factor (BCF): 1.95		
	ion coefficient: n- ol/water	: log Pow: 4.	91 (25 °C)		
	tanone peroxide; Reac 2,2-diyl dihydroperoxid		tane-2,2-diyl dihydroperoxide and dioxydibu-		
	ion coefficient: n- nol/water	: log Pow: <	0.3 (25 °C)		
Buta	none:				
Partit	ion coefficient: n-	: log Pow: 0.	3 (40 °C)		

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878





Version 4.1	Revision Date: 18.12.2024	SDS Number: 600000000259	Date of last issue: 08.03.2023 Date of first issue: 20.07.2016		
hydr Partit	nol/water r ogen peroxide: tion coefficient: n- nol/water	: log Pow: -1. Remarks: Ir Calculation	57 (20 °C) formation refers to the main component.		
	ility in soil ata available				
12.5 Res	ults of PBT and vPvB a	ssessment			
<u>Prod</u> Asse	luct: essment	to be either	nce/mixture contains no components considered persistent, bioaccumulative and toxic (PBT), or ent and very bioaccumulative (vPvB) at levels of ner.		
12.6 End	ocrine disrupting prop	erties			
Prod	luct:				
Asse	essment	ered to have REACH Arti (EU) 2017/2	: The substance/mixture does not contain components consid- ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 a levels of 0.1% or higher.		
12.7 Othe	er adverse effects				
Prod	luct:				
Addit matio	tional ecological infor- on	unprofessio Toxic to aqu	nental hazard cannot be excluded in the event of nal handling or disposal. latic life. lquatic life with long lasting effects.		
	N 13: Disposal consi te treatment methods	derations			

Product

 Dispose of wastes in an approved waste disposal facility. The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container.
 According to the European Waste Catalogue, Waste Codes are not product specific, but application specific.



CUROX®M-202

IMDG

ΙΑΤΑ

ADR

RID

IMDG

ΙΑΤΑ

ADR

Labels

14.4 Packing group

Packing group

Classification Code

Tunnel restriction code

14.3 Transport hazard class(es)

Version 4.1	Revision Date: 18.12.2024		DS Number: 00000000259	Date of last issue: 08.03.2023 Date of first issue: 20.07.2016		
			discussion with th	e waste disposal authorities.		
Contaminated packaging		:	 Dispose of in accordance with local regulations. Clean container with water. Dispose of contents/ container to an approved waste disposal plant. Empty remaining contents. Dispose of as unused product. Do not re-use empty containers. Do not burn, or use a cutting torch on, the empty drum. 			
SECTIO	N 14: Transport info	rma	tion			
14.1 UN r	number or ID number					
ADR		:	UN 3105			
RID		:	UN 3105			
IMDO	3	: UN 3105				
ΙΑΤΑ	۱.	: UN 3105				
14.2 UN p	proper shipping name					
ADR		:		XIDE TYPE D, LIQUID . KETONE PEROXIDE(S))		
RID		:		XIDE TYPE D, LIQUID . KETONE PEROXIDE(S))		

ORGANIC PEROXIDE TYPE D, LIQUID

Organic peroxide type D, liquid

(Methyl ethyl ketone peroxide(s))

(METHYL ETHYL KETONE PEROXIDE(S))

Subsidiary risks

HEAT

:

:

: 5.2

: 5.2

:

: 5.2

: (D)

Class

: 5.2

: 5.2

: P1

Not assigned by regulation

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



CUROX®M-202

Version	Revision Date:	SDS Number:	Date of last issue: 08.03.2023
4.1	18.12.2024	60000000259	Date of first issue: 20.07.2016

RID

Packing group Classification Code Hazard Identification Number Labels		Not assigned by regulation P1 539 5.2
IMDG Packing group Labels EmS Code		Not assigned by regulation 5.2 F-J, S-R
IATA (Cargo) Packing instruction (cargo aircraft) Packing group Labels	:	570 Not assigned by regulation Organic Peroxides, Keep Away From Heat
IATA (Passenger) Packing instruction (passen- ger aircraft) Packing group Labels	:	570 Not assigned by regulation Organic Peroxides, Keep Away From Heat

14.5 Environmental hazards

ADR Environmentally hazardous	:	no
RID Environmentally hazardous	:	no
IMDG Marine pollutant	:	no

14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture



CUROX[®]M-202

ersion .1	Revision Date: 18.12.2024	SDS Number: 60000000259			last issue: 08.03.2023 first issue: 20.07.2016
the m		ne manufacture, placing o ain dangerous substances ex XVII)		:	Conditions of restriction for the fol- lowing entries should be considered Number on list 3
					Number on list 75: If you intend to use this product as tattoo ink, pleas contact your vendor.
	CH - Candidate List of ern for Authorisation (Substances of Very High Article 59).	1	:	Not applicable
Regu layer	lation (EC) on substa	nces that deplete the ozor	ne	:	Not applicable
	lation (EU) 2019/1021 (recast)	on persistent organic po	llu-	:	Not applicable
ment		12 of the European Parlia erning the export and imp		:	Not applicable
	CH - List of substance ex XIV)	s subject to authorisation		:	Not applicable
	lation (EU) 2019/1148 precursors	3 on the marketing and us	e of ex	φl	0-
cious	transactions, and sig	y Regulation (EU) 2019/1 nificant disappearances a elevant national contact p	nd the		
pean contro	so III: Directive 2012/ Parliament and of the ol of major-accident ha erous substances.	Council on the	А	N	F-REACTIVE SUBSTANCES D MIXTURES and ORGANIC ROXIDES
	r regulations: nrgruppe nach TRGS	741: II (German regulator	ry requ	ire	ements)
	note of Directive 92/8 e applicable.	5/EEC regarding materning	ty prote	ec	tion or stricter national regulations,
	note of Directive 94/3 ations, where applicat		young	р	eople at work or stricter national

regulations, where applicable.

The components of this product are reported in the following inventories: TCSI (TW) : On the inventory, or in compliance with the inventory

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



CUROX®M-202

Version 4.1	Revision Date: 18.12.2024	-	S Number: 0000000259	Date of last issue: 08.03.2023 Date of first issue: 20.07.2016
TSCA	A (US)	:	All substances	listed as active on the TSCA inventory
AIIC ((AU)	:	On the inventor	y, or in compliance with the inventory
DSL (CA)		:	All components	of this product are on the Canadian DSL
ENCS	S (JP)	:	On the inventor	y, or in compliance with the inventory
ISHL	(JP)	:	On the inventor	y, or in compliance with the inventory
KECI	(KR)	:	On the inventor	y, or in compliance with the inventory
PICC	S (PH)	:	On the inventor	y, or in compliance with the inventory
IECS	C (CN)	:	On the inventor	y, or in compliance with the inventory
TECI	(TH)	:	On the inventor	y, or in compliance with the inventory

15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture.

SECTION 16: Other information

Full text of H-Statements

H225 H242 H271 H302 H314 H318 H319 H332 H335 H336 H361 H412 EUH066		 Highly flammable liquid and vapour. Heating may cause a fire. May cause fire or explosion; strong oxidizer. Harmful if swallowed. Causes severe skin burns and eye damage. Causes serious eye damage. Causes serious eye irritation. Harmful if inhaled. May cause respiratory irritation. May cause drowsiness or dizziness. Suspected of damaging fertility or the unborn child. Harmful to aquatic life with long lasting effects. Repeated exposure may cause skin dryness or cracking.
Full text of other abbreviation	ns	
Acute Tox. Aquatic Chronic Eye Dam. Eye Irrit. Flam. Liq. Org. Perox. Ox. Liq. Repr. Skin Corr.		Acute toxicity Long-term (chronic) aquatic hazard Serious eye damage Eye irritation Flammable liquids Organic peroxides Oxidizing liquids Reproductive toxicity Skin corrosion

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878





Vers 4.1	on Revision Date: 18.12.2024	SDS Number: 60000000259	Date of last issue: 08.03.2023 Date of first issue: 20.07.2016	
	STOT SE 2000/39/EC	: Europe. Commiss	gan toxicity - single exposure sion Directive 2000/39/EC establishing a first ccupational exposure limit values	
IE OEL : I		: Ireland. List of Ch	emical Agents and Carcinogens with Occu- E Limit Values - Code of Practice, Schedule 1	
2000/39/EC / TWA 2000/39/EC / STEL IE OEL / OELV - 8 hrs (TWA) IE OEL / OELV - 15 min (STEL)		Short term exposOccupational exp	Limit Value - eight hours Short term exposure limit Occupational exposure limit value (8-hour reference period) Occupational exposure limit value (15-minute reference peri- od)	

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA -European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI -Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

Further information

Other information

: This safety datasheet only contains information relating to safety and does not replace any product information or product specification.

These safety instructions also apply to empty packaging which may still contain product residues.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



_



Version 4.1	Revision Date: 18.12.2024	SDS Number: 60000000259	Date of last issue: 08.03.2023 Date of first issue: 20.07.2016
		The hazards on th tainer.	he label also apply to residues in the con-
	rces of key data used to pile the Safety Data et		data, data from raw material SDSs, OECD arch results and European Chemicals Agen- ropa.eu/
Classification of the mixtur		e:	Classification procedure:
Org.	Perox. D	H242	Based on product data or assessment
Acu	te Tox. 4	H302	Calculation method
Acu	te Tox. 4	H332	Calculation method
Skin	Corr. 1B	H314	Calculation method
Eye	Dam. 1	H318	Calculation method
Rep	r. 2	H361	Calculation method
Aqu	atic Chronic 3	H412	Calculation method

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

IE / EN