

CUROX®M-503

Version	Revision Date:	SDS Number:	Date of last issue: 06.03.2023
1.2	08.11.2024	60000000330	Date of first issue: 29.11.2022

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product	identifier
-------------	------------

Trade name : CUROX[®]M-503

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub-	:	Hardener
stance/Mixture		

1.3 Details of the supplier of the safety data sheet

Company	:	United Initiators GmbH DrGustav-Adolph-Str. 3 82049 Pullach
Telephone	:	+49 / 89 / 74422 – 0
E-mail address of person responsible for the SDS	:	contact@united-in.com

1.4 Emergency telephone number

+44 1235 239670

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008) as amended by GB-CLP Regulation, UK SI 2019/720, and UK SI 2020/1567)

Organic peroxides, Type D	H242: Heating may cause a fire.
Acute toxicity, Category 4	H302: Harmful if swallowed.
Acute toxicity, Category 4	H332: Harmful if inhaled.
Skin corrosion, Sub-category 1B	H314: Causes severe skin burns and eye damage.
Serious eye damage, Category 1	H318: Causes serious eye damage.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008) as amended by GB-CLP Regulation, UK SI 2019/720, and UK SI 2020/1567)

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



CUROX®M-503

Version 1.2	Revision Date: 08.11.2024		SDS Number: 60000000330	Date of last issue: 06.03.2023 Date of first issue: 29.11.2022
Haza	ard pictograms	:		
Sign	al word	:	Danger	
Haza	ard statements	:	H302 + H332	Heating may cause a fire. Harmful if swallowed or if inhaled. Causes severe skin burns and eye damage.
Prec	autionary statements	:	Prevention:	
			f P234 P P280 V	Keep away from heat, hot surfaces, sparks, open lames and other ignition sources. No smoking. Keep only in original packaging. Near protective gloves/ protective clothing/ eye protection/ face protection/ hearing protection.
			Response:	
				+ P353 IF ON SKIN (or hair): Take off immedi- ately all contaminated clothing. Rinse skin with water.
				+ P310 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immedi- ately call a POISON CENTER/ doctor.
			P305 + P351 v li	+ P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact enses, if present and easy to do. Continue rins- ng. Immediately call a POISON CENTER/ doctor.
			P370 + P378 r	• •

Hazardous components which must be listed on the label: 2-Butanone, peroxide (CAS-No. 1338-23-4)

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

:

3.2 Mixtures

Chemical nature

Organic Peroxide Liquid mixture

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



CUROX®M-503

Version	Revision Date:	SDS Number:	Date of last issue: 06.03.2023
1.2	08.11.2024	60000000330	Date of first issue: 29.11.2022

Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
2-Butanone, peroxide	1338-23-4 700-954-4 01-2119514691-43- 0000	Org. Perox. D; H242 Acute Tox. 4; H302 Acute Tox. 4; H332 Skin Corr. 1B; H314 Eye Dam. 1; H318	>= 30 - < 35
Ethylene glycol	107-21-1 203-473-3 603-027-00-1 01-2119456816-28	Acute Tox. 4; H302 STOT RE 2; H373 (Kidney)	>= 5 - < 7.5
hydrogen peroxide	7722-84-1 231-765-0 008-003-00-9 01-2119485845-22	Ox. Liq. 1; H271 Acute Tox. 4; H302 Acute Tox. 4; H332 Skin Corr. 1A; H314 Eye Dam. 1; H318 STOT SE 3; H335 (Respiratory sys- tem) Aquatic Chronic 3; H412 	>= 3 - < 5

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



CUROX®M-503

Version 1.2	Revision Date: 08.11.2024	SDS Number: 60000000330	Date of last issue: 06.03.2023 Date of first issue: 29.11.2022		
			>= 63 %		
Sub	stances with a workpla	ace exposure limit :	•		
dime	ethyl phthalate	131-11-3 205-011-6 01-211943		>= 55 - < 65	

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice	:	Take off contaminated clothing and shoes immediately. Call a physician immediately. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and seek medical advice. Move out of dangerous area. Show this safety data sheet to the doctor in attendance. Do not leave the victim unattended. Symptoms of poisoning may appear several hours later.
Protection of first-aiders	:	First Aid responders should pay attention to self-protection and use the recommended protective clothing
If inhaled	:	Administer oxygen if breathing is difficult or cyanosis is ob- served. Call a physician immediately. If breathed in, move person into fresh air. If not breathing, give artificial respiration. Respiratory tract burning possible if aerosols are inhaled. Call a physician or poison control centre immediately. If unconscious, place in recovery position and seek medical advice. Keep respiratory tract clear.
In case of skin contact	:	If symptoms persist, call a physician. Immediate medical treatment is necessary as untreated wounds from corrosion of the skin heal slowly and with difficul- ty. In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Wash contaminated clothing before re-use. If on skin, rinse well with water. If on clothes, remove clothes.
In case of eye contact	:	Small amounts splashed into eyes can cause irreversible tis- sue damage and blindness.

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



1.2	Revision Date: 08.11.2024		9S Number: 0000000330	Date of last issue: 06.03.2023 Date of first issue: 29.11.2022		
			of water and seek Continue rinsing Remove contact I Protect unharmed Keep eye wide op	eyes during transport to hospital. enses. I eye.		
If swallowed		:	Call a physician immediately. Rinse mouth thoroughly with water. Keep respiratory tract clear. Do NOT induce vomiting. If symptoms persist, call a physician.			
4.2 Most i	mportant symptoms ar	nd e	effects, both acute	e and delayed		
Risks		:	Harmful if swallow Causes serious e Causes severe be	ved or if inhaled. ye damage.		
			Harmful if swallow Causes serious e	ye damage.		
4.3 Indicat	tion of any immediate	med	Causes severe b			
Treatr	•	:	lical attention and Treat symptomati	urns. I special treatment needed cally and supportively.		
Treatr	nent	:	lical attention and Treat symptomati	special treatment needed		
Treatr SECTION 5.1 Exting	nent	: sur	lical attention and Treat symptomati	d special treatment needed cally and supportively.		
Treatr SECTION 5.1 Exting Suitat	ment I 5: Firefighting measure uishing media ble extinguishing media table extinguishing	: sur	dical attention and Treat symptomati es Water spray jet Alcohol-resistant Carbon dioxide (0	d special treatment needed cally and supportively. foam		
Treatr SECTION 5.1 Exting Suitat Unsui media	ment I 5: Firefighting measure uishing media ble extinguishing media table extinguishing	: sur :	lical attention and Treat symptomati es Water spray jet Alcohol-resistant Carbon dioxide (C Dry chemical High volume wate	d special treatment needed cally and supportively. foam CO2) er jet		

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



CUROX®M-503

Versi 1.2	on	Revision Date: 08.11.2024		0S Number: 0000000330	Date of last issue: 06.03.2023 Date of first issue: 29.11.2022
				Do not allow run-o courses. Vapours may forn The product will fl water.	s violently. ble over considerable distance. off from fire fighting to enter drains or water n explosive mixtures with air. oat on water and can be reignited on surface iners exposed to fire with water spray.
5.3 A	dvice f	or firefighters			
	Special for firefi	protective equipment ghters	:		ed breathing apparatus for firefighting if nec- onal protective equipment.
	Specific ods	extinguishing meth-	:	fire. Remove undamag so.	d water stream as it may scatter and spread ged containers from fire area if it is safe to do o cool unopened containers.
I	Further	information	:	cumstances and t Use a water spray Collect contamina must not be disch Fire residues and	measures that are appropriate to local cir- he surrounding environment. / to cool fully closed containers. ted fire extinguishing water separately. This arged into drains. contaminated fire extinguishing water must accordance with local regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions	 Follow safe handling advice and personal protective equipment recommendations. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas. Use personal protective equipment. Remove all sources of ignition. Never return spills in original containers for re-use. Treat recovered material as described in the section "Disposal considerations".

6.2 Environmental precautions

Environmental precautions	:	Prevent product from entering drains.
		Prevent further leakage or spillage if safe to do so.
		If the product contaminates rivers and lakes or drains inform respective authorities.
		respective authonnes.

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



CUROX®M-503

Version	Revision Date:	SDS Number:	Date of last issue: 06.03.2023
1.2	08.11.2024	60000000330	Date of first issue: 29.11.2022

6.3 Methods and material for containment and cleaning up

Methods for cleaning up	 Contact with incompatible substances can cause decomposition at or below SADT. Clear spills immediately. Suppress (knock down) gases/vapours/mists with a water spray jet. To clean the floor and all objects contaminated by this material, use plenty of water. Soak up with inert absorbent material. Isolate waste and do not reuse. Non-sparking tools should be used. Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.
	mine which regulations are applicable.

6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Technical measures	:	See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.
Advice on safe handling	:	Open drum carefully as content may be under pressure. Protect from contamination. Do not swallow. Do not breathe vapours/dust. Avoid contact with skin and eyes. Avoid formation of aerosol. Take precautionary measures against static discharges. Never return any product to the container from which it was originally removed. Provide sufficient air exchange and/or exhaust in work rooms. Avoid confinement. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Smoking, eating and drinking should be prohibited in the ap- plication area. Wash thoroughly after handling. For personal protection see section 8.
Advice on protection against fire and explosion	:	Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapours). Keep away from heat and sources of ignition. Use only explosion-proof equipment. Keep away from open flames, hot surfaces and sources of ignition. Keep away from combustible material. Do not spray on a naked flame or any incandescent material.



CUROX®M-503

Vers 1.2	sion	Revision Date: 08.11.2024		9S Number: 0000000330	Date of last issue: 06.03.2023 Date of first issue: 29.11.2022
	Hygien	e measures	:	food and drink. W	skin, eyes and clothing. Keep away from hen using do not eat or drink. When using sh hands before breaks and immediately product.
7.2 (Conditio	ons for safe storage,	incl	uding any incomp	atibilities
		ements for storage and containers	:	cool, well-ventilated ventilated place. O sure increases - c precautions. Store regulations. Avoid composition. Elec comply with the ter	ontainer. Keep containers tightly closed in a ed place. Store in cool place. Keep in a well- Contamination may result in dangerous pres- losed containers may rupture. Observe label e in accordance with the particular national impurities (e.g. rust, dust, ash), risk of de- trical installations / working materials must chnological safety standards. Containers must be carefully resealed and kept upright e.
	Advice	on common storage	:		combustible materials. trong acids, bases, heavy metal salts and ostances.
	Recom peratur	mended storage tem- e	:	< 30 °C	
	Further age sta	information on stor- bility	:	Stable under reco	mmended storage conditions.
73	Specific	: end use(s)			
,	•	c use(s)	:	For further information sheet.	ation, refer to the product technical data

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
dimethyl phthalate	131-11-3	TWA	5 mg/m3	GB EH40
		STEL	10 mg/m3	GB EH40
2-Butanone, perox- ide	1338-23-4	STEL	0.2 ppm 1.5 mg/m3	GB EH40
Ethylene glycol	107-21-1	TWA (particles)	10 mg/m3	GB EH40
	Further information: Can be absorbed through the skin. The assigned sub- stances are those for which there are concerns that dermal absorption will lead to systemic toxicity.			

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



CUROX®M-503

Version	Revision Date:	SDS Number:	Date of last issue: 06.03.2023	
1.2	08.11.2024	60000000330	Date of first issue: 29.11.2022	

		TWA (Vapour)	20 ppm 52 mg/m3	GB EH40	
	Further information: Can be absorbed through the skin. The assigned sub- stances are those for which there are concerns that dermal absorption will lead to systemic toxicity.				
		STEL (Vapour)	40 ppm 104 mg/m3	GB EH40	
	Further information: Can be absorbed through the skin. The assigned sub- stances are those for which there are concerns that dermal absorption will lead to systemic toxicity.				
		TWA	20 ppm 52 mg/m3	2000/39/EC	
	Further information: Identifies the possibility of significant uptake through the skin, Indicative				
		STEL	40 ppm 104 mg/m3	2000/39/EC	
	Further information: Identifies the possibility of significant uptake through the skin, Indicative				
hydrogen peroxide	7722-84-1	TWA	1 ppm 1.4 mg/m3	GB EH40	
		STEL	2 ppm 2.8 mg/m3	GB EH40	

Derived No Effect Level (DNEL):

Substance name	End Use	Exposure routes	Potential health ef- fects	Value
dimethyl phthalate	Workers	Inhalation	Long-term systemic effects	66.1 mg/m3
	Workers	Skin contact	Long-term systemic effects	135 mg/kg bw/day
2-Butanone, peroxide	Workers	Inhalation	Long-term systemic effects	2.35 mg/m3
	Workers	Skin contact	Long-term systemic effects	1.33 mg/kg bw/day
	Workers	Inhalation	Acute systemic ef- fects	7.05 mg/m3
Ethylene glycol	Workers	Inhalation	Long-term systemic effects	35 mg/m3
	Workers	Skin contact	Long-term systemic effects	106 mg/kg bw/day
	Consumers	Inhalation	Long-term local ef- fects	7 mg/m3
	Workers	Skin contact	Long-term systemic effects	53 mg/kg bw/day
hydrogen peroxide	Workers	Inhalation	Acute local effects	3 mg/m3
	Workers	Inhalation	Long-term local ef- fects	1.4 mg/m3

Predicted No Effect Concentration (PNEC):

 Substance name
 Environmental Compartment
 Value

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



CUROX®M-503

Version 1.2	Revision Date: 08.11.2024	SDS Number: 60000000330	Date of last issue: (Date of first issue: 2	
dimet	thyl phthalate	Fresh water		0.192 mg/l
	2	Marine water		0.0192 mg/l
		Sewage treat	ment plant	4 mg/l
		Fresh water s	sediment	1.3 mg/kg dry weight (d.w.)
		Soil		3.16 mg/kg dry weight (d.w.)
		Marine sedim	ent	0.13 mg/kg dry

		weight (u.w.)
	Marine sediment	0.13 mg/kg dry weight (d.w.)
2-Butanone, peroxide	Fresh water	0.0056 mg/l
	Marine water	0.00056 mg/l
	Intermittent use/release	0.056 mg/l
	Sewage treatment plant	1.2 mg/l
	Fresh water sediment	0.0876 mg/kg
	Marine sediment	0.00876 mg/kg
	Soil	0.0142 mg/kg
Ethylene glycol	Fresh water	10 mg/l
	Marine water	1 mg/l
	Intermittent use/release	10 mg/l
	Sewage treatment plant	199.5 mg/l
	Fresh water sediment	20.9 mg/kg
	Soil	1.53 mg/kg
hydrogen peroxide	Sewage treatment plant	4.66 mg/l
	Fresh water	0.0126 mg/l
	Marine sediment	0.047 mg/l
	Fresh water sediment	0.047 mg/l
	Marine water	0.0126 mg/l
	Soil	0.0023 mg/l

8.2 Exposure controls

Engineering measures

Minimize workplace exposure concentrations.

Personal protective equipment

Eye/face protection	:	Ensure that eyewash stations and safety showers are close to the workstation location. Please follow all applicable local/national requirements when selecting protective measures for a specific workplace. Always wear eye protection when the potential for inadvertent eye contact with the product cannot be excluded. Tightly fitting safety goggles Please wear suitable protective goggles. Also wear face pro- tection if there is a splash hazard.
Hand protection Material Break through time Glove thickness	-	Nitrile rubber 30 min 0.40 mm

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



CUROX®M-503

Version 1.2	Revision Date: 08.11.2024		DS Number: 00000000330	Date of last issue: 06.03.2023 Date of first issue: 29.11.2022
Bi	aterial eak through time love thickness	:	butyl-rubber 480 min 0.47 mm	
R	emarks	:	standard values! material has to be tive glove. Choos depending on the ous substance an plications, we rec cals of the aforem	reak through time/strength of material are The exact break through time/strength of e obtained from the producer of the protec- e gloves to protect hands against chemicals concentration and quantity of the hazard- d specific to place of work. For special ap- ommend clarifying the resistance to chemi- nentioned protective gloves with the glove ash hands before breaks and at the end of
Skin	and body protection	:	sistance data and tial. Additional body g being performed suits) to avoid exp Wear as appropri	e protective clothing based on chemical re- an assessment of the local exposure poten- arments should be used based upon the task (e.g., sleevelets, apron, gauntlets, disposable bosed skin surfaces. ate: intistatic protective clothing.
Resp	iratory protection	:	approved filter.	t or aerosol formation use respirator with an t or aerosol formation use respirator with an
Fi	lter type	:	ABEK-filter	
			ABEK-filter	
Prote	ctive measures	:		ctive equipment must be selected according on and amount of the dangerous substance rkplace.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance	:	liquid
Colour	:	colourless, clear

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



CUROX®M-503

Version 1.2	Revision Date: 08.11.2024		S Number: 0000000330	Date of last issue: 06.03.2023 Date of first issue: 29.11.2022
Odo			mint-like	
		•		
Odo	our Threshold	:	not determined	
рН		:	No data available	9
Melt	ing point/ range	:	No data available	9
Boili	ing point/boiling range	:	Decomposition: I	Decomposes below the boiling point.
Flas	h point	:	> 65 °C Method: ISO 367	9
Flan	nmability (solid, gas)	:	Not applicable	
	er explosion limit / Upper mability limit	:	Upper explosion not determined	limit
	er explosion limit / Lower mability limit	:	Lower explosion not determined	limit
Vap	our pressure	:	No data available	
Rela	ative vapour density	:	not determined	
Rela	ative density	:	not determined	
Den	sity	:	1.12 g/cm3 (20 °	C)
	ıbility(ies) Vater solubility	:	slightly soluble	
S	Solubility in other solvents	:	soluble Solvent: Phthalat	es
	ition coefficient: n- nol/water	:	Pow: 1.54 (25 °C (for a component	
	osity /iscosity, dynamic	:	18 - 22 mPa.s	
١	/iscosity, kinematic	:	not determined	
Exp	losive properties	:	Not explosive In use, may form	flammable/explosive vapour-air mixture.
Oxic	lizing properties	:	The substance o Organic peroxide	r mixture is not classified as oxidizing.

9.2 Other information

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



CUROX®M-503

Vers 1.2	sion Revision I 08.11.202			S Number: 000000330	Date of last issue: 06.03.2023 Date of first issue: 29.11.2022
	Self-Accelerating of tion temperature (:	temperature at w	: H.4 erating Decomposition Temperature. Lowest hich the tested package size will undergo a decomposition reaction.
	Flammability (liqui	ds)	:	Flammable liquid	, Organic peroxide
	Self-heating subst	ances	:	The substance or	r mixture is not classified as self heating.
	Self-ignition		:	The substance or	r mixture is not classified as pyrophoric.

SECTION 10: Stability and reactivity

10.1 Reactivity

Stable under recommended storage conditions. Heating may cause a fire or explosion.

10.2 Chemical stability

Stable under recommended storage conditions. No decomposition if stored normally.

10.3 Possibility of hazardous reactions

Hazardous reactions : Vapours may form explosive mixture with air.

10.4 Conditions to avoid

Conditions to avoid

Protect from contamination.
 Contact with incompatible substances can cause decomposition at or below SADT.
 Heat, flames and sparks.
 Avoid confinement.

10.5 Incompatible materials

Materials to avoid

: Accelerators, strong acids and bases, heavy metals and heavy metal salts, reducing agents

10.6 Hazardous decomposition products

Irritant, caustic, flammable, noxious/toxic gases and vapours can develop in the case of fire and decomposition



CUROX®M-503

Version Revision Date: SDS Number: Date of last issue: 06.03.2023 1.2 08.11.2024 60000000330 Date of first issue: 29.11.2022		evision Date: 8.11.2024	SDS Number: 60000000330	Date of last issue: 06.03.2023 Date of first issue: 29.11.2022
--	--	----------------------------	----------------------------	---

SECTION 11: Toxicological information

11.1 Information on toxicological effects Acute toxicity Harmful if swallowed or if inhaled. **Product:** Acute oral toxicity Acute toxicity estimate: 1,126 mg/kg : Method: Calculation method : Acute toxicity estimate: 4 mg/l Acute inhalation toxicity Exposure time: 4 h Test atmosphere: dust/mist Method: Calculation method **Components:** 2-Butanone, peroxide: Acute oral toxicity Acute toxicity estimate: 500 mg/kg • Method: Expert judgement Acute inhalation toxicity Acute toxicity estimate: 1.5 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: Expert judgement Assessment: The component/mixture is moderately toxic after short term inhalation. Remarks: Based on data from similar materials Acute dermal toxicity 5 Acute toxicity estimate: 2,500 mg/kg Method: Expert judgement Ethylene glycol: Acute inhalation toxicity LC50 (Rat): > 2.5 mg/l Exposure time: 6 h Test atmosphere: dust/mist Acute dermal toxicity : LD50 (Mouse): > 3,500 mg/kg hydrogen peroxide: LD50 (Rat, male and female): 431 mg/kg Acute oral toxicity : Method: Expert judgement Assessment: The component/mixture is moderately toxic after single ingestion. Acute inhalation toxicity Acute toxicity estimate: 1.5 mg/l Exposure time: 4 h

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Versio 1.2	n Revision Date: 08.11.2024		0S Number: 0000000330	Date of last issue: 06.03.2023 Date of first issue: 29.11.2022
٨	outo dormal tovicity		short term inhalati Remarks: Based o 1272/2008, Annex	component/mixture is moderately toxic after ion. on harmonised classification in EU regulation k VI
A	cute dermal toxicity	•	LD50 (Rabbit): 9,2 Remarks: No advo icity tests.	erse effect has been observed in acute tox-
di	methyl phthalate:			
A	cute oral toxicity	:	LD50 (Rat): > 5,0	00 mg/kg
A	cute inhalation toxicity	:	(Rat): > 10.4 mg/ Exposure time: 6 Test atmosphere: Remarks: No mor	h
A	cute dermal toxicity	:	LD50 (Rabbit): > 7	12,000 mg/kg
C: <u>Pi</u>	kin corrosion/irritation auses severe burns. <u>roduct:</u> emarks	:	Extremely corrosi	ve and destructive to tissue.
<u>C</u>	omponents:			
2-	Butanone, peroxide:			
	pecies esult	:	Rabbit Causes burns.	
Et	thylene glycol:			
	pecies	:	Rabbit	
R	esult	:	No skin irritation	
R	emarks	:	May cause skin in	ritation in susceptible persons.
hy	ydrogen peroxide:			
-	esult	:	Corrosive after 3	minutes or less of exposure
di	methyl phthalate:			
	pecies	:	Rabbit	
	ethod esult	:	Draize Test No skin irritation	
R	esuit	·	IND SKIT ITHIALION	

UNITED INITIATORS

rsion	Revision Date: 08.11.2024		S Number: 000000330	Date of last issue: 06.03.2023 Date of first issue: 29.11.2022
Saria	uo ava damana/ava	irritatio	-	
	us eye damage/eye es serious eye damag		'n	
Produ	-	, -		
Rema		:	May cause irre	versible eye damage.
			2	
<u>Comp</u>	oonents:			
2-But	anone, peroxide:			
Resul	t	:	Irreversible effe	ects on the eye
Fthyle	ene glycol:			
Speci	•••	÷	Rabbit	
Resul			No eye irritation	1
Rema	ırks		Vapours may c and the skin.	ause irritation to the eyes, respiratory system
hvdro	ogen peroxide:			
Resul	• •	:	Irreversible effe	ects on the eve
Rema			hydrogen perox	
dimet	hyl phthalate:			
Speci		:	Rabbit	
Metho			OECD Test Gu	
Resul	t	:	No eye irritation	1
Respi	iratory or skin sens	tisatior	ı	
	sensitisation			
	assified due to lack o			
-	iratory sensitisation assified due to lack c			
Comp	oonents:			
2-But	anone, peroxide:			
Speci			Guinea pig	
Metho	-		OECD Test Gu	
Resul	t	:	Does not cause	e skin sensitisation.
Asses	sment	:	Harmful if swal	owed., Harmful if inhaled.
Ethyle	ene glycol:			
	Type	:	Maximisation T	est
Test T	sure routes			

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Version 1.2	Revision Date: 08.11.2024	SDS Number: 60000000330	Date of last issue: 06.03.2023 Date of first issue: 29.11.2022
Me	ecies ethod sult	: Guinea pig : OECD Test Gu : Does not cause	iideline 406 e skin sensitisation.
Sp Me	nethyl phthalate: ecies ethod sult	: Mouse : OECD Test Gu : Does not cause	uideline 429 e skin sensitisation.
	r m cell mutagenicity t classified due to lack o	of data.	
<u>Cc</u>	mponents:		
	Butanone, peroxide: notoxicity in vitro	: Method: OECE Result: negativ) Test Guideline 473 re
		Method: OECD Result: negativ) Test Guideline 471 re
		Method: OECD Result: negativ) Test Guideline 476 re
Et	nylene glycol:		
	notoxicity in vitro	: Method: OECE Result: negativ) Test Guideline 471 re
Ge	notoxicity in vivo	: Test Type: Chr Species: Rat Application Ro Result: negativ	romosomal aberration ute: Oral re
hv	drogen peroxide:		
-	notoxicity in vitro	Result: negativ positive	cterial reverse mutation assay (AMES) e mation taken from reference works and the
		Method: OECE Result: positive	romosome aberration test in vitro) Test Guideline 473 e mation taken from reference works and the
Ge	notoxicity in vivo	: Test Type: Mai cytogenetic as	mmalian erythrocyte micronucleus test (in vivo say)

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



ersion .2	Revision Date: 08.11.2024	SDS Number: 600000000330	Date of last issue: 06.03.2023 Date of first issue: 29.11.2022
		Method: OE Result: neg	ouse (male and female) ECD Test Guideline 474 ative ydrogen peroxide, 35%
Germ sessn	cell mutagenicity- As- nent	: Based on a	vailable data, the classification criteria are not me
dime	thyl phthalate:		
	toxicity in vitro	: Method: OE Result: neg	ECD Test Guideline 471 ative
		Method: OE Result: neg	ECD Test Guideline 473 ative
		Method: OE Result: posi	ECD Test Guideline 476 itive
Geno	toxicity in vivo	Species: Ra	Route: Intraperitoneal
		Species: Mo	Route: Intraperitoneal injection
	nogenicity assified due to lack of (data.	
Com	oonents:		
2-But Rema	a none, peroxide: arks	: This informa	ation is not available.
Speci Applic	cation Route sure time	: Mouse : oral (feed) : 2 Years : 1,500 mg/kg	g bw/day
Speci Applic NOAE	cation Route	: Rat : oral (feed) : 1,000 mg/kg	g food
•	ogen peroxide: nogenicity - Assess-	: Carcinogen	icity classification not possible from current data.
		40	/ 31

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Version 1.2	Revision Date: 08.11.2024	SDS Number: 60000000330	Date of last issue: 06.03.2023 Date of first issue: 29.11.2022
me	ent		
Sp Ap Me Re	nethyl phthalate: ecies plication Route ethod sult marks	: negative	t Guideline 451 ata from similar materials
	productive toxicity t classified due to lack of	data.	
<u>Co</u>	omponents:		
	Butanone, peroxide: fects on fertility	General Tox	Route: oral (gavage) kicity - Parent: NOAEL: 50 mg/kg body weight CD Test Guideline 421
	hylene glycol: fects on fertility	General To	ouse Route: oral (drinking water) kicity - Parent: NOAEL: 1,000 mg/kg body weight kicity F1: NOAEL: 1,000 mg/kg body weight
Eff	ects on foetal develop- ent	Duration of General Tox	bbit Route: oral (gavage) Single Treatment: 30 d kicity Maternal: NOAEL: 1,000 mg/kg body weight ntal Toxicity: NOAEL: 2,000 mg/kg body weight
		Duration of General Tox	t Route: oral (gavage) Single Treatment: 21 d kicity Maternal: NOAEL: 1,000 mg/kg body weight ntal Toxicity: NOAEL: 500 mg/kg body weight
		Duration of General Tox	t Route: oral (gavage) Single Treatment: 24 d kicity Maternal: NOAEL: 250 mg/kg body weight ntal Toxicity: NOAEL: 250 mg/kg body weight
		Duration of	ouse Route: oral (gavage) Single Treatment: 18 d kicity Maternal: NOAEL: 1,500 mg/kg body weight

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Vers 1.2	sion	Revision Date: 08.11.2024		OS Number: 0000000330	Date of last issue: 06.03.2023 Date of first issue: 29.11.2022
				Developmental To	oxicity: NOAEL: 150 mg/kg body weight
	hydrog	gen peroxide:			
		luctive toxicity - As-	:	No data available	
	dimeth	yl phthalate:			
	Effects	on fertility	:	Species: Rat Application Route Method: OECD To Result: negative	
	Effects ment	on foetal develop-	:		Maternal: NOAEL: 840 mg/kg body weight oxicity: NOAEL: 3,570 mg/kg body weight
		- single exposure ssified due to lack of d	lata		
		onents:	atu.		
		gen peroxide:			
		Organs	:	Respiratory Tract May cause respira	atory irritation.
		 repeated exposure ssified due to lack of d 	lata.		
	Comp	onents:			
	Ethyle	ne glycol:			
		ure routes Organs sment	:	Oral Kidney May cause damag exposure.	ge to organs through prolonged or repeated
	hydrod	gen peroxide:			
	Remar		:	No data available	

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



CUROX®M-503

Version Revision Date: 1.2 08.11.2024		SDS Number: 60000000330	Date of last issue: 06.03.2023 Date of first issue: 29.11.2022		
Repe	ated dose toxicity				
Com	ponents:				
2-But	tanone, peroxide:	· Pot			

Species NOAEL Application Route Exposure time Method	: Rat : 200 mg/kg : oral (gavage) : 28 d : OECD Test Guideline 407
Ethylene glycol: Species NOAEL Application Route Exposure time Method	: Rat : 150 mg/kg : oral (feed) : 1 y : OECD Test Guideline 452
Species NOAEL Application Route Exposure time Method	 Dog > 4,000 mg/kg Skin contact 4 w OECD Test Guideline 410
hydrogen peroxide: Species NOAEL Application Route Exposure time Remarks	 Mouse, female 37 mg/kg oral (drinking water) 90 d hydrogen peroxide, 35%
Species NOAEL Application Route Exposure time Remarks	 Mouse, males 26 mg/kg oral (drinking water) 90 hydrogen peroxide, 35%
dimethyl phthalate: Species NOAEL Application Route Exposure time	: Rat : 770 mg/kg : Oral : 16 w

Aspiration toxicity

Method

Not classified due to lack of data.

: OECD Test Guideline 408

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



CUROX®M-503

Version 1.2	Revision Date: 08.11.2024	SDS Number: 60000000330	Date of last issue: 06.03.2023 Date of first issue: 29.11.2022
0			
Com	ponents:		
hydro	ogen peroxide:		
Base	d on available data, tl	ne classification criteria	are not met.
	thyl phthalate:		
No as	spiration toxicity class	ification	
Furth	ner information		
Prod	uct:		
Rema	arks	: No data availat	ble
0			
Com	ponents:		
Ethyl	lene glycol:		
Rema	arks	: No data availat	ble
dimo	thyl phthalata		
	thyl phthalate:	N I 177 111	
Rema	arks	: No data availat	ble

SECTION 12: Ecological information

12.1 Toxicity

Components:		
2-Butanone, peroxide:		
Toxicity to fish	:	LC50 (Poecilia reticulata (guppy)): 44.2 mg/l Exposure time: 96 h Method: OECD Test Guideline 203
		NOEC (Poecilia reticulata (guppy)): 18 mg/l Exposure time: 96 h Method: OECD Test Guideline 203
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): 39 mg/l Exposure time: 48 h Method: OECD Test Guideline 202
		NOEC (Daphnia magna (Water flea)): 26.7 mg/l Method: OECD Test Guideline 202
Toxicity to algae/aquatic plants	:	EC50 (Pseudokirchneriella subcapitata (green algae)): 5.6 mg/l Exposure time: 72 h Method: OECD Test Guideline 201

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Version 1.2	Revision Date: 08.11.2024		OS Number: 0000000330	Date of last issue: 06.03.2023 Date of first issue: 29.11.2022
			NOEC (Pseudoki mg/l Exposure time: 72 Method: OECD T	
Toxi	city to microorganisms	:	EC50 (Bacteria): Exposure time: 0. Method: OECD T	5 h
Ethy	/lene glycol:			
	city to fish	:	LC50 (Pimephale Exposure time: 96	s promelas (fathead minnow)): 72,860 mg/l 5 h
	city to daphnia and other atic invertebrates	:	EC50 (Daphnia m Exposure time: 48 Method: OECD T	
Toxi plan	city to algae/aquatic ts	:	EC50 (Pseudokiro 5,000 mg/l Exposure time: 96	chneriella subcapitata (green algae)): > 6 h
Toxi icity)	city to fish (Chronic tox-	:	NOEC: 15,380 m Exposure time: 7 Species: Pimepha	
aqua	city to daphnia and other atic invertebrates (Chron- xicity)		NOEC: 8,590 mg, Exposure time: 7 Species: Cerioda	
hydi	rogen peroxide:			
-	city to fish	:	LC50 (Pimephale Exposure time: 96	s promelas (fathead minnow)): 16.4 mg/l 5 h
	city to daphnia and other atic invertebrates	:	LC50 (Daphnia p Exposure time: 48	ulex (Water flea)): 2.4 mg/l 3 h
Toxi plan	city to algae/aquatic ts	:	EC50 (Skeletoner Exposure time: 72	ma costatum (marine diatom)): 1.38 mg/l 2 h
			NOEC (Skeletone Exposure time: 72	ema costatum (marine diatom)): 0.63 mg/l 2 h
Toxi	city to microorganisms	:	EC50 (activated s Exposure time: 3 Method: OECD T	
	city to daphnia and other atic invertebrates (Chron-		NOEC: 0.63 mg/l Exposure time: 21	1 d

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Version 1.2	Revision Date: 08.11.2024		OS Number: 0000000330	Date of last issue: 06.03.2023 Date of first issue: 29.11.2022
ic toxi	city)		Species: Daphni	a magna (Water flea)
	hyl phthalate: ty to fish	:	LC50 (Pimephale Exposure time: 9	es promelas (fathead minnow)): 39 mg/l 96 h
	ty to daphnia and other ic invertebrates	:	LC50 (Daphnia r Exposure time: 4	nagna (Water flea)): > 52 mg/l 8 h
Toxici plants	ty to algae/aquatic	:	EC50 (Desmode Exposure time: 7	smus subspicatus (green algae)): 260 mg/l '2 h
Toxici	ty to microorganisms	:	EC50 : 4,100 mg Exposure time: 0 Method: OECD 7	
Toxici icity)	ty to fish (Chronic tox-	:		02 d ynchus mykiss (rainbow trout) Fest Guideline 210
				02 d ynchus mykiss (rainbow trout) Fest Guideline 210
	ty to daphnia and other ic invertebrates (Chron- city)	:	NOEC: 9.6 mg/l Exposure time: 2 Species: Daphni	21 d a magna (Water flea)
			LOEC: 23 mg/l Exposure time: 2 Species: Daphni	1 d a magna (Water flea)
2.2 Persi	stence and degradabil	ity		
<u>Comp</u>	oonents:			
	anone, peroxide: gradability	:	Result: Readily b Method: OECD	biodegradable. Fest Guideline 301D
•	ene glycol: gradability	:	Result: Readily t Method: OECD	biodegradable. Fest Guideline 301A
-	o gen peroxide: gradability	:	Result: Readily t	viodegradable.

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Ver 1.2	sion	Revision Date: 08.11.2024		DS Number: 0000000330	Date of last issue: 06.03.2023 Date of first issue: 29.11.2022
		nyl phthalate: Jradability	:	Result: Readily b Method: OECD T	iodegradable. est Guideline 301E
12.3	3 Bioac	cumulative potential			
	Comp	onents:			
		n one, peroxide: on coefficient: n- I/water	:	log Pow: < 0.3 (2	5 °C)
	Partitio	ne glycol: on coefficient: n- I/water	:	log Pow: -1.36	
		gen peroxide: on coefficient: n- l/water	:		0 °C) ation refers to the main component.
	dimeth	nyl phthalate:			
	Bioacc	umulation	:	Bioconcentration Method: OECD T	factor (BCF): 57 est Guideline 305
	Partitic octano	n coefficient: n- I/water	:	log Pow: 1.54	
12.4		ty in soil a available			
12.5	5 Result	ts of PBT and vPvB a	sse	ssment	
	Produ	<u>ct:</u>			
	Assess	sment	:	to be either persis	nixture contains no components considered stent, bioaccumulative and toxic (PBT), or nd very bioaccumulative (vPvB) at levels of
12.6	6 Other	adverse effects			
	<u>Produ</u>	<u>ct:</u>			
	Endoci tial	rine disrupting poten-	:	ered to have end	ixture does not contain components consid- ocrine disrupting properties according to 7(f) or Commission Delegated regulation

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



CUROX®M-503

Version 1.2	Revision Date: 08.11.2024	SDS Number: 60000000330	Date of last issue: 06.03.2023 Date of first issue: 29.11.2022
Additi matio	onal ecological infor- n	levels of 0.1% : An environme	ental hazard cannot be excluded in the event of al handling or disposal.
Com	oonents:		
-	ene glycol: onal ecological infor- n	: No data avail	able
	t hyl phthalate: onal ecological infor- n	: No data avail	able

SECTION 13: Disposal considerations

13.1 Waste treatment methods	
Product	 Dispose of wastes in an approved waste disposal facility. The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemi- cal or used container.
Contaminated packaging	 Dispose of in accordance with local regulations. Clean container with water. Dispose of contents/ container to an approved waste disposal plant. Empty remaining contents. Dispose of as unused product. Do not re-use empty containers. Do not burn, or use a cutting torch on, the empty drum.

SECTION 14: Transport information

14.1 UN number

ADR	:	UN 3105
RID	:	UN 3105
IMDG	:	UN 3105
ΙΑΤΑ	:	UN 3105

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Versi 1.2	ion	Revision Date: 08.11.2024		DS Number: 0000000330	Date of last issue: 06.03.2023 Date of first issue: 29.11.2022	
14.2	UN pro	oper shipping name				
1	ADR		:		XIDE TYPE D, LIQUID _ KETONE PEROXIDE(S))	
I	RID		:	: ORGANIC PEROXIDE TYPE D, LIQUID (METHYL ETHYL KETONE PEROXIDE(S))		
I	IMDG		:	: ORGANIC PEROXIDE TYPE D, LIQUID (METHYL ETHYL KETONE PEROXIDE(S))		
I	ΙΑΤΑ		:	Organic peroxide (Methyl ethyl ketc		
14.3	Trans	oort hazard class(es)				
				Class	Subsidiary risks	
	ADR		:	5.2		
I	RID		:	5.2		
I	IMDG		:	5.2		
I	ΙΑΤΑ		:	5.2	HEAT	
14.4	Packir	ng group				
F (-	Classif Labels Tunnel	g group ication Code restriction code	:	Not assigned by r P1 5.2 (D)	regulation	
F (Classif	g group ication Code I Identification Number	: : :	Not assigned by r P1 539 5.2	regulation	
F	IMDG Packin Labels EmS C		: :	Not assigned by r 5.2 F-J, S-R	regulation	
F		Cargo) g instruction (cargo)	:	570		
F		g group	:	Not assigned by r Organic Peroxide	egulation s, Keep Away From Heat	
F Q F L	Packin ger airo Packin Labels	g group	: : :	Not assigned by r	regulation s, Keep Away From Heat	
14.5	Enviro	onmental hazards				



CUROX®M-503

Version	Revision Date:	SDS Number:	Date of last issue: 06.03.2023	
1.2	08.11.2024	60000000330	Date of first issue: 29.11.2022	

ADR

Environmentally hazardous	:	no
RID Environmentally hazardous	:	no
IMDG Marine pollutant	:	no

14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Relevant EU provisions transposed through retained EU law

UK REACH List of restrictions (Annex 17)	: Conditions of restriction for the fol- lowing entries should be considered: Number on list 3
UK REACH Candidate list of substances of very high concern (SVHC) for Authorisation	: Not applicable
The Persistent Organic Pollutants Regulations (retained Regulation (EU) 2019/1021 as amended for Great Britain)	: Not applicable
Regulation (EC) on substances that deplete the ozone layer	: Not applicable
Regulation (EU) 2019/1148 on the marketing and use of explosives precursors	: hydrogen peroxide
UK REACH List of substances subject to authorisation (Annex XIV)	: Not applicable
GB Export and import of hazardous chemicals - Prior Informed Consent (PIC) Regulation	: Not applicable
Control of Major Accident Hazards Regulations P6b 2015 (COMAH)	SELF-REACTIVE SUBSTANCES AND MIXTURES and ORGANIC PEROXIDES



CUROX®M-503

Version	Revision Date:	SDS Number:	Date of last issue: 06.03.2023
1.2	08.11.2024	60000000330	Date of first issue: 29.11.2022

Other regulations:

Take note of The Management of Health and Safety at Work Regulations 1999 (requirements relating to new and expectant mothers at work contained in Regulation 16 to 18) and of the Pregnant Workers Directive 92/85/EEC.

Take note of The Management of Health and Safety at Work Regulations 1999 (requirements relating to protection of young people at work contained in Regulation 19) and of Directive 94/33/EC on the protection of young people at work.

The components of this product are reported in the following inventories:TCSI (TW):On the inventory, or in compliance with the inventory					
TSCA (US)	:	All substances listed as active on the TSCA inventory			
AIIC (AU)	:	All components are listed on the inventory, regulatory obliga- tions/restrictions apply			
DSL (CA)	:	All components of this product are on the Canadian DSL			
ENCS (JP)	:	On the inventory, or in compliance with the inventory			
ISHL (JP)	:	On the inventory, or in compliance with the inventory			
KECI (KR)	:	On the inventory, or in compliance with the inventory			
PICCS (PH)	:	On the inventory, or in compliance with the inventory			
IECSC (CN)	:	On the inventory, or in compliance with the inventory			
TECI (TH)	:	On the inventory, or in compliance with the inventory			

15.2 Chemical safety assessment

This information is not available.

SECTION 16: Other information

Full text of H-Statements		
H242	:	Heating may cause a fire.
H271	:	May cause fire or explosion; strong oxidizer.
H302	:	Harmful if swallowed.
H314	:	Causes severe skin burns and eye damage.
H318	:	Causes serious eye damage.
H332	:	Harmful if inhaled.
H335	:	May cause respiratory irritation.
H373	:	May cause damage to organs through prolonged or repeated exposure if swallowed.
H412	:	Harmful to aquatic life with long lasting effects.

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



CUROX®M-503

Version	Revision Date:	SDS Number:	Date of last issue: 06.03.2023	
1.2	08.11.2024	60000000330	Date of first issue: 29.11.2022	

Full text of other abbreviations

Acute Tox.	:	Acute toxicity
Aquatic Chronic	:	Long-term (chronic) aquatic hazard
Eye Dam.	:	Serious eye damage
Org. Perox.	:	Organic peroxides
Ox. Liq.	:	Oxidizing liquids
Skin Corr.	:	Skin corrosion
STOT RE	:	Specific target organ toxicity - repeated exposure
STOT SE	:	Specific target organ toxicity - single exposure
2000/39/EC	:	Europe. Commission Directive 2000/39/EC establishing a first
		list of indicative occupational exposure limit values
GB EH40	:	UK. EH40 WEL - Workplace Exposure Limits
2000/39/EC / TWA	:	Limit Value - eight hours
2000/39/EC / STEL	:	Short term exposure limit
GB EH40 / TWA	:	Long-term exposure limit (8-hour TWA reference period)
GB EH40 / STEL	:	Short-term exposure limit (15-minute reference period)

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA -European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of very high concern; TCSI - Taiwan Chemical Substance Inventory; TECI -Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



CUROX®M-503

Versio 1.2	n Revision Date: 08.11.2024	SDS Number: 60000000330		Date of last issue: 06.03.2023 Date of first issue: 29.11.2022	
Fu	urther information				
0	ther information	 This safety datasheet only contains information relating to safety and does not replace any product information or prod- uct specification. These safety instructions also apply to empty packaging which may still contain product residues. The hazards on the label also apply to residues in the con- tainer. 			
CC	compile the Safety Data			rch res	ata from raw material SDSs, OECD ults and European Chemicals Agen- /
C	Classification of the mixture:				Classification procedure:
0	rg. Perox. D	H2	42	I	Based on product data or assessment
Ad	cute Tox. 4	H3	02	(Calculation method
Ad	cute Tox. 4	H3	32	(Calculation method
SI	kin Corr. 1B	H3	14	(Calculation method
Ey	ye Dam. 1	H3	18		Calculation method

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

GB / EN