

# SAFETY DATA SHEET



## DCLBP-50-PSI

Version 1.1      Revision Date: 2021/02/09      SDS Number: 600000000040      Date of last issue: 2020/05/14  
Date of first issue: 2020/05/14

---

### 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : DCLBP-50-PSI

Other means of identification : None

#### Recommended use of the chemical and restrictions on use

Recommended use : polymerisation initiators

#### Manufacturer or supplier's details

Company : United Initiators GmbH

Address : Dr.-Gustav-Adolph-Str. 3  
82049 Pullach

Telephone : +49 / 89 / 74422 – 0

Emergency telephone number : +49 / 89 / 74422 – 0 (24 h)

E-mail address : contact@united-in.com

---

### 2. HAZARDS IDENTIFICATION

#### GHS Classification

Organic peroxides : Type D

Skin corrosion/irritation : Category 3

Skin sensitisation : Category 1

Reproductive toxicity : Category 1B

#### GHS label elements

Hazard pictograms :



Signal word : Danger

Hazard statements : H242 Heating may cause a fire.  
H316 Causes mild skin irritation.  
H317 May cause an allergic skin reaction.  
H360 May damage fertility or the unborn child.

# SAFETY DATA SHEET

## DCLBP-50-PSI



Version 1.1      Revision Date: 2021/02/09      SDS Number: 600000000040      Date of last issue: 2020/05/14  
Date of first issue: 2020/05/14

---

Precautionary statements :

**Prevention:**

P201 Obtain special instructions before use.  
P202 Do not handle until all safety precautions have been read and understood.  
P210 Keep away from heat/ sparks/ open flames/ hot surfaces. No smoking.  
P220 Keep/Store away from clothing/ strong acids, bases, heavy metal salts and other reducing substances /combustible materials.  
P234 Keep only in original container.  
P261 Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.  
P272 Contaminated work clothing should not be allowed out of the workplace.  
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

**Response:**

P302 + P352 IF ON SKIN: Wash with plenty of water.  
P308 + P313 IF exposed or concerned: Get medical advice/ attention.  
P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.  
P362 + P364 Take off contaminated clothing and wash it before reuse.

**Storage:**

P405 Store locked up.  
P410 Protect from sunlight.  
P411 + P235 Store at temperatures not exceeding 30 °C/ 86 °F. Keep cool.  
P420 Store away from other materials.

**Disposal:**

P501 Dispose of contents/ container to an approved waste disposal plant.

**Other hazards which do not result in classification**

None known.

---

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture  
Chemical nature : Organic Peroxide paste

**Components**

Chemical Name	CAS-No.	Concentration (% w/w)
Bis-(2,4-dichlorobenzoyl) peroxide	133-14-2	>= 45 -< 50

# SAFETY DATA SHEET

## DCLBP-50-PSI



Version	Revision Date:	SDS Number:	Date of last issue: 2020/05/14
1.1	2021/02/09	600000000040	Date of first issue: 2020/05/14

---

### 4. FIRST AID MEASURES

General advice : Move out of dangerous area.  
Show this safety data sheet to the doctor in attendance.  
Do not leave the victim unattended.  
Call a physician immediately.

#### First aid measures for different exposure routes

If inhaled : If unconscious, place in recovery position and seek medical advice.  
If symptoms persist, call a physician.  
If breathed in, move person into fresh air.

In case of skin contact : In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes.  
Wash contaminated clothing before re-use.  
If on skin, rinse well with water.  
If on clothes, remove clothes.  
If symptoms persist, call a physician.

In case of eye contact : In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice.  
Remove contact lenses.  
Protect unharmed eye.  
Keep eye wide open while rinsing.  
If eye irritation persists, consult a specialist.

If swallowed : Keep respiratory tract clear.  
Call a physician immediately.  
Rinse mouth thoroughly with water.

Most important symptoms and effects, both acute and delayed : Causes mild skin irritation.  
May cause an allergic skin reaction.  
May damage fertility or the unborn child.

Protection of first-aiders : First Aid responders should pay attention to self-protection and use the recommended protective clothing

Notes to physician : Treat symptomatically and supportively.

### 5. FIREFIGHTING MEASURES

Suitable extinguishing media : Water spray jet  
Alcohol-resistant foam  
Carbon dioxide (CO<sub>2</sub>)  
Dry chemical

Unsuitable extinguishing media : High volume water jet

# SAFETY DATA SHEET

## DCLBP-50-PSI



Version	Revision Date:	SDS Number:	Date of last issue: 2020/05/14
1.1	2021/02/09	600000000040	Date of first issue: 2020/05/14

---

- Specific hazards during fire-fighting : Contact with incompatible materials or exposure to temperatures exceeding SADT may result in a self-accelerating decomposition reaction with release of flammable vapors which may auto-ignite.  
The product burns violently.  
Flash back possible over considerable distance.  
Vapours may form explosive mixtures with air.  
The product will float on water and can be reignited on surface water.  
Cool closed containers exposed to fire with water spray.
- Specific extinguishing methods : Collect contaminated fire extinguishing water separately. This must not be discharged into drains.  
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.  
Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.  
  
Do not use a solid water stream as it may scatter and spread fire.  
Remove undamaged containers from fire area if it is safe to do so.  
Use water spray to cool unopened containers.
- Special protective equipment for firefighters : Wear self-contained breathing apparatus for firefighting if necessary.  
Use personal protective equipment.

---

## 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.  
Avoid dust formation.  
Avoid breathing dust.  
Remove all sources of ignition.  
Follow safe handling advice and personal protective equipment recommendations.  
Never return spills in original containers for re-use.  
Treat recovered material as described in the section "Disposal considerations".
- Environmental precautions : Prevent product from entering drains.  
Prevent further leakage or spillage if safe to do so.  
If the product contaminates rivers and lakes or drains inform respective authorities.
- Methods and materials for containment and cleaning up : Contact with incompatible substances can cause decomposition at or below SADT.  
Clear spills immediately.  
Suppress (knock down) gases/vapours/mists with a water spray jet.

# SAFETY DATA SHEET

## DCLBP-50-PSI



Version	Revision Date:	SDS Number:	Date of last issue: 2020/05/14
1.1	2021/02/09	600000000040	Date of first issue: 2020/05/14

---

To clean the floor and all objects contaminated by this material, use plenty of water.  
Soak up with inert absorbent material.  
Isolate waste and do not reuse.  
Non-sparking tools should be used.  
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.

---

## 7. HANDLING AND STORAGE

### Handling

- Technical measures : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.
- Advice on protection against fire and explosion : Avoid dust formation.  
Provide appropriate exhaust ventilation at places where dust is formed.  
Keep away from heat and sources of ignition.  
Use only explosion-proof equipment.  
Keep away from combustible material.
- Advice on safe handling : Do not swallow.  
Do not breathe vapours/dust.  
Avoid exposure - obtain special instructions before use.  
Avoid contact with skin and eyes.  
Take precautionary measures against static discharges.  
Never return any product to the container from which it was originally removed.  
Provide sufficient air exchange and/or exhaust in work rooms.  
Avoid confinement.  
Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
Smoking, eating and drinking should be prohibited in the application area.  
Wash thoroughly after handling.  
For personal protection see section 8.  
Persons susceptible to skin sensitisation problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used.  
Protect from contamination.

### Storage

- Conditions for safe storage : Avoid impurities (e.g. rust, dust, ash), risk of decomposition.  
Electrical installations / working materials must comply with the technological safety standards.  
Containers which are opened must be carefully resealed and

# SAFETY DATA SHEET

## DCLBP-50-PSI



Version	Revision Date:	SDS Number:	Date of last issue: 2020/05/14
1.1	2021/02/09	600000000040	Date of first issue: 2020/05/14

---

kept upright to prevent leakage.  
Store in original container.  
Keep containers tightly closed in a cool, well-ventilated place.  
Store in accordance with the particular national regulations.

Materials to avoid : Keep away from strong acids, bases, heavy metal salts and other reducing substances.

Recommended storage temperature : 5 - 30 °C

Further information on storage stability : No decomposition if stored normally.

---

### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Components with workplace control parameters

Contains no substances with occupational exposure limit values.

#### Biological occupational exposure limits

Contains no substances with biological exposure indices.

**Engineering measures** : Minimize workplace exposure concentrations.

#### Personal protective equipment

Respiratory protection : In the case of dust or aerosol formation use respirator with an approved filter.

Filter type : Filter type P

#### Hand protection

Material : Nitrile rubber

Break through time : 480 min

Glove thickness : 0.2 mm

Remarks : Choose gloves to protect hands against chemicals depending on the concentration and quantity of the hazardous substance and specific to place of work. For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer. Wash hands before breaks and at the end of workday.

Eye protection : Tightly fitting safety goggles  
Please wear suitable protective goggles. Also wear face protection if there is a splash hazard.  
Ensure that eyewash stations and safety showers are close to the workstation location.

Skin and body protection : Select appropriate protective clothing based on chemical

# SAFETY DATA SHEET

## DCLBP-50-PSI



Version	Revision Date:	SDS Number:	Date of last issue: 2020/05/14
1.1	2021/02/09	600000000040	Date of first issue: 2020/05/14

---

resistance data and an assessment of the local exposure potential.

Hygiene measures : Keep away from food and drink.  
When using do not eat or drink.  
When using do not smoke.  
Wash hands before breaks and immediately after handling the product.

---

### 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: paste
Colour	: white
Odour	: mild
Odour Threshold	: No data available
pH	: No data available
Melting point/range	: No data available
Boiling point/boiling range	: Decomposition: Decomposes below the boiling point.
Flash point	: No data available
Evaporation rate	: No data available
Flammability (solid, gas)	: Not applicable
Self-ignition	: The substance or mixture is not classified as self heating.
Upper explosion limit / Upper flammability limit	: No data available
Lower explosion limit / Lower flammability limit	: No data available
Vapour pressure	: < 0.00001 hPa (25 °C)
Relative vapour density	: No data available
Relative density	: 1.212 (20 °C)
Density	: 1.2 g/cm <sup>3</sup> (20 °C)

# SAFETY DATA SHEET

## DCLBP-50-PSI



Version	Revision Date:	SDS Number:	Date of last issue: 2020/05/14
1.1	2021/02/09	600000000040	Date of first issue: 2020/05/14

---

Solubility(ies)  
Water solubility : < 0.001 g/l insoluble (20 °C)

Partition coefficient: n-octanol/water : log Pow: 6 (20 °C)

Self-Accelerating decomposition temperature (SADT) : 60 °C  
Method: UN-Test H.4  
SADT-Self Accelerating Decomposition Temperature. Lowest temperature at which the tested package size will undergo a self-accelerating decomposition reaction.

Viscosity  
Viscosity, dynamic : 4,000,000 mPa.s ( 20 °C)  
Viscosity, kinematic : No data available

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.  
Organic peroxide

---

### 10. STABILITY AND REACTIVITY

Reactivity : Stable under recommended storage conditions.

Chemical stability : Stable under recommended storage conditions.

Possibility of hazardous reactions : Contact with incompatible substances can cause decomposition at or below SADT.

Conditions to avoid : Protect from contamination.  
Contact with incompatible substances can cause decomposition at or below SADT.  
Heat, flames and sparks.  
Avoid confinement.

Incompatible materials : Accelerators, strong acids and bases, heavy metals and heavy metal salts, reducing agents

Hazardous decomposition products : Irritant, caustic, flammable, noxious/toxic gases and vapours can develop in the case of fire and decomposition

---

### 11. TOXICOLOGICAL INFORMATION

Symptoms of Overexposure : None known.



# SAFETY DATA SHEET

## DCLBP-50-PSI



Version	Revision Date:	SDS Number:	Date of last issue: 2020/05/14
1.1	2021/02/09	600000000040	Date of first issue: 2020/05/14

---

### Acute toxicity

Not classified based on available information.

### Components:

#### **Bis-(2,4-dichlorobenzoyl) peroxide:**

Acute oral toxicity	:	LD50 (Rat): > 2,000 mg/kg Method: OECD Test Guideline 423 Assessment: The substance or mixture has no acute oral toxicity
Acute dermal toxicity	:	LD50 (Rabbit): > 2,000 mg/kg Assessment: The substance or mixture has no acute dermal toxicity Remarks: Based on data from similar materials

### Skin corrosion/irritation

Causes mild skin irritation.

### Product:

Species	:	Rabbit
Method	:	OECD Test Guideline 404
Result	:	Mild skin irritation
Remarks	:	May cause skin irritation and/or dermatitis.

### Components:

#### **Bis-(2,4-dichlorobenzoyl) peroxide:**

Species	:	Rabbit
Method	:	OECD Test Guideline 404
Result	:	Mild skin irritation
Remarks	:	May cause skin irritation and/or dermatitis.

### Serious eye damage/eye irritation

Not classified based on available information.

### Product:

Species	:	Rabbit
Result	:	No eye irritation
Method	:	OECD Test Guideline 437
Remarks	:	Product dust may be irritating to eyes, skin and respiratory system.

### Components:

#### **Bis-(2,4-dichlorobenzoyl) peroxide:**

Species	:	Rabbit
---------	---	--------

# SAFETY DATA SHEET

## DCLBP-50-PSI



Version	Revision Date:	SDS Number:	Date of last issue: 2020/05/14
1.1	2021/02/09	600000000040	Date of first issue: 2020/05/14

---

Result : No eye irritation  
Method : OECD Test Guideline 437

Remarks : Vapours may cause irritation to the eyes, respiratory system and the skin.

### Respiratory or skin sensitisation

#### Skin sensitisation

May cause an allergic skin reaction.

#### Respiratory sensitisation

Not classified based on available information.

#### Product:

Method : OECD Test Guideline 429  
Result : Causes sensitisation.

Remarks : Causes sensitisation.

#### Components:

##### **Bis-(2,4-dichlorobenzoyl) peroxide:**

Method : OECD Test Guideline 429  
Result : May cause sensitisation by skin contact.

Remarks : Causes sensitisation.

### Chronic toxicity

#### Germ cell mutagenicity

Not classified based on available information.

#### Product:

Genotoxicity in vitro : Method: OECD Test Guideline 476  
Result: negative  
  
Method: OECD Test Guideline 487  
Result: negative

Genotoxicity in vivo : Remarks: No data available

#### Components:

##### **Bis-(2,4-dichlorobenzoyl) peroxide:**

Genotoxicity in vitro : Method: OECD Test Guideline 476  
Result: negative  
  
Method: OECD Test Guideline 487  
Result: negative

# SAFETY DATA SHEET

## DCLBP-50-PSI



Version	Revision Date:	SDS Number:	Date of last issue: 2020/05/14
1.1	2021/02/09	600000000040	Date of first issue: 2020/05/14

---

Genotoxicity in vivo : Remarks: No data available

### **Carcinogenicity**

Not classified based on available information.

#### **Product:**

Remarks : This information is not available.

### **Reproductive toxicity**

May damage fertility or the unborn child.

#### **Product:**

Effects on fertility : Species: Rat, male and female  
Dose: 1000 mg/kg bw/d  
Symptoms: male reproductive effects  
Target Organs: male reproductive organs

Species: Rat, male and female  
Dose: 300 mg/kg bw/d  
Symptoms: male reproductive effects  
Target Organs: male reproductive organs

Reproductive toxicity - Assessment : Clear evidence of adverse effects on sexual function and fertility, and/or on development, based on animal experiments

#### **Components:**

##### **Bis-(2,4-dichlorobenzoyl) peroxide:**

Effects on fertility : Species: Rat, male and female  
Dose: 1000 mg/kg bw/d  
Symptoms: male reproductive effects  
Target Organs: male reproductive organs

Species: Rat, male and female  
Dose: 300 mg/kg bw/d  
Symptoms: male reproductive effects  
Target Organs: male reproductive organs

Reproductive toxicity - Assessment : Clear evidence of adverse effects on sexual function and fertility, and/or on development, based on animal experiments

### **STOT - single exposure**

Not classified based on available information.

#### **Product:**

Remarks : No data available

# SAFETY DATA SHEET

## DCLBP-50-PSI



Version	Revision Date:	SDS Number:	Date of last issue: 2020/05/14
1.1	2021/02/09	600000000040	Date of first issue: 2020/05/14

---

### STOT - repeated exposure

Not classified based on available information.

#### **Product:**

Remarks : No data available

#### **Components:**

##### **Bis-(2,4-dichlorobenzoyl) peroxide:**

Exposure routes : Oral  
Target Organs : male reproductive organs

### Repeated dose toxicity

#### **Product:**

Species : Rat  
: 300 mg/kg  
Exposure time : 28 d

Species : Rat  
Application Route : Oral  
Exposure time : 90 d  
Method : OECD Test Guideline 408

#### **Components:**

##### **Bis-(2,4-dichlorobenzoyl) peroxide:**

Species : Rat  
: 300 mg/kg  
Exposure time : 28 d

Species : Rat  
Application Route : Oral  
Exposure time : 90 d  
Method : OECD Test Guideline 408

### Aspiration toxicity

Not classified based on available information.

#### **Product:**

No data available

### Further information

#### **Product:**

Remarks : No data available

# SAFETY DATA SHEET



## DCLBP-50-PSI

Version	Revision Date:	SDS Number:	Date of last issue: 2020/05/14
1.1	2021/02/09	600000000040	Date of first issue: 2020/05/14

---

### Components:

#### **Bis-(2,4-dichlorobenzoyl) peroxide:**

Remarks : No data available

---

## 12. ECOLOGICAL INFORMATION

### Ecotoxicity

#### Product:

Toxicity to fish : LC50 (Poecilia reticulata (guppy)): > 1,000 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 100 mg/l  
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (green algae)): > 100 mg/l  
Method: OECD Test Guideline 201

NOEC (Pseudokirchneriella subcapitata (green algae)): < 100 mg/l  
Method: OECD Test Guideline 201

Toxicity to microorganisms : EC10: 500 - 1,000 mg/l  
Exposure time: 0.5 h  
Method: OECD Test Guideline 209

### Ecotoxicology Assessment

Acute aquatic toxicity : This product has no known ecotoxicological effects.

Chronic aquatic toxicity : This product has no known ecotoxicological effects.

### Components:

#### **Bis-(2,4-dichlorobenzoyl) peroxide:**

Toxicity to fish : LC50 (Poecilia reticulata (guppy)): > 1,000 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 100 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202  
Remarks: No toxicity at the limit of solubility

Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (green algae)): > 100 mg/l  
Exposure time: 72 h

# SAFETY DATA SHEET

## DCLBP-50-PSI



Version	Revision Date:	SDS Number:	Date of last issue: 2020/05/14
1.1	2021/02/09	600000000040	Date of first issue: 2020/05/14

---

Method: OECD Test Guideline 201

NOEC (Pseudokirchneriella subcapitata (green algae)): > 100 mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

Toxicity to microorganisms : EC10: < 1,000 mg/l  
Exposure time: 0.5 h  
Method: OECD Test Guideline 209

### Ecotoxicology Assessment

Acute aquatic toxicity : This product has no known ecotoxicological effects.

Chronic aquatic toxicity : This product has no known ecotoxicological effects.

### Persistence and degradability

#### Product:

Biodegradability : Result: Biodegradable  
Method: OECD Test Guideline 301D

#### Components:

##### **Bis-(2,4-dichlorobenzoyl) peroxide:**

Biodegradability : Result: Biodegradable  
Method: OECD Test Guideline 301D

### Bioaccumulative potential

#### Components:

##### **Bis-(2,4-dichlorobenzoyl) peroxide:**

Partition coefficient: n- : log Pow: 6 (20 °C)  
octanol/water

### Mobility in soil

No data available

### Other adverse effects

#### Product:

Additional ecological information : No data available

#### Components:

##### **Bis-(2,4-dichlorobenzoyl) peroxide:**

Additional ecological information : No data available

# SAFETY DATA SHEET

## DCLBP-50-PSI



Version	Revision Date:	SDS Number:	Date of last issue: 2020/05/14
1.1	2021/02/09	600000000040	Date of first issue: 2020/05/14

---

mation

---

### 13. DISPOSAL CONSIDERATIONS

#### Disposal methods

- Waste from residues : The product should not be allowed to enter drains, water courses or the soil.  
Do not contaminate ponds, waterways or ditches with chemical or used container.  
Dispose of wastes in an approved waste disposal facility.
- Contaminated packaging : Empty remaining contents.  
Dispose of as unused product.  
Do not re-use empty containers.  
Do not burn, or use a cutting torch on, the empty drum.  
Dispose of in accordance with local regulations.

---

### 14. TRANSPORT INFORMATION

#### International Regulations

##### UNRTDG

- UN number : UN 3106  
Proper shipping name : ORGANIC PEROXIDE TYPE D, SOLID  
(DI-2,4-DICHLOROBENZOYL PEROXIDE)  
Class : 5.2  
Packing group : Not assigned by regulation  
Labels : 5.2

##### IATA-DGR

- UN/ID No. : UN 3106  
Proper shipping name : Organic peroxide type D, solid  
(Di-2,4-dichlorobenzoyl peroxide)  
Class : 5.2  
Packing group : Not assigned by regulation  
Labels : Organic Peroxides, Keep Away From Heat  
Packing instruction (cargo aircraft) : 570  
Packing instruction (passenger aircraft) : 570

##### IMDG-Code

- UN number : UN 3106  
Proper shipping name : ORGANIC PEROXIDE TYPE D, SOLID  
(DI-2,4-DICHLOROBENZOYL PEROXIDE)  
Class : 5.2  
Packing group : Not assigned by regulation  
Labels : 5.2  
EmS Code : F-J, S-R  
Marine pollutant : no

# SAFETY DATA SHEET

## DCLBP-50-PSI



Version	Revision Date:	SDS Number:	Date of last issue: 2020/05/14
1.1	2021/02/09	600000000040	Date of first issue: 2020/05/14

---

### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

### Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

---

## 15. REGULATORY INFORMATION

### National regulatory information

Gefahrgruppe nach § 3 BGV B4: II (German regulatory requirements)  
Regulations on Occupational Safety and Health Facilities  
Standards for the Storage, Cleanup, Handling and Disposal of Industrial Waste  
Regulations on Labelling and Hazard Communication of Hazardous Chemicals  
Rules on Road Traffic Safety  
Establishment Standards and Safety Control Regulations for Manufacturing, Storing, Processing  
Public Hazardous Substances and Flammable Pressurized Gases Places: Quantity subject to control

### The components of this product are reported in the following inventories:

TCSI (TW)	:	On the inventory, or in compliance with the inventory
TSCA (US)	:	All substances listed as active on the TSCA inventory
AICS (AU)	:	On the inventory, or in compliance with the inventory
DSL (CA)	:	All components of this product are on the Canadian DSL
KECI (KR)	:	On the inventory, or in compliance with the inventory
PICCS (PH)	:	On the inventory, or in compliance with the inventory
IECSC (CN)	:	On the inventory, or in compliance with the inventory

---

## 16. OTHER INFORMATION

### Further information

Sources of key data used to compile the Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Responsible Department :



# SAFETY DATA SHEET

## DCLBP-50-PSI



Version	Revision Date:	SDS Number:	Date of last issue: 2020/05/14
1.1	2021/02/09	600000000040	Date of first issue: 2020/05/14

---

Prepared by :  
Revision Date : 2021/02/09  
Other information : This safety datasheet only contains information relating to safety and does not replace any product information or product specification.  
These safety instructions also apply to empty packaging which may still contain product residues.  
Date format : yyyy/mm/dd

### Full text of other abbreviations

AICS - Australian Inventory of Chemical Substances; AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific

# SAFETY DATA SHEET

## DCLBP-50-PSI



Version	Revision Date:	SDS Number:	Date of last issue: 2020/05/14
1.1	2021/02/09	600000000040	Date of first issue: 2020/05/14

---

material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

TW / EN