according to the OSHA Hazard Communication Standard



DHBP-1-IC5

Version Revision Date: SDS Number: Date of last issue: 08/19/2024 2.2 08/19/2024 600000000172 Date of first issue: 08/27/2019

SECTION 1. IDENTIFICATION

Trade name : DHBP-1-IC5

Manufacturer or supplier's details

Company name of supplier : United Initiators, Inc.

Address : 555 Garden Street

Elyria OH 44035 USA

Telephone : +1-440-323-3112

Telefax : +1-440-323-2659

Emergency telephone : CHEMTREC US (24h): +1-800-424-9300

CHEMTREC WORLD (24h): +1-703-527-3887

E-mail address of person responsible for the SDS

cs-initiators.nafta@united-in.com

Recommended use of the chemical and restrictions on use

Recommended use : polymerization initiators

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Combustible dust

GHS label elements

Signal Word : Warning

Hazard Statements : If small particles are generated during further processing,

handling or by other means, may form combustible dust

concentrations in air.

Precautionary Statements : Prevention:

P220 Keep/Store away from clothing/ strong acids, bases, heavy metal salts and other reducing substances /combustible

materials.

P233 Keep container tightly closed.

P235 Keep cool.

P280 Wear protective gloves/ protective clothing/ eye protection/

face protection.

according to the OSHA Hazard Communication Standard



DHBP-1-IC5

Version Revision Date: SDS Number: Date of last issue: 08/19/2024 2.2 08/19/2024 600000000172 Date of first issue: 08/27/2019

Disposal:

P501 Dispose of contents/ container to an approved waste dis-

posal plant.

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Chemical nature : Solid mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
1-Propene, Polymer with Ethene	9010-79-1	>= 95 - <= 100
2,5-Dimethyl-2,5-di(tert	78-63-7	>= 1 - < 5
butylperoxy)hexane		

Actual concentration is withheld as a trade secret

SECTION 4. FIRST AID MEASURES

General advice : Take off contaminated clothing and shoes immediately.

Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and seek medical

advice.

Move out of dangerous area.

Consult a physician.

Show this material safety data sheet to the doctor in

attendance.

Do not leave the victim unattended.

If inhaled : Administer oxygen if breathing is difficult or cyanosis is

observed.

If breathed in, move person into fresh air. If not breathing, give artificial respiration.

If unconscious, place in recovery position and seek medical

advice.

If symptoms persist, call a physician.

In case of skin contact : If symptoms persist, call a physician.

In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing

and shoes.

Wash contaminated clothing before re-use.

If on skin, rinse well with water.

according to the OSHA Hazard Communication Standard



DHBP-1-IC5

Version Revision Date: SDS Number: Date of last issue: 08/19/2024 2.2 08/19/2024 60000000172 Date of first issue: 08/27/2019

If on clothes, remove clothes.

In case of eye contact : In the case of contact with eyes, rinse immediately with plenty

of water and seek medical advice.

Remove contact lenses. Protect unharmed eye.

Keep eye wide open while rinsing.

If eye irritation persists, consult a specialist.

If swallowed : Rinse mouth thoroughly with water.

Keep respiratory tract clear.

If symptoms persist, call a physician.

Most important symptoms and effects, both acute and

delayed

None known.

Protection of first-aiders : First Aid responders should pay attention to self-protection

and use the recommended protective clothing

Notes to physician : Treat symptomatically and supportively.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media : Water spray jet

Alcohol-resistant foam Carbon dioxide (CO2)

Dry chemical

Unsuitable extinguishing

media

High volume water jet

Specific hazards during fire

fighting

Irritant, caustic, flammable, noxious/toxic gases and vapours

can develop in the case of fire and decomposition

Risk of explosion if heated under confinement.

Possible emission of gaseous decomposition products may

lead to a dangerous pressure build-up.

Avoid confinement.

The product burns violently.

Do not allow run-off from fire fighting to enter drains or water

courses.

Specific extinguishing meth-

ods

: Do not use a solid water stream as it may scatter and spread

fire.

Remove undamaged containers from fire area if it is safe to do

SO.

Use water spray to cool unopened containers.

according to the OSHA Hazard Communication Standard



DHBP-1-IC5

Version Revision Date: SDS Number: Date of last issue: 08/19/2024 2.2 08/19/2024 60000000172 Date of first issue: 08/27/2019

Further information

Collect contaminated fire extinguishing water separately. This

must not be discharged into drains.

Fire residues and contaminated fire extinguishing water must

be disposed of in accordance with local regulations. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Combustible particulate solid, will decompose under fire

conditions

Use extinguishing measures that are appropriate to local

circumstances and the surrounding environment.

Collect contaminated fire extinguishing water separately. This

must not be discharged into drains.

Fire residues and contaminated fire extinguishing water must

be disposed of in accordance with local regulations.

Special protective equipment:

for fire-fighters

Wear self-contained breathing apparatus for firefighting if

necessary.

Use personal protective equipment.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec- : tive equipment and emergency procedures

Avoid dispersal of dust in the air (i.e., clearing dust surfaces

with compressed air).

Follow safe handling advice and personal protective

equipment recommendations. Use personal protective equipment.

Avoid dust formation. Avoid breathing dust.

May form combustible dust concentrations in air during

processing, handling or other means.

Treat recovered material as described in the section "Disposal

considerations".

Do not flush into surface water or sanitary sewer system. Environmental precautions

Prevent further leakage or spillage if safe to do so.

If the product contaminates rivers and lakes or drains inform

respective authorities.

Methods and materials for containment and cleaning up Take any precaution to avoid mixing with combustibles.

Clear spills immediately.

To clean the floor and all objects contaminated by this

material, use plenty of water.

Soak up with inert absorbent material.

Local or national regulations may apply to releases and

according to the OSHA Hazard Communication Standard



DHBP-1-IC5

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 08/19/2024

 2.2
 08/19/2024
 600000000172
 Date of first issue: 08/27/2019

disposal of this material, as well as those materials and items

employed in the cleanup of releases. You will need to

determine which regulations are applicable.

SECTION 7. HANDLING AND STORAGE

Technical measures : See Engineering measures under EXPOSURE

CONTROLS/PERSONAL PROTECTION section.

Advice on protection against

fire and explosion

Take necessary action to avoid static electricity discharge

(which might cause ignition of organic vapors).

Avoid dust formation.

Provide appropriate exhaust ventilation at places where dust

is formed.

Advice on safe handling : If small particles are generated during further processing,

handling or by other means, may form combustible dust

concentrations in air.

Avoid dust accumulation in enclosed space.

Avoid dust formation.

Refer to NFPA 654, Standard for the Prevention of Fire and Dust Explosions from the Manufacturing, Processing, and Handling of Combustible Particulate Solids, for safe handling. Take precautionary measures against static discharges when

there is a risk of dust explosion.

Use dust explosion-proof type electric equipment and lighting.

Electrically conductive containers must be grounded.

Apply measures to prevent dust explosions.

May form combustible dust concentrations in air during

processing, handling or other means.

Do not swallow.

Avoid contact with skin and eyes.

Provide sufficient air exchange and/or exhaust in work rooms.

Smoking, eating and drinking should be prohibited in the

application area.

Wash thoroughly after handling.

For personal protection see section 8.

Conditions for safe storage : Take measures to prevent the build up of electrostatic charge.

Contamination may result in dangerous pressure increases -

closed containers may rupture.

Store in accordance with the particular national regulations. Electrical installations / working materials must comply with

the technological safety standards.

Containers which are opened must be carefully resealed and

kept upright to prevent leakage.

according to the OSHA Hazard Communication Standard



DHBP-1-IC5

Version Revision Date: SDS Number: Date of last issue: 08/19/2024 2.2 08/19/2024 600000000172 Date of first issue: 08/27/2019

Materials to avoid : Keep away from strong acids, bases, heavy metal salts and

other reducing substances.

Recommended storage tem: :

perature

< 40 °C

< 104 °F

Further information on stor-

age stability

No decomposition if stored normally.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Materials that can be formed when handling this product: Non-specified (inert or nuisance) dust	Not Assigned	TWA (Inhal- able)	10 mg/m3	ACGIH
		TWA (Res- pirable)	3 mg/m3	ACGIH
		TWA (Total dust)	15 mg/m3	Supplier data
		TWA (Respirable)	5 mg/m3	Supplier data

Engineering measures : Refer to NFPA 654, Standard for the Prevention of Fire and

Dust Explosions from the Manufacturing, Processing, and Handling of Combustible Particulate Solids, for safe handling. Ensure that dust-handling systems (such as exhaust ducts, dust collectors, vessels, and processing equipment) are designed in a manner to prevent the escape of dust into the work area (i.e., there is no leakage from the equipment).

Minimize workplace exposure concentrations.

Personal protective equipment

Respiratory protection : In the case of dust or aerosol formation use respirator with an

approved filter.

Filter type : Filter type P

Use NIOSH approved respiratory protection.

Hand protection

Material : butyl-rubber Break through time : 480 min

according to the OSHA Hazard Communication Standard



DHBP-1-IC5

Version Revision Date: SDS Number: Date of last issue: 08/19/2024 2.2 08/19/2024 600000000172 Date of first issue: 08/27/2019

Glove thickness : 0.47 mm

Material : Nitrile rubber
Break through time : 480 min
Glove thickness : 0.40 mm

Remarks : The data about break through time/strength of material are

standard values! The exact break through time/strength of material has to be obtained from the producer of the protective glove. Choose gloves to protect hands against chemicals depending on the concentration and quantity of the

hazardous substance and specific to place of work. For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer. Wash hands before

breaks and at the end of workday.

Eye protection : Ensure that eyewash stations and safety showers are close

to the workstation location.

Please follow all applicable local/national requirements when selecting protective measures for a specific workplace.

Always wear eye protection when the potential for inadvertent

eye contact with the product cannot be excluded.

Tightly fitting safety goggles

Please wear suitable protective goggles. Also wear face

protection if there is a splash hazard.

Skin and body protection : Select appropriate protective clothing based on chemical

resistance data and an assessment of the local exposure

potential.

Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets,

disposable suits) to avoid exposed skin surfaces.

Wear as appropriate:

Flame retardant antistatic protective clothing.

Protective measures : The type of protective equipment must be selected according

to the concentration and amount of the dangerous substance

at the specific workplace.

Hygiene measures : Avoid contact with skin, eyes and clothing.

Keep away from food and drink. When using do not eat or drink. When using do not smoke.

Wash hands before breaks and immediately after handling

the product.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

according to the OSHA Hazard Communication Standard



DHBP-1-IC5

Version Revision Date: SDS Number: Date of last issue: 08/19/2024 2.2 08/19/2024 600000000172 Date of first issue: 08/27/2019

Appearance : solid, Beads

Color : white

Odor : ether-like

Odor Threshold : not determined

pH : No data available substance/mixture is non-soluble (in water)

Melting point/ range : Decomposition: Decomposes below the melting point.

Boiling point/boiling range : Not applicable

Flash point : Not applicable

Evaporation rate : Not applicable

Flammability (solid, gas) : May form combustible dust concentrations in air during proce-

ssing, handling or other means.

Remarks: Product will burn but does not easily ignite.

Self-ignition : The substance or mixture is not classified as pyrophoric.

Upper explosion limit / Upper

flammability limit

Upper explosion limit No data available

Lower explosion limit / Lower

flammability limit

Lower explosion limit

The minimum explosive concentration (MEC) for dust varies

according to particle size distribution.

Vapor pressure : No data available

Relative vapor density : not determined

Relative density : not determined

Density : not determined

Bulk density : ca. 380 kg/m3

Solubility(ies)

Water solubility : insoluble

Solubility in other solvents : No data available

Partition coefficient: n-

octanol/water

Not applicable

according to the OSHA Hazard Communication Standard



DHBP-1-IC5

Version Revision Date: SDS Number: Date of last issue: 08/19/2024 2.2 08/19/2024 600000000172 Date of first issue: 08/27/2019

90 °C

Autoignition temperature : not determined

Self-Accelerating decomposi-

tion temperature (SADT)

Method: UN-Test H.4

The substance or mixture is not classified as organic peroxide. SADT-Self Accelerating Decomposition Temperature. Lowest temperature at which the tested package size will undergo a

self-accelerating decomposition reaction.

Viscosity

Viscosity, dynamic : Not applicable

Viscosity, kinematic : Not applicable

Explosive properties : Not explosive Avoid dust formation.

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Self-heating substances : The substance or mixture is not classified as self heating.

Available oxygen content : ca. 0.11 %

Particle characteristics

Particle size : not determined

Particle Size Distribution : No data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity : Stable under recommended storage conditions.

Chemical stability : Stable under recommended storage conditions.

No decomposition if stored normally.

Possibility of hazardous reac-

tions

May form combustible dust concentrations in air.

Conditions to avoid : Avoid dust formation.

Protect from contamination.

Incompatible materials : Accelerators, strong acids and bases, heavy metals and

heavy metal salts, reducing agents

Not applicable

Hazardous decomposition

products

Irritant, caustic, flammable, noxious/toxic gases and vapours

can develop in the case of fire and decomposition

according to the OSHA Hazard Communication Standard



DHBP-1-IC5

Version Revision Date: SDS Number: Date of last issue: 08/19/2024 2.2 08/19/2024 600000000172 Date of first issue: 08/27/2019

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Not classified based on available information.

Components:

1-Propene, Polymer with Ethene:

Acute oral toxicity : Assessment: The substance or mixture has no acute oral tox-

icity

Acute inhalation toxicity : Assessment: The substance or mixture has no acute inhala-

tion toxicity

Acute dermal toxicity : Assessment: The substance or mixture has no acute dermal

toxicity

2,5-Dimethyl-2,5-di(tert.-butylperoxy)hexane:

Acute oral toxicity : LD50 (Rat, male and female): > 2,000 mg/kg

Method: OECD Test Guideline 401

Assessment: The substance or mixture has no acute oral tox-

icity

Remarks: No mortality observed at this dose.

Acute inhalation toxicity : Remarks: study scientifically unjustified

Acute dermal toxicity : LD50 (Rabbit): 4,100 mg/kg

Method: OECD Test Guideline 402

Assessment: The substance or mixture has no acute dermal

toxicity

Skin corrosion/irritation

Not classified based on available information.

Product:

Remarks : May cause skin irritation and/or dermatitis.

Components:

1-Propene, Polymer with Ethene:

Result : No skin irritation

2,5-Dimethyl-2,5-di(tert.-butylperoxy)hexane:

Species : Rabbit Exposure time : 4 h

Method : OECD Test Guideline 404

Result : Skin irritation

according to the OSHA Hazard Communication Standard



DHBP-1-IC5

Version Revision Date: SDS Number: Date of last issue: 08/19/2024 2.2 08/19/2024 600000000172 Date of first issue: 08/27/2019

Serious eye damage/eye irritation

Not classified based on available information.

Product:

Remarks : Product dust may be irritating to eyes, skin and respiratory

system.

Components:

1-Propene, Polymer with Ethene:

Result : No eye irritation

Remarks : Dust contact with the eyes can lead to mechanical irritation.

2,5-Dimethyl-2,5-di(tert.-butylperoxy)hexane:

Species : Rabbit

Result : No eye irritation

Method : OECD Test Guideline 405

Respiratory or skin sensitization

Skin sensitization

Not classified based on available information.

Respiratory sensitization

Not classified based on available information.

Components:

1-Propene, Polymer with Ethene:

Remarks : Not classified due to data which are conclusive although

insufficient for classification.

2,5-Dimethyl-2,5-di(tert.-butylperoxy)hexane:

Test Type : Maximization Test

Species : Guinea pig

Method : OECD Test Guideline 406

Result : Does not cause skin sensitization.

Germ cell mutagenicity

Not classified based on available information.

Components:

2,5-Dimethyl-2,5-di(tert.-butylperoxy)hexane:

Genotoxicity in vitro : Test Type: Ames test

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 471

Result: negative

according to the OSHA Hazard Communication Standard



DHBP-1-IC5

Version Revision Date: SDS Number: Date of last issue: 08/19/2024 2.2 08/19/2024 600000000172 Date of first issue: 08/27/2019

Test Type: In vitro mammalian cell gene mutation test

Test system: mouse lymphoma cells

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 476

Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo

cytogenetic assay)

Species: Mouse (male and female)

Application Route: Oral

Method: OECD Test Guideline 474

Result: negative

Carcinogenicity

Not classified based on available information.

Components:

2,5-Dimethyl-2,5-di(tert.-butylperoxy)hexane:

Remarks : This information is not available.

IARC No ingredient of this product present at levels greater than or equal to 0.1% is

identified as probable, possible or confirmed human carcinogen by IARC.

OSHANo component of this product present at levels greater than or equal to 0.1% is

on OSHA's list of regulated carcinogens.

NTP No ingredient of this product present at levels greater than or equal to 0.1% is

identified as a known or anticipated carcinogen by NTP.

Reproductive toxicity

Not classified based on available information.

Components:

2,5-Dimethyl-2,5-di(tert.-butylperoxy)hexane:

Effects on fetal development : Test Type: Prenatal development toxicity study (teratogenicity)

Species: Rat

Application Route: oral (gavage)

General Toxicity Maternal: NOAEL: 300 mg/kg body weight

Developmental Toxicity: 300 mg/kg body weight

Method: OECD Test Guideline 414

GLP: yes

STOT-single exposure

Not classified based on available information.

STOT-repeated exposure

Not classified based on available information.

according to the OSHA Hazard Communication Standard



DHBP-1-IC5

Version Revision Date: SDS Number: Date of last issue: 08/19/2024 2.2 08/19/2024 600000000172 Date of first issue: 08/27/2019

Repeated dose toxicity

Components:

2,5-Dimethyl-2,5-di(tert.-butylperoxy)hexane:

Species : Rat, male and female NOAEL : 200 mg/kg bw/day

Application Route : Oral Exposure time : 28 d

Method : OECD Test Guideline 407

GLP : yes

Species : Rat, male and female NOAEL : 150 mg/kg bw/day

Application Route : Oral Exposure time : 90

Method : OECD Test Guideline 408

GLP : yes

Aspiration toxicity

Not classified based on available information.

Components:

2,5-Dimethyl-2,5-di(tert.-butylperoxy)hexane:

Not classified due to data which are conclusive although insufficient for classification.

Further information

Product:

Remarks : No data available

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

1-Propene, Polymer with Ethene:

Ecotoxicology Assessment

Acute aquatic toxicity : This product has no known ecotoxicological effects.

Chronic aquatic toxicity : This product has no known ecotoxicological effects.

2,5-Dimethyl-2,5-di(tert.-butylperoxy)hexane:

Toxicity to fish : LC50 (Oryzias latipes (Japanese medaka)): 4.5 mg/l

Exposure time: 96 h
Test Type: semi-static test

according to the OSHA Hazard Communication Standard



DHBP-1-IC5

Version Revision Date: SDS Number: Date of last issue: 08/19/2024 2.2 08/19/2024 600000000172 Date of first issue: 08/27/2019

Method: OECD Test Guideline 203

Remarks: No toxicity at the limit of solubility.

Toxicity to algae/aquatic

plants

EC50 (Pseudokirchneriella subcapitata (green algae)): >=

0.236 mg/l

Exposure time: 72 h

Test Type: Growth inhibition Analytical monitoring: yes

Method: OECD Test Guideline 201

Remarks: No toxicity at the limit of solubility.

Toxicity to daphnia and other aquatic invertebrates (Chron-

ic toxicity)

NOEC (Daphnia magna (Water flea)): > 0.0065 mg/l

Exposure time: 21 d

Test Type: semi-static test

Method: OECD Test Guideline 211

Remarks: No toxicity at the limit of solubility.

Toxicity to microorganisms : NOEC (activated sludge): > 1,000 mg/l

Exposure time: 3 h

Test Type: Respiration inhibition Method: OECD Test Guideline 209

Remarks: No toxicity at the limit of solubility.

Ecotoxicology Assessment

Acute aquatic toxicity : This product has no known ecotoxicological effects.

Chronic aquatic toxicity : This product has no known ecotoxicological effects.

Persistence and degradability

Components:

1-Propene, Polymer with Ethene:

Biodegradability : Remarks: No data available

2,5-Dimethyl-2,5-di(tert.-butylperoxy)hexane:

Biodegradability : Result: Readily biodegradable.

Method: OECD Test Guideline 301D

Remarks: Not classified due to data which are conclusive

although insufficient for classification.

Bioaccumulative potential

Components:

1-Propene, Polymer with Ethene:

Bioaccumulation : Remarks: No data available

Partition coefficient: n-

octanol/water

Remarks: No data available

according to the OSHA Hazard Communication Standard



DHBP-1-IC5

Version Revision Date: SDS Number: Date of last issue: 08/19/2024 2.2 08/19/2024 600000000172 Date of first issue: 08/27/2019

2,5-Dimethyl-2,5-di(tert.-butylperoxy)hexane:

Bioaccumulation : Bioconcentration factor (BCF): 521 - 839

Partition coefficient: n-

octanol/water

log Pow: 7.34

Mobility in soil

No data available

Other adverse effects

Product:

Ozone-Depletion Potential : Regulation: 40 CFR Protection of Environment; Part 82 Pro-

tection of Stratospheric Ozone - CAA Section 602 Class I

Substances

Remarks: This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

Additional ecological infor-

mation

: No data available

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Dispose of wastes in an approved waste disposal facility.

The product should not be allowed to enter drains, water

courses or the soil.

Do not contaminate ponds, waterways or ditches with

chemical or used container.

Contaminated packaging : Dispose of in accordance with local regulations.

Clean container with water.

Dispose of contents/ container to an approved waste disposal

plant.

Empty remaining contents.

Dispose of as unused product.

Do not re-use empty containers.

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

Not regulated as a dangerous good

IATA-DGR

according to the OSHA Hazard Communication Standard



DHBP-1-IC5

Version Revision Date: SDS Number: Date of last issue: 08/19/2024 2.2 08/19/2024 600000000172 Date of first issue: 08/27/2019

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

49 CFR

Not regulated as a dangerous good

Special precautions for user

Not applicable

SECTION 15. REGULATORY INFORMATION

CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards : Combustible dust

SARA 313 : This material does not contain any chemical components with

known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

Clean Air Act

This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 112 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 111 SOCMI Intermediate or Final VOC's (40 CFR 60.489).

Clean Water Act

This product does not contain any Hazardous Substances listed under the U.S. CleanWater Act, Section 311, Table 116.4A.

This product does not contain any Hazardous Chemicals listed under the U.S. CleanWater Act, Section 311, Table 117.3.

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307

This product does not contain any priority pollutants related to the U.S. Clean Water Act

according to the OSHA Hazard Communication Standard



DHBP-1-IC5

Version Revision Date: SDS Number: Date of last issue: 08/19/2024 2.2 08/19/2024 600000000172 Date of first issue: 08/27/2019

California Prop. 65

This product does not contain any chemicals known to the State of California to cause cancer, birth, or any other reproductive defects.

International Regulations

The ingredients of this product are reported in the following inventories:

TCSI (TW) : On the inventory, or in compliance with the inventory

TSCA (US) : All substances listed as active on the TSCA inventory

AIIC (AU) : On the inventory, or in compliance with the inventory

DSL (CA) : All components of this product are on the Canadian DSL

ENCS (JP) : On the inventory, or in compliance with the inventory

ISHL (JP) : On the inventory, or in compliance with the inventory

KECI (KR) : On the inventory, or in compliance with the inventory

PICCS (PH) : On the inventory, or in compliance with the inventory

IECSC (CN) : On the inventory, or in compliance with the inventory

NZIoC (NZ) : On the inventory, or in compliance with the inventory

TECI (TH) : On the inventory, or in compliance with the inventory

TSCA list

No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

SECTION 16. OTHER INFORMATION

Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)

ACGIH / TWA : Time weighted average

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule;

according to the OSHA Hazard Communication Standard



DHBP-1-IC5

Version Revision Date: SDS Number: Date of last issue: 08/19/2024 2.2 08/19/2024 600000000172 Date of first issue: 08/27/2019

ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC -International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

This material safety datasheet only contains information relating to safety and does not replace any product information or product specification.

These safety instructions also apply to empty packaging which may still contain product residues. The hazards on the label also apply to residues in the container.

Sources of key data used to compile the Material Safety Data Sheet

Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agentic by http://echa.gurana.gu/

cy, http://echa.europa.eu/

Revision Date : 08/19/2024

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

US / Z8