according to GB/T 16483 and GB/T 17519



# **DTBP**

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 2020/10/23

 2.1
 2024/04/18
 600000000009
 Date of first issue: 2018/07/10

#### 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : DTBP

Chemical nature : Organic Peroxide

liquid

## Manufacturer or supplier's details

Company : United Initiators (Shanghai) Co., Ltd

Address : Room 501, Bldg. 1, No. 1 Shangda Road

Shanghai, China, 200444

Telephone : +86 21 61172758

Emergency telephone number : +86 21 61172758

E-mail address : cs-initiators.cn@united-in.com

#### Recommended use of the chemical and restrictions on use

Recommended use : polymerisation initiators

## 2. HAZARDS IDENTIFICATION

# **Emergency Overview**

Appearance: liquidColour: colourlessOdour: aromatic

Highly flammable liquid and vapour. Heating may cause a fire. Suspected of causing genetic defects. Harmful to aquatic life with long lasting effects.

**GHS Classification** 

Flammable liquids : Category 2

Organic peroxides : Type E

Germ cell mutagenicity : Category 2

Short-term (acute) aquatic

hazard

Category 3

Long-term (chronic) aquatic

hazard

Category 3

according to GB/T 16483 and GB/T 17519



# **DTBP**

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 2020/10/23

 2.1
 2024/04/18
 600000000009
 Date of first issue: 2018/07/10

#### **GHS** label elements

Hazard pictograms





Signal word : Danger

Hazard statements : H225 Highly flammable liquid and vapour.

H242 Heating may cause a fire.

H341 Suspected of causing genetic defects.

H412 Harmful to aquatic life with long lasting effects.

#### Precautionary statements

#### Prevention:

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and understood.

P210 Keep away from heat/ sparks/ open flames/ hot surfaces.

No smoking.

P220 Keep/Store away from clothing/ strong acids, bases, heavy metal salts and other reducing substances /combustible

materials.

P233 Keep container tightly closed.

P234 Keep only in original container.

P240 Ground/bond container and receiving equipment.

P241 Use explosion-proof electrical/ ventilating/ lighting equip-

ment.

P242 Use only non-sparking tools.

P243 Take precautionary measures against static discharge.

P273 Avoid release to the environment.

P280 Wear protective gloves/ protective clothing/ eye protective / face protective

tion/ face protection.

# Response:

P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower.
P308 + P313 IF exposed or concerned: Get medical advice/

P370 + P378 In case of fire: Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide to extinguish.

## Storage:

P405 Store locked up.

P410 Protect from sunlight.

P411 + P235 Store at temperatures not exceeding < 40 °C/ <

104 °F. Keep cool.

P420 Store away from other materials.

#### Disposal:

according to GB/T 16483 and GB/T 17519



# **DTBP**

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 2020/10/23

 2.1
 2024/04/18
 600000000009
 Date of first issue: 2018/07/10

P501 Dispose of contents/ container to an approved waste disposal plant.

### Physical and chemical hazards

Highly flammable liquid and vapour. Heating may cause a fire.

#### **Health hazards**

Suspected of causing genetic defects.

#### **Environmental hazards**

Harmful to aquatic life. Harmful to aquatic life with long lasting effects.

### Other hazards which do not result in classification

None known.

#### 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Substance

Substance name : Di-tert-butyl peroxide

CAS-No. : 110-05-4

#### Components

Chemical name	CAS-No.	Concentration (% w/w)
Di-tert-butyl peroxide	110-05-4	<= 100

# 4. FIRST AID MEASURES

General advice : Take off contaminated clothing and shoes immediately.

Call a physician immediately.

Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and seek medical

advice.

Move out of dangerous area.

Show this safety data sheet to the doctor in attendance.

Do not leave the victim unattended.

If inhaled : Administer oxygen if breathing is difficult or cyanosis is ob-

served.

If breathed in, move person into fresh air. If not breathing, give artificial respiration.

If unconscious, place in recovery position and seek medical

advice.

If symptoms persist, call a physician.

according to GB/T 16483 and GB/T 17519



# **DTBP**

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 2020/10/23

 2.1
 2024/04/18
 600000000009
 Date of first issue: 2018/07/10

In case of skin contact : If symptoms persist, call a physician.

Wash contaminated clothing before re-use.

If on skin, rinse well with water. If on clothes, remove clothes.

In case of eye contact : In the case of contact with eyes, rinse immediately with plenty

of water and seek medical advice.

Remove contact lenses. Protect unharmed eye.

Keep eye wide open while rinsing.

If eye irritation persists, consult a specialist.

If swallowed : Call a physician immediately.

Keep respiratory tract clear.

If symptoms persist, call a physician.

Most important symptoms and effects, both acute and

delayed

Suspected of causing genetic defects.

Protection of first-aiders :

First Aid responders should pay attention to self-protection

and use the recommended protective clothing

Notes to physician : Treat symptomatically and supportively.

#### 5. FIREFIGHTING MEASURES

Suitable extinguishing media : Water spray jet

Alcohol-resistant foam Carbon dioxide (CO2)

Dry chemical

Unsuitable extinguishing

media

High volume water jet

Specific hazards during fire-

fighting

Risk of explosion if heated under confinement.

Possible emission of gaseous decomposition products may

lead to a dangerous pressure build-up.

Avoid confinement.

Contact with incompatible materials or exposure to temperatures exceeding SADT may result in a self-accelerating decomposition reaction with release of flammable vapors which

may auto-ignite.

The product burns violently.

Flash back possible over considerable distance.

Do not allow run-off from fire fighting to enter drains or water

courses.

Vapours may form explosive mixtures with air.

The product will float on water and can be reignited on surface

water.

according to GB/T 16483 and GB/T 17519



# **DTBP**

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 2020/10/23

 2.1
 2024/04/18
 600000000009
 Date of first issue: 2018/07/10

Cool closed containers exposed to fire with water spray.

Specific extinguishing methods

 Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Use a water spray to cool fully closed containers.

Collect contaminated fire extinguishing water separately. This

must not be discharged into drains.

Fire residues and contaminated fire extinguishing water must

be disposed of in accordance with local regulations.

Do not use a solid water stream as it may scatter and spread

fire.

Remove undamaged containers from fire area if it is safe to do

SO.

Use water spray to cool unopened containers.

Special protective equipment

for firefighters

Wear self-contained breathing apparatus for firefighting if nec-

essary.

Use personal protective equipment.

# 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Follow safe handling advice and personal protective equip-

ment recommendations.

Beware of vapours accumulating to form explosive concentra-

tions. Vapours can accumulate in low areas.

Use personal protective equipment.

Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas.

Environmental precautions

Prevent product from entering drains.

Prevent further leakage or spillage if safe to do so.

If the product contaminates rivers and lakes or drains inform

respective authorities.

Methods and materials for containment and cleaning up

Contact with incompatible substances can cause decomposi-

tion at or below SADT.

Clear spills immediately.

Suppress (knock down) gases/vapours/mists with a water

spray jet.

To clean the floor and all objects contaminated by this materi-

al, use plenty of water.

Soak up with inert absorbent material. Isolate waste and do not reuse. Non-sparking tools should be used.

Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to deter-

mine which regulations are applicable.

according to GB/T 16483 and GB/T 17519



# **DTBP**

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 2020/10/23

 2.1
 2024/04/18
 600000000009
 Date of first issue: 2018/07/10

Prevention of secondary

hazards

Never return spills in original containers for re-use.

Treat recovered material as described in the section "Disposal

considerations".

#### 7. HANDLING AND STORAGE

#### Handling

Technical measures : See Engineering measures under EXPOSURE

CONTROLS/PERSONAL PROTECTION section.

Advice on protection against

fire and explosion

Take necessary action to avoid static electricity discharge

(which might cause ignition of organic vapours). Keep away from heat and sources of ignition.

Use only explosion-proof equipment.

Keep away from open flames, hot surfaces and sources of

ignition.

Keep away from combustible material.

Do not spray on a naked flame or any incandescent material.

Advice on safe handling : Open drum carefully as content may be under pressure.

Protect from contamination. Do not breathe vapours/dust.

Avoid exposure - obtain special instructions before use.

Avoid contact with skin and eyes.

Avoid formation of aerosol.

Take precautionary measures against static discharges. Never return any product to the container from which it was

originally removed.

Provide sufficient air exchange and/or exhaust in work rooms.

Avoid confinement.

Keep away from heat, hot surfaces, sparks, open flames and

other ignition sources. No smoking.

Smoking, eating and drinking should be prohibited in the ap-

plication area.

Wash thoroughly after handling. For personal protection see section 8.

Avoidance of contact : Accelerators, strong acids and bases, heavy metals and

heavy metal salts, reducing agents

#### Storage

Conditions for safe storage : Store in original container.

Keep containers tightly closed in a cool, well-ventilated place.

Store in cool place.

Contamination may result in dangerous pressure increases -

closed containers may rupture. Observe label precautions.

Store in accordance with the particular national regulations. Avoid impurities (e.g. rust, dust, ash), risk of decomposition.

according to GB/T 16483 and GB/T 17519



# **DTBP**

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 2020/10/23

 2.1
 2024/04/18
 600000000009
 Date of first issue: 2018/07/10

Electrical installations / working materials must comply with

the technological safety standards.

Containers which are opened must be carefully resealed and

kept upright to prevent leakage.

Materials to avoid : Keep away from combustible materials.

Keep away from strong acids, bases, heavy metal salts and

other reducing substances.

Recommended storage tem-

perature

< 40 °C

Further information on stor-

age stability

: Stable under recommended storage conditions.

#### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

# Components with workplace control parameters

Contains no substances with occupational exposure limit values.

**Engineering measures** : Minimize workplace exposure concentrations.

### Personal protective equipment

Respiratory protection : In the case of dust or aerosol formation use respirator with an

approved filter.

Eye/face protection : Ensure that eyewash stations and safety showers are close

to the workstation location.

Please follow all applicable local/national requirements when selecting protective measures for a specific workplace. Always wear eye protection when the potential for inadvertent

eye contact with the product cannot be excluded.

Tightly fitting safety goggles

Please wear suitable protective goggles. Also wear face pro-

tection if there is a splash hazard.

Skin and body protection : Select appropriate protective clothing based on chemical

resistance data and an assessment of the local exposure

potential.

Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, dis-

posable suits) to avoid exposed skin surfaces.

Wear as appropriate:

Flame retardant antistatic protective clothing.

Hand protection

according to GB/T 16483 and GB/T 17519



# **DTBP**

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 2020/10/23

 2.1
 2024/04/18
 600000000009
 Date of first issue: 2018/07/10

Material : Nitrile rubber
Break through time : 480 min
Glove thickness : 0.40 mm

Material : butyl-rubber
Break through time : 120 min
Glove thickness : 0.47 mm

Remarks : The data about break through time/strength of material are

standard values! The exact break through time/strength of material has to be obtained from the producer of the protective glove. Choose gloves to protect hands against chemicals depending on the concentration and quantity of the hazardous substance and specific to place of work. For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer. Wash hands before breaks and at the end of

workday.

Protective measures : The type of protective equipment must be selected according

to the concentration and amount of the dangerous substance

at the specific workplace.

Hygiene measures : Avoid contact with skin, eyes and clothing.

Keep away from food and drink. When using do not eat or drink. When using do not smoke.

Wash hands before breaks and immediately after handling

the product.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : liquid

Colour : colourless

Odour : aromatic

Odour Threshold : No data available

pH : substance/mixture is non-soluble (in water)

Melting point/freezing point : < -25 °C

according to GB/T 16483 and GB/T 17519



# **DTBP**

Version Revision Date: SDS Number: Date of last issue: 2020/10/23 2.1 2024/04/18 600000000009 Date of first issue: 2018/07/10

Boiling point/boiling range : Decomposition: Decomposes below the boiling point.

Flash point : 0 °C

Method: ISO 3679, closed cup

Evaporation rate : No data available

Flammability (solid, gas) : Not applicable

Flammability (liquids) : Highly flammable liquid and vapour., Organic peroxide

Self-ignition : The substance or mixture is not classified as pyrophoric.

Upper explosion limit / Upper

flammability limit

Upper explosion limit

100 %(V) (45 °C)

( 45

Lower explosion limit / Lower

flammability limit

Lower explosion limit

0.74 %(V)

Vapour pressure : 35 hPa (20 °C)

Relative vapour density : No data available

Relative density : not determined

Density : 0.79 g/cm3 (20 °C)

Solubility(ies)

Water solubility : 0.171 g/l practically insoluble (20 °C)

pH: 8.1

Partition coefficient: n-

octanol/water

log Pow: 3.2 (22 °C)

Auto-ignition temperature : not determined

Self-Accelerating decomposi-

tion temperature (SADT)

80 °C

Method: UN-Test H.4

SADT-Self Accelerating Decomposition Temperature. Lowest temperature at which the tested package size will undergo a

self-accelerating decomposition reaction.

Viscosity

Viscosity, dynamic : 0.8 mPa.s (20 °C)

Viscosity, kinematic : not determined

according to GB/T 16483 and GB/T 17519



# **DTBP**

Version Revision Date: SDS Number: Date of last issue: 2020/10/23 2.1 2024/04/18 600000000009 Date of first issue: 2018/07/10

Explosive properties : Not explosive In use, may form flammable/explosive vapour-

air mixture.

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Organic peroxide

Self-heating substances : The substance or mixture is not classified as self heating.

## 10. STABILITY AND REACTIVITY

Reactivity : Stable under recommended storage conditions.

Heating may cause a fire or explosion.

Chemical stability : Stable under recommended storage conditions.

No decomposition if stored normally.

Possibility of hazardous reac-

tions

Vapours may form explosive mixture with air.

Conditions to avoid : Protect from contamination.

Contact with incompatible substances can cause decomposi-

tion at or below SADT. Heat, flames and sparks. Avoid confinement.

Incompatible materials : Accelerators, strong acids and bases, heavy metals and

heavy metal salts, reducing agents

Hazardous decomposition

products

Irritant, caustic, flammable, noxious/toxic gases and vapours

can develop in the case of fire and decomposition

## 11. TOXICOLOGICAL INFORMATION

#### Acute toxicity

Based on available data, the classification criteria are not met.

**Product:** 

Acute oral toxicity : LD50 (Rat, female): > 2,000 mg/kg

Method: OECD Test Guideline 423

Assessment: The substance or mixture has no acute oral tox-

icity

Acute inhalation toxicity : LC50 (Rat, male and female): > 22 mg/l

Exposure time: 4 h
Test atmosphere: vapour

according to GB/T 16483 and GB/T 17519



# **DTBP**

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 2020/10/23

 2.1
 2024/04/18
 600000000009
 Date of first issue: 2018/07/10

Method: OECD Test Guideline 436

Assessment: The substance or mixture has no acute inhala-

tion toxicity

Acute dermal toxicity : LD50 (Rat, male and female): > 2,000 mg/kg

Method: OECD Test Guideline 402

Assessment: The substance or mixture has no acute dermal

toxicity

## **Components:**

Di-tert-butyl peroxide:

Acute oral toxicity : LD50 (Rat, female): > 2,000 mg/kg

Method: OECD Test Guideline 423

Assessment: The substance or mixture has no acute oral tox-

icity

Acute inhalation toxicity : LC50 (Rat, male and female): > 22 mg/l

Exposure time: 4 h
Test atmosphere: vapour

Method: OECD Test Guideline 436

Assessment: The substance or mixture has no acute inhala-

tion toxicity

Acute dermal toxicity : LD50 (Rat, male and female): > 2,000 mg/kg

Method: OECD Test Guideline 402

Assessment: The substance or mixture has no acute dermal

toxicity

#### Skin corrosion/irritation

Based on available data, the classification criteria are not met.

**Product:** 

Species : Rabbit

Method : OECD Test Guideline 404

Result : No skin irritation

### **Components:**

## Di-tert-butyl peroxide:

Species : Rabbit

Method : OECD Test Guideline 404

Result : No skin irritation

#### Serious eye damage/eye irritation

Based on available data, the classification criteria are not met.

**Product:** 

Species : Rabbit

Result : No eye irritation

according to GB/T 16483 and GB/T 17519



# **DTBP**

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 2020/10/23

 2.1
 2024/04/18
 600000000009
 Date of first issue: 2018/07/10

Method : OECD Test Guideline 405

**Components:** 

Di-tert-butyl peroxide:

Species : Rabbit

Result : No eye irritation

Method : OECD Test Guideline 405

Respiratory or skin sensitisation

Skin sensitisation

Based on available data, the classification criteria are not met.

Respiratory sensitisation

Not classified due to lack of data.

**Product:** 

Test Type : Buehler Test Species : Guinea pig

Method : OECD Test Guideline 406

Result : Does not cause skin sensitisation.

**Components:** 

Di-tert-butyl peroxide:

Test Type : Buehler Test Species : Guinea pig

Method : OECD Test Guideline 406

Result : Does not cause skin sensitisation.

Germ cell mutagenicity

Suspected of causing genetic defects.

**Product:** 

Genotoxicity in vitro : Test Type: Ames test

Test system: Salmonella typhimurium

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 471

Result: negative

Genotoxicity in vivo : Test Type: In vivo micronucleus test

Species: Mouse (male and female) Method: OECD Test Guideline 474

Result: positive

Germ cell mutagenicity -

Assessment

: Positive result(s) from in vivo mammalian somatic cell muta-

genicity tests., The GHS classification specified by the authori-

ty

according to GB/T 16483 and GB/T 17519



# **DTBP**

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 2020/10/23

 2.1
 2024/04/18
 600000000009
 Date of first issue: 2018/07/10

### **Components:**

Di-tert-butyl peroxide:

Genotoxicity in vitro : Test Type: Ames test

Test system: Salmonella typhimurium

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 471

Result: negative

Genotoxicity in vivo : Test Type: In vivo micronucleus test

Species: Mouse (male and female) Method: OECD Test Guideline 474

Result: positive

Germ cell mutagenicity -

Assessment

Positive result(s) from in vivo mammalian somatic cell muta-

genicity tests., The GHS classification specified by the authori-

ty

### Carcinogenicity

Not classified due to lack of data.

**Product:** 

Remarks : Not classified due to data which are conclusive although insuf-

ficient for classification.

### **Components:**

Di-tert-butyl peroxide:

Remarks : Not classified due to data which are conclusive although insuf-

ficient for classification.

# Reproductive toxicity

Not classified due to lack of data.

**Product:** 

Effects on fertility : Species: Rat, male and female

Application Route: Oral

General Toxicity F1: NOEL: 1,000 mg/kg body weight

Method: OECD Test Guideline 422

Result: No effects on reproduction parameters, No effects on

foetal development

Effects on foetal develop-

ment

Species: Rat, female Application Route: Oral

General Toxicity Maternal: NOAEL: 1,000 mg/kg body weight

Method: OECD Test Guideline 414

Species: Rat, male and female

Application Route: Oral

General Toxicity Maternal: NOEL: 1,000 mg/kg body weight

according to GB/T 16483 and GB/T 17519



# **DTBP**

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 2020/10/23

 2.1
 2024/04/18
 600000000009
 Date of first issue: 2018/07/10

Symptoms: No effects on reproduction parameters, No effects

on foetal development

Method: OECD Test Guideline 422

**Components:** 

Di-tert-butyl peroxide:

Effects on fertility : Species: Rat, male and female

Application Route: Oral

General Toxicity F1: NOEL: 1,000 mg/kg body weight

Symptoms: No effects on reproduction parameters, No effects

on foetal development

Method: OECD Test Guideline 422

Result: No effects on reproduction parameters

Effects on foetal develop-

ment

Species: Rat, female Application Route: Oral

General Toxicity Maternal: NOAEL: 1,000 mg/kg body weight

Method: OECD Test Guideline 414

Species: Rat, male and female

Application Route: Oral

General Toxicity Maternal: NOEL: 1,000 mg/kg body weight Symptoms: No effects on reproduction parameters, No effects

on foetal development

Method: OECD Test Guideline 422

STOT - single exposure

Not classified due to lack of data.

**Product:** 

Remarks : Not classified due to data which are conclusive although insuf-

ficient for classification.

Components:

Di-tert-butyl peroxide:

Remarks : Not classified due to data which are conclusive although insuf-

ficient for classification.

STOT - repeated exposure

Not classified due to lack of data.

**Product:** 

Remarks : Not classified due to data which are conclusive although insuf-

ficient for classification.

according to GB/T 16483 and GB/T 17519



# **DTBP**

Version Revision Date: SDS Number: Date of last issue: 2020/10/23 2.1 2024/04/18 600000000009 Date of first issue: 2018/07/10

## **Components:**

## Di-tert-butyl peroxide:

Remarks : Not classified due to data which are conclusive although insuf-

ficient for classification.

## Repeated dose toxicity

#### **Product:**

Species : Rat, male and female

NOAEL : 100 mg/kg LOAEL : 300 mg/kg Application Route : Oral

Exposure time : 28 d

Method : OECD Test Guideline 422

Species : Rat, male and female

NOAEC : 993 mg/m³
Application Route : Inhalation
Test atmosphere : vapour
Exposure time : 90 d

Method : OECD Test Guideline 413

## **Components:**

Exposure time

# Di-tert-butyl peroxide:

Species : Rat, male and female

NOAEL : 100 mg/kg LOAEL : 300 mg/kg Application Route : Oral

Method : OECD Test Guideline 422

28 d

Species : Rat, male and female

NOAEC : 993 mg/m³
Application Route : Inhalation
Test atmosphere : vapour
Exposure time : 90 d

Method : OECD Test Guideline 413

### Aspiration toxicity

Not classified due to lack of data.

#### **Product:**

Not classified due to data which are conclusive although insufficient for classification.

## **Components:**

# Di-tert-butyl peroxide:

Not classified due to data which are conclusive although insufficient for classification.

according to GB/T 16483 and GB/T 17519



# **DTBP**

Version Revision Date: SDS Number: Date of last issue: 2020/10/23 2.1 2024/04/18 600000000009 Date of first issue: 2018/07/10

#### **Further information**

**Product:** 

Remarks : Solvents may degrease the skin.

#### 12. ECOLOGICAL INFORMATION

### **Ecotoxicity**

**Product:** 

Toxicity to fish : LC50 (Poecilia reticulata (guppy)): > 1,000 mg/l

Exposure time: 96 h
Remarks: Expert judgement
No toxicity at the limit of solubility

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): > 73.1 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

Toxicity to algae/aquatic

plants

EC50 (Pseudokirchneriella subcapitata (green algae)): 36 mg/l

End point: Growth rate Exposure time: 72 h

Method: OECD Test Guideline 201

Toxicity to daphnia and other :

aquatic invertebrates (Chron-

ic toxicity)

NOEC (Daphnia magna (Water flea)): 7.2 mg/l

Exposure time: 21 d

Method: OECD Test Guideline 211

Toxicity to microorganisms : EC50 (Bacteria): 1,000 mg/l

Exposure time: 0.5 h

Method: OECD Test Guideline 209

**Ecotoxicology Assessment** 

Acute aquatic toxicity : Harmful to aquatic life.

Chronic aquatic toxicity : Harmful to aquatic life with long lasting effects.

**Components:** 

Di-tert-butyl peroxide:

Toxicity to fish : LC50 (Poecilia reticulata (guppy)): > 1,000 mg/l

Exposure time: 96 h Remarks: Expert judgement No toxicity at the limit of solubility

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 73.1 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

according to GB/T 16483 and GB/T 17519



# **DTBP**

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 2020/10/23

 2.1
 2024/04/18
 600000000009
 Date of first issue: 2018/07/10

Toxicity to algae/aquatic

plants

EC50 (Pseudokirchneriella subcapitata (green algae)): 36 mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

Toxicity to daphnia and other aquatic invertebrates (Chron-

ic toxicity)

NOEC (Daphnia magna (Water flea)): 7.2 mg/l

Exposure time: 21 d

Method: OECD Test Guideline 211

Toxicity to microorganisms : EC50 (Bacteria): 1,000 mg/l

Exposure time: 0.5 h

Method: OECD Test Guideline 209

**Ecotoxicology Assessment** 

Acute aquatic toxicity : Harmful to aquatic life.

Chronic aquatic toxicity : Harmful to aquatic life with long lasting effects.

Persistence and degradability

**Product:** 

Biodegradability : Result: Not readily biodegradable.

Method: OECD Test Guideline 301D

**Components:** 

Di-tert-butyl peroxide:

Biodegradability : Result: Not readily biodegradable.

Method: OECD Test Guideline 301D

Bioaccumulative potential

Components:

Di-tert-butyl peroxide:

Partition coefficient: n-

octanol/water

: log Pow: 3.2 (22 °C)

Mobility in soil
No data available

Other adverse effects

**Product:** 

Additional ecological infor-

mation

: An environmental hazard cannot be excluded in the event of

unprofessional handling or disposal.

Harmful to aquatic life with long lasting effects.

according to GB/T 16483 and GB/T 17519



# **DTBP**

Version Revision Date: SDS Number: Date of last issue: 2020/10/23 2.1 2024/04/18 600000000009 Date of first issue: 2018/07/10

#### 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Dispose of wastes in an approved waste disposal facility.

The product should not be allowed to enter drains, water

courses or the soil.

Do not contaminate ponds, waterways or ditches with chemi-

cal or used container.

Contaminated packaging : Dispose of in accordance with local regulations.

Clean container with water.

Dispose of contents/ container to an approved waste disposal

plant.

Empty remaining contents.

Dispose of as unused product.

Do not re-use empty containers.

Do not burn, or use a cutting torch on, the empty drum.

#### 14. TRANSPORT INFORMATION

#### **International Regulations**

**UNRTDG** 

UN number : UN 3107

Proper shipping name : ORGANIC PEROXIDE TYPE E, LIQUID

(DI-tert-BUTYL PEROXIDE)

Class : 5.2

Packing group : Not assigned by regulation

Labels : 5.2 Environmentally hazardous : no

**IATA-DGR** 

UN/ID No. : UN 3107

Proper shipping name : Organic peroxide type E, liquid

(Di-tert-Butyl peroxide)

Class : 5.2

Packing group : Not assigned by regulation

Labels : Organic Peroxides, Keep Away From Heat

Packing instruction (cargo : 570

aircraft)

Packing instruction (passen: :

570

ger aircraft)

**IMDG-Code** 

UN number : UN 3107

Proper shipping name : ORGANIC PEROXIDE TYPE E, LIQUID

(DI-tert-BUTYL PEROXIDE)

Class : 5.2

Packing group : Not assigned by regulation

Labels : 5.2 EmS Code : F-J, S-R

according to GB/T 16483 and GB/T 17519



# **DTBP**

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 2020/10/23

 2.1
 2024/04/18
 600000000009
 Date of first issue: 2018/07/10

Marine pollutant : no

# Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

#### **National Regulations**

#### GB 6944/12268

UN number : UN 3107

Proper shipping name : ORGANIC PEROXIDE TYPE E, LIQUID

(DI-tert-BUTYL PEROXIDE)

Class : 5.2

Packing group : Not assigned by regulation

Labels : 5.2 Marine pollutant : no

#### Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

## 15. REGULATORY INFORMATION

# National regulatory information

Gefahrgruppe nach TRGS 741: Ib (German regulatory requirements)

# **Regulations on Safety Management of Hazardous Chemicals**

Catalogue of Hazardous Chemicals : Listed

Identification of Major Hazard Installations for Hazardous Chemicals (GB 18218)

No. / Code Chemical name / Category Threshold quantity

W5.3 Flammable liquids 1,000 t

W7.2 Organic peroxides 50 t

#### The components of this product are reported in the following inventories:

TCSI (TW) : On the inventory, or in compliance with the inventory

TSCA (US) : All substances listed as active on the TSCA inventory

AIIC (AU) : On the inventory, or in compliance with the inventory

DSL (CA) : All components of this product are on the Canadian DSL

ENCS (JP) : On the inventory, or in compliance with the inventory

according to GB/T 16483 and GB/T 17519



# **DTBP**

Version	Revision Date:	SDS Number:	Date of last issue: 2020/10/23
2.1	2024/04/18	600000000009	Date of first issue: 2018/07/10

ISHL (JP) : On the inventory, or in compliance with the inventory

KECI (KR) : On the inventory, or in compliance with the inventory

PICCS (PH) : On the inventory, or in compliance with the inventory

IECSC (CN) : On the inventory, or in compliance with the inventory

TECI (TH) : On the inventory, or in compliance with the inventory

#### 16. OTHER INFORMATION

Revision Date : 2024/04/18

#### **Further information**

Other information : This safety datasheet only contains information relating to

safety and does not replace any product information or prod-

uct specification.

These safety instructions also apply to empty packaging which

may still contain product residues.

The hazards on the label also apply to residues in the con-

tainer.

Sources of key data used to compile the Safety Data

Sheet

Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agen-

cy, http://echa.europa.eu/

Date format : yyyy/mm/dd

#### Full text of other abbreviations

AllC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Or-

according to GB/T 16483 and GB/T 17519



# **DTBP**

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 2020/10/23

 2.1
 2024/04/18
 600000000009
 Date of first issue: 2018/07/10

ganisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

#### Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

CN / EN