

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## DTBP

Version	Revision Date:	SDS Number:	Date of last issue: 2018/07/10
2.0	2020/10/23	600000000009	Date of first issue: 2018/07/10

---

### 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : DTBP  
CAS-No. : 110-05-4  
Chemical nature : Organic Peroxide liquid

#### Manufacturer or supplier's details

Company : United Initiators (Shanghai) Co. Ltd.  
Address : Room 201, No. 2398 Hutai Road  
200436 Baoshan District Shanghai  
Telephone : +86 21 61172758  
Emergency telephone number : +86 21 61172758  
E-mail address : contact@degussa-aj.com

#### Recommended use of the chemical and restrictions on use

Recommended use : polymerisation initiators

---

### 2. HAZARDS IDENTIFICATION

#### Emergency Overview

<b>Appearance</b>	: liquid
<b>Colour</b>	: colourless
<b>Odour</b>	: aromatic

Highly flammable liquid and vapour. Heating may cause a fire. Suspected of causing genetic defects. Harmful to aquatic life with long lasting effects.

#### GHS Classification

Flammable liquids : Category 2  
Organic peroxides : Type E  
Germ cell mutagenicity : Category 2  
Short-term (acute) aquatic hazard : Category 3  
Long-term (chronic) aquatic hazard : Category 3

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## DTBP

Version	Revision Date:	SDS Number:	Date of last issue: 2018/07/10
2.0	2020/10/23	600000000009	Date of first issue: 2018/07/10

---

### GHS label elements

Hazard pictograms



Signal word

: Danger

Hazard statements

: H225 Highly flammable liquid and vapour.  
H242 Heating may cause a fire.  
H341 Suspected of causing genetic defects.  
H412 Harmful to aquatic life with long lasting effects.

Precautionary statements

: **Prevention:**

P201 Obtain special instructions before use.  
P202 Do not handle until all safety precautions have been read and understood.  
P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking.  
P220 Keep/Store away from clothing/ strong acids, bases, heavy metal salts and other reducing substances /combustible materials.  
P233 Keep container tightly closed.  
P234 Keep only in original container.  
P240 Ground/bond container and receiving equipment.  
P241 Use explosion-proof electrical/ ventilating/ lighting equipment.  
P242 Use only non-sparking tools.  
P243 Take precautionary measures against static discharge.  
P273 Avoid release to the environment.  
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

**Response:**

P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.  
P308 + P313 IF exposed or concerned: Get medical advice/ attention.  
P370 + P378 In case of fire: Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide to extinguish.

**Storage:**

P405 Store locked up.  
P410 Protect from sunlight.  
P411 + P235 Store at temperatures not exceeding < 40 °C/ < 104 °F. Keep cool.  
P420 Store away from other materials.

**Disposal:**

P501 Dispose of contents/ container to an approved waste disposal plant.

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## DTBP

Version 2.0      Revision Date: 2020/10/23      SDS Number: 600000000009      Date of last issue: 2018/07/10  
Date of first issue: 2018/07/10

---

### Physical and chemical hazards

Highly flammable liquid and vapour. Heating may cause a fire.

### Health hazards

Suspected of causing genetic defects.

### Environmental hazards

Harmful to aquatic life. Harmful to aquatic life with long lasting effects.

### Other hazards which do not result in classification

None known.

---

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Substance  
Substance name : Di-tert-butyl peroxide  
CAS-No. : 110-05-4

### Components

Chemical name	CAS-No.	Concentration (% w/w)
Di-tert-butyl peroxide	110-05-4	<= 100

---

## 4. FIRST AID MEASURES

General advice : Move out of dangerous area.  
Show this safety data sheet to the doctor in attendance.  
Do not leave the victim unattended.  
Call a physician immediately.

If inhaled : If unconscious, place in recovery position and seek medical advice.  
If symptoms persist, call a physician.  
If breathed in, move person into fresh air.

In case of skin contact : Wash contaminated clothing before re-use.  
If on skin, rinse well with water.  
If on clothes, remove clothes.  
If symptoms persist, call a physician.

In case of eye contact : In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice.  
Remove contact lenses.  
Protect unharmed eye.  
Keep eye wide open while rinsing.  
If eye irritation persists, consult a specialist.

If swallowed : Keep respiratory tract clear.

---

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## DTBP

Version	Revision Date:	SDS Number:	Date of last issue: 2018/07/10
2.0	2020/10/23	600000000009	Date of first issue: 2018/07/10

---

Call a physician immediately.

Most important symptoms and effects, both acute and delayed : Suspected of causing genetic defects.

Protection of first-aiders : First Aid responders should pay attention to self-protection and use the recommended protective clothing

Notes to physician : Treat symptomatically and supportively.

---

### 5. FIREFIGHTING MEASURES

Suitable extinguishing media : Water spray jet  
Alcohol-resistant foam  
Carbon dioxide (CO<sub>2</sub>)  
Dry chemical

Unsuitable extinguishing media : High volume water jet

Specific hazards during fire-fighting : Contact with incompatible materials or exposure to temperatures exceeding SADT may result in a self-accelerating decomposition reaction with release of flammable vapors which may auto-ignite.  
The product burns violently.  
Flash back possible over considerable distance.  
Vapours may form explosive mixtures with air.  
The product will float on water and can be reignited on surface water.  
Cool closed containers exposed to fire with water spray.

Specific extinguishing methods : Collect contaminated fire extinguishing water separately. This must not be discharged into drains.  
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.  
Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Do not use a solid water stream as it may scatter and spread fire.  
Remove undamaged containers from fire area if it is safe to do so.  
Use water spray to cool unopened containers.

Special protective equipment for firefighters : Wear self-contained breathing apparatus for firefighting if necessary.  
Use personal protective equipment.

---

### 6. ACCIDENTAL RELEASE MEASURES

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## DTBP

Version	Revision Date:	SDS Number:	Date of last issue: 2018/07/10
2.0	2020/10/23	600000000009	Date of first issue: 2018/07/10

---

- Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.  
Ensure adequate ventilation.  
Remove all sources of ignition.  
Evacuate personnel to safe areas.  
Follow safe handling advice and personal protective equipment recommendations.  
Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.
- Environmental precautions : Prevent product from entering drains.  
Prevent further leakage or spillage if safe to do so.  
If the product contaminates rivers and lakes or drains inform respective authorities.
- Methods and materials for containment and cleaning up : Contact with incompatible substances can cause decomposition at or below SADT.  
Clear spills immediately.  
Suppress (knock down) gases/vapours/mists with a water spray jet.  
To clean the floor and all objects contaminated by this material, use plenty of water.  
Soak up with inert absorbent material.  
Isolate waste and do not reuse.  
Non-sparking tools should be used.  
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.
- Prevention of secondary hazards : Never return spills in original containers for re-use.  
Treat recovered material as described in the section "Disposal considerations".

---

## 7. HANDLING AND STORAGE

### Handling

- Technical measures : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.
- Advice on protection against fire and explosion : Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapours).  
Keep away from heat and sources of ignition.  
Use only explosion-proof equipment.  
Keep away from combustible material.
- Advice on safe handling : Do not breathe vapours/dust.  
Avoid exposure - obtain special instructions before use.  
Avoid contact with skin and eyes.  
Avoid formation of aerosol.  
Take precautionary measures against static discharges.

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## DTBP

Version	Revision Date:	SDS Number:	Date of last issue: 2018/07/10
2.0	2020/10/23	600000000009	Date of first issue: 2018/07/10

---

Never return any product to the container from which it was originally removed.  
Provide sufficient air exchange and/or exhaust in work rooms.  
Avoid confinement.  
Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
Smoking, eating and drinking should be prohibited in the application area.  
Wash thoroughly after handling.  
For personal protection see section 8.  
Protect from contamination.

Avoidance of contact : Accelerators, strong acids and bases, heavy metals and heavy metal salts, reducing agents

### Storage

Conditions for safe storage : Avoid impurities (e.g. rust, dust, ash), risk of decomposition. Electrical installations / working materials must comply with the technological safety standards.  
Containers which are opened must be carefully resealed and kept upright to prevent leakage.  
Store in original container.  
Keep containers tightly closed in a cool, well-ventilated place.  
Store in accordance with the particular national regulations.

Materials to avoid : Keep away from strong acids, bases, heavy metal salts and other reducing substances.

Recommended storage temperature : < 40 °C

Further information on storage stability : No decomposition if stored normally.

---

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Components with workplace control parameters

Contains no substances with occupational exposure limit values.

**Engineering measures** : Minimize workplace exposure concentrations.

### Personal protective equipment

Respiratory protection : In the case of dust or aerosol formation use respirator with an approved filter.

Filter type : ABEK-filter

Eye/face protection : Tightly fitting safety goggles  
Please wear suitable protective goggles. Also wear face pro-

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## DTBP

Version	Revision Date:	SDS Number:	Date of last issue: 2018/07/10
2.0	2020/10/23	600000000009	Date of first issue: 2018/07/10

---

tection if there is a splash hazard.  
Ensure that eyewash stations and safety showers are close to the workstation location.

Skin and body protection : Select appropriate protective clothing based on chemical resistance data and an assessment of the local exposure potential.

### Hand protection

Material : Nitrile rubber  
Break through time : 480 min  
Glove thickness : 0.4 mm

Material : butyl-rubber  
Break through time : 120 min  
Glove thickness : 0.5 mm

Remarks : Choose gloves to protect hands against chemicals depending on the concentration and quantity of the hazardous substance and specific to place of work. For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer. Wash hands before breaks and at the end of workday.

Hygiene measures : Keep away from food and drink.  
When using do not eat or drink.  
When using do not smoke.  
Wash hands before breaks and immediately after handling the product.

---

## 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : liquid

Colour : colourless

Odour : aromatic

Odour Threshold : No data available

pH : No data available

Melting point/freezing point : < -25 °C

Boiling point/boiling range : Decomposition: Decomposes below the boiling point.

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## DTBP

Version	Revision Date:	SDS Number:	Date of last issue: 2018/07/10
2.0	2020/10/23	600000000009	Date of first issue: 2018/07/10

---

Flash point	:	0 °C
		Method: ISO 3679, closed cup
Evaporation rate	:	No data available
Flammability (solid, gas)	:	Not applicable
Flammability (liquids)	:	Highly flammable
Upper explosion limit / Upper flammability limit	:	Upper explosion limit 100 %(V) ( 45 °C)
Lower explosion limit / Lower flammability limit	:	Lower explosion limit 0.74 %(V)
Vapour pressure	:	35 hPa (20 °C)
Relative vapour density	:	No data available
Density	:	0.79 g/cm <sup>3</sup> (20 °C)
Solubility(ies)		
Water solubility	:	0.171 g/l practically insoluble (20 °C) pH: 8.1
Partition coefficient: n-octanol/water	:	log Pow: 3.2 (22 °C)
Self-Accelerating decomposition temperature (SADT)	:	80 °C Method: UN-Test H.4 SADT-Self Accelerating Decomposition Temperature. Lowest temperature at which the tested package size will undergo a self-accelerating decomposition reaction.
Viscosity		
Viscosity, dynamic	:	0.8 mPa.s ( 20 °C)
Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing. Organic peroxide

---

### 10. STABILITY AND REACTIVITY

Reactivity	:	Stable under recommended storage conditions.
Chemical stability	:	Stable under recommended storage conditions.



# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## DTBP

Version	Revision Date:	SDS Number:	Date of last issue: 2018/07/10
2.0	2020/10/23	600000000009	Date of first issue: 2018/07/10

---

- Possibility of hazardous reactions : Vapours may form explosive mixture with air.
- Conditions to avoid : Protect from contamination.  
Contact with incompatible substances can cause decomposition at or below SADT.  
Heat, flames and sparks.  
Avoid confinement.
- Incompatible materials : Accelerators, strong acids and bases, heavy metals and heavy metal salts, reducing agents
- Hazardous decomposition products : Irritant, caustic, flammable, noxious/toxic gases and vapours can develop in the case of fire and decomposition
- 

## 11. TOXICOLOGICAL INFORMATION

### Acute toxicity

Not classified based on available information.

### Product:

- Acute oral toxicity : LD50 (Rat, female): > 2,000 mg/kg  
Method: OECD Test Guideline 423  
Assessment: The substance or mixture has no acute oral toxicity
- Acute inhalation toxicity : LC50 (Rat, male and female): > 22 mg/l  
Exposure time: 4 h  
Test atmosphere: vapour  
Method: OECD Test Guideline 436  
Assessment: The substance or mixture has no acute inhalation toxicity
- Acute dermal toxicity : LD50 (Rat, male and female): > 2,000 mg/kg  
Method: OECD Test Guideline 402  
Assessment: The substance or mixture has no acute dermal toxicity

### Components:

#### Di-tert-butyl peroxide:

- Acute oral toxicity : LD50 (Rat, female): > 2,000 mg/kg  
Method: OECD Test Guideline 423  
Assessment: The substance or mixture has no acute oral toxicity
- Acute inhalation toxicity : LC50 (Rat, male and female): > 22 mg/l  
Exposure time: 4 h  
Test atmosphere: vapour  
Method: OECD Test Guideline 436

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## DTBP

Version	Revision Date:	SDS Number:	Date of last issue: 2018/07/10
2.0	2020/10/23	600000000009	Date of first issue: 2018/07/10

---

Assessment: The substance or mixture has no acute inhalation toxicity

Acute dermal toxicity : LD50 (Rat, male and female): > 2,000 mg/kg  
Method: OECD Test Guideline 402  
Assessment: The substance or mixture has no acute dermal toxicity

### **Skin corrosion/irritation**

Not classified based on available information.

#### **Product:**

Species : Rabbit  
Method : OECD Test Guideline 404  
Result : No skin irritation

#### **Components:**

##### **Di-tert-butyl peroxide:**

Species : Rabbit  
Method : OECD Test Guideline 404  
Result : No skin irritation

### **Serious eye damage/eye irritation**

Not classified based on available information.

#### **Product:**

Species : Rabbit  
Result : No eye irritation  
Method : OECD Test Guideline 405

#### **Components:**

##### **Di-tert-butyl peroxide:**

Species : Rabbit  
Result : No eye irritation  
Method : OECD Test Guideline 405

### **Respiratory or skin sensitisation**

#### **Skin sensitisation**

Not classified based on available information.

#### **Respiratory sensitisation**

Not classified based on available information.

#### **Product:**

Test Type : Buehler Test  
Species : Guinea pig

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## DTBP

Version 2.0      Revision Date: 2020/10/23      SDS Number: 600000000009      Date of last issue: 2018/07/10  
Date of first issue: 2018/07/10

---

Method : OECD Test Guideline 406  
Result : Does not cause skin sensitisation.

### Components:

#### **Di-tert-butyl peroxide:**

Test Type : Buehler Test  
Species : Guinea pig  
Method : OECD Test Guideline 406  
Result : Does not cause skin sensitisation.

#### **Germ cell mutagenicity**

Suspected of causing genetic defects.

#### Product:

Genotoxicity in vitro : Test Type: Ames test  
Test system: Salmonella typhimurium  
Metabolic activation: with and without metabolic activation  
Method: OECD Test Guideline 471  
Result: negative

Genotoxicity in vivo : Test Type: In vivo micronucleus test  
Species: Mouse (male and female)  
Method: OECD Test Guideline 474  
Result: positive

Germ cell mutagenicity - Assessment : Positive result(s) from in vivo mammalian somatic cell mutagenicity tests.

### Components:

#### **Di-tert-butyl peroxide:**

Genotoxicity in vitro : Test Type: Ames test  
Test system: Salmonella typhimurium  
Metabolic activation: with and without metabolic activation  
Method: OECD Test Guideline 471  
Result: negative

Genotoxicity in vivo : Test Type: In vivo micronucleus test  
Species: Mouse (male and female)  
Method: OECD Test Guideline 474  
Result: positive

Germ cell mutagenicity - Assessment : Positive result(s) from in vivo mammalian somatic cell mutagenicity tests.

#### **Carcinogenicity**

Not classified based on available information.

#### Product:

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## DTBP

Version	Revision Date:	SDS Number:	Date of last issue: 2018/07/10
2.0	2020/10/23	600000000009	Date of first issue: 2018/07/10

---

Remarks : Not classified due to data which are conclusive although insufficient for classification.

### Components:

#### **Di-tert-butyl peroxide:**

Remarks : Not classified due to data which are conclusive although insufficient for classification.

### **Reproductive toxicity**

Not classified based on available information.

### Product:

Effects on foetal development	: Species: Rat, female Application Route: Oral General Toxicity Maternal: NOAEL: 1,000 mg/kg body weight Method: OECD Test Guideline 414
	Species: Rat, male and female Application Route: Oral General Toxicity Maternal: NOEL: 1,000 mg/kg body weight Symptoms: No effects on reproduction parameters, No effects on foetal development Method: OECD Test Guideline 422

### Components:

#### **Di-tert-butyl peroxide:**

Effects on fertility	: Species: Rat, male and female Application Route: Oral General Toxicity F1: NOEL: 1,000 mg/kg body weight Symptoms: No effects on reproduction parameters, No effects on foetal development Method: OECD Test Guideline 422 Result: No effects on reproduction parameters
	Effects on foetal development : Species: Rat, female Application Route: Oral General Toxicity Maternal: NOAEL: 1,000 mg/kg body weight Method: OECD Test Guideline 414
Effects on foetal development	Species: Rat, male and female Application Route: Oral General Toxicity Maternal: NOEL: 1,000 mg/kg body weight Symptoms: No effects on reproduction parameters, No effects on foetal development Method: OECD Test Guideline 422

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## DTBP

Version	Revision Date:	SDS Number:	Date of last issue: 2018/07/10
2.0	2020/10/23	600000000009	Date of first issue: 2018/07/10

---

### STOT - single exposure

Not classified based on available information.

#### Product:

Remarks : Not classified due to data which are conclusive although insufficient for classification.

#### Components:

##### Di-tert-butyl peroxide:

Remarks : Not classified due to data which are conclusive although insufficient for classification.

### STOT - repeated exposure

Not classified based on available information.

#### Product:

Remarks : Not classified due to data which are conclusive although insufficient for classification.

#### Components:

##### Di-tert-butyl peroxide:

Remarks : Not classified due to data which are conclusive although insufficient for classification.

### Repeated dose toxicity

#### Product:

Species : Rat, male and female  
NOAEL : 100 mg/kg  
LOAEL : 300 mg/kg  
Application Route : Oral  
Exposure time : 28 d  
Method : OECD Test Guideline 422

Species : Rat, male and female  
NOAEC : 993 mg/m<sup>3</sup>  
Application Route : Inhalation  
Test atmosphere : vapour  
Exposure time : 90 d  
Method : OECD Test Guideline 413

#### Components:

##### Di-tert-butyl peroxide:

Species : Rat, male and female  
NOAEL : 100 mg/kg  
LOAEL : 300 mg/kg

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## DTBP

Version	Revision Date:	SDS Number:	Date of last issue: 2018/07/10
2.0	2020/10/23	600000000009	Date of first issue: 2018/07/10

---

Application Route : Oral  
Exposure time : 28 d  
Method : OECD Test Guideline 422

Species : Rat, male and female  
NOAEC : 993 mg/m<sup>3</sup>  
Application Route : Inhalation  
Test atmosphere : vapour  
Exposure time : 90 d  
Method : OECD Test Guideline 413

### Aspiration toxicity

Not classified based on available information.

### Product:

Not classified due to data which are conclusive although insufficient for classification.

### Components:

#### Di-tert-butyl peroxide:

Not classified due to data which are conclusive although insufficient for classification.

### Further information

### Product:

Remarks : Solvents may degrease the skin.

---

## 12. ECOLOGICAL INFORMATION

### Ecotoxicity

### Product:

Toxicity to fish : LC50 (Poecilia reticulata (guppy)): > 1,000 mg/l  
Exposure time: 96 h  
Remarks: Expert judgement  
No toxicity at the limit of solubility

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 73.1 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (green algae)): 36 mg/l  
End point: Growth rate  
Exposure time: 72 h  
Method: OECD Test Guideline 201

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 7.2 mg/l  
Exposure time: 21 d  
Method: OECD Test Guideline 211

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## DTBP

Version	Revision Date:	SDS Number:	Date of last issue: 2018/07/10
2.0	2020/10/23	600000000009	Date of first issue: 2018/07/10

---

Toxicity to microorganisms : EC50 (Bacteria): 1,000 mg/l  
Exposure time: 0.5 h  
Method: OECD Test Guideline 209

### Ecotoxicology Assessment

Acute aquatic toxicity : Harmful to aquatic life.

Chronic aquatic toxicity : Harmful to aquatic life with long lasting effects.

### Components:

#### Di-tert-butyl peroxide:

Toxicity to fish : LC50 (Poecilia reticulata (guppy)): > 1,000 mg/l  
Exposure time: 96 h  
Remarks: Expert judgement  
No toxicity at the limit of solubility

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 73.1 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (green algae)): 36 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 7.2 mg/l  
Exposure time: 21 d  
Method: OECD Test Guideline 211

Toxicity to microorganisms : EC50 (Bacteria): 1,000 mg/l  
Exposure time: 0.5 h  
Method: OECD Test Guideline 209

### Ecotoxicology Assessment

Acute aquatic toxicity : Harmful to aquatic life.

Chronic aquatic toxicity : Harmful to aquatic life with long lasting effects.

### Persistence and degradability

#### Product:

Biodegradability : Result: Not readily biodegradable.  
Method: OECD Test Guideline 301D

### Components:

#### Di-tert-butyl peroxide:

Biodegradability : Result: Not readily biodegradable.

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## DTBP

Version	Revision Date:	SDS Number:	Date of last issue: 2018/07/10
2.0	2020/10/23	600000000009	Date of first issue: 2018/07/10

---

Method: OECD Test Guideline 301D

### Bioaccumulative potential

#### Components:

##### Di-tert-butyl peroxide:

Partition coefficient: n-octanol/water : log Pow: 3.2 (22 °C)

#### Mobility in soil

No data available

#### Other adverse effects

#### Product:

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal. Harmful to aquatic life with long lasting effects.

---

## 13. DISPOSAL CONSIDERATIONS

### Disposal methods

Waste from residues : The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of wastes in an approved waste disposal facility.

Contaminated packaging : Empty remaining contents. Dispose of as unused product. Do not re-use empty containers. Do not burn, or use a cutting torch on, the empty drum. Dispose of in accordance with local regulations.

---

## 14. TRANSPORT INFORMATION

### International Regulations

#### UNRTDG

UN number : UN 3107  
Proper shipping name : ORGANIC PEROXIDE TYPE E, LIQUID (DI-tert-BUTYL PEROXIDE)  
Class : 5.2  
Packing group : Not assigned by regulation  
Labels : 5.2

#### IATA-DGR

UN/ID No. : UN 3107

---



# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## DTBP

Version	Revision Date:	SDS Number:	Date of last issue: 2018/07/10
2.0	2020/10/23	600000000009	Date of first issue: 2018/07/10

---

Proper shipping name : Organic peroxide type E, liquid  
(Di-tert-Butyl peroxide)  
Class : 5.2  
Packing group : Not assigned by regulation  
Labels : Division 5.2 - Organic peroxides, Handling Label - Keep Away  
From Heat  
Packing instruction (cargo aircraft) : 570  
Packing instruction (passenger aircraft) : 570

### IMDG-Code

UN number : UN 3107  
Proper shipping name : ORGANIC PEROXIDE TYPE E, LIQUID  
(DI-tert-BUTYL PEROXIDE)  
Class : 5.2  
Packing group : Not assigned by regulation  
Labels : 5.2  
EmS Code : F-J, S-R  
Marine pollutant : no

### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

### National Regulations

#### GB 6944/12268

UN number : UN 3107  
Proper shipping name : ORGANIC PEROXIDE TYPE E, LIQUID  
(DI-tert-BUTYL PEROXIDE)  
Class : 5.2  
Packing group : Not assigned by regulation  
Labels : 5.2

### Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

---

## 15. REGULATORY INFORMATION

### National regulatory information

**Gefahrgruppe nach § 3 BGV B4: Ib (German regulatory requirements)**

### Regulations on Safety Management of Hazardous Chemicals

Catalogue of Hazardous Chemicals : Listed

### The components of this product are reported in the following inventories:

TCSI (TW) : On the inventory, or in compliance with the inventory

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## DTBP

Version	Revision Date:	SDS Number:	Date of last issue: 2018/07/10
2.0	2020/10/23	600000000009	Date of first issue: 2018/07/10

---

TSCA (US)	:	All substances listed as active on the TSCA inventory
AICS (AU)	:	On the inventory, or in compliance with the inventory
DSL (CA)	:	All components of this product are on the Canadian DSL
ENCS (JP)	:	On the inventory, or in compliance with the inventory
ISHL (JP)	:	On the inventory, or in compliance with the inventory
KECI (KR)	:	On the inventory, or in compliance with the inventory
PICCS (PH)	:	On the inventory, or in compliance with the inventory
IECSC (CN)	:	On the inventory, or in compliance with the inventory
NZIoC (NZ)	:	On the inventory, or in compliance with the inventory

---

## 16. OTHER INFORMATION

### Further information

Other information : This safety datasheet only contains information relating to safety and does not replace any product information or product specification.  
These safety instructions also apply to empty packaging which may still contain product residues.

Sources of key data used to compile the Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Date format : yyyy/mm/dd

### Full text of other abbreviations

AICS - Australian Inventory of Chemical Substances; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory con-

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## DTBP

Version	Revision Date:	SDS Number:	Date of last issue: 2018/07/10
2.0	2020/10/23	600000000009	Date of first issue: 2018/07/10

---

centration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

### Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

CN / EN