

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## DYBP-85-WO

Version	Revision Date:	SDS Number:	Date of last issue: 2022/11/16
2.2	2024/07/31	600000000177	Date of first issue: 2017/05/05

### 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : DYBP-85-WO

Chemical nature : Organic Peroxide  
Liquid mixture

#### Manufacturer or supplier's details

Company : United Initiators (Shanghai) Co., Ltd

Address : Room 501, Bldg. 1, No. 1 Shangda Road  
Shanghai, China, 200444

Telephone : +86 21 61172758

Emergency telephone number : +86 21 61172762

E-mail address : cs-initiators.cn@united-in.com

#### Recommended use of the chemical and restrictions on use

Recommended use : polymerisation initiators

### 2. HAZARDS IDENTIFICATION

#### Emergency Overview

<b>Appearance</b>	: liquid
<b>Colour</b>	: light yellow
<b>Odour</b>	: characteristic

Combustible liquid. Heating may cause a fire. Toxic to aquatic life with long lasting effects.

#### GHS Classification

Flammable liquids : Category 4

Organic peroxides : Type C

Short-term (acute) aquatic hazard : Category 2

Long-term (chronic) aquatic hazard : Category 2

#### GHS label elements

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## DYBP-85-WO

Version	Revision Date:	SDS Number:	Date of last issue: 2022/11/16
2.2	2024/07/31	600000000177	Date of first issue: 2017/05/05

---

Hazard pictograms :



Signal word : Danger

Hazard statements : H227 Combustible liquid.  
H242 Heating may cause a fire.  
H411 Toxic to aquatic life with long lasting effects.

Precautionary statements :

**Prevention:**  
P210 Keep away from heat/ sparks/ open flames/ hot surfaces.  
No smoking.  
P220 Keep/Store away from clothing/ strong acids, bases,  
heavy metal salts and other reducing substances /combustible  
materials.  
P234 Keep only in original container.  
P273 Avoid release to the environment.  
P280 Wear protective gloves/ eye protection/ face protection.

**Response:**  
P370 + P378 In case of fire: Use water spray, alcohol-resistant  
foam, dry chemical or carbon dioxide to extinguish.  
P391 Collect spillage.

**Storage:**  
P410 Protect from sunlight.  
P411 + P235 Store at temperatures not exceeding 40 °C/  
104 °F. Keep cool.  
P420 Store away from other materials.

**Disposal:**  
P501 Dispose of contents/ container to an approved waste  
disposal plant.

### Physical and chemical hazards

Combustible liquid. Heating may cause a fire.

### Health hazards

Not classified based on available information.

### Environmental hazards

Toxic to aquatic life. Toxic to aquatic life with long lasting effects.

### Other hazards which do not result in classification

None known.

---

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## DYBP-85-WO

Version 2.2      Revision Date: 2024/07/31      SDS Number: 600000000177      Date of last issue: 2022/11/16  
Date of first issue: 2017/05/05

Substance / Mixture : Mixture

### Components

Chemical name	CAS-No.	Concentration (% w/w)
di-tert-butyl 1,1,4,4-tetramethylbut-2-yn-1,4-ylene diperoxide	1068-27-5	>= 80 -< 85
White mineral oil (petroleum)	8042-47-5	>= 15 -< 20

### 4. FIRST AID MEASURES

- General advice : Take off contaminated clothing and shoes immediately.  
Never give anything by mouth to an unconscious person.  
If unconscious, place in recovery position and seek medical advice.  
Move out of dangerous area.  
Show this safety data sheet to the doctor in attendance.  
Do not leave the victim unattended.
- If inhaled : Administer oxygen if breathing is difficult or cyanosis is observed.  
If breathed in, move person into fresh air.  
If not breathing, give artificial respiration.  
If unconscious, place in recovery position and seek medical advice.  
If symptoms persist, call a physician.
- In case of skin contact : If symptoms persist, call a physician.  
Wash contaminated clothing before re-use.  
If on skin, rinse well with water.  
If on clothes, remove clothes.
- In case of eye contact : In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice.  
Remove contact lenses.  
Protect unharmed eye.  
Keep eye wide open while rinsing.  
If eye irritation persists, consult a specialist.
- If swallowed : Keep respiratory tract clear.  
If symptoms persist, call a physician.
- Most important symptoms and effects, both acute and delayed : None known.
- Protection of first-aiders : First Aid responders should pay attention to self-protection

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## DYBP-85-WO

Version	Revision Date:	SDS Number:	Date of last issue: 2022/11/16
2.2	2024/07/31	600000000177	Date of first issue: 2017/05/05

---

and use the recommended protective clothing

Notes to physician : Treat symptomatically and supportively.

---

### 5. FIREFIGHTING MEASURES

- Suitable extinguishing media : Water spray jet  
Alcohol-resistant foam  
Carbon dioxide (CO<sub>2</sub>)  
Dry chemical
- Unsuitable extinguishing media : High volume water jet
- Specific hazards during fire-fighting : Risk of explosion if heated under confinement.  
Possible emission of gaseous decomposition products may lead to a dangerous pressure build-up.  
Avoid confinement.  
Contact with incompatible materials or exposure to temperatures exceeding SADT may result in a self-accelerating decomposition reaction with release of flammable vapors which may auto-ignite.  
The product burns violently.  
Flash back possible over considerable distance.  
Do not allow run-off from fire fighting to enter drains or water courses.  
Vapours may form explosive mixtures with air.  
The product will float on water and can be reignited on surface water.  
Cool closed containers exposed to fire with water spray.
- Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.  
Use a water spray to cool fully closed containers.  
Collect contaminated fire extinguishing water separately. This must not be discharged into drains.  
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
- Do not use a solid water stream as it may scatter and spread fire.  
Remove undamaged containers from fire area if it is safe to do so.  
Use water spray to cool unopened containers.
- Special protective equipment for firefighters : Wear self-contained breathing apparatus for firefighting if necessary.  
Use personal protective equipment.
- 

### 6. ACCIDENTAL RELEASE MEASURES

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## DYBP-85-WO

Version	Revision Date:	SDS Number:	Date of last issue: 2022/11/16
2.2	2024/07/31	600000000177	Date of first issue: 2017/05/05

---

- Personal precautions, protective equipment and emergency procedures : Follow safe handling advice and personal protective equipment recommendations.  
Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.  
Use personal protective equipment.  
Remove all sources of ignition.
- Environmental precautions : Prevent product from entering drains.  
Prevent further leakage or spillage if safe to do so.  
If the product contaminates rivers and lakes or drains inform respective authorities.
- Methods and materials for containment and cleaning up : Contact with incompatible substances can cause decomposition at or below SADT.  
Clear spills immediately.  
Suppress (knock down) gases/vapours/mists with a water spray jet.  
To clean the floor and all objects contaminated by this material, use plenty of water.  
Soak up with inert absorbent material.  
Isolate waste and do not reuse.  
Non-sparking tools should be used.  
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.
- Prevention of secondary hazards : Never return spills in original containers for re-use.  
Treat recovered material as described in the section "Disposal considerations".

---

## 7. HANDLING AND STORAGE

### Handling

- Technical measures : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.
- Advice on protection against fire and explosion : Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapours).  
Keep away from heat and sources of ignition.  
Use only explosion-proof equipment.  
Keep away from open flames, hot surfaces and sources of ignition.  
Keep away from combustible material.  
Do not spray on a naked flame or any incandescent material.
- Advice on safe handling : Open drum carefully as content may be under pressure.  
Protect from contamination.  
Do not breathe vapours/dust.  
Avoid formation of aerosol.

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## DYBP-85-WO

Version	Revision Date:	SDS Number:	Date of last issue: 2022/11/16
2.2	2024/07/31	600000000177	Date of first issue: 2017/05/05

Take precautionary measures against static discharges.  
Never return any product to the container from which it was originally removed.  
Provide sufficient air exchange and/or exhaust in work rooms.  
Avoid confinement.  
Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
Smoking, eating and drinking should be prohibited in the application area.  
Wash thoroughly after handling.  
For personal protection see section 8.

Avoidance of contact : Accelerators, strong acids and bases, heavy metals and heavy metal salts, reducing agents

### Storage

Conditions for safe storage : Store in original container.  
Keep containers tightly closed in a cool, well-ventilated place.  
Store in cool place.  
Keep in a well-ventilated place.  
Contamination may result in dangerous pressure increases - closed containers may rupture.  
Observe label precautions.  
Store in accordance with the particular national regulations.  
Avoid impurities (e.g. rust, dust, ash), risk of decomposition.  
Electrical installations / working materials must comply with the technological safety standards.  
Containers which are opened must be carefully resealed and kept upright to prevent leakage.

Materials to avoid : Keep away from combustible materials.  
Keep away from strong acids, bases, heavy metal salts and other reducing substances.

Recommended storage temperature : 10 - 40 °C

Further information on storage stability : Stable under recommended storage conditions.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Components with workplace control parameters

Components	CAS-No.	Value type (Form of)	Control parameters / Permissible	Basis
------------	---------	----------------------	----------------------------------	-------

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## DYBP-85-WO

Version 2.2      Revision Date: 2024/07/31      SDS Number: 600000000177      Date of last issue: 2022/11/16  
Date of first issue: 2017/05/05

		exposure)	concentration	
White mineral oil (petroleum)	8042-47-5	TWA (Inhalable particulate matter)	5 mg/m <sup>3</sup>	ACGIH

**Engineering measures** : Minimize workplace exposure concentrations.

### Personal protective equipment

Respiratory protection : In the case of dust or aerosol formation use respirator with an approved filter.

Filter type : ABEK-filter

Eye/face protection : Ensure that eyewash stations and safety showers are close to the workstation location.  
Please follow all applicable local/national requirements when selecting protective measures for a specific workplace.  
Always wear eye protection when the potential for inadvertent eye contact with the product cannot be excluded.  
Tightly fitting safety goggles  
Please wear suitable protective goggles. Also wear face protection if there is a splash hazard.

Skin and body protection : Select appropriate protective clothing based on chemical resistance data and an assessment of the local exposure potential.  
Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces.  
Wear as appropriate:  
Flame retardant antistatic protective clothing.

Hand protection  
Material : Nitrile rubber  
Break through time : 480 min  
Glove thickness : 0.40 mm

Material : butyl-rubber  
Break through time : 480 min  
Glove thickness : 0.47 mm

Remarks : The data about break through time/strength of material are standard values! The exact break through time/strength of material has to be obtained from the producer of the protective glove. Choose gloves to protect hands against chemicals depending on the concentration and quantity of the hazardous substance and specific to place of work. For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer. Wash hands before breaks and at the end of

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## DYBP-85-WO

Version	Revision Date:	SDS Number:	Date of last issue: 2022/11/16
2.2	2024/07/31	600000000177	Date of first issue: 2017/05/05

---

workday.

Protective measures : The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Hygiene measures : Avoid contact with skin, eyes and clothing.  
Keep away from food and drink.  
When using do not eat or drink.  
When using do not smoke.  
Wash hands before breaks and immediately after handling the product.

---

### 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : liquid

Colour : light yellow

Odour : characteristic

Odour Threshold : No data available

pH : substance/mixture is non-soluble (in water)

Melting point/range : < -20 °C

Boiling point/boiling range : Decomposition: Decomposes below the boiling point.

Flash point : 69 °C  
Method: closed cup

Evaporation rate : No data available

Flammability (solid, gas) : Not applicable  
Remarks: Organic peroxide

Self-ignition : The substance or mixture is not classified as pyrophoric.

Upper explosion limit / Upper flammability limit : Upper explosion limit  
No data available



# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## DYBP-85-WO

Version	Revision Date:	SDS Number:	Date of last issue: 2022/11/16
2.2	2024/07/31	600000000177	Date of first issue: 2017/05/05

---

Lower explosion limit / Lower flammability limit : Lower explosion limit  
No data available

Vapour pressure : < 0.01 hPa (20 °C)

Relative density : not determined

Density : ca. 0.88 g/cm<sup>3</sup> (20 °C)

Solubility(ies)

Water solubility : practically insoluble

Solubility in other solvents : No data available

Partition coefficient: n-octanol/water : log Pow: 6.71 (25 °C)

Auto-ignition temperature : not determined

Self-Accelerating decomposition temperature (SADT) : 80 °C  
Method: UN-Test H.4  
SADT-Self Accelerating Decomposition Temperature. Lowest temperature at which the tested package size will undergo a self-accelerating decomposition reaction.

Viscosity

Viscosity, dynamic : 11 mPa.s (20 °C)

Viscosity, kinematic : not determined

Explosive properties : Not explosive In use, may form flammable/explosive vapour-air mixture.

Oxidizing properties : The substance or mixture is not classified as oxidizing.  
Organic peroxide

Self-heating substances : The substance or mixture is not classified as self heating.

Refractive index : 1.437 (20 °C)

---

### 10. STABILITY AND REACTIVITY

Reactivity : Stable under recommended storage conditions.  
Heating may cause a fire or explosion.

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## DYBP-85-WO

Version	Revision Date:	SDS Number:	Date of last issue: 2022/11/16
2.2	2024/07/31	600000000177	Date of first issue: 2017/05/05

---

Chemical stability	:	Stable under recommended storage conditions. No decomposition if stored normally.
Possibility of hazardous reactions	:	Vapours may form explosive mixture with air.
Conditions to avoid	:	Protect from contamination. Contact with incompatible substances can cause decomposition at or below SADT. Heat, flames and sparks. Avoid confinement.
Incompatible materials	:	Accelerators, strong acids and bases, heavy metals and heavy metal salts, reducing agents
Hazardous decomposition products	:	Irritant, caustic, flammable, noxious/toxic gases and vapours can develop in the case of fire and decomposition

---

### 11. TOXICOLOGICAL INFORMATION

#### Acute toxicity

Not classified due to lack of data.

#### Product:

Acute oral toxicity	:	LD50 (Rat): > 2,000 mg/kg Method: OECD Test Guideline 423 Assessment: The substance or mixture has no acute oral toxicity Remarks: No mortality observed at this dose.
Acute inhalation toxicity	:	Remarks: No data available
Acute dermal toxicity	:	LD50 (Rat): > 2,000 mg/kg Method: OECD Test Guideline 402 Assessment: The substance or mixture has no acute dermal toxicity Remarks: No mortality observed at this dose.

#### Components:

##### **di-tert-butyl 1,1,4,4-tetramethylbut-2-yn-1,4-ylene diperoxide:**

Acute oral toxicity	:	LD50 (Rat): > 2,000 mg/kg Method: OECD Test Guideline 423 Assessment: The substance or mixture has no acute oral toxicity Remarks: No mortality observed at this dose.
Acute inhalation toxicity	:	Remarks: No data available

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## DYBP-85-WO

Version	Revision Date:	SDS Number:	Date of last issue: 2022/11/16
2.2	2024/07/31	600000000177	Date of first issue: 2017/05/05

---

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg  
Method: OECD Test Guideline 402  
Assessment: The substance or mixture has no acute dermal toxicity  
Remarks: No mortality observed at this dose.

### White mineral oil (petroleum):

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg  
Method: OECD Test Guideline 401  
Assessment: The substance or mixture has no acute oral toxicity

Acute inhalation toxicity : LC50 (Rat): > 5 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: OECD Test Guideline 403  
Assessment: The substance or mixture has no acute inhalation toxicity

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg  
Method: OECD Test Guideline 402  
Assessment: The substance or mixture has no acute dermal toxicity  
Remarks: No mortality observed at this dose.

### Skin corrosion/irritation

Based on available data, the classification criteria are not met.

#### Product:

Method : OECD Test Guideline 404  
Result : No skin irritation

#### Components:

##### di-tert-butyl 1,1,4,4-tetramethylbut-2-yn-1,4-ylene diperoxide:

Method : OECD Test Guideline 404  
Result : No skin irritation

##### White mineral oil (petroleum):

Species : Rabbit  
Method : OECD Test Guideline 404  
Result : No skin irritation

### Serious eye damage/eye irritation

Based on available data, the classification criteria are not met.

#### Product:

Result : No eye irritation  
Method : OECD Test Guideline 405

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## DYBP-85-WO

Version	Revision Date:	SDS Number:	Date of last issue: 2022/11/16
2.2	2024/07/31	600000000177	Date of first issue: 2017/05/05

---

### Components:

#### **di-tert-butyl 1,1,4,4-tetramethylbut-2-yn-1,4-ylene diperoxide:**

Result : No eye irritation  
Method : OECD Test Guideline 405

#### **White mineral oil (petroleum):**

Species : Rabbit  
Result : No eye irritation  
Method : OECD Test Guideline 405

### **Respiratory or skin sensitisation**

#### **Skin sensitisation**

Based on available data, the classification criteria are not met.

#### **Respiratory sensitisation**

Not classified due to lack of data.

### Product:

Result : Does not cause skin sensitisation.

### Components:

#### **di-tert-butyl 1,1,4,4-tetramethylbut-2-yn-1,4-ylene diperoxide:**

Result : Does not cause skin sensitisation.

#### **White mineral oil (petroleum):**

Exposure routes : Skin contact  
Species : Guinea pig  
Method : OECD Test Guideline 406  
Result : Does not cause skin sensitisation.

### **Germ cell mutagenicity**

Not classified due to lack of data.

### Product:

Genotoxicity in vitro : Test Type: reverse mutation assay  
Method: OECD Test Guideline 473  
Result: negative

Test Type: In vitro mammalian cell gene mutation test  
Method: OECD Test Guideline 476  
Result: negative

Genotoxicity in vivo : Remarks: No data available

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## DYBP-85-WO

Version	Revision Date:	SDS Number:	Date of last issue: 2022/11/16
2.2	2024/07/31	600000000177	Date of first issue: 2017/05/05

---

### Components:

#### **di-tert-butyl 1,1,4,4-tetramethylbut-2-yn-1,4-ylene diperoxide:**

Genotoxicity in vitro : Test Type: reverse mutation assay  
Method: OECD Test Guideline 473  
Result: negative

Test Type: In vitro mammalian cell gene mutation test  
Method: OECD Test Guideline 476  
Result: negative

Genotoxicity in vivo : Remarks: No data available

#### **White mineral oil (petroleum):**

Genotoxicity in vitro : Method: OECD Test Guideline 476  
Result: negative  
Remarks: Information given is based on data obtained from similar substances.

Genotoxicity in vivo : Method: OECD Test Guideline 474  
Result: negative  
Remarks: Based on data from similar materials

### **Carcinogenicity**

Not classified due to lack of data.

### Components:

#### **di-tert-butyl 1,1,4,4-tetramethylbut-2-yn-1,4-ylene diperoxide:**

Remarks : This information is not available.

#### **White mineral oil (petroleum):**

Method : OECD Test Guideline 453  
Result : negative  
Remarks : Based on data from similar materials

### **Reproductive toxicity**

Not classified due to lack of data.

### Product:

Effects on foetal development : Species: Rat  
Application Route: Oral  
Developmental Toxicity: NOAEL: 300 mg/kg body weight  
Method: OECD Test Guideline 414  
Remarks: No data available

### Components:

#### **di-tert-butyl 1,1,4,4-tetramethylbut-2-yn-1,4-ylene diperoxide:**

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## DYBP-85-WO

Version	Revision Date:	SDS Number:	Date of last issue: 2022/11/16
2.2	2024/07/31	600000000177	Date of first issue: 2017/05/05

---

Effects on foetal development : Species: Rat  
Application Route: Oral  
Developmental Toxicity: NOAEL: 300 mg/kg body weight  
Method: OECD Test Guideline 414  
Remarks: No data available

### White mineral oil (petroleum):

Effects on fertility : Method: OECD Test Guideline 415  
Result: negative  
Remarks: Based on data from similar materials

Method: OECD Test Guideline 421  
Result: negative  
Remarks: Based on data from similar materials

Effects on foetal development : Method: OECD Test Guideline 414  
Result: negative  
Remarks: Based on data from similar materials

### STOT - single exposure

Not classified due to lack of data.

#### Components:

### White mineral oil (petroleum):

Assessment : No data available

### STOT - repeated exposure

Not classified due to lack of data.

#### Components:

### White mineral oil (petroleum):

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Remarks : Not classified due to data which are conclusive although insufficient for classification.

### Repeated dose toxicity

#### Product:

Species : Rat  
NOAEL : 150 mg/kg  
Application Route : Oral  
Exposure time : 90 d  
Remarks : Based on data from similar materials

#### Components:

**di-tert-butyl 1,1,4,4-tetramethylbut-2-yn-1,4-ylene diperoxide:**

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## DYBP-85-WO

Version	Revision Date:	SDS Number:	Date of last issue: 2022/11/16
2.2	2024/07/31	600000000177	Date of first issue: 2017/05/05

---

Species : Rat  
NOAEL : 150 mg/kg  
Application Route : Oral  
Exposure time : 90 d  
Remarks : Based on data from similar materials

### Aspiration toxicity

Not classified due to lack of data.

### Components:

#### White mineral oil (petroleum):

No aspiration toxicity classification

### Further information

#### Product:

Remarks : No data available

### Components:

#### di-tert-butyl 1,1,4,4-tetramethylbut-2-yn-1,4-ylene diperoxide:

Remarks : No data available

---

## 12. ECOLOGICAL INFORMATION

### Ecotoxicity

#### Product:

Toxicity to fish : NOEC (Danio rerio (zebra fish)): > 100 mg/l  
Exposure time: 96 h  
Remarks: No toxicity at the limit of solubility

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia (water flea)): > 5.31 mg/l  
Exposure time: 48 h  
Remarks: No toxicity at the limit of solubility

Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (green algae)): 6.17 mg/l  
Exposure time: 72 h

### Components:

#### di-tert-butyl 1,1,4,4-tetramethylbut-2-yn-1,4-ylene diperoxide:

Toxicity to fish : NOEC (Danio rerio (zebra fish)): > 100 mg/l  
Exposure time: 96 h  
Test Type: semi-static test  
Method: OECD Test Guideline 203

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## DYBP-85-WO

Version	Revision Date:	SDS Number:	Date of last issue: 2022/11/16
2.2	2024/07/31	600000000177	Date of first issue: 2017/05/05

---

Remarks: No toxicity at the limit of solubility

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia (water flea)): > 5.31 mg/l  
Exposure time: 48 h  
Test Type: static test  
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (green algae)): 6.17 mg/l  
Exposure time: 72 h  
Test Type: Growth inhibition  
Method: OECD Test Guideline 201

NOEC (Pseudokirchneriella subcapitata (green algae)): 1.88 mg/l  
Exposure time: 72 h  
Test Type: Growth inhibition  
Method: OECD Test Guideline 201

Toxicity to microorganisms : NOEC: > 1,000 mg/l  
Exposure time: 3 h  
Test Type: Respiration inhibition of activated sludge  
Method: OECD Test Guideline 209

### **White mineral oil (petroleum):**

Toxicity to fish : LL50 (Oncorhynchus mykiss (rainbow trout)): > 1,000 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : NOEL (Daphnia magna (Water flea)): >= 100 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : NOEL (Pseudokirchneriella subcapitata (microalgae)): >= 100 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 1,000 mg/l  
Method: OECD Test Guideline 211

### **Persistence and degradability**

#### **Product:**

Biodegradability : Result: Not rapidly biodegradable

#### **Components:**

**di-tert-butyl 1,1,4,4-tetramethylbut-2-yn-1,4-ylene diperoxide:**



# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## DYBP-85-WO

Version	Revision Date:	SDS Number:	Date of last issue: 2022/11/16
2.2	2024/07/31	600000000177	Date of first issue: 2017/05/05

---

Biodegradability : Result: Not rapidly biodegradable  
Method: OECD Test Guideline 301

### White mineral oil (petroleum):

Biodegradability : Result: Biodegradable  
Method: OECD Test Guideline 301F

### Bioaccumulative potential

#### Components:

#### **di-tert-butyl 1,1,4,4-tetramethylbut-2-yn-1,4-ylene diperoxide:**

Partition coefficient: n- : log Pow: > 6.5  
octanol/water

#### **White mineral oil (petroleum):**

Partition coefficient: n- : log Pow: > 3.5  
octanol/water

### Mobility in soil

No data available

### Other adverse effects

#### Product:

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.  
Toxic to aquatic life with long lasting effects.

---

## 13. DISPOSAL CONSIDERATIONS

### Disposal methods

Waste from residues : Dispose of wastes in an approved waste disposal facility.  
The product should not be allowed to enter drains, water courses or the soil.  
Do not contaminate ponds, waterways or ditches with chemical or used container.

Contaminated packaging : Dispose of in accordance with local regulations.  
Clean container with water.  
Dispose of contents/ container to an approved waste disposal plant.  
Empty remaining contents.  
Dispose of as unused product.  
Do not re-use empty containers.  
Do not burn, or use a cutting torch on, the empty drum.

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## DYBP-85-WO

Version	Revision Date:	SDS Number:	Date of last issue: 2022/11/16
2.2	2024/07/31	600000000177	Date of first issue: 2017/05/05

### 14. TRANSPORT INFORMATION

#### International Regulations

##### UNRTDG

UN number : UN 3103  
Proper shipping name : ORGANIC PEROXIDE TYPE C, LIQUID  
(2,5-DIMETHYL-2,5-DI-(tert-BUTYLPEROXY)HEXYNE-3)  
Class : 5.2  
Packing group : Not assigned by regulation  
Labels : 5.2  
Environmentally hazardous : yes

##### IATA-DGR

UN/ID No. : UN 3103  
Proper shipping name : Organic peroxide type C, liquid  
(2,5-Dimethyl-2,5-di-(tert-butylperoxy) hexyne-3)  
Class : 5.2  
Packing group : Not assigned by regulation  
Labels : Organic Peroxides, Keep Away From Heat  
Packing instruction (cargo aircraft) : 570  
Packing instruction (passenger aircraft) : 570

##### IMDG-Code

UN number : UN 3103  
Proper shipping name : ORGANIC PEROXIDE TYPE C, LIQUID  
(2,5-DIMETHYL-2,5-DI-(tert-BUTYLPEROXY)HEXYNE-3)  
Class : 5.2  
Packing group : Not assigned by regulation  
Labels : 5.2  
EmS Code : F-J, S-R  
Marine pollutant : yes

#### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

#### National Regulations

##### GB 6944/12268

UN number : UN 3103  
Proper shipping name : ORGANIC PEROXIDE TYPE C, LIQUID  
(2,5-DIMETHYL-2,5-DI-(tert-BUTYLPEROXY)HEXYNE-3)  
Class : 5.2  
Packing group : Not assigned by regulation  
Labels : 5.2  
Marine pollutant : yes

#### Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## DYBP-85-WO

Version	Revision Date:	SDS Number:	Date of last issue: 2022/11/16
2.2	2024/07/31	600000000177	Date of first issue: 2017/05/05

---

Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

---

### 15. REGULATORY INFORMATION

#### National regulatory information

**Gefahrgruppe nach TRGS 741: Ib, S++ (German regulatory requirements)**  
**Law on the Prevention and Control of Occupational Diseases**

#### Regulations on Safety Management of Hazardous Chemicals

Catalogue of Hazardous Chemicals : Listed

Identification of Major Hazard Installations for Hazardous Chemicals (GB 18218)

No. / Code	Chemical name / Category	Threshold quantity
W7.2	Organic peroxides	50 t

#### The components of this product are reported in the following inventories:

TCSI (TW) : On the inventory, or in compliance with the inventory

TSCA (US) : All substances listed as active on the TSCA inventory

AIC (AU) : On the inventory, or in compliance with the inventory

DSL (CA) : All components of this product are on the Canadian DSL

KECI (KR) : On the inventory, or in compliance with the inventory

PICCS (PH) : On the inventory, or in compliance with the inventory

IECSC (CN) : On the inventory, or in compliance with the inventory

TECI (TH) : On the inventory, or in compliance with the inventory

---

### 16. OTHER INFORMATION

Revision Date : 2024/07/31

#### Further information

Other information : This safety datasheet only contains information relating to safety and does not replace any product information or prod-

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## DYBP-85-WO

Version	Revision Date:	SDS Number:	Date of last issue: 2022/11/16
2.2	2024/07/31	600000000177	Date of first issue: 2017/05/05

---

uct specification.

These safety instructions also apply to empty packaging which may still contain product residues.

The hazards on the label also apply to residues in the container.

Sources of key data used to compile the Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Date format : yyyy/mm/dd

### Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)

ACGIH / TWA : 8-hour, time-weighted average

AIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## DYBP-85-WO

Version	Revision Date:	SDS Number:	Date of last issue: 2022/11/16
2.2	2024/07/31	600000000177	Date of first issue: 2017/05/05

---

### Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

CN / EN