

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## EHPC-50-ENF1 (IBC)

Version	Revision Date:	SDS Number:	Date of last issue: 01.08.2016
2.0	11.09.2020	600000000287	Date of first issue: 20.06.2016

---

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Trade name : EHPC-50-ENF1 (IBC)

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub-  
stance/Mixture : polymerisation initiators

#### 1.3 Details of the supplier of the safety data sheet

Company : United Initiators GmbH  
Dr.-Gustav-Adolph-Str. 3  
82049 Pullach

Telephone : +49 / 89 / 74422 – 0

E-mail address of person  
responsible for the SDS : contact@united-in.com

#### 1.4 Emergency telephone number

+49 / 89 / 74422 – 0 (24 h)

---

### SECTION 2: Hazards identification

#### 2.1 Classification of the substance or mixture

##### Classification (REGULATION (EC) No 1272/2008)

Flammable liquids, Category 3	H226: Flammable liquid and vapour.
Organic peroxides, Type F	H242: Heating may cause a fire.
Acute toxicity, Category 4	H302: Harmful if swallowed.
Skin irritation, Category 2	H315: Causes skin irritation.
Serious eye damage, Category 1	H318: Causes serious eye damage.
Skin sensitisation, Category 1	H317: May cause an allergic skin reaction.
Specific target organ toxicity - single exposure, Category 1	H370: Causes damage to organs.

#### 2.2 Label elements

##### Labelling (REGULATION (EC) No 1272/2008)

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

## EHPC-50-ENF1 (IBC)




Version  
2.0

Revision Date:  
11.09.2020

SDS Number:  
600000000287

Date of last issue: 01.08.2016  
Date of first issue: 20.06.2016

Hazard pictograms	:	
Signal word	:	Danger
Hazard statements	:	H226 Flammable liquid and vapour. H242 Heating may cause a fire. H302 Harmful if swallowed. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H370 Causes damage to organs.
Precautionary statements	:	<b>Prevention:</b> P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P220 Keep/Store away from clothing/ strong acids, bases, heavy metal salts and other reducing substances /combustible materials. P233 Keep container tightly closed. P260 Do not breathe dust/ fume/ gas/ mist/ vapours/ spray. P262 Do not get in eyes, on skin, or on clothing. P280 Wear protective gloves/ protective clothing/ eye protection/ face protection. <b>Response:</b> P301 + P312 IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell. P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P308 + P311 IF exposed or concerned: Call a POISON CENTER/doctor. P315 Get immediate medical advice/ attention. P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention. P362 + P364 Take off contaminated clothing and wash it before reuse. P370 + P378 In case of fire: Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide to extinguish. <b>Storage:</b> P403 + P235 Store in a well-ventilated place. Keep cool. P411 Store at temperatures not exceeding -20 °C. <b>Disposal:</b> P501 Dispose of contents/ container to an approved waste disposal plant.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

## EHPC-50-ENF1 (IBC)



Version 2.0      Revision Date: 11.09.2020      SDS Number: 600000000287      Date of last issue: 01.08.2016  
Date of first issue: 20.06.2016

Hazardous components which must be listed on the label:

bis(2-ethylhexyl) peroxydicarbonate (CAS-No. 16111-62-9)  
Methanol (CAS-No. 67-56-1)

### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

## SECTION 3: Composition/information on ingredients

### 3.2 Mixtures

Chemical nature : Organic Peroxide  
Liquid mixture

#### Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
bis(2-ethylhexyl) peroxydicarbonate	16111-62-9 240-282-4 01-2119964452-35-0003	Flam. Liq. 3; H226 Org. Perox. C; H242 Skin Irrit. 2; H315 Eye Dam. 1; H318 Skin Sens. 1; H317	>= 50 - < 55
Methanol	67-56-1 200-659-6 01-2119433307-44	Flam. Liq. 2; H225 Acute Tox. 3; H301 Acute Tox. 3; H331 Acute Tox. 3; H311 STOT SE 1; H370	>= 10 - < 15

For explanation of abbreviations see section 16.

## SECTION 4: First aid measures

### 4.1 Description of first aid measures

General advice : Move out of dangerous area.  
Show this safety data sheet to the doctor in attendance.  
Do not leave the victim unattended.  
Symptoms of poisoning may appear several hours later.  
Call a physician immediately.

Protection of first-aiders : First Aid responders should pay attention to self-protection and use the recommended protective clothing

If inhaled : Call a physician or poison control centre immediately.  
If unconscious, place in recovery position and seek medical advice.  
Keep respiratory tract clear.  
If breathed in, move person into fresh air.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

## EHPC-50-ENF1 (IBC)



Version	Revision Date:	SDS Number:	Date of last issue: 01.08.2016
2.0	11.09.2020	600000000287	Date of first issue: 20.06.2016

---

In case of skin contact : In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes.  
Wash contaminated clothing before re-use.  
If on skin, rinse well with water.  
If on clothes, remove clothes.  
If symptoms persist, call a physician.

In case of eye contact : Small amounts splashed into eyes can cause irreversible tissue damage and blindness.  
In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice.  
Continue rinsing eyes during transport to hospital.  
Remove contact lenses.  
Protect unharmed eye.  
Keep eye wide open while rinsing.  
If eye irritation persists, consult a specialist.

If swallowed : Keep respiratory tract clear.  
Do NOT induce vomiting.  
Call a physician immediately.  
Rinse mouth thoroughly with water.

### 4.2 Most important symptoms and effects, both acute and delayed

Risks : Harmful if swallowed.  
Causes skin irritation.  
May cause an allergic skin reaction.  
Causes serious eye damage.  
Causes damage to organs.

### 4.3 Indication of any immediate medical attention and special treatment needed

Treatment : Treat symptomatically and supportively.

---

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media

Suitable extinguishing media : Water spray jet  
Alcohol-resistant foam  
Carbon dioxide (CO<sub>2</sub>)  
Dry chemical

Unsuitable extinguishing media : High volume water jet

### 5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-fighting : Contact with incompatible materials or exposure to temperatures exceeding SADT may result in a self-accelerating decomposition reaction with release of flammable vapors which may auto-ignite.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

## EHPC-50-ENF1 (IBC)



Version	Revision Date:	SDS Number:	Date of last issue: 01.08.2016
2.0	11.09.2020	600000000287	Date of first issue: 20.06.2016

---

Flash back possible over considerable distance.  
Vapours may form explosive mixtures with air.  
Cool closed containers exposed to fire with water spray.

### 5.3 Advice for firefighters

- Special protective equipment for firefighters : Wear self-contained breathing apparatus for firefighting if necessary. Use personal protective equipment.
- Specific extinguishing methods : Do not use a solid water stream as it may scatter and spread fire.  
Remove undamaged containers from fire area if it is safe to do so.  
Use water spray to cool unopened containers.
- Further information : Collect contaminated fire extinguishing water separately. This must not be discharged into drains.  
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.  
Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

---

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

- Personal precautions : Use personal protective equipment.  
Remove all sources of ignition.  
Evacuate personnel to safe areas.  
Follow safe handling advice and personal protective equipment recommendations.  
Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.  
Never return spills in original containers for re-use.  
Treat recovered material as described in the section "Disposal considerations".

### 6.2 Environmental precautions

- Environmental precautions : Prevent product from entering drains.  
Prevent further leakage or spillage if safe to do so.  
If the product contaminates rivers and lakes or drains inform respective authorities.

### 6.3 Methods and material for containment and cleaning up

- Methods for cleaning up : Contact with incompatible substances can cause decomposition at or below SADT.  
Clear spills immediately.  
Suppress (knock down) gases/vapours/mists with a water spray jet.  
To clean the floor and all objects contaminated by this material, use plenty of water.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

## EHPC-50-ENF1 (IBC)



Version	Revision Date:	SDS Number:	Date of last issue: 01.08.2016
2.0	11.09.2020	600000000287	Date of first issue: 20.06.2016

---

Soak up with inert absorbent material.  
Isolate waste and do not reuse.  
Non-sparking tools should be used.  
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.

### 6.4 Reference to other sections

For personal protection see section 8.

---

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

- |   |   |   |
|---|---|---|
| Technical measures                              | : | See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.   |
| Advice on safe handling                         | : | Do not swallow.<br>Do not breathe vapours/dust.<br>Avoid exposure - obtain special instructions before use.<br>Avoid contact with skin and eyes.<br>Avoid formation of aerosol.<br>Take precautionary measures against static discharges.<br>Never return any product to the container from which it was originally removed.<br>Provide sufficient air exchange and/or exhaust in work rooms.<br>Avoid confinement.<br>Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.<br>Smoking, eating and drinking should be prohibited in the application area.<br>Wash thoroughly after handling.<br>For personal protection see section 8.<br>Persons susceptible to skin sensitisation problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used.<br>Protect from contamination. |
| Advice on protection against fire and explosion | : | Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapours). Keep away from heat and sources of ignition. Use only explosion-proof equipment. Keep away from combustible material.  |
| Hygiene measures                                | : | Keep away from food and drink. When using do not eat or drink. When using do not smoke. Wash hands before breaks and immediately after handling the product.  |

### 7.2 Conditions for safe storage, including any incompatibilities

- |   |   |  |
|---|---|--|
| Requirements for storage areas and containers | : | Avoid impurities (e.g. rust, dust, ash), risk of decomposition.<br>Electrical installations / working materials must comply with |
|---|---|--|

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

## EHPC-50-ENF1 (IBC)



Version 2.0      Revision Date: 11.09.2020      SDS Number: 600000000287      Date of last issue: 01.08.2016  
Date of first issue: 20.06.2016

the technological safety standards. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Store in original container. Keep containers tightly closed in a cool, well-ventilated place. Store in accordance with the particular national regulations.

Advice on common storage : Keep away from strong acids, bases, heavy metal salts and other reducing substances.

Recommended storage temperature : < -15 °C

Further information on storage stability : No decomposition if stored normally.

### 7.3 Specific end use(s)

Specific use(s) : For further information, refer to the product technical data sheet.

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

#### Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
Methanol	67-56-1	TWA	200 ppm 260 mg/m <sup>3</sup>	2006/15/EC
Further information	Indicative, Identifies the possibility of significant uptake through the skin			
		OELV - 8 hrs (TWA)	200 ppm 260 mg/m <sup>3</sup>	IE OEL
Further information	Substances which have the capacity to penetrate intact skin when they come in contact with it, and be absorbed into the body, Where no specific short-term exposure limit is listed, a figure three times the long-term exposure limit value should be used, Indicative Occupational Exposure Limit Value			

#### Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health effects	Value
bis(2-ethylhexyl) peroxydicarbonate	Workers	Inhalation	Long-term systemic effects	11.75 mg/m <sup>3</sup>
	Workers	Skin contact	Long-term systemic effects	6.67 mg/kg bw/day
Methanol	Workers	Inhalation	Long-term systemic effects	130 mg/m <sup>3</sup>
	Workers	Inhalation	Acute systemic effects	130 mg/m <sup>3</sup>
	Workers	Inhalation	Long-term local effects	130 mg/m <sup>3</sup>
	Workers	Inhalation	Acute local effects	130 mg/m <sup>3</sup>

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

## EHPC-50-ENF1 (IBC)



Version 2.0      Revision Date: 11.09.2020      SDS Number: 600000000287      Date of last issue: 01.08.2016  
Date of first issue: 20.06.2016

	Workers	Skin contact	Long-term systemic effects	20 mg/m3
	Workers	Skin contact	Acute systemic effects	20 mg/m3
	Workers	Skin contact	Long-term local effects	
Remarks:	No hazard identified			
	Workers	Skin contact	Acute local effects	
Remarks:	No hazard identified			
	Consumers	Inhalation	Long-term systemic effects	26 mg/m3
	Consumers	Inhalation	Acute systemic effects	26 mg/m3
	Consumers	Inhalation	Long-term local effects	26 mg/m3
	Consumers	Inhalation	Acute local effects	26 mg/m3
	Consumers	Skin contact	Acute systemic effects	4 mg/kg bw/day
	Consumers	Skin contact	Long-term systemic effects	4 mg/kg bw/day
	Consumers	Skin contact	Acute local effects	
Remarks:	No hazard identified			
	Consumers	Skin contact	Long-term local effects	
Remarks:	No hazard identified			
	Consumers	Ingestion	Long-term systemic effects	4 mg/kg bw/day
	Consumers	Ingestion	Acute systemic effects	4 mg/kg bw/day

### Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
bis(2-ethylhexyl) peroxydicarbonate	Fresh water	0.032 mg/l
	Marine water	0.0032 mg/l
	Intermittent use/release	0.094 mg/l
	Sewage treatment plant	1.5 mg/l
	Fresh water sediment	0.228 mg/kg
	Marine sediment	0.0228 mg/kg
	Soil	0.0269 mg/kg
Methanol	Fresh water	20.8 mg/l
	Marine water	2.08 mg/l
	Intermittent use/release	100 mg/l
	Fresh water sediment	77 mg/kg
	Marine sediment	7.7 mg/kg
	Soil	100 mg/kg

## 8.2 Exposure controls

### Engineering measures

Minimize workplace exposure concentrations.

### Personal protective equipment



# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

## EHPC-50-ENF1 (IBC)



Version	Revision Date:	SDS Number:	Date of last issue: 01.08.2016
2.0	11.09.2020	600000000287	Date of first issue: 20.06.2016

---

- Eye protection : Tightly fitting safety goggles  
Please wear suitable protective goggles. Also wear face protection if there is a splash hazard.  
Ensure that eyewash stations and safety showers are close to the workstation location.
- Hand protection
- Material : butyl-rubber  
Break through time : 480 min  
Glove thickness : 0.5 mm
- Material : Nitrile rubber  
Break through time : 30 min  
Glove thickness : 0.4 mm
- Remarks : Choose gloves to protect hands against chemicals depending on the concentration and quantity of the hazardous substance and specific to place of work. For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer. Wash hands before breaks and at the end of workday.
- Skin and body protection : Select appropriate protective clothing based on chemical resistance data and an assessment of the local exposure potential.
- Respiratory protection : In the case of dust or aerosol formation use respirator with an approved filter.
- Filter type : ABEK-filter
- 

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

- Appearance : liquid
- Colour : white
- Odour : aromatic
- pH : No data available
- Melting point/range : No data available
- Boiling point/boiling range : Decomposition: Decomposes below the boiling point.
- Flash point : 37 °C  
Method: ISO 3679
- Flammability (solid, gas) : Not applicable

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

## EHPC-50-ENF1 (IBC)



Version	Revision Date:	SDS Number:	Date of last issue: 01.08.2016
2.0	11.09.2020	600000000287	Date of first issue: 20.06.2016

---

Upper explosion limit / Upper flammability limit : No data available

Lower explosion limit / Lower flammability limit : No data available

Vapour pressure : No data available

Density : 0.93 g/cm<sup>3</sup> (20 °C)

Solubility(ies)

    Water solubility : No data available

    Solubility in other solvents : No data available

Partition coefficient: n-octanol/water : No data available

Viscosity

    Viscosity, dynamic : 150 mPa.s (20 °C)

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.  
Organic peroxide

### 9.2 Other information

Self-Accelerating decomposition temperature (SADT) : 0 °C  
Method: UN-Test H.4  
SADT-Self Accelerating Decomposition Temperature. Lowest temperature at which the tested package size will undergo a self-accelerating decomposition reaction.

---

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

Stable under recommended storage conditions.

### 10.2 Chemical stability

Stable under recommended storage conditions.

### 10.3 Possibility of hazardous reactions

Hazardous reactions : Vapours may form explosive mixture with air.

### 10.4 Conditions to avoid

Conditions to avoid : Protect from contamination.  
Contact with incompatible substances can cause decomposition at or below SADT.  
Heat, flames and sparks.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

## EHPC-50-ENF1 (IBC)



Version	Revision Date:	SDS Number:	Date of last issue: 01.08.2016
2.0	11.09.2020	600000000287	Date of first issue: 20.06.2016

---

Avoid confinement.

### 10.5 Incompatible materials

Materials to avoid : Accelerators, strong acids and bases, heavy metals and heavy metal salts, reducing agents

### 10.6 Hazardous decomposition products

Irritant, caustic, flammable, noxious/toxic gases and vapours can develop in the case of fire and decomposition

---

## SECTION 11: Toxicological information

### 11.1 Information on toxicological effects

#### Acute toxicity

Harmful if swallowed.

#### Product:

Acute oral toxicity : Acute toxicity estimate: 787.4 mg/kg  
Method: Calculation method

Acute inhalation toxicity : Acute toxicity estimate: > 20 mg/l  
Exposure time: 4 h  
Test atmosphere: vapour  
Method: Calculation method

Acute dermal toxicity : Acute toxicity estimate: > 2,000 mg/kg  
Method: Calculation method

#### Components:

##### **bis(2-ethylhexyl) peroxydicarbonate:**

Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg  
Method: OECD Test Guideline 423  
Assessment: The substance or mixture has no acute oral toxicity

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg  
Method: OECD Test Guideline 402  
Assessment: The substance or mixture has no acute dermal toxicity

##### **Methanol:**

Acute oral toxicity : Acute toxicity estimate: 100.0 mg/kg  
Method: Converted acute toxicity point estimate  
Assessment: The component/mixture is toxic after single ingestion.  
Remarks: Based on harmonised classification in EU regulation 1272/2008, Annex VI

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

## EHPC-50-ENF1 (IBC)



Version 2.0      Revision Date: 11.09.2020      SDS Number: 600000000287      Date of last issue: 01.08.2016  
Date of first issue: 20.06.2016

---

Acute inhalation toxicity : Acute toxicity estimate: 3 mg/l  
Exposure time: 4 h  
Test atmosphere: vapour  
Method: Expert judgement  
Assessment: The component/mixture is toxic after short term inhalation.  
Remarks: Based on harmonised classification in EU regulation 1272/2008, Annex VI

Acute dermal toxicity : Acute toxicity estimate: 300 mg/kg  
Method: Converted acute toxicity point estimate  
Assessment: The component/mixture is toxic after single contact with skin.  
Remarks: Based on harmonised classification in EU regulation 1272/2008, Annex VI

### Skin corrosion/irritation

Causes skin irritation.

#### Product:

Remarks : May cause skin irritation in susceptible persons.

#### Components:

##### **bis(2-ethylhexyl) peroxydicarbonate:**

Species : Rabbit  
Method : OECD Test Guideline 404  
Result : Skin irritation

##### **Methanol:**

Species : Rabbit  
Result : No skin irritation

### Serious eye damage/eye irritation

Causes serious eye damage.

#### Product:

Remarks : May cause irreversible eye damage.

#### Components:

##### **bis(2-ethylhexyl) peroxydicarbonate:**

Species : Rabbit  
Result : Risk of serious damage to eyes.  
Remarks : Risk of serious damage to eyes.

##### **Methanol:**

Species : Rabbit  
Result : No eye irritation

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

## EHPC-50-ENF1 (IBC)



Version 2.0      Revision Date: 11.09.2020      SDS Number: 600000000287      Date of last issue: 01.08.2016  
Date of first issue: 20.06.2016

---

### Respiratory or skin sensitisation

#### Skin sensitisation

May cause an allergic skin reaction.

#### Respiratory sensitisation

Not classified based on available information.

#### Product:

Remarks : Causes sensitisation.

#### Components:

##### **bis(2-ethylhexyl) peroxydicarbonate:**

Species : Guinea pig  
Method : OECD Test Guideline 406  
Result : May cause sensitisation by skin contact.

##### **Methanol:**

Exposure routes : Skin contact  
Species : Guinea pig  
Method : OECD Test Guideline 406  
Result : Does not cause skin sensitisation.

Assessment : Toxic if swallowed, in contact with skin or if inhaled.

### Germ cell mutagenicity

Not classified based on available information.

#### Components:

##### **bis(2-ethylhexyl) peroxydicarbonate:**

Genotoxicity in vitro : Method: OECD Test Guideline 471  
Result: negative  
Method: OECD Test Guideline 487  
Result: negative

Genotoxicity in vivo : Remarks: No data available

##### **Methanol:**

Genotoxicity in vitro : Method: OECD Test Guideline 471  
Result: negative

Genotoxicity in vivo : Species: Mouse  
Application Route: Intraperitoneal injection  
Method: OECD Test Guideline 474  
Result: negative

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

## EHPC-50-ENF1 (IBC)



Version 2.0      Revision Date: 11.09.2020      SDS Number: 600000000287      Date of last issue: 01.08.2016  
Date of first issue: 20.06.2016

---

### **Carcinogenicity**

Not classified based on available information.

#### **Components:**

##### **Methanol:**

Species : Mouse  
Application Route : inhalation (vapour)  
Exposure time : 18 Months  
Method : OECD Test Guideline 453  
Result : negative

### **Reproductive toxicity**

Not classified based on available information.

#### **Components:**

##### **Methanol:**

Effects on fertility : Species: Rat  
Application Route: inhalation (vapour)  
Method: OECD Test Guideline 416  
Result: negative

### **STOT - single exposure**

Causes damage to organs.

#### **Components:**

##### **Methanol:**

Assessment : Causes damage to organs.

### **STOT - repeated exposure**

Not classified based on available information.

### **Repeated dose toxicity**

#### **Components:**

##### **Methanol:**

Species : Rat  
NOAEL : 1.06 mg/l  
Application Route : inhalation (vapour)  
Exposure time : 90 d

Species : Monkey  
LOAEL : 2,340 mg/kg  
Application Route : Oral  
Exposure time : 3 d

### **Aspiration toxicity**

Not classified based on available information.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

## EHPC-50-ENF1 (IBC)



Version	Revision Date:	SDS Number:	Date of last issue: 01.08.2016
2.0	11.09.2020	600000000287	Date of first issue: 20.06.2016

---

### Further information

#### Product:

Remarks : Solvents may degrease the skin.

---

## SECTION 12: Ecological information

### 12.1 Toxicity

#### Components:

##### **bis(2-ethylhexyl) peroxydicarbonate:**

- Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 28.3 mg/l  
Exposure time: 96 h  
Remarks: Based on data from similar materials
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 9.4 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202
- Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (green algae)): > 100 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201
- Toxicity to microorganisms : EC10 (Bacteria): > 20 mg/l  
Exposure time: 3 h  
Method: OECD Test Guideline 209
- Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 1.6 mg/l  
Exposure time: 21 d  
Species: Daphnia magna (Water flea)

##### **Methanol:**

- Toxicity to fish : NOEC (Danio rerio (zebra fish)): 3,950 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 212
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 18,260 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202
- Toxicity to algae/aquatic plants : EC50 (Scenedesmus quadricauda (Green algae)): ca. 22,000 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 201
- Toxicity to microorganisms : IC50 : > 1,000 mg/l  
Exposure time: 3 h  
Method: OECD Test Guideline 209

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

## EHPC-50-ENF1 (IBC)



Version	Revision Date:	SDS Number:	Date of last issue: 01.08.2016
2.0	11.09.2020	600000000287	Date of first issue: 20.06.2016

---

Toxicity to fish (Chronic toxicity) : NOEC: 15,800 mg/l  
Exposure time: 200 h  
Species: *Oryzias latipes* (Orange-red killifish)

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 208 mg/l  
Exposure time: 21 d  
Species: *Daphnia magna* (Water flea)  
Remarks: The value is given based on a SAR/AAR approach using OECD Toolbox, DEREK, VEGA QSAR models (CAESAR models), etc.

### 12.2 Persistence and degradability

#### Components:

##### **bis(2-ethylhexyl) peroxydicarbonate:**

Biodegradability : Result: rapidly biodegradable  
Method: OECD Test Guideline 301B

##### **Methanol:**

Biodegradability : Result: Readily biodegradable.

### 12.3 Bioaccumulative potential

#### Components:

##### **bis(2-ethylhexyl) peroxydicarbonate:**

Partition coefficient: n-octanol/water : log Pow: 2.73

##### **Methanol:**

Partition coefficient: n-octanol/water : log Pow: -0.77

### 12.4 Mobility in soil

No data available

### 12.5 Results of PBT and vPvB assessment

#### Product:

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher..

### 12.6 Other adverse effects

#### Product:

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.



# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

## EHPC-50-ENF1 (IBC)



Version	Revision Date:	SDS Number:	Date of last issue: 01.08.2016
2.0	11.09.2020	600000000287	Date of first issue: 20.06.2016

---

Toxic to aquatic life.

---

### SECTION 13: Disposal considerations

#### 13.1 Waste treatment methods

- Product : The product should not be allowed to enter drains, water courses or the soil.  
Do not contaminate ponds, waterways or ditches with chemical or used container.  
Dispose of wastes in an approved waste disposal facility.
- Contaminated packaging : Empty remaining contents.  
Dispose of as unused product.  
Do not re-use empty containers.  
Do not burn, or use a cutting torch on, the empty drum.  
Dispose of in accordance with local regulations.
- 

### SECTION 14: Transport information

#### 14.1 UN number

- ADN : UN 3119
- ADR : UN 3119
- RID : UN 3119  
Not permitted for transport
- IMDG : UN 3119
- IATA : UN 3119  
Not permitted for transport

#### 14.2 UN proper shipping name

- ADN : ORGANIC PEROXIDE TYPE F, LIQUID, TEMPERATURE CONTROLLED  
(DI-(2-ETHYLHEXYL) PEROXYDICARBONATE)
- ADR : ORGANIC PEROXIDE TYPE F, LIQUID, TEMPERATURE CONTROLLED  
(DI-(2-ETHYLHEXYL) PEROXYDICARBONATE)
- RID : ORGANIC PEROXIDE TYPE F, LIQUID, TEMPERATURE CONTROLLED  
Not permitted for transport
- IMDG : ORGANIC PEROXIDE TYPE F, LIQUID, TEMPERATURE CONTROLLED  
(DI-(2-ETHYLHEXYL)PEROXYDICARBONATE)
- IATA : ORGANIC PEROXIDE TYPE F, LIQUID, TEMPERATURE CONTROLLED  
Not permitted for transport
-

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

## EHPC-50-ENF1 (IBC)



Version	Revision Date:	SDS Number:	Date of last issue: 01.08.2016
2.0	11.09.2020	600000000287	Date of first issue: 20.06.2016

---

### 14.3 Transport hazard class(es)

<b>ADN</b>	:	5.2
<b>ADR</b>	:	5.2
<b>RID</b>	:	Not permitted for transport
<b>IMDG</b>	:	5.2
<b>IATA</b>	:	Not permitted for transport

### 14.4 Packing group

<b>ADN</b>		
Packing group	:	Not assigned by regulation
Classification Code	:	P2
Hazard Identification Number	:	539
Labels	:	5.2

<b>ADR</b>		
Packing group	:	Not assigned by regulation
Classification Code	:	P2
Hazard Identification Number	:	539
Labels	:	5.2
Tunnel restriction code	:	(D)

<b>RID</b>	:	Not permitted for transport
------------	---	-----------------------------

<b>IMDG</b>		
Packing group	:	Not assigned by regulation
Labels	:	5.2
EmS Code	:	F-F, S-R

<b>IATA (Cargo)</b>	:	Not permitted for transport
---------------------	---	-----------------------------

<b>IATA (Passenger)</b>	:	Not permitted for transport
-------------------------	---	-----------------------------

### 14.5 Environmental hazards

<b>ADN</b>		
Environmentally hazardous	:	no

<b>ADR</b>		
Environmentally hazardous	:	no

<b>RID</b>	:	Not permitted for transport
------------	---	-----------------------------

<b>IMDG</b>		
Marine pollutant	:	no

### 14.6 Special precautions for user

#### Additional advice

Temperature controlled transport.:

Control temperature	:	-20 °C
---------------------	---	--------

Emergency temperature	:	-10 °C
-----------------------	---	--------

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

## EHPC-50-ENF1 (IBC)



Version	Revision Date:	SDS Number:	Date of last issue: 01.08.2016
2.0	11.09.2020	600000000287	Date of first issue: 20.06.2016

Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

### 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable for product as supplied.

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59) : Not applicable

REACH - List of substances subject to authorisation (Annex XIV) : Not applicable

Regulation (EC) No 1005/2009 on substances that deplete the ozone layer : Not applicable

Regulation (EC) No 850/2004 on persistent organic pollutants : Not applicable

Regulation (EC) No 649/2012 of the European Parliament and the Council concerning the export and import of dangerous chemicals : Not applicable

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, preparations and articles (Annex XVII) : Conditions of restriction for the following entries should be considered:  
Number on list 3

Methanol (Number on list 69)

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.

		Quantity 1	Quantity 2
H3	STOT SPECIFIC TARGET ORGAN TOXICITY – SINGLE EXPOSURE	50 t	200 t
P6b	SELF-REACTIVE SUBSTANCES AND MIXTURES and ORGANIC PEROXIDES	50 t	200 t

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

## EHPC-50-ENF1 (IBC)



Version	Revision Date:	SDS Number:	Date of last issue: 01.08.2016
2.0	11.09.2020	600000000287	Date of first issue: 20.06.2016

---

### Other regulations:

Gefahrgruppe nach § 3 BGV B4: IV (German regulatory requirements)

Take note of Directive 92/85/EEC regarding maternity protection or stricter national regulations, where applicable.

Take note of Directive 94/33/EC on the protection of young people at work or stricter national regulations, where applicable.

### The components of this product are reported in the following inventories:

TCSI (TW)	:	On the inventory, or in compliance with the inventory
TSCA (US)	:	All substances listed as active on the TSCA inventory
AICS (AU)	:	On the inventory, or in compliance with the inventory
DSL (CA)	:	All components of this product are on the Canadian DSL
ENCS (JP)	:	On the inventory, or in compliance with the inventory
ISHL (JP)	:	On the inventory, or in compliance with the inventory
KECI (KR)	:	On the inventory, or in compliance with the inventory
PICCS (PH)	:	On the inventory, or in compliance with the inventory
IECSC (CN)	:	On the inventory, or in compliance with the inventory

### 15.2 Chemical safety assessment

A Chemical Safety Assessment has been carried out for this substance.  
For further information see eSDS.

---

## SECTION 16: Other information

### Further information

Other information : This safety datasheet only contains information relating to safety and does not replace any product information or product specification.  
These safety instructions also apply to empty packaging which may still contain product residues.

Sources of key data used to compile the Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

### Classification of the mixture:

Flam. Liq. 3                      H226

### Classification procedure:

Based on product data or assessment

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

## EHPC-50-ENF1 (IBC)



Version	Revision Date:	SDS Number:	Date of last issue: 01.08.2016
2.0	11.09.2020	600000000287	Date of first issue: 20.06.2016

---

Org. Perox. F	H242	Based on product data or assessment
Acute Tox. 4	H302	Calculation method
Skin Irrit. 2	H315	Calculation method
Eye Dam. 1	H318	Calculation method
Skin Sens. 1	H317	Calculation method
STOT SE 1	H370	Calculation method

### Full text of H-Statements

H225	: Highly flammable liquid and vapour.
H226	: Flammable liquid and vapour.
H242	: Heating may cause a fire.
H301	: Toxic if swallowed.
H311	: Toxic in contact with skin.
H315	: Causes skin irritation.
H317	: May cause an allergic skin reaction.
H318	: Causes serious eye damage.
H331	: Toxic if inhaled.
H370	: Causes damage to organs.

### Full text of other abbreviations

Acute Tox.	: Acute toxicity
Eye Dam.	: Serious eye damage
Flam. Liq.	: Flammable liquids
Org. Perox.	: Organic peroxides
Skin Irrit.	: Skin irritation
Skin Sens.	: Skin sensitisation
STOT SE	: Specific target organ toxicity - single exposure
2006/15/EC	: Europe. Indicative occupational exposure limit values
IE OEL	: Ireland. List of Chemical Agents and Occupational Exposure Limit Values - Schedule 1
2006/15/EC / TWA	: Limit Value - eight hours
IE OEL / OELV - 8 hrs (TWA)	: Occupational exposure limit value (8-hour reference period)

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road; AICS - Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

## EHPC-50-ENF1 (IBC)



Version	Revision Date:	SDS Number:	Date of last issue: 01.08.2016
2.0	11.09.2020	600000000287	Date of first issue: 20.06.2016

---

Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of very high concern; TCSI - Taiwan Chemical Substance Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

IE / EN