

SAFETY DATA SHEET



INP-75-AL

Version	Revision Date:	SDS Number:	Date of last issue: 15.11.2016
2.0	13.04.2021	600000000405	Date of first issue: 15.11.2016

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : INP-75-AL

Manufacturer or supplier's details

Company : United Initiators Pty Ltd

Address : 20-22 McPherson Street
Banksmeadow NSW 2019 Australia

Telephone : +61 2 9188 3690 (Monday–Friday office hours only)

Emergency telephone number : +49 89 744220 (24 hours specialist advise)

E-mail address : cs-initiators.au@united-in.com

Recommended use of the chemical and restrictions on use

Recommended use : polymerisation initiators

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification

Flammable liquids : Category 4

Organic peroxides : Type D


Skin corrosion/irritation : Category 2

Skin sensitisation : Category 1

Aspiration hazard : Category 1

Short-term (acute) aquatic hazard : Category 2

GHS label elements

Hazard pictograms : 

Signal word : Danger

Hazard statements : H227 Combustible liquid.
H242 Heating may cause a fire.
H304 May be fatal if swallowed and enters airways.

SAFETY DATA SHEET



INP-75-AL

Version	Revision Date:	SDS Number:	Date of last issue: 15.11.2016
2.0	13.04.2021	600000000405	Date of first issue: 15.11.2016

Precautionary statements :

H315 Causes skin irritation.
H317 May cause an allergic skin reaction.
H401 Toxic to aquatic life.

Prevention:
P210 Keep away from heat/ sparks/ open flames/ hot surfaces. No smoking.
P220 Keep/Store away from clothing/ strong acids, bases, heavy metal salts and other reducing substances /combustible materials.
P234 Keep only in original container.
P261 Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.
P264 Wash skin thoroughly after handling.
P272 Contaminated work clothing should not be allowed out of the workplace.
P273 Avoid release to the environment.
P280 Wear protective gloves/ eye protection/ face protection.

Response:
P301 + P310 IF SWALLOWED: Immediately call a POISON CENTER or doctor/ physician.
P302 + P352 IF ON SKIN: Wash with plenty of soap and water.
P331 Do NOT induce vomiting.
P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.
P362 Take off contaminated clothing and wash before reuse.
P370 + P378 In case of fire: Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide for extinction.

Storage:
P405 Store locked up.
P410 Protect from sunlight.
P411 + P235 Store at temperatures not exceeding 0 °C/ 32 °F. Keep cool.
P420 Store away from other materials.

Disposal:
P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards which do not result in classification

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Chemical nature : Organic Peroxide
Liquid mixture

Components

SAFETY DATA SHEET

INP-75-AL



Version 2.0 Revision Date: 13.04.2021 SDS Number: 600000000405 Date of last issue: 15.11.2016
Date of first issue: 15.11.2016

Chemical name	CAS-No.	Concentration (% w/w)
bis(3,5,5-trimethylhexanoyl) peroxide	3851-87-4	>= 70 -< 75
Hydrocarbons, C11-C13, isoalkanes,<2% aromatics	64742-48-9	>= 25 -< 30

SECTION 4. FIRST AID MEASURES

- General advice : Move out of dangerous area.
Show this safety data sheet to the doctor in attendance.
Do not leave the victim unattended.
Symptoms of poisoning may appear several hours later.
No artificial respiration, mouth-to-mouth or mouth to nose. Use suitable instruments/apparatus.
Call a physician immediately.
- If inhaled : Call a physician or poison control centre immediately.
If unconscious, place in recovery position and seek medical advice.
Keep respiratory tract clear.
If breathed in, move person into fresh air.
- In case of skin contact : In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes.
Wash contaminated clothing before re-use.
If on skin, rinse well with water.
If on clothes, remove clothes.
If symptoms persist, call a physician.
- In case of eye contact : In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
Remove contact lenses.
Protect unharmed eye.
Keep eye wide open while rinsing.
If eye irritation persists, consult a specialist.
- If swallowed : Keep respiratory tract clear.
Do NOT induce vomiting.
Call a physician immediately.
Contact a poison control center.
Rinse mouth thoroughly with water.
- Most important symptoms and effects, both acute and delayed : May be fatal if swallowed and enters airways.
Causes skin irritation.
May cause an allergic skin reaction.
- Protection of first-aiders : First Aid responders should pay attention to self-protection and use the recommended protective clothing
- Notes to physician : Treat symptomatically and supportively.

SAFETY DATA SHEET

INP-75-AL



Version	Revision Date:	SDS Number:	Date of last issue: 15.11.2016
2.0	13.04.2021	600000000405	Date of first issue: 15.11.2016

SECTION 5. FIREFIGHTING MEASURES

- Suitable extinguishing media : Water spray jet
Alcohol-resistant foam
Carbon dioxide (CO₂)
Dry chemical
- Unsuitable extinguishing media : High volume water jet
- Specific hazards during fire-fighting : Contact with incompatible materials or exposure to temperatures exceeding SADT may result in a self-accelerating decomposition reaction with release of flammable vapors which may auto-ignite.
The product burns violently.
Flash back possible over considerable distance.
Vapours may form explosive mixtures with air.
The product will float on water and can be reignited on surface water.
Cool closed containers exposed to fire with water spray.
- Specific extinguishing methods : Collect contaminated fire extinguishing water separately. This must not be discharged into drains.
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
- Do not use a solid water stream as it may scatter and spread fire.
Remove undamaged containers from fire area if it is safe to do so.
Use water spray to cool unopened containers.
- Special protective equipment for firefighters : Wear self-contained breathing apparatus for firefighting if necessary.
Use personal protective equipment.
- Hazchem Code : 2WE
-

SECTION 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.
Ensure adequate ventilation.
Remove all sources of ignition.
Follow safe handling advice and personal protective equipment recommendations.
Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.
Never return spills in original containers for re-use.
Treat recovered material as described in the section "Disposal considerations".

SAFETY DATA SHEET

INP-75-AL



Version	Revision Date:	SDS Number:	Date of last issue: 15.11.2016
2.0	13.04.2021	600000000405	Date of first issue: 15.11.2016

- Environmental precautions : Prevent product from entering drains.
Prevent further leakage or spillage if safe to do so.
If the product contaminates rivers and lakes or drains inform respective authorities.
- Methods and materials for containment and cleaning up : Contact with incompatible substances can cause decomposition at or below SADT.
Clear spills immediately.
Suppress (knock down) gases/vapours/mists with a water spray jet.
To clean the floor and all objects contaminated by this material, use plenty of water.
Soak up with inert absorbent material.
Isolate waste and do not reuse.
Non-sparking tools should be used.
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.

SECTION 7. HANDLING AND STORAGE

- Technical measures : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.
- Advice on protection against fire and explosion : Keep away from heat and sources of ignition.
Use only explosion-proof equipment.
Keep away from combustible material.
- Advice on safe handling : Do not swallow.
Do not breathe vapours/dust.
Avoid exposure - obtain special instructions before use.
Avoid contact with skin and eyes.
Avoid formation of aerosol.
Take precautionary measures against static discharges.
Never return any product to the container from which it was originally removed.
Provide sufficient air exchange and/or exhaust in work rooms.
Avoid confinement.
Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
Smoking, eating and drinking should be prohibited in the application area.
Wash thoroughly after handling.
For personal protection see section 8.
Persons susceptible to skin sensitisation problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used.
Protect from contamination.

SAFETY DATA SHEET

INP-75-AL



Version 2.0 Revision Date: 13.04.2021 SDS Number: 600000000405 Date of last issue: 15.11.2016
Date of first issue: 15.11.2016

- Hygiene measures : Keep away from food and drink.
When using do not eat or drink.
When using do not smoke.
Wash hands before breaks and immediately after handling the product.
- Conditions for safe storage : Avoid impurities (e.g. rust, dust, ash), risk of decomposition.
Electrical installations / working materials must comply with the technological safety standards.
Containers which are opened must be carefully resealed and kept upright to prevent leakage.
Store in original container.
Keep containers tightly closed in a cool, well-ventilated place.
Store in accordance with the particular national regulations.
- Materials to avoid : Keep away from strong acids, bases, heavy metal salts and other reducing substances.
- Recommended storage temperature : -10 - 0 °C
- Further information on storage stability : No decomposition if stored normally.
-

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Hydrocarbons, C11-C13, iso-alkanes, <2% aromatics	64742-48-9	TWA	900 mg/m ³	AU OEL

Engineering measures : Minimize workplace exposure concentrations.

Personal protective equipment

Respiratory protection : In the case of dust or aerosol formation use respirator with an approved filter.

Filter type : ABEK-filter

Hand protection

Material : Nitrile rubber
Break through time : 480 min
Glove thickness : 0.4 mm

Material : butyl-rubber
Break through time : 30 min
Glove thickness : 0.5 mm

SAFETY DATA SHEET

INP-75-AL



Version	Revision Date:	SDS Number:	Date of last issue: 15.11.2016
2.0	13.04.2021	600000000405	Date of first issue: 15.11.2016

- Remarks : Choose gloves to protect hands against chemicals depending on the concentration and quantity of the hazardous substance and specific to place of work. For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer. Wash hands before breaks and at the end of workday.
- Eye protection : Tightly fitting safety goggles
Please wear suitable protective goggles. Also wear face protection if there is a splash hazard.
Ensure that eyewash stations and safety showers are close to the workstation location.
- Skin and body protection : Select appropriate protective clothing based on chemical resistance data and an assessment of the local exposure potential.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

- Appearance : liquid
- Colour : colourless
- Odour : characteristic
- Odour Threshold : No data available
- pH : No data available
- Melting point/range : < -10 °C
- Boiling point/boiling range : Decomposition: Decomposes below the boiling point.
- Flash point : 71 °C
Method: ISO 3679
- Flammability (solid, gas) : Not applicable
- Upper explosion limit / Upper flammability limit : No data available
- Lower explosion limit / Lower flammability limit : No data available

SAFETY DATA SHEET

INP-75-AL



Version	Revision Date:	SDS Number:	Date of last issue: 15.11.2016
2.0	13.04.2021	600000000405	Date of first issue: 15.11.2016

Vapour pressure	:	0.001 hPa (25 °C)
Relative vapour density	:	No data available
Density	:	0.87 g/cm ³ (20 °C)
Solubility(ies)	:	
Water solubility	:	0.01 g/l insoluble (5 °C)
Partition coefficient: n-octanol/water	:	No data available
Self-Accelerating decomposition temperature (SADT)	:	20 °C Method: UN-Test H.4 SADT-Self Accelerating Decomposition Temperature. Lowest temperature at which the tested package size will undergo a self-accelerating decomposition reaction.
Viscosity	:	
Viscosity, dynamic	:	6 mPa.s (20 °C)
Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing. Organic peroxide

SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	Stable under recommended storage conditions.
Chemical stability	:	Stable under recommended storage conditions.
Possibility of hazardous reactions	:	Vapours may form explosive mixture with air.
Conditions to avoid	:	Protect from contamination. Contact with incompatible substances can cause decomposition at or below SADT. Heat, flames and sparks. Avoid confinement.
Incompatible materials	:	Accelerators, strong acids and bases, heavy metals and heavy metal salts, reducing agents
Hazardous decomposition products	:	Irritant, caustic, flammable, noxious/toxic gases and vapours can develop in the case of fire and decomposition

SAFETY DATA SHEET

INP-75-AL



Version	Revision Date:	SDS Number:	Date of last issue: 15.11.2016
2.0	13.04.2021	600000000405	Date of first issue: 15.11.2016

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Not classified based on available information.

Components:

bis(3,5,5-trimethylhexanoyl) peroxide:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg
Method: OECD Test Guideline 401
Assessment: The substance or mixture has no acute oral toxicity

Acute inhalation toxicity : Remarks: No data available

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg
Method: OECD Test Guideline 402
Assessment: The substance or mixture has no acute dermal toxicity
Remarks: No mortality observed at this dose.

Hydrocarbons, C11-C13, isoalkanes, <2% aromatics:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg
Method: OECD Test Guideline 401

Acute inhalation toxicity : LC50 (Rat): > 5 mg/l
Exposure time: 4 h
Test atmosphere: vapour
Method: OECD Test Guideline 403
Assessment: The substance or mixture has no acute inhalation toxicity

Acute dermal toxicity : LD50 (Rabbit): > 5,000 mg/kg
Method: OECD Test Guideline 402

Skin corrosion/irritation

Causes skin irritation.

Product:

Remarks : May cause skin irritation in susceptible persons.

Components:

bis(3,5,5-trimethylhexanoyl) peroxide:

Species : Rabbit
Method : OECD Test Guideline 431
Result : Irritating to skin.

Remarks : May cause skin irritation in susceptible persons.

SAFETY DATA SHEET



INP-75-AL

Version	Revision Date:	SDS Number:	Date of last issue: 15.11.2016
2.0	13.04.2021	600000000405	Date of first issue: 15.11.2016

Hydrocarbons, C11-C13, isoalkanes, <2% aromatics:

Species	:	Rabbit
Assessment	:	Repeated exposure may cause skin dryness or cracking.
Method	:	OECD Test Guideline 404
Result	:	No skin irritation

Serious eye damage/eye irritation

Not classified based on available information.

Product:

Remarks	:	Vapours may cause irritation to the eyes, respiratory system and the skin.
---------	---	----------------------------------------------------------------------------

Components:

bis(3,5,5-trimethylhexanoyl) peroxide:

Species	:	Rabbit
Result	:	No eye irritation
Method	:	OECD Test Guideline 405

Remarks	:	Vapours may cause irritation to the eyes, respiratory system and the skin.
---------	---	----------------------------------------------------------------------------

Hydrocarbons, C11-C13, isoalkanes, <2% aromatics:

Species	:	Rabbit
Result	:	No eye irritation
Method	:	OECD Test Guideline 405

Respiratory or skin sensitisation

Skin sensitisation

May cause an allergic skin reaction.

Respiratory sensitisation

Not classified based on available information.

Product:

Remarks	:	Causes sensitisation.
---------	---	-----------------------

Components:

bis(3,5,5-trimethylhexanoyl) peroxide:

Species	:	Guinea pig
Method	:	OECD Test Guideline 406
Result	:	The product is a skin sensitiser, sub-category 1B.

Remarks	:	Causes sensitisation.
---------	---	-----------------------

SAFETY DATA SHEET

INP-75-AL



Version	Revision Date:	SDS Number:	Date of last issue: 15.11.2016
2.0	13.04.2021	600000000405	Date of first issue: 15.11.2016

Hydrocarbons, C11-C13, isoalkanes, <2% aromatics:

Exposure routes : Skin contact
Species : Guinea pig
Method : OECD Test Guideline 406
Result : Does not cause skin sensitisation.

Chronic toxicity

Germ cell mutagenicity

Not classified based on available information.

Components:

bis(3,5,5-trimethylhexanoyl) peroxide:

Genotoxicity in vitro : Method: OECD Test Guideline 471
Result: negative

Method: OECD Test Guideline 473
Result: negative

Method: OECD Test Guideline 476
Result: negative

Genotoxicity in vivo : Remarks: No data available

Hydrocarbons, C11-C13, isoalkanes, <2% aromatics:

Genotoxicity in vitro : Method: OECD Test Guideline 471
Result: negative

Method: OECD Test Guideline 476
Result: negative

Genotoxicity in vivo : Species: Rat
Application Route: inhalation (vapour)
Exposure time: 4 w
Method: OPPTS 870.5395
Result: negative

Species: Rat
Application Route: Intraperitoneal
Method: OECD Test Guideline 475
Result: negative

Species: Rat
Application Route: Oral
Method: OECD Test Guideline 486
Result: negative

Germ cell mutagenicity - : Weight of evidence does not support classification as a germ

SAFETY DATA SHEET



INP-75-AL

Version	Revision Date:	SDS Number:	Date of last issue: 15.11.2016
2.0	13.04.2021	600000000405	Date of first issue: 15.11.2016

Assessment cell mutagen.

Carcinogenicity

Not classified based on available information.

Components:

bis(3,5,5-trimethylhexanoyl) peroxide:

Remarks : This information is not available.

Hydrocarbons, C11-C13, isoalkanes,<2% aromatics:

Species : Mouse
Application Route : Skin contact
Exposure time : 102 weeks
Method : OECD Test Guideline 451
Result : negative

Carcinogenicity - Assessment : Carcinogenicity classification not possible from current data.

Reproductive toxicity

Not classified based on available information.

Components:

bis(3,5,5-trimethylhexanoyl) peroxide:

Effects on fertility : Remarks: No data available

Effects on foetal development : Species: Rat
General Toxicity Maternal: NOAEL: 300 mg/kg body weight
Developmental Toxicity: LOAEL: 1,000 mg/kg body weight
Embryo-foetal toxicity: NOAEL: 300 mg/kg body weight
Method: OECD Test Guideline 414

Hydrocarbons, C11-C13, isoalkanes,<2% aromatics:

Effects on fertility : Species: Rat
Application Route: inhalation (vapour)
General Toxicity - Parent: NOAEL: >= 20 mg/l
Fertility: NOAEC Mating/Fertility: >= 20 mg/l
Method: OECD Test Guideline 416

Effects on foetal development : Species: Rat
Application Route: inhalation (vapour)
Method: OECD Test Guideline 414
Result: negative

Reproductive toxicity - Assessment : Fertility classification not possible from current data.

SAFETY DATA SHEET

INP-75-AL



Version 2.0 Revision Date: 13.04.2021 SDS Number: 600000000405 Date of last issue: 15.11.2016
Date of first issue: 15.11.2016

STOT - single exposure

Not classified based on available information.

Components:

bis(3,5,5-trimethylhexanoyl) peroxide:

Remarks : No data available

STOT - repeated exposure

Not classified based on available information.

Components:

bis(3,5,5-trimethylhexanoyl) peroxide:

Remarks : No data available

Repeated dose toxicity

Components:

bis(3,5,5-trimethylhexanoyl) peroxide:

Species : Rat
NOAEL : 300 mg/kg bw/day
Application Route : Oral
Exposure time : 28 d
Method : OECD Test Guideline 407

Species : Rat
LOAEL : 1000 mg/kg bw/day
Application Route : Oral
Exposure time : 28 d
Method : OECD Test Guideline 407

Species : Rat
NOAEL : 1000 mg/kg bw/day
Application Route : Oral
Exposure time : 90 d
Method : OECD Test Guideline 408

Species : Rat
LOAEL : 100 mg/kg bw/day
Application Route : Oral
Exposure time : 90 d
Method : OECD Test Guideline 407

Hydrocarbons, C11-C13, isoalkanes, <2% aromatics:

Species : Rat
: < 500 mg/kg
Application Route : Ingestion
Exposure time : 28 d

SAFETY DATA SHEET



INP-75-AL

Version	Revision Date:	SDS Number:	Date of last issue: 15.11.2016
2.0	13.04.2021	600000000405	Date of first issue: 15.11.2016

Aspiration toxicity

May be fatal if swallowed and enters airways.

Components:

bis(3,5,5-trimethylhexanoyl) peroxide:

May be fatal if swallowed and enters airways.

Hydrocarbons, C11-C13, isoalkanes, <2% aromatics:

May be fatal if swallowed and enters airways.

Further information

Product:

Remarks : Solvents may degrease the skin.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Product:

Ecotoxicology Assessment

Acute aquatic toxicity : Toxic to aquatic life.

Chronic aquatic toxicity : Not classified

Components:

bis(3,5,5-trimethylhexanoyl) peroxide:

Toxicity to fish : LC50 (Danio rerio (zebra fish)): 7.3 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 32 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : EC50 (Desmodesmus subspicatus (green algae)): 41 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201

NOEC (Desmodesmus subspicatus (green algae)): 10 mg/l
Method: OECD Test Guideline 201

Toxicity to microorganisms : NOEC (Bacteria): 1,000 mg/l
Exposure time: 3 h
Method: OECD Test Guideline 209

SAFETY DATA SHEET



INP-75-AL

Version	Revision Date:	SDS Number:	Date of last issue: 15.11.2016
2.0	13.04.2021	600000000405	Date of first issue: 15.11.2016

Hydrocarbons, C11-C13, isoalkanes, <2% aromatics:

Toxicity to fish : LC0 (Oncorhynchus mykiss (rainbow trout)): > 1,000 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203
Remarks: Information given is based on data obtained from similar substances.

Toxicity to daphnia and other aquatic invertebrates : EC0 (Daphnia magna (Water flea)): > 1,000 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202
Remarks: Information given is based on data obtained from similar substances.

Toxicity to algae/aquatic plants : EC0 (Pseudokirchneriella subcapitata (green algae)): > 1,000 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201
Remarks: Information given is based on data obtained from similar substances.

Ecotoxicology Assessment

Acute aquatic toxicity : This product has no known ecotoxicological effects.

Chronic aquatic toxicity : This product has no known ecotoxicological effects.

Persistence and degradability

Components:

bis(3,5,5-trimethylhexanoyl) peroxide:

Biodegradability : Result: Readily biodegradable.
Method: OECD Test Guideline 301B

Hydrocarbons, C11-C13, isoalkanes, <2% aromatics:

Biodegradability : Result: Biodegradable
Method: OECD Test Guideline 301F

Bioaccumulative potential

Components:

bis(3,5,5-trimethylhexanoyl) peroxide:

Bioaccumulation : Bioconcentration factor (BCF): 3.16

Partition coefficient: n-octanol/water : log Pow: 3.34

Mobility in soil

No data available

SAFETY DATA SHEET

INP-75-AL



Version	Revision Date:	SDS Number:	Date of last issue: 15.11.2016
2.0	13.04.2021	600000000405	Date of first issue: 15.11.2016

Other adverse effects

Product:

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.
Toxic to aquatic life.

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : The product should not be allowed to enter drains, water courses or the soil.
Do not contaminate ponds, waterways or ditches with chemical or used container.
Dispose of wastes in an approved waste disposal facility.

Contaminated packaging : Empty remaining contents.
Dispose of as unused product.
Do not re-use empty containers.
Do not burn, or use a cutting torch on, the empty drum.
Dispose of in accordance with local regulations.

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UN number : UN 3115
Proper shipping name : ORGANIC PEROXIDE TYPE D, LIQUID, TEMPERATURE CONTROLLED
(DI-(3,5,5-TRIMETHYLHEXANOYL) PEROXIDE)
Class : 5.2
Packing group : Not assigned by regulation
Labels : 5.2

IATA-DGR

Not permitted for transport

IMDG-Code

UN number : UN 3115
Proper shipping name : ORGANIC PEROXIDE TYPE D, LIQUID, TEMPERATURE CONTROLLED
(DI-(3,5,5-TRIMETHYLHEXANOYL) PEROXIDE)
Class : 5.2
Packing group : Not assigned by regulation
Labels : 5.2
EmS Code : F-F, S-R
Marine pollutant : no

SAFETY DATA SHEET



INP-75-AL

Version	Revision Date:	SDS Number:	Date of last issue: 15.11.2016
2.0	13.04.2021	600000000405	Date of first issue: 15.11.2016

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National Regulations

ADG

UN number	:	UN 3115
Proper shipping name	:	ORGANIC PEROXIDE TYPE D, LIQUID, TEMPERATURE CONTROLLED (DI-(3,5,5-TRIMETHYLHEXANOYL) PEROXIDE)
Class	:	5.2
Packing group	:	Not assigned by regulation
Labels	:	5.2
Hazchem Code	:	2WE

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

Additional advice

Temperature controlled transport.:
Control temperature : 0 °C
Emergency temperature : 10 °C

SECTION 15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

Standard for the Uniform Scheduling of Medicines and Poisons : No poison schedule number allocated

Prohibition/Licensing Requirements : There is no applicable prohibition, authorisation and restricted use requirements, including for carcinogens referred to in Schedule 10 of the model WHS Act and Regulations.

The components of this product are reported in the following inventories:

TCSI (TW)	:	On the inventory, or in compliance with the inventory
TSCA (US)	:	All substances listed as active on the TSCA inventory
AICS (AU)	:	On the inventory, or in compliance with the inventory

SAFETY DATA SHEET

INP-75-AL



Version	Revision Date:	SDS Number:	Date of last issue: 15.11.2016
2.0	13.04.2021	600000000405	Date of first issue: 15.11.2016

DSL (CA) : All components of this product are on the Canadian DSL

ENCS (JP) : On the inventory, or in compliance with the inventory

KECI (KR) : On the inventory, or in compliance with the inventory

PICCS (PH) : On the inventory, or in compliance with the inventory

IECSC (CN) : On the inventory, or in compliance with the inventory

SECTION 16. OTHER INFORMATION

Further information

Revision Date : 13.04.2021

Other information : This safety datasheet only contains information relating to safety and does not replace any product information or product specification.
These safety instructions also apply to empty packaging which may still contain product residues.

Sources of key data used to compile the Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Date format : dd.mm.yyyy

Full text of other abbreviations

AU OEL : Australia. Workplace Exposure Standards for Airborne Contaminants.

AU OEL / TWA : Exposure standard - time weighted average

AICS - Australian Inventory of Chemical Substances; AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health

SAFETY DATA SHEET

INP-75-AL



Version	Revision Date:	SDS Number:	Date of last issue: 15.11.2016
2.0	13.04.2021	600000000405	Date of first issue: 15.11.2016

Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

AU / EN