according to GB/T 16483 and GB/T 17519



KPS-5

Version Revision Date: SDS Number: Date of last issue: 2022/07/01 1.4 2024/04/18 600000000020 Date of first issue: 2017/02/13

1. PRODUCT AND COMPANY IDENTIFICATION

Product name : KPS-5

Chemical nature : Persulphate

Solid

Manufacturer or supplier's details

Company : United Initiators (Shanghai) Co., Ltd

Address : Room 501, Bldg. 1, No. 1 Shangda Road

Shanghai, China, 200444

Telephone : +86 21 61172758

Emergency telephone number : +86 21 61172758

E-mail address : cs-initiators.cn@united-in.com

Recommended use of the chemical and restrictions on use

Recommended use : Oxidizing agents

polymerisation initiators

2. HAZARDS IDENTIFICATION

Emergency Overview

Appearance : solid Colour : white

Odour : not significant

May intensify fire; oxidizer. Harmful if swallowed. Causes skin irritation. May cause an allergic skin reaction. Causes serious eye irritation. May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause respiratory irritation.

GHS Classification

Oxidizing solids : Category 3

Acute toxicity (Oral) : Category 4

Skin corrosion/irritation : Category 2

Serious eye damage/eye irri-

tation

: Category 2A

according to GB/T 16483 and GB/T 17519



KPS-5

Version Revision Date: SDS Number: Date of last issue: 2022/07/01 1.4 2024/04/18 600000000020 Date of first issue: 2017/02/13

Respiratory sensitisation : Category 1

Skin sensitisation : Category 1

Specific target organ toxicity - :

single exposure

Category 3 (respiratory tract irritation)

GHS label elements

Hazard pictograms







Signal word : Danger

Hazard statements : H272 May intensify fire; oxidizer.

H302 Harmful if swallowed. H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

H334 May cause allergy or asthma symptoms or breathing

difficulties if inhaled.

H335 May cause respiratory irritation.

Precautionary statements : Prevention:

P210 Keep away from heat.

P220 Keep/ Store away from clothing/ combustible materials.

P221 Take any precaution to avoid mixing with combustibles.

P261 Avoid breathing dust.

P264 Wash skin thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P271 Use only outdoors or in a well-ventilated area.

P272 Contaminated work clothing should not be allowed out of

the workplace.

P280 Wear protective gloves/ eye protection/ face protection.

P284 Wear respiratory protection.

Response:

P301 + P312 + P330 IF SWALLOWED: Call a POISON CENTER/ doctor if you feel unwell. Rinse mouth.

P302 + P352 IF ON SKIN: Wash with plenty of water.

P304 + P340 + P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/

doctor if you feel unwell.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and

easy to do. Continue rinsing.

P333 + P313 If skin irritation or rash occurs: Get medical ad-

vice/ attention.

P337 + P313 If eye irritation persists: Get medical advice/ at-

according to GB/T 16483 and GB/T 17519



KPS-5

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 2022/07/01

 1.4
 2024/04/18
 600000000020
 Date of first issue: 2017/02/13

tention.

P342 + P311 If experiencing respiratory symptoms: Call a

POISON CENTER/ doctor.

P362 + P364 Take off contaminated clothing and wash it before

reuse.

P370 + P378 In case of fire: Use water spray to extinguish.

Storage:

P403 + P233 Store in a well-ventilated place. Keep container

tightly closed.

P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved waste

disposal plant.

Physical and chemical hazards

May intensify fire; oxidizer.

Health hazards

Harmful if swallowed. Causes skin irritation. Causes serious eye irritation. May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause an allergic skin reaction. May cause respiratory irritation.

Environmental hazards

Not classified based on available information.

Other hazards which do not result in classification

May cause fire or explosion; strong oxidizer.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
Dipotassium peroxodisulphate	7727-21-1	>= 95 -<= 100

4. FIRST AID MEASURES

General advice : Take off contaminated clothing and shoes immediately.

Call a physician immediately.

Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and seek medical

advice.

according to GB/T 16483 and GB/T 17519



KPS-5

Version Revision Date: SDS Number: Date of last issue: 2022/07/01 1.4 2024/04/18 60000000020 Date of first issue: 2017/02/13

Move out of dangerous area.

Show this safety data sheet to the doctor in attendance.

Do not leave the victim unattended.

Symptoms of poisoning may appear several hours later.

If inhaled : Administer oxygen if breathing is difficult or cyanosis is ob-

served.

If breathed in, move person into fresh air. If not breathing, give artificial respiration.

Call a physician or poison control centre immediately. If unconscious, place in recovery position and seek medical

advice.

Keep respiratory tract clear.

In case of skin contact : If symptoms persist, call a physician.

In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing

and shoes.

Wash contaminated clothing before re-use.

If on skin, rinse well with water. If on clothes, remove clothes.

In case of eye contact : Small amounts splashed into eyes can cause irreversible tis-

sue damage and blindness.

In the case of contact with eyes, rinse immediately with plenty

of water and seek medical advice.

Remove contact lenses. Protect unharmed eye.

Keep eye wide open while rinsing.

If eye irritation persists, consult a specialist.

If swallowed : Call a physician immediately.

Rinse mouth thoroughly with water.

Keep respiratory tract clear.

If symptoms persist, call a physician.

Most important symptoms and effects, both acute and

delayed

Harmful if swallowed. Causes skin irritation.

Causes skill illitation.

May cause an allergic skin reaction.

Causes serious eye irritation.

May cause allergy or asthma symptoms or breathing difficul-

ties if inhaled.

May cause respiratory irritation.

sensitising effects

Protection of first-aiders : First Aid responders should pay attention to self-protection

and use the recommended protective clothing

Notes to physician : Treat symptomatically and supportively.

5. FIREFIGHTING MEASURES

according to GB/T 16483 and GB/T 17519



KPS-5

Version Revision Date: SDS Number: Date of last issue: 2022/07/01 1.4 2024/04/18 600000000020 Date of first issue: 2017/02/13

Suitable extinguishing media : Foam

Water spray jet

Unsuitable extinguishing

media

High volume water jet

Specific hazards during fire-

fighting

Contact with incompatible materials or exposure to temperatures exceeding SADT may result in a self-accelerating de-

composition reaction with release of flammable vapors which

may auto-ignite.

Do not allow run-off from fire fighting to enter drains or water

courses.

Cool closed containers exposed to fire with water spray.

Specific extinguishing meth-

ods

Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment.
Use a water spray to cool fully closed containers.

Collect contaminated fire extinguishing water separately. This

must not be discharged into drains.

Fire residues and contaminated fire extinguishing water must

be disposed of in accordance with local regulations.

Do not use a solid water stream as it may scatter and spread

fire.

Remove undamaged containers from fire area if it is safe to do

SO.

Use water spray to cool unopened containers.

Suppress (knock down) gases/vapours/mists with a water

spray jet.

Special protective equipment

for firefighters

Wear self-contained breathing apparatus for firefighting if nec-

essary.

Use personal protective equipment.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emer-

gency procedures

Follow safe handling advice and personal protective equip-

ment recommendations.

Use personal protective equipment.

Avoid dust formation.

Avoid breathing dust.

Ensure adequate ventilation.

Remove all sources of ignition.

Environmental precautions

Prevent product from entering drains.

Prevent further leakage or spillage if safe to do so.

If the product contaminates rivers and lakes or drains inform

respective authorities.

Methods and materials for containment and cleaning up

Contact with incompatible materials or exposure to temperatures exceeding SADT may result in a self-accelerating de-

according to GB/T 16483 and GB/T 17519



KPS-5

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 2022/07/01

 1.4
 2024/04/18
 600000000020
 Date of first issue: 2017/02/13

composition reaction with release of flammable vapors which

may auto-ignite.

Clear spills immediately.

Suppress (knock down) gases/vapours/mists with a water

spray jet.

To clean the floor and all objects contaminated by this materi-

al, use plenty of water.

Soak up with inert absorbent material.

Isolate waste and do not reuse.

Non-sparking tools should be used.

Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to deter-

mine which regulations are applicable.

Prevention of secondary

hazards

Never return spills in original containers for re-use.

Treat recovered material as described in the section "Disposal

considerations".

7. HANDLING AND STORAGE

Handling

Technical measures : See Engineering measures under EXPOSURE

CONTROLS/PERSONAL PROTECTION section.

Advice on protection against

fire and explosion

Keep away from combustible material.

Avoid dust formation.

Provide appropriate exhaust ventilation at places where dust

is formed.

Advice on safe handling : Avoid formation of respirable particles.

Protect from contamination. Protect from moisture.

Do not swallow.

Do not breathe vapours/dust.

Avoid exposure - obtain special instructions before use.

Avoid contact with skin and eyes.

Take precautionary measures against static discharges. Never return any product to the container from which it was

originally removed.

Provide sufficient air exchange and/or exhaust in work rooms.

Avoid confinement.

Keep away from heat, hot surfaces, sparks, open flames and

other ignition sources. No smoking.

Smoking, eating and drinking should be prohibited in the ap-

plication area.

Wash thoroughly after handling. For personal protection see section 8.

Persons susceptible to skin sensitisation problems or asthma, allergies, chronic or recurrent respiratory disease should not

according to GB/T 16483 and GB/T 17519



KPS-5

Version Revision Date: SDS Number: Date of last issue: 2022/07/01 1.4 2024/04/18 60000000020 Date of first issue: 2017/02/13

be employed in any process in which this mixture is being

used.

Avoidance of contact : Accelerators, strong acids and bases, heavy metals and

heavy metal salts, reducing agents

Storage

Conditions for safe storage : Store in original container.

Keep containers tightly closed in a cool, well-ventilated place.

Keep in a dry place. Observe label precautions.

Store in accordance with the particular national regulations. Avoid impurities (e.g. rust, dust, ash), risk of decomposition. Electrical installations / working materials must comply with

the technological safety standards.

Containers which are opened must be carefully resealed and

kept upright to prevent leakage.

Materials to avoid : Never allow product to get in contact with water during stor-

age.

Keep away from combustible materials.

Keep away from strong acids, bases, heavy metal salts and

other reducing substances.

Recommended storage tem-

perature

< 30 °C

Further information on stor-

age stability

: Stable under recommended storage conditions.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Dipotassium peroxodisulphate	7727-21-1	TWA	0.1 mg/m3 (Persulphate)	ACGIH

Engineering measures : Minimize workplace exposure concentrations.

Personal protective equipment

Respiratory protection : In the case of dust or aerosol formation use respirator with an

approved filter.

according to GB/T 16483 and GB/T 17519



KPS-5

Version Revision Date: SDS Number: Date of last issue: 2022/07/01 1.4 2024/04/18 600000000020 Date of first issue: 2017/02/13

Filter type : Filter type P

Eye/face protection : Ensure that eyewash stations and safety showers are close

to the workstation location.

Please follow all applicable local/national requirements when selecting protective measures for a specific workplace.

Always wear eye protection when the potential for inadvertent

eye contact with the product cannot be excluded.

Tightly fitting safety goggles

Please wear suitable protective goggles. Also wear face pro-

tection if there is a splash hazard.

Skin and body protection : Select appropriate protective clothing based on chemical

resistance data and an assessment of the local exposure

potential.

Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, dis-

posable suits) to avoid exposed skin surfaces.

Wear as appropriate:

Flame retardant antistatic protective clothing.

Hand protection

Material : butyl-rubber
Break through time : 480 min
Glove thickness : 0.47 mm

Material : Nitrile rubber Break through time : 480 min Glove thickness : 0.20 mm

Remarks : The data about break through time/strength of material are

standard values! The exact break through time/strength of material has to be obtained from the producer of the protective glove. Choose gloves to protect hands against chemicals depending on the concentration and quantity of the hazardous substance and specific to place of work. For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer. Wash hands before breaks and at the end of

workday.

Protective measures : The type of protective equipment must be selected according

to the concentration and amount of the dangerous substance

at the specific workplace.

Hygiene measures : Avoid contact with skin, eyes and clothing.

Keep away from food and drink. When using do not eat or drink. When using do not smoke.

Wash hands before breaks and immediately after handling

the product.

according to GB/T 16483 and GB/T 17519



KPS-5

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 2022/07/01

 1.4
 2024/04/18
 600000000020
 Date of first issue: 2017/02/13

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : solid

Colour : white

Odour : not significant

Odour Threshold : No data available

pH : 4

Concentration: ca. 10 g/l

Melting point/freezing point : Decomposition: Decomposes below the melting point.

Initial boiling point and boiling

range

Not applicable

Flash point : Not applicable

Evaporation rate : Not applicable

Flammability (solid, gas) : Not expected to form explosive dust-air mixtures.

Self-ignition : The substance or mixture is not classified as pyrophoric.

Upper explosion limit / Upper

flammability limit

Upper explosion limit

No data available

Lower explosion limit / Lower

flammability limit

: Lower explosion limit No data available

Vapour pressure : No data available

Relative vapour density : Not applicable

Relative density : not determined

Density : not determined

Bulk density : ca. 1,100 kg/m3

according to GB/T 16483 and GB/T 17519



KPS-5

Version Revision Date: SDS Number: Date of last issue: 2022/07/01 1.4 2024/04/18 600000000020 Date of first issue: 2017/02/13

Solubility(ies)

Water solubility : 60 g/l soluble (25 °C)

Partition coefficient: n-

octanol/water

: Not applicable

Auto-ignition temperature : not determined

Self-Accelerating decomposi-

tion temperature (SADT)

170 °C

Method: UN-Test H.4

SADT-Self Accelerating Decomposition Temperature. Lowest temperature at which the tested package size will undergo a

self-accelerating decomposition reaction.

Viscosity

Viscosity, dynamic : Not applicable

Viscosity, kinematic : Not applicable

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is classified as oxidizing with the

category 3.

Self-heating substances : The substance or mixture is not classified as self heating.

Particle size : not determined

Particle Size Distribution : D10 = 18 µm

Type of distribution: volume distribution Measurement technique: laser diffraction

10. STABILITY AND REACTIVITY

Reactivity : Stable under recommended storage conditions.

May intensify fire; oxidizer.

Chemical stability : Stable under recommended storage conditions.

No decomposition if stored normally.

Possibility of hazardous reac-

tions

Avoid moisture.

Even small amounts of moisture or impurities can noticably

reduce the self-accelerating decomposition temperature

(SADT).

according to GB/T 16483 and GB/T 17519



KPS-5

Version Revision Date: SDS Number: Date of last issue: 2022/07/01 1.4 2024/04/18 600000000020 Date of first issue: 2017/02/13

Conditions to avoid : Protect from contamination.

Protect from moisture.

Contact with incompatible substances can cause decomposi-

tion at or below SADT.

Even small amounts of moisture or impurities can noticably reduce the self-accelerating decomposition temperature

(SADT).

Incompatible materials : Accelerators, strong acids and bases, heavy metals and

heavy metal salts, reducing agents

Hazardous decomposition

products

Irritant, caustic, flammable, noxious/toxic gases and vapours

can develop in the case of fire and decomposition

11. TOXICOLOGICAL INFORMATION

Acute toxicity

Harmful if swallowed.

Components:

Dipotassium peroxodisulphate:

Acute oral toxicity : LD50 (Rat, male): 742 mg/kg

Method: OECD Test Guideline 401

Assessment: The component/mixture is moderately toxic after

single ingestion.

Acute inhalation toxicity : LC50 (Rat): > 5.1 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist Method: OECD Test Guideline 403

Assessment: The substance or mixture has no acute inhala-

tion toxicity

Remarks: Expert judgement

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg

Assessment: The substance or mixture has no acute dermal

toxicity

Remarks: Expert judgement

Skin corrosion/irritation

Causes skin irritation.

Product:

Remarks : May cause skin irritation in susceptible persons.

Components:

Dipotassium peroxodisulphate:

according to GB/T 16483 and GB/T 17519



KPS-5

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 2022/07/01

 1.4
 2024/04/18
 600000000020
 Date of first issue: 2017/02/13

Species : Rabbit

Method : OECD Test Guideline 404

Result : Skin irritation

Serious eye damage/eye irritation

Causes serious eye irritation.

Product:

Remarks : May cause irreversible eye damage.

Components:

Dipotassium peroxodisulphate:

Species : Rabbit Result : Eye irritation

Method : OECD Test Guideline 405

Respiratory or skin sensitisation

Skin sensitisation

May cause an allergic skin reaction.

Respiratory sensitisation

May cause allergy or asthma symptoms or breathing difficulties if inhaled.

Product:

Assessment : May cause sensitisation by skin contact.

: Probability of respiratory sensitisation in humans based on

animal testing

Remarks : Causes sensitisation.

Components:

Dipotassium peroxodisulphate:

Exposure routes : Skin contact Species : Guinea pig

Method : OECD Test Guideline 406

Result : May cause sensitisation by skin contact.

Exposure routes : inhalation (dust/mist/fume)

Result : May cause sensitisation by inhalation.

Remarks : Expert judgement

Germ cell mutagenicity

Not classified due to lack of data.

according to GB/T 16483 and GB/T 17519



KPS-5

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 2022/07/01

 1.4
 2024/04/18
 600000000020
 Date of first issue: 2017/02/13

Components:

Dipotassium peroxodisulphate:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Remarks: Based on data from similar materials

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo

cytogenetic assay) Species: Mouse

Application Route: Intraperitoneal injection

Result: negative

Remarks: Based on data from similar materials

Carcinogenicity

Not classified due to lack of data.

Components:

Dipotassium peroxodisulphate:

Species : Mouse
Application Route : Skin contact
Exposure time : 52 weeks

Method : OECD Test Guideline 451

Result : negative

Reproductive toxicity

Not classified due to lack of data.

Components:

Dipotassium peroxodisulphate:

Effects on fertility : Species: Rat

Application Route: Ingestion Method: OECD Test Guideline 421

Result: negative

Effects on foetal develop-

ment

Species: Rat

Application Route: Ingestion Method: OECD Test Guideline 421

Result: negative

STOT - single exposure

May cause respiratory irritation.

Product:

Assessment : May cause respiratory irritation.

according to GB/T 16483 and GB/T 17519



KPS-5

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 2022/07/01

 1.4
 2024/04/18
 600000000020
 Date of first issue: 2017/02/13

Components:

Dipotassium peroxodisulphate:

Assessment : May cause respiratory irritation.

STOT - repeated exposure

Not classified due to lack of data.

Repeated dose toxicity

Components:

Dipotassium peroxodisulphate:

Species : Rat

NOAEL : 1,000 mg/kg
LOAEL : 3,000 mg/kg
Application Route : Ingestion
Exposure time : 90 d

Exposure time : 90 d

Method : OECD Test Guideline 408

Aspiration toxicity

Not classified due to lack of data.

Further information

Product:

Remarks : No data available

12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

Dipotassium peroxodisulphate:

Toxicity to fish : LC50 (Scophthalmus maximus (turbot)): 107.6 mg/l

Exposure time: 96 h

Method: OECD Test Guideline 203

Remarks: Based on data from similar materials

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 120 mg/l

Exposure time: 48 h

Remarks: Based on data from similar materials

Toxicity to algae/aquatic

plants

EC50 (Phaeodactylum): 320 mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

Remarks: Based on data from similar materials

NOEC (Phaeodactylum): 32 mg/l

according to GB/T 16483 and GB/T 17519



KPS-5

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 2022/07/01

 1.4
 2024/04/18
 600000000020
 Date of first issue: 2017/02/13

Exposure time: 72 h

Method: OECD Test Guideline 201

Remarks: Based on data from similar materials

Toxicity to microorganisms : EC10 (Pseudomonas putida): 36 mg/l

Exposure time: 18 h

Remarks: Based on data from similar materials

Persistence and degradability

Components:

Dipotassium peroxodisulphate:

Biodegradability : Remarks: The methods for determining biodegradability are

not applicable to inorganic substances.

Bioaccumulative potential

Components:

Dipotassium peroxodisulphate:

Partition coefficient: n-

octanol/water

: Remarks: Not applicable

Mobility in soil

No data available

Other adverse effects

Product:

Additional ecological infor-

mation

: No data available

13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Dispose of wastes in an approved waste disposal facility.

The product should not be allowed to enter drains, water

courses or the soil.

Do not contaminate ponds, waterways or ditches with chemi-

cal or used container.

Contaminated packaging : Dispose of in accordance with local regulations.

Clean container with water.

Dispose of contents/ container to an approved waste disposal

plant.

Empty remaining contents.

Dispose of as unused product.

Do not re-use empty containers.

according to GB/T 16483 and GB/T 17519



KPS-5

Version Revision Date: SDS Number: Date of last issue: 2022/07/01 1.4 2024/04/18 600000000020 Date of first issue: 2017/02/13

Do not burn, or use a cutting torch on, the empty drum.

14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UN number UN 1492

Proper shipping name POTASSIUM PERSULPHATE

Class 5.1 Packing group Ш Labels 5.1 Environmentally hazardous no

IATA-DGR

UN/ID No. UN 1492

Proper shipping name Potassium persulphate

Class 5.1 Packing group Ш Labels Oxidizer 563

Packing instruction (cargo

aircraft)

Packing instruction (passen-559

ger aircraft)

IMDG-Code

UN number UN 1492

Proper shipping name POTASSIUM PERSULPHATE

Class 5.1 Packing group Ш Labels 5.1 EmS Code F-A, S-Q

Marine pollutant

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National Regulations

GB 6944/12268

UN number UN 1492

Proper shipping name POTASSIUM PERSULPHATE

Class 5.1 Packing group Ш Labels 5.1 Marine pollutant no

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

according to GB/T 16483 and GB/T 17519



KPS-5

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 2022/07/01

 1.4
 2024/04/18
 600000000020
 Date of first issue: 2017/02/13

15. REGULATORY INFORMATION

National regulatory information

Law on the Prevention and Control of Occupational Diseases

Regulations on Safety Management of Hazardous Chemicals

Catalogue of Hazardous Chemicals : Listed

Identification of Major Hazard Installations for Hazardous Chemicals (GB 18218)

No. / Code Chemical name / Category Threshold quantity

W9.2 Oxidising solids and liquids 200 t

The components of this product are reported in the following inventories:

TCSI (TW) : On the inventory, or in compliance with the inventory

TSCA (US) : All substances listed as active on the TSCA inventory

AllC (AU) : All components are listed on the inventory, regulatory obliga-

tions/restrictions apply

DSL (CA) : All components of this product are on the Canadian DSL

ENCS (JP) : On the inventory, or in compliance with the inventory

ISHL (JP) : On the inventory, or in compliance with the inventory

KECI (KR) : On the inventory, or in compliance with the inventory

PICCS (PH) : On the inventory, or in compliance with the inventory

IECSC (CN) : On the inventory, or in compliance with the inventory

TECI (TH) : On the inventory, or in compliance with the inventory

16. OTHER INFORMATION

Revision Date : 2024/04/18

Further information

according to GB/T 16483 and GB/T 17519



KPS-5

Version Revision Date: SDS Number: Date of last issue: 2022/07/01 1.4 2024/04/18 60000000020 Date of first issue: 2017/02/13

Other information : This safety datasheet only contains information relating to

safety and does not replace any product information or prod-

uct specification.

These safety instructions also apply to empty packaging which

may still contain product residues.

The hazards on the label also apply to residues in the con-

tainer.

Sources of key data used to compile the Safety Data

Sheet

Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agen-

cy, http://echa.europa.eu/

Date format : yyyy/mm/dd

Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)

ACGIH / TWA : 8-hour, time-weighted average

AllC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified: Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

according to GB/T 16483 and GB/T 17519



KPS-5

Version Revision Date: SDS Number: Date of last issue: 2022/07/01 1.4 2024/04/18 600000000020 Date of first issue: 2017/02/13

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

CN / EN