according to GB/T 16483 and GB/T 17519



## **KPS**

Version	Revision Date:	SDS Number:	Date of last issue: 2021/03/25
1.2	2024/04/12	60000000019	Date of first issue: 2017/02/13

#### **1. PRODUCT AND COMPANY IDENTIFICATION**

Product name	:	KPS
Chemical nature	:	Persulphate Solid
Manufacturer or supplier's d	etai	ls

Company	:	United Initiators (Shanghai) Co., Ltd
Address	:	Room 501, Bldg. 1, No. 1 Shangda Road Shanghai, China, 200444
Telephone	:	+86 21 61172758
Emergency telephone number	:	+86 21 61172758
E-mail address	:	cs-initiators.cn@united-in.com
Recommended use of the ch	em	ical and restrictions on use
Recommended use	:	Oxidizing agents polymerisation initiators

#### 2. HAZARDS IDENTIFICATION

#### **Emergency Overview**

Appearance Colour Odour	:	solid white not significant
	serious eye i	l if swallowed. Causes skin irritation. May cause an allergic irritation. May cause allergy or asthma symptoms or breathing spiratory irritation.

#### **GHS** Classification

Oxidizing solids	:	Category 3
Acute toxicity (Oral)	:	Category 4
Skin corrosion/irritation	:	Category 2
Serious eye damage/eye irri- tation	:	Category 2A

according to GB/T 16483 and GB/T 17519





Version 1.2	Revision Date: 2024/04/12	-	S Number: 000000019	Date of last issue: 2021/03/25 Date of first issue: 2017/02/13
Respi	iratory sensitisation	:	Category 1	
Skin	sensitisation	:	Category 1	
•	ific target organ toxicity - e exposure	:	Category 3 (res	piratory tract irritation)
GHS	label elements			
Haza	rd pictograms	:		
Signa	al word	:	Danger	
Haza	rd statements	:	H302 Harmful if H315 Causes s H317 May caus H319 Causes s H334 May caus difficulties if inha	kin irritation. e an allergic skin reaction. erious eye irritation. e allergy or asthma symptoms or breathing
Preca	autionary statements	:	Prevention:	
			P221 Take any P261 Avoid brea P264 Wash skin P270 Do not ea P271 Use only P272 Contamina the workplace. P280 Wear prot	pre away from clothing/ combustible materials. precaution to avoid mixing with combustibles.
			Response:	
			CENTER/ doctor P302 + P352 IF P304 + P340 + and keep comfor doctor if you fee P305 + P351 + for several minu easy to do. Com P333 + P313 If vice/ attention.	P338 IF IN EYES: Rinse cautiously with water ites. Remove contact lenses, if present and

according to GB/T 16483 and GB/T 17519

## KPS



Version	Revision Date:	SDS Number:	Date of last issue: 2021/03/25	
1.2	2024/04/12	60000000019	Date of first issue: 2017/02/13	

#### tention.

P342 + P311 If experiencing respiratory symptoms: Call a
POISON CENTER/ doctor.
P362 + P364 Take off contaminated clothing and wash it before reuse.
P370 + P378 In case of fire: Use water spray to extinguish.
Storage:
P403 + P233 Store in a well-ventilated place. Keep container tightly closed.
P405 Store locked up.

#### Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

#### Physical and chemical hazards

May intensify fire; oxidizer.

#### Health hazards

Harmful if swallowed. Causes skin irritation. Causes serious eye irritation. May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause an allergic skin reaction. May cause respiratory irritation.

#### **Environmental hazards**

Not classified based on available information.

#### Other hazards which do not result in classification

May cause fire or explosion; strong oxidizer.

#### 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture	:	Substance
Substance name	:	Potassium Persulfate
CAS-No.	:	7727-21-1

#### Components

Chemical name	CAS-No.	Concentration (% w/w)
Dipotassium peroxodisulphate	7727-21-1	<= 100

#### 4. FIRST AID MEASURES

General advice

: Take off contaminated clothing and shoes immediately.

according to GB/T 16483 and GB/T 17519



Version 1.2	Revision Date: 2024/04/12	SDS Number: 600000000019	Date of last issue: 2021/03/25 Date of first issue: 2017/02/13
		Never give an If unconscious advice. Move out of da Show this safe Do not leave t	an immediately. ything by mouth to an unconscious person. s, place in recovery position and seek medical angerous area. ety data sheet to the doctor in attendance. the victim unattended. poisoning may appear several hours later.
lf inha	aled	served. If breathed in, If not breathing Call a physicia	ygen if breathing is difficult or cyanosis is ob- move person into fresh air. g, give artificial respiration. an or poison control centre immediately. s, place in recovery position and seek medical ory tract clear.
In cas	se of skin contact	In case of con for at least 15 and shoes. Wash contam If on skin, rins	persist, call a physician. ttact, immediately flush skin with plenty of water minutes while removing contaminated clothing inated clothing before re-use. e well with water. remove clothes.
In cas	se of eye contact	sue damage a In the case of of water and s Remove conta Protect unharr Keep eye wide	contact with eyes, rinse immediately with plenty seek medical advice. act lenses.
lf swa	llowed	Rinse mouth t Keep respirate	an immediately. thoroughly with water. bry tract clear. bersist, call a physician.
	important symptoms ffects, both acute and ed	Causes seriou May cause all ties if inhaled.	
Prote	ction of first-aiders		onders should pay attention to self-protection ecommended protective clothing
Notes	to physician	: Treat symptor	natically and supportively.

according to GB/T 16483 and GB/T 17519

## KPS



Version	Revision Date:	SDS Number:	Date of last issue: 2021/03/25
1.2	2024/04/12	60000000019	Date of first issue: 2017/02/13

#### 5. FIREFIGHTING MEASURES

Suitable extinguishing media	:	Foam Water spray jet
Unsuitable extinguishing media	:	High volume water jet
Specific hazards during fire- fighting	:	Contact with incompatible materials or exposure to tempera- tures exceeding SADT may result in a self-accelerating de- composition reaction with release of flammable vapors which may auto-ignite. Do not allow run-off from fire fighting to enter drains or water courses. Cool closed containers exposed to fire with water spray.
Specific extinguishing meth- ods	:	Use extinguishing measures that are appropriate to local cir- cumstances and the surrounding environment. Use a water spray to cool fully closed containers. Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
		Do not use a solid water stream as it may scatter and spread fire. Remove undamaged containers from fire area if it is safe to do so. Use water spray to cool unopened containers. Suppress (knock down) gases/vapours/mists with a water spray jet.
Special protective equipment for firefighters	:	Wear self-contained breathing apparatus for firefighting if nec- essary. Use personal protective equipment.

#### 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec- : tive equipment and emer- gency procedures	Follow safe handling advice and personal protective equip- ment recommendations. Use personal protective equipment. Avoid dust formation. Avoid breathing dust. Ensure adequate ventilation. Remove all sources of ignition.
Environmental precautions :	Prevent product from entering drains. Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform

according to GB/T 16483 and GB/T 17519

# KPS



Vers 1.2	sion	Revision Date: 2024/04/12		S Number: 0000000019	Date of last issue: 2021/03/25 Date of first issue: 2017/02/13
				respective authorit	ies.
		ls and materials for ment and cleaning up	:	tion at or below SA Clear spills immed Suppress (knock of spray jet. To clean the floor al, use plenty of w Soak up with inert Isolate waste and Non-sparking tool Local or national r posal of this mate employed in the c	diately. down) gases/vapours/mists with a water and all objects contaminated by this materi- ater. absorbent material. do not reuse.
	Prevent hazards	ion of secondary S	:		in original containers for re-use. naterial as described in the section "Disposal

7. HANDLING AND STORAGE

Handling

nanunng		
Technical measures	:	See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.
Advice on protection against fire and explosion	:	Keep away from combustible material. Avoid dust formation. Provide appropriate exhaust ventilation at places where dust is formed.
Advice on safe handling	:	<ul> <li>Avoid formation of respirable particles.</li> <li>Protect from contamination.</li> <li>Protect from moisture.</li> <li>Do not swallow.</li> <li>Do not breathe vapours/dust.</li> <li>Avoid exposure - obtain special instructions before use.</li> <li>Avoid contact with skin and eyes.</li> <li>Take precautionary measures against static discharges.</li> <li>Never return any product to the container from which it was originally removed.</li> <li>Provide sufficient air exchange and/or exhaust in work rooms.</li> <li>Avoid confinement.</li> <li>Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.</li> <li>Smoking, eating and drinking should be prohibited in the application area.</li> <li>Wash thoroughly after handling.</li> <li>For personal protection see section 8.</li> </ul>

according to GB/T 16483 and GB/T 17519

# KPS



Versi 1.2	ion	Revision Date: 2024/04/12		DS Number: 0000000019	Date of last issue: 2021/03/25 Date of first issue: 2017/02/13
	Avoidar	nce of contact	:	Accelerators, stro heavy metal salts	ng acids and bases, heavy metals and , reducing agents
	Storag	e			
	Conditio	ons for safe storage	:	Keep containers t Keep in a dry plac Observe label pre Store in accordand Avoid impurities ( Electrical installati the technological	ightly closed in a cool, well-ventilated place. ee. cautions. ce with the particular national regulations. e.g. rust, dust, ash), risk of decomposition. ions / working materials must comply with safety standards. are opened must be carefully resealed and
	Materia	ls to avoid	:	age.	ct to get in contact with water during stor- strong acids, bases, heavy metal salts and bstances.
	Recom peratur	mended storage tem- e	:	< 30 °C	
	Further age sta	information on stor- bility	:	No decomposition	if stored normally.

#### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace	e co	ontrol parameters
Contains no substances with o	CC	upational exposure limit values.
Engineering measures	:	Minimize workplace exposure concentrations.
Personal protective equipme	ent	
Respiratory protection	:	In the case of dust or aerosol formation use respirator with an approved filter.
Filter type	:	Filter type P
Eye/face protection	:	Ensure that eyewash stations and safety showers are close to the workstation location. Please follow all applicable local/national requirements when selecting protective measures for a specific workplace. Always wear eye protection when the potential for inadvertent

according to GB/T 16483 and GB/T 17519



Version 1.2	Revision Date: 2024/04/12	SDS Number: 600000000019	Date of last issue: 2021/03/25 Date of first issue: 2017/02/13
		Tightly fitting s Please wear s	ith the product cannot be excluded. safety goggles suitable protective goggles. Also wear face pro- is a splash hazard.
Sk	in and body protection	task being per posable suits) Flame retarda Select approp resistance dat potential. Wear as appro	ly garments should be used based upon the formed (e.g., sleevelets, apron, gauntlets, dis- to avoid exposed skin surfaces. nt antistatic protective clothing. riate protective clothing based on chemical a and an assessment of the local exposure opriate: nt antistatic protective clothing.
	nd protection Material Break through time Glove thickness	: butyl-rubber : <= 480 min : 0.47 mm	
	Material Break through time Glove thickness	<ul> <li>Nitrile rubber</li> <li>&lt;= 480 min</li> <li>0.20 mm</li> </ul>	
	Remarks	standard value material has t tive glove. Ch depending on ous substance plications, we cals of the afo	at break through time/strength of material are es! The exact break through time/strength of o be obtained from the producer of the protec- cose gloves to protect hands against chemicals the concentration and quantity of the hazard- e and specific to place of work. For special ap- recommend clarifying the resistance to chemi- rementioned protective gloves with the glove Wash hands before breaks and at the end of
Pro	otective measures		otective equipment must be selected according ration and amount of the dangerous substance workplace.
Hy	giene measures	Keep away fro When using d When using d	with skin, eyes and clothing. om food and drink. o not eat or drink. o not smoke. oefore breaks and immediately after handling

according to GB/T 16483 and GB/T 17519



# KPS

Version	Revision Date:	SDS Number:	Date of last issue: 2021/03/25
1.2	2024/04/12	60000000019	Date of first issue: 2017/02/13

#### 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	solid
Colour	:	white
Odour	:	not significant
Odour Threshold	:	not determined
рН	:	4 Concentration: ca. 10 g/l
Melting point/freezing point	:	Decomposition: Decomposes below the melting point.
Initial boiling point and boiling range	:	Not applicable
Flash point	:	Not applicable
Evaporation rate	:	Not applicable
Flammability (solid, gas)	:	Not expected to form explosive dust-air mixtures.
Self-ignition	:	The substance or mixture is not classified as pyrophoric.
Upper explosion limit / Upper flammability limit	:	Upper explosion limit No data available
Lower explosion limit / Lower flammability limit	:	Lower explosion limit No data available
Vapour pressure	:	Not applicable
Relative vapour density	:	Not applicable
Relative density	:	not determined
Density	:	not determined
Bulk density	:	1,100 kg/m3
Solubility(ies) Water solubility	:	60 g/l soluble (25 °C)
Partition coefficient: n- octanol/water	:	Not applicable

according to GB/T 16483 and GB/T 17519



Version 1.2	Revision Date: 2024/04/12		S Number: 000000019	Date of last issue: 2021/03/25 Date of first issue: 2017/02/13
Auto	-ignition temperature	:	Not applicable De	ecomposition
	Accelerating decomposi- temperature (SADT)	:	temperature at w	H.4 erating Decomposition Temperature. Lowest hich the tested package size will undergo a decomposition reaction.
	osity 'iscosity, dynamic	:	Not applicable	
	íscosity, kinematic	:	Not applicable	
Expl	osive properties	:	Not explosive	
Oxid	izing properties	:	The substance of category 3.	r mixture is classified as oxidizing with the
Self-	heating substances	:	The substance or	mixture is not classified as self heating.
Parti	cle size	:	not determined	
Parti	cle Size Distribution	:		on: volume distribution chnique: laser diffraction

10. STABILITY A	ND REACTIVITY
-----------------	---------------

Reactivity	:	Stable under recommended storage conditions. May cause or intensify fire; oxidizer.
Chemical stability	:	Stable under recommended storage conditions. No decomposition if stored normally.
Possibility of hazardous reac- tions	:	Avoid moisture. Even small amounts of moisture or impurities can noticably reduce the self-accelerating decomposition temperature (SADT).
Conditions to avoid	:	Protect from contamination. Protect from moisture. Contact with incompatible substances can cause decomposi- tion at or below SADT. Even small amounts of moisture or impurities can noticably

according to GB/T 16483 and GB/T 17519



ersion 2	Revision Date: 2024/04/12	SDS Number: 600000000019	Date of last issue: 2021/03/25 Date of first issue: 2017/02/13
		reduce the (SADT).	e self-accelerating decomposition temperature
Incom	patible materials		ors, strong acids and bases, heavy metals and tal salts, reducing agents
Hazar produ	dous decomposition cts		nustic, flammable, noxious/toxic gases and vapours op in the case of fire and decomposition
I. TOXIC	OLOGICAL INFORM	ATION	
	e <b>toxicity</b> ful if swallowed.		
<u>Produ</u>	<u>uct:</u>		
Acute	oral toxicity	Method: O	, male): 742 mg/kg ECD Test Guideline 401 nt: The component/mixture is moderately toxic afte stion.
Acute	inhalation toxicity	Exposure t Test atmos Method: O Assessme tion toxicity	sphere: dust/mist ECD Test Guideline 403 nt: The substance or mixture has no acute inhala-
Acute	dermal toxicity	Assessme toxicity	): >2,000 mg/kg nt: The substance or mixture has no acute dermal Expert judgement
<u>Comp</u>	oonents:		
Dipot	assium peroxodisul	ohate:	
Acute	oral toxicity	Method: O	, male): 742 mg/kg ECD Test Guideline 401 nt: The component/mixture is moderately toxic afte stion.
Acute	inhalation toxicity	Method: O	time: 4 h sphere: dust/mist ECD Test Guideline 403 nt: The substance or mixture has no acute inhala-
		Remarks: I	Expert judgement

according to GB/T 16483 and GB/T 17519





	Revision Date: 2024/04/12	SDS Number: 60000000019	Date of last issue: 2021/03/25 Date of first issue: 2017/02/13
		Assessment: Ti toxicity Remarks: Expe	ne substance or mixture has no acute dermal ert judgement
Skin	corrosion/irritation		
Cause	es skin irritation.		
Produ	uct:		
Speci	es	: Rabbit	
Metho		: OECD Test Gu	ideline 404
Resul	t	: Skin irritation	
Rema	rks	: May cause skir	irritation in susceptible persons.
<u>Comp</u>	oonents:		
Dipot	assium peroxodisu	Iphate:	
Speci		: Rabbit	
Matha		: OECD Test Gu	ideline 404
Metho	•		
Resul	t	: Skin irritation	
Resul	t us eye damage/eye		
Resul Serio		irritation	
Resul Serio	<b>us eye damage/eye</b> es serious eye irritatio	irritation	
Resul Serio Cause <u>Produ</u>	us eye damage/eye es serious eye irritatio <u>uct:</u>	irritation	
Resul Serio Cause	<b>us eye damage/eye</b> es serious eye irritatio <u>uct:</u> es	e <b>irritation</b> on. : Rabbit : Eye irritation	
Resul Serio Cause <u>Produ</u> Speci	<b>us eye damage/eye</b> es serious eye irritatio <u>uct:</u> es t	e <b>irritation</b> on. : Rabbit	ideline 405
Resul Serio Cause <u>Produ</u> Speci Resul	<b>us eye damage/eye</b> es serious eye irritatio <u>uct:</u> es t d	e <b>irritation</b> on. : Rabbit : Eye irritation : OECD Test Gu	ideline 405 <i>r</i> ersible eye damage.
Resul Serio Cause Produ Speci Resul Metho Rema	<b>us eye damage/eye</b> es serious eye irritatio <u>uct:</u> es t d	e <b>irritation</b> on. : Rabbit : Eye irritation : OECD Test Gu	
Resul Serio Cause Produ Speci Resul Metho Rema	<b>us eye damage/eye</b> es serious eye irritatio <u>uct:</u> es t t od rks <u>ponents:</u>	e <b>irritation</b> on. : Rabbit : Eye irritation : OECD Test Gu : May cause irrev	
Resul Serio Cause <u>Produ</u> Speci Resul Metho Rema <u>Comp</u> Dipot	us eye damage/eye es serious eye irritatio uct: es t t od rks <u>conents:</u> assium peroxodisu	e <b>irritation</b> on. : Rabbit : Eye irritation : OECD Test Gu : May cause irrev	
Resul Serio Cause Produ Speci Resul Metho Rema	us eye damage/eye es serious eye irritatio uct: es t t od rks <u>conents:</u> assium peroxodisu es	e irritation on. : Rabbit : Eye irritation : OECD Test Gu : May cause irrev	
Resul Serio Cause Produ Speci Resul Metho Rema Comp Dipot	us eye damage/eye es serious eye irritatio <u>uct:</u> es t t od rks <u>ponents:</u> assium peroxodisu es t	e irritation on. : Rabbit : Eye irritation : OECD Test Gu : May cause irrev Iphate: : Rabbit	ersible eye damage.
Resul Serio Cause <u>Produ</u> Speci Resul Metho Speci Resul Dipot Speci Resul Metho	us eye damage/eye es serious eye irritatio <u>uct:</u> es t t od rks <u>ponents:</u> assium peroxodisu es t	e irritation on. : Rabbit : Eye irritation : OECD Test Gu : May cause irrev Iphate: : Rabbit : Eye irritation : OECD Test Gu	ersible eye damage.
Resul Serio Cause <u>Produ</u> Speci Resul Metho Speci Resul Metho Resul Metho	us eye damage/eye es serious eye irritatio uct: es t bod rks <u>conents:</u> assium peroxodisu es t bod	e irritation on. : Rabbit : Eye irritation : OECD Test Gu : May cause irrev Iphate: : Rabbit : Eye irritation : OECD Test Gu	ersible eye damage.
Resul Serio Cause Produ Speci Resul Metho Speci Resul Metho Resul Metho Speci Resul Skin	us eye damage/eye es serious eye irritation <u>uct:</u> es t bod rks <u>conents:</u> assium peroxodisu es t bod iratory or skin sensi sensitisation	e irritation on. : Rabbit : Eye irritation : OECD Test Gu : May cause irrev Iphate: : Rabbit : Eye irritation : OECD Test Gu	ersible eye damage.
Resul Serio Cause Produ Speci Resul Metho Speci Resul Metho Resul Metho Resul Metho	us eye damage/eye es serious eye irritatio uct: es t bod rks <u>conents:</u> assium peroxodisu es t bod iratory or skin sensi sensitisation cause an allergic skin	e irritation on. : Rabbit : Eye irritation : OECD Test Gu : May cause irrev Iphate: : Rabbit : Eye irritation : OECD Test Gu itisation	ersible eye damage.
Resul Serio Cause Produ Speci Resul Metho Rema Dipot Speci Resul Metho Respi Skin s May o Respi	us eye damage/eye es serious eye irritation uct: es t od irks <u>conents:</u> assium peroxodisu es t od iratory or skin sensi sensitisation cause an allergic skin iratory sensitisation	e irritation on. : Rabbit : Eye irritation : OECD Test Gu : May cause irrev Iphate: : Rabbit : Eye irritation : OECD Test Gu itisation	ersible eye damage.
Resul Serio Cause Produ Speci Resul Metho Rema Dipot Speci Resul Metho Respi Skin s May o Respi	us eye damage/eye es serious eye irritatio <u>uct:</u> es t bod rks <u>conents:</u> <b>assium peroxodisu</b> es t bod iratory or skin sensi sensitisation cause an allergic skin iratory sensitisation cause allergy or asthr	e irritation on. : Rabbit : Eye irritation : OECD Test Gu : May cause irrev Iphate: : Rabbit : Eye irritation : OECD Test Gu itisation	<i>r</i> ersible eye damage. ideline 405
Resul Serio Cause Produ Speci Resul Metho Rema Dipot Speci Resul Metho Respi Skin s May o Respi May o	us eye damage/eye es serious eye irritatio <u>uct:</u> es t bod rks <u>conents:</u> <b>assium peroxodisu</b> es t bod iratory or skin sensi sensitisation cause an allergic skin iratory sensitisation cause allergy or asthr	e irritation on. : Rabbit : Eye irritation : OECD Test Gu : May cause irrev Iphate: : Rabbit : Eye irritation : OECD Test Gu itisation	<i>r</i> ersible eye damage. ideline 405

according to GB/T 16483 and GB/T 17519

## KPS



Version 1.2	Revision Date: 2024/04/12	SDS Number: 600000000019	Date of last issue: 2021/03/25 Date of first issue: 2017/02/13	
Metho Result			Guideline 406 sensitisation by skin contact.	
Rema	rks		dust/mist/fume) sensitisation by inhalation. ement	
Rema	rks	: Causes ser	nsitisation.	
<u>Comp</u>	oonents:			
Dipot	assium peroxodisul	phate:		
Expos Specie Metho Result	od		t Guideline 406 sensitisation by skin contact.	
Expos Result Rema			dust/mist/fume) sensitisation by inhalation. ement	
	cell mutagenicity assified based on ava	ilable information.		
<u>Comp</u>	oonents:			
-	assium peroxodisul			
Genot	oxicity in vitro	Result: neg	Test Type: Bacterial reverse mutation assay (AMES) Result: negative Remarks: Based on data from similar materials	
Genot	oxicity in vivo	cytogenetic Species: M Application Result: neg	ouse Route: Intraperitoneal injection	
Carci	nogenicity			

Not classified based on available information.

#### Product:

Species Application Route Exposure time Method Result	:	Mouse Skin contact 52 weeks OECD Test Guideline 451 negative
Result	:	negative

according to GB/T 16483 and GB/T 17519

## KPS



Version	Revision Date:	SDS Number:	Date of last issue: 2021/03/25
1.2	2024/04/12	60000000019	Date of first issue: 2017/02/13

#### Components:

#### Dipotassium peroxodisulphate:

Species	:	Mouse
Application Route	:	Skin contact
Exposure time	:	52 weeks
Method	:	OECD Test Guideline 451
Result	:	negative

#### Reproductive toxicity

Not classified based on available information.

#### Product:

Effects on fertility	:	Species: Rat Application Route: Ingestion Method: OECD Test Guideline 421 Result: negative
Effects on foetal develop- ment	:	Species: Rat Application Route: Ingestion Method: OECD Test Guideline 421 Result: negative

#### Components:

Dipotassium peroxodisulphate:				
Effects on fertility :	Species: Rat Application Route: Ingestion Method: OECD Test Guideline 421 Result: negative			
Effects on foetal develop- : ment	Species: Rat Application Route: Ingestion Method: OECD Test Guideline 421 Result: negative			

#### STOT - single exposure

May cause respiratory irritation.

#### Product:

Assessment

: May cause respiratory irritation.

#### Components:

#### Dipotassium peroxodisulphate:

Assessment

: May cause respiratory irritation.

#### STOT - repeated exposure

Not classified based on available information.

according to GB/T 16483 and GB/T 17519

## KPS



Version	Revision Date:	SDS Number:	Date of last issue: 2021/03/25
1.2	2024/04/12	60000000019	Date of first issue: 2017/02/13

#### Repeated dose toxicity

#### Product:

: Rat
: 1,000 mg/kg
: 3,000 mg/kg
: Ingestion
: 90 d
: OECD Test Guideline 408

#### Components:

#### Dipotassium peroxodisulphate:

Species	:	Rat
NOAEL	:	1,000 mg/kg
LOAEL	:	3,000 mg/kg
Application Route	:	Ingestion
Exposure time	:	90 d
Method	:	OECD Test Guideline 408

#### Aspiration toxicity

Not classified based on available information.

#### **Further information**

#### Product:

Remarks

: No data available

#### 12. ECOLOGICAL INFORMATION

#### Ecotoxicity

#### Product:

Toxicity to fish	:	LC50 (Scophthalmus maximus (turbot)): 107.6 mg/l Exposure time: 96 h Method: OECD Test Guideline 203 Remarks: Based on data from similar materials
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): 120 mg/l Exposure time: 48 h Remarks: Based on data from similar materials
Toxicity to algae/aquatic plants	:	EC50 (Phaeodactylum): 320 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 Remarks: Based on data from similar materials NOEC (Phaeodactylum): 32 mg/l Exposure time: 72 h

according to GB/T 16483 and GB/T 17519



rsion	Revision Date: 2024/04/12	SDS Number: 60000000019	Date of last issue: 2021/03/25 Date of first issue: 2017/02/13
			D Test Guideline 201 ed on data from similar materials
Toxici	ty to microorganisms	Exposure time	omonas putida): 36 mg/l e: 18 h eed on data from similar materials
<u>Comp</u>	oonents:		
Dipot	assium peroxodisulph	ate:	
-	ty to fish	: LC50 (Scopht Exposure time Method: OEC	halmus maximus (turbot)): 107.6 mg/l e: 96 h D Test Guideline 203 eed on data from similar materials
	ty to daphnia and other ic invertebrates	Exposure time	a magna (Water flea)): 120 mg/l e: 48 h eed on data from similar materials
Toxici plants	ty to algae/aquatic	Exposure time Method: OEC	lactylum): 320 mg/l e: 72 h D Test Guideline 201 eed on data from similar materials
		Exposure time Method: OEC	dactylum): 32 mg/l e: 72 h D Test Guideline 201 eed on data from similar materials
Toxici	ty to microorganisms	Exposure time	omonas putida): 36 mg/l e: 18 h ed on data from similar materials
Persis	stence and degradabil	ity	
<u>Comp</u>	oonents:		
-	<b>assium peroxodisulph</b> gradability	: Remarks: The	methods for determining biodegradability art to inorganic substances.
Bioac	cumulative potential		
<u>Comp</u>	oonents:		
Dipot	assium peroxodisulph	ate:	
Partiti	on coefficient: n- ol/water	: Remarks: Not	applicable

according to GB/T 16483 and GB/T 17519





Version 1.2	Revision Date: 2024/04/12	SDS Number: 600000000019	Date of last issue: 2021/03/25 Date of first issue: 2017/02/13	
	<b>lity in soil</b> ata available			
Othe	r adverse effects			
<u>Prod</u> e Additi matio	ional ecological infor-	: No data availabl	e	
13. DISPC	SAL CONSIDERATIO	NS		
Dispo	osal methods			
Wast	e from residues	The product she courses or the s	nate ponds, waterways or ditches with chemi-	
Conta	aminated packaging	Clean container Dispose of cont plant. Empty remainin Dispose of as u Do not re-use e	ents/ container to an approved waste disposal g contents.	

#### 14. TRANSPORT INFORMATION

#### International Regulations

<b>UNRTDG</b> UN number Proper shipping name Class Packing group Labels Environmentally hazardous		UN 1492 POTASSIUM PERSULPHATE 5.1 III 5.1 no
IATA-DGR UN/ID No. Proper shipping name Class Packing group Labels Packing instruction (cargo		UN 1492 Potassium persulphate 5.1 III Oxidizer 563
aircraft) Packing instruction (passen- ger aircraft)	:	559

according to GB/T 16483 and GB/T 17519





Version	Revision Date:	SDS Number:	Date of last issue: 2021/03/25	
1.2	2024/04/12	60000000019	Date of first issue: 2017/02/13	

#### IMDG-Code

UN number	:	UN 1492
Proper shipping name	:	POTASSIUM PERSULPHATE
Class	:	5.1
Packing group	:	III
Labels	:	5.1
EmS Code	:	F-A, S-Q
Marine pollutant	:	no

### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

#### **National Regulations**

#### GB 6944/12268

UN number	:	UN 1492
Proper shipping name	:	POTASSIUM PERSULPHATE
Class	:	5.1
Packing group	:	III
Labels	:	5.1
Marine pollutant	:	no

#### Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

#### 15. REGULATORY INFORMATION

National regulatory information						
Regulations on Safety Management of Hazardous Chemicals						
Catalogue of Ha	zardous Chemicals	: Listed				
Identification of N	Identification of Major Hazard Installations for Hazardous Chemicals (GB 18218)					
No. / Code	Chemical name / Category	Threshold quantity				
W9.2	Oxidising solids and liquids	200 t				
The component	ts of this product are reported i	n the following inventories:				
TCSI (TW)	: On the inventor	y, or in compliance with the inventory				
TSCA (US)	: All substances	listed as active on the TSCA inventory				
AIIC (AU)	: All components	are listed on the inventory, regulatory obliga-				

tions/restrictions apply

according to GB/T 16483 and GB/T 17519



## KPS

Ver 1.2	sion	Revision Date: 2024/04/12	-	DS Number: 0000000019	Date of last issue: 2021/03/25 Date of first issue: 2017/02/13
	DSL (C	CA)	:	All components of	this product are on the Canadian DSL
	ENCS	(JP)	:	On the inventory,	or in compliance with the inventory
	ISHL (J	JP)	:	On the inventory,	or in compliance with the inventory
	KECI (I	KR)	:	On the inventory,	or in compliance with the inventory
	PICCS	(PH)	:	On the inventory,	or in compliance with the inventory
	IECSC	(CN)	:	On the inventory,	or in compliance with the inventory
	NZIoC	(NZ)	:	On the inventory,	or in compliance with the inventory
	TECI (	TH)	:	On the inventory,	or in compliance with the inventory

16. OTHER INFORMATION				
Revision Date	:	2024/04/12		
Further information				
Other information	:	This safety datasheet only contains information relating to safety and does not replace any product information or prod- uct specification. These safety instructions also apply to empty packaging which may still contain product residues. The hazards on the label also apply to residues in the con- tainer.		
Sources of key data used to compile the Safety Data Sheet	:	Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, http://echa.europa.eu/		
Date format	:	yyyy/mm/dd		

#### Full text of other abbreviations

AlIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule;

according to GB/T 16483 and GB/T 17519

## KPS



Version	Revision Date:	SDS Number:	Date of last issue: 2021/03/25
1.2	2024/04/12	60000000019	Date of first issue: 2017/02/13

ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

#### Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

CN / EN