

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## KPS

Version	Revision Date:	SDS Number:	Date of last issue: 21.03.2023
2.3	23.03.2023	600000000019	Date of first issue: 10.03.2016

---

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifier

Trade name : KPS

REACH Registration Number : 01-2119495676-19-0000

Substance name : Potassium Persulfate

Index-No. : 016-061-00-1

EC-No. : 231-781-8

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub-  
stance/Mixture : Oxidizing agents, polymerisation initiators

Recommended restrictions  
on use : Exposure Scenario is available as separate attachment., For  
further information see eSDS.

### 1.3 Details of the supplier of the safety data sheet

Company : United Initiators GmbH  
Dr.-Gustav-Adolph-Str. 3  
82049 Pullach

Telephone : +49 / 89 / 74422 – 0

E-mail address of person  
responsible for the SDS : contact@united-in.com

### 1.4 Emergency telephone number

0800 000 7801 (toll-free, access from Germany only) +49 89 220 61012

---

## SECTION 2: Hazards identification

### 2.1 Classification of the substance or mixture

#### Classification (REGULATION (EC) No 1272/2008)

Oxidizing solids, Category 3	H272: May intensify fire; oxidizer.
Acute toxicity, Category 4	H302: Harmful if swallowed.
Skin irritation, Category 2	H315: Causes skin irritation.
Eye irritation, Category 2	H319: Causes serious eye irritation.

---

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## KPS

Version	Revision Date:	SDS Number:	Date of last issue: 21.03.2023
2.3	23.03.2023	600000000019	Date of first issue: 10.03.2016

---

Respiratory sensitisation, Category 1	H334: May cause allergy or asthma symptoms or breathing difficulties if inhaled.
Skin sensitisation, Category 1	H317: May cause an allergic skin reaction.
Specific target organ toxicity - single exposure, Category 3, Respiratory system	H335: May cause respiratory irritation.

## 2.2 Label elements

### Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms :



Signal word : Danger

Hazard statements :

- H272 May intensify fire; oxidizer.
- H302 Harmful if swallowed.
- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H319 Causes serious eye irritation.
- H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.
- H335 May cause respiratory irritation.

Precautionary statements : **Prevention:**

- P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
- P220 Keep/ Store away from clothing/ combustible materials.
- P232 Protect from moisture.
- P261 Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.
- P262 Do not get in eyes, on skin, or on clothing.
- P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

### **Response:**

- P301 + P312 IF SWALLOWED: Call a POISON CENTER/ doctor if you feel unwell.
- P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.
- P337 + P313 If eye irritation persists: Get medical advice/ attention.
- P362 + P364 Take off contaminated clothing and wash it before reuse.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## KPS

Version 2.3      Revision Date: 23.03.2023      SDS Number: 600000000019      Date of last issue: 21.03.2023  
Date of first issue: 10.03.2016

---

P370 + P378    In case of fire: Use water spray to extinguish.

### Disposal:

P501    Dispose of contents/ container to an approved waste disposal plant.

### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

---

## SECTION 3: Composition/information on ingredients

### 3.1 Substances

Substance name                    : Potassium Persulfate  
Index-No.                            : 016-061-00-1  
EC-No.                                : 231-781-8  
Chemical nature                    : Persulphate  
    Solid

#### Components

Chemical name	CAS-No. EC-No.	Concentration (%) w/w)	M-Factor, SCL, ATE
Dipotassium peroxodisulphate	7727-21-1 231-781-8	<= 100	

---

## SECTION 4: First aid measures

### 4.1 Description of first aid measures

General advice                    : Move out of dangerous area.  
    Show this safety data sheet to the doctor in attendance.  
    Do not leave the victim unattended.  
    Symptoms of poisoning may appear several hours later.  
    Call a physician immediately.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## KPS

Version	Revision Date:	SDS Number:	Date of last issue: 21.03.2023
2.3	23.03.2023	600000000019	Date of first issue: 10.03.2016

---

- Protection of first-aiders : First Aid responders should pay attention to self-protection and use the recommended protective clothing
- If inhaled : Call a physician or poison control centre immediately.  
If unconscious, place in recovery position and seek medical advice.  
Keep respiratory tract clear.  
If breathed in, move person into fresh air.
- In case of skin contact : In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes.  
Wash contaminated clothing before re-use.  
If on skin, rinse well with water.  
If on clothes, remove clothes.  
If symptoms persist, call a physician.
- In case of eye contact : In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice.  
Remove contact lenses.  
Protect unharmed eye.  
Keep eye wide open while rinsing.  
If eye irritation persists, consult a specialist.
- If swallowed : Keep respiratory tract clear.  
Call a physician immediately.  
Rinse mouth thoroughly with water.

### 4.2 Most important symptoms and effects, both acute and delayed

- Risks : Harmful if swallowed.  
Causes skin irritation.  
May cause an allergic skin reaction.  
Causes serious eye irritation.  
May cause allergy or asthma symptoms or breathing difficulties if inhaled.  
May cause respiratory irritation.

### 4.3 Indication of any immediate medical attention and special treatment needed

- Treatment : Treat symptomatically and supportively.
- 

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media

- Suitable extinguishing media : Water spray jet  
Foam
- Unsuitable extinguishing : High volume water jet
-

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

## KPS



Version	Revision Date:	SDS Number:	Date of last issue: 21.03.2023
2.3	23.03.2023	60000000019	Date of first issue: 10.03.2016

---

media

### 5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-fighting : Contact with incompatible materials or exposure to temperatures exceeding SADT may result in a self-accelerating decomposition reaction with release of flammable vapors which may auto-ignite.  
Cool closed containers exposed to fire with water spray.

### 5.3 Advice for firefighters

Special protective equipment for firefighters : Wear self-contained breathing apparatus for firefighting if necessary. Use personal protective equipment.

Specific extinguishing methods : Do not use a solid water stream as it may scatter and spread fire.  
Remove undamaged containers from fire area if it is safe to do so.  
Use water spray to cool unopened containers.  
Suppress (knock down) gases/vapours/mists with a water spray jet.

Further information : Collect contaminated fire extinguishing water separately. This must not be discharged into drains.  
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.  
Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

---

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Use personal protective equipment.  
Avoid dust formation.  
Avoid breathing dust.  
Ensure adequate ventilation.  
Remove all sources of ignition.  
Follow safe handling advice and personal protective equipment recommendations.  
Never return spills in original containers for re-use.  
Treat recovered material as described in the section "Disposal considerations".

### 6.2 Environmental precautions

Environmental precautions : Prevent product from entering drains.  
Prevent further leakage or spillage if safe to do so.  
If the product contaminates rivers and lakes or drains inform respective authorities.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

## KPS



Version	Revision Date:	SDS Number:	Date of last issue: 21.03.2023
2.3	23.03.2023	600000000019	Date of first issue: 10.03.2016

---

### 6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Contact with incompatible substances can cause decomposition at or below SADT.  
Clear spills immediately.  
Suppress (knock down) gases/vapours/mists with a water spray jet.  
To clean the floor and all objects contaminated by this material, use plenty of water.  
Soak up with inert absorbent material.  
Isolate waste and do not reuse.  
Non-sparking tools should be used.  
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.

### 6.4 Reference to other sections

For personal protection see section 8.

---

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

Technical measures : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.

Advice on safe handling : Do not swallow.  
Do not breathe vapours/dust.  
Avoid exposure - obtain special instructions before use.  
Avoid contact with skin and eyes.  
Take precautionary measures against static discharges.  
Never return any product to the container from which it was originally removed.  
Provide sufficient air exchange and/or exhaust in work rooms.  
Avoid confinement.  
Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
Smoking, eating and drinking should be prohibited in the application area.  
Wash thoroughly after handling.  
For personal protection see section 8.  
Persons susceptible to skin sensitisation problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used.  
Protect from contamination.  
Protect from moisture.

Advice on protection against : Avoid dust formation. Provide appropriate exhaust ventilation

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

**KPS**



Version 2.3      Revision Date: 23.03.2023      SDS Number: 600000000019      Date of last issue: 21.03.2023  
Date of first issue: 10.03.2016

---

fire and explosion                      at places where dust is formed. Keep away from combustible material.

Hygiene measures                      :    Keep away from food and drink. When using do not eat or drink. When using do not smoke. Wash hands before breaks and immediately after handling the product.

## 7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers                      :    Avoid impurities (e.g. rust, dust, ash), risk of decomposition. Electrical installations / working materials must comply with the technological safety standards. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Store in original container. Keep containers tightly closed in a cool, well-ventilated place. Keep in a dry place. Store in accordance with the particular national regulations.

Advice on common storage                      :    Keep away from strong acids, bases, heavy metal salts and other reducing substances.

Storage class (TRGS 510)                      :    5.1B, Oxidizing hazardous materials

Recommended storage temperature                      :    < 30 °C

Further information on storage stability                      :    No decomposition if stored normally.

## 7.3 Specific end use(s)

Specific use(s)                      :    For further information, refer to the product technical data sheet.

---

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

Contains no substances with occupational exposure limit values.

#### Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health effects	Value
Dipotassium peroxodisulphate	Workers	Inhalation	Long-term local effects	0,824 mg/m3
	Workers	Skin contact	Long-term systemic effects	10,3 mg/kg bw/day
	Consumers	Inhalation	Long-term local effects	0,421 mg/m3
	Consumers	Skin contact	Long-term systemic effects	5,2 mg/kg bw/day
	Consumers	Ingestion	Long-term systemic	0,52 mg/kg

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

## KPS



Version 2.3      Revision Date: 23.03.2023      SDS Number: 600000000019      Date of last issue: 21.03.2023  
Date of first issue: 10.03.2016

			effects	bw/day
	Consumers	Ingestion	Acute systemic effects	1,55 mg/kg bw/day

### Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
Dipotassium peroxodisulphate	Fresh water	0,518 mg/l
	Intermittent use/release	0,763 mg/l
	Marine water	0,052 mg/l
	Sewage treatment plant	3,6 mg/l
	Fresh water sediment	2,03 mg/kg dry weight (d.w.)
	Marine sediment	0,203 mg/kg dry weight (d.w.)
	Soil	0,1 mg/kg dry weight (d.w.)

## 8.2 Exposure controls

### Engineering measures

Minimize workplace exposure concentrations.

### Personal protective equipment

Eye protection : Tightly fitting safety goggles  
Please wear suitable protective goggles. Also wear face protection if there is a splash hazard.  
Ensure that eyewash stations and safety showers are close to the workstation location.  
Please follow all applicable local/national requirements when selecting protective measures for a specific workplace.

Equipment should conform to EN 166

### Hand protection

Material : butyl-rubber  
Break through time : 480 min  
Glove thickness : 0,47 mm  
Directive : Equipment should conform to EN 374

Material : Nitrile rubber  
Break through time : 480 min  
Glove thickness : 0,20 mm  
Directive : Equipment should conform to EN 374

Remarks : The data about break through time/strength of material are standard values! The exact break through time/strength of material has to be obtained from the producer of the protective glove. Choose gloves to protect hands against chemicals depending on the concentration and quantity of the hazardous substance and specific to place of work. For special ap-



# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

## KPS



Version	Revision Date:	SDS Number:	Date of last issue: 21.03.2023
2.3	23.03.2023	600000000019	Date of first issue: 10.03.2016

---

plications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer. Wash hands before breaks and at the end of workday.

- Skin and body protection : Select appropriate protective clothing based on chemical resistance data and an assessment of the local exposure potential.  
Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces.  
Wear as appropriate:  
Flame retardant antistatic protective clothing.
- Respiratory protection : In the case of dust or aerosol formation use respirator with an approved filter.  
Respirator with combination filter for vapour/particulate (EN 141)
- Filter type : Filter type P
- Protective measures : The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.
- 

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

- Physical state : solid
- Colour : white
- Odour : not significant
- Odour Threshold : not determined
- Melting point/freezing point : Decomposition: Decomposes below the melting point.
- Initial boiling point and boiling range : Not applicable
- Flammability : Not expected to form explosive dust-air mixtures.
- Upper explosion limit / Upper flammability limit : Upper explosion limit  
No data available
- Lower explosion limit / Lower flammability limit : Lower explosion limit  
No data available

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## KPS

Version	Revision Date:	SDS Number:	Date of last issue: 21.03.2023
2.3	23.03.2023	600000000019	Date of first issue: 10.03.2016

---

Flash point	:	Not applicable
Auto-ignition temperature	:	Not applicable Decomposition
Self-Accelerating decomposition temperature (SADT)	:	170 °C Method: UN-Test H.4 SADT-Self Accelerating Decomposition Temperature. Lowest temperature at which the tested package size will undergo a self-accelerating decomposition reaction.
pH	:	4 Concentration: ca. 10 g/l
Viscosity		
Viscosity, dynamic	:	Not applicable
Viscosity, kinematic	:	Not applicable
Solubility(ies)		
Water solubility	:	60 g/l (25 °C) soluble
Partition coefficient: n-octanol/water	:	Not applicable
Dispersion Stability	:	Not applicable
Vapour pressure	:	Not applicable
Relative density	:	not determined
Density	:	not determined
Bulk density	:	1.100 kg/m <sup>3</sup>
Relative vapour density	:	Not applicable
Particle characteristics		
Assessment	:	Assessment: This substance/ mixture does not contain nanoforms based on: Measurement data
Particle size	:	not determined
Particle Size Distribution	:	D10 = 18 µm Type of distribution: volume distribution Measurement technique: laser diffraction
Dustiness	:	Avoid dust formation.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## KPS

Version	Revision Date:	SDS Number:	Date of last issue: 21.03.2023
2.3	23.03.2023	600000000019	Date of first issue: 10.03.2016

---

Shape : not determined

Crystallinity : not determined

Surface treatment /Coatings : Not applicable

### 9.2 Other information

Explosives : Not explosive

Oxidizing properties : The substance or mixture is classified as oxidizing with the category 3.

Self-ignition : The substance or mixture is not classified as pyrophoric.

Self-heating substances : The substance or mixture is not classified as self heating.

Substances and mixtures, which in contact with water, emit flammable gases : The substance or mixture does not emit flammable gases in contact with water.

Desensitised explosives : Not applicable

Evaporation rate : Not applicable

---

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

Stable under recommended storage conditions.

### 10.2 Chemical stability

Stable under recommended storage conditions.

### 10.3 Possibility of hazardous reactions

Hazardous reactions : Avoid moisture.  
Even small amounts of moisture or impurities can noticeably reduce the self-accelerating decomposition temperature (SADT).

### 10.4 Conditions to avoid

Conditions to avoid : Contact with incompatible substances can cause decomposition at or below SADT.  
Even small amounts of moisture or impurities can noticeably reduce the self-accelerating decomposition temperature (SADT).

### 10.5 Incompatible materials

Materials to avoid : Accelerators, strong acids and bases, heavy metals and

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

## KPS



Version	Revision Date:	SDS Number:	Date of last issue: 21.03.2023
2.3	23.03.2023	600000000019	Date of first issue: 10.03.2016

---

heavy metal salts, reducing agents

### 10.6 Hazardous decomposition products

Irritant, caustic, flammable, noxious/toxic gases and vapours can develop in the case of fire and decomposition

---

## SECTION 11: Toxicological information

### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Acute toxicity

Harmful if swallowed.

#### Product:

- |                           |   |   |
|---------------------------|---|---|
| Acute oral toxicity       | : | LD50 (Rat, male): 742 mg/kg<br>Method: OECD Test Guideline 401<br>Assessment: The component/mixture is moderately toxic after single ingestion.   |
| Acute inhalation toxicity | : | LC50 (Rat): > 5,1 mg/l<br>Exposure time: 4 h<br>Test atmosphere: dust/mist<br>Method: OECD Test Guideline 403<br>Assessment: The substance or mixture has no acute inhalation toxicity<br>Remarks: Expert judgement |
| Acute dermal toxicity     | : | LD50 (Rat): > 2.000 mg/kg<br>Assessment: The substance or mixture has no acute dermal toxicity<br>Remarks: Expert judgement   |

#### Components:

##### **Dipotassium peroxodisulphate:**

- |                           |   |   |
|---------------------------|---|---|
| Acute oral toxicity       | : | LD50 (Rat, male): 742 mg/kg<br>Method: OECD Test Guideline 401<br>Assessment: The component/mixture is moderately toxic after single ingestion.   |
| Acute inhalation toxicity | : | LC50 (Rat): > 5,1 mg/l<br>Exposure time: 4 h<br>Test atmosphere: dust/mist<br>Method: OECD Test Guideline 403<br>Assessment: The substance or mixture has no acute inhalation toxicity<br>Remarks: Expert judgement |
| Acute dermal toxicity     | : | LD50 (Rat): > 2.000 mg/kg   |

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## KPS

Version	Revision Date:	SDS Number:	Date of last issue: 21.03.2023
2.3	23.03.2023	600000000019	Date of first issue: 10.03.2016

---

Assessment: The substance or mixture has no acute dermal toxicity

Remarks: Expert judgement

### **Skin corrosion/irritation**

Causes skin irritation.

#### **Product:**

Species : Rabbit  
Method : OECD Test Guideline 404  
Result : Skin irritation

Remarks : May cause skin irritation in susceptible persons.

#### **Components:**

##### **Dipotassium peroxodisulphate:**

Species : Rabbit  
Method : OECD Test Guideline 404  
Result : Skin irritation

### **Serious eye damage/eye irritation**

Causes serious eye irritation.

#### **Product:**

Species : Rabbit  
Method : OECD Test Guideline 405  
Result : Eye irritation

Remarks : May cause irreversible eye damage.

#### **Components:**

##### **Dipotassium peroxodisulphate:**

Species : Rabbit  
Method : OECD Test Guideline 405  
Result : Eye irritation

### **Respiratory or skin sensitisation**

#### **Skin sensitisation**

May cause an allergic skin reaction.

#### **Respiratory sensitisation**

May cause allergy or asthma symptoms or breathing difficulties if inhaled.

#### **Product:**

Exposure routes : Skin contact  
Species : Guinea pig

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## KPS

Version	Revision Date:	SDS Number:	Date of last issue: 21.03.2023
2.3	23.03.2023	600000000019	Date of first issue: 10.03.2016

---

Method : OECD Test Guideline 406  
Result : May cause sensitisation by skin contact.

Exposure routes : inhalation (dust/mist/fume)  
Result : May cause sensitisation by inhalation.  
Remarks : Expert judgement

Remarks : Causes sensitisation.

### **Components:**

#### **Dipotassium peroxodisulphate:**

Exposure routes : Skin contact  
Species : Guinea pig  
Method : OECD Test Guideline 406  
Result : May cause sensitisation by skin contact.

Exposure routes : inhalation (dust/mist/fume)  
Result : May cause sensitisation by inhalation.  
Remarks : Expert judgement

#### **Germ cell mutagenicity**

Not classified based on available information.

### **Components:**

#### **Dipotassium peroxodisulphate:**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative  
Remarks: Based on data from similar materials

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)  
Species: Mouse  
Application Route: Intraperitoneal injection  
Result: negative  
Remarks: Based on data from similar materials

#### **Carcinogenicity**

Not classified based on available information.

### **Product:**

Species : Mouse  
Application Route : Skin contact  
Exposure time : 52 weeks  
Method : OECD Test Guideline 451  
Result : negative

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## KPS

Version 2.3      Revision Date: 23.03.2023      SDS Number: 600000000019      Date of last issue: 21.03.2023  
Date of first issue: 10.03.2016

---

### Components:

#### **Dipotassium peroxodisulphate:**

Species : Mouse  
Application Route : Skin contact  
Exposure time : 52 weeks  
Method : OECD Test Guideline 451  
Result : negative

#### **Reproductive toxicity**

Not classified based on available information.

### Product:

Effects on fertility : Species: Rat  
Application Route: Ingestion  
Method: OECD Test Guideline 421  
Result: negative

Effects on foetal development : Species: Rat  
Application Route: Ingestion  
Method: OECD Test Guideline 421  
Result: negative

### Components:

#### **Dipotassium peroxodisulphate:**

Effects on fertility : Species: Rat  
Application Route: Ingestion  
Method: OECD Test Guideline 421  
Result: negative

Effects on foetal development : Species: Rat  
Application Route: Ingestion  
Method: OECD Test Guideline 421  
Result: negative

#### **STOT - single exposure**

May cause respiratory irritation.

### Product:

Assessment : May cause respiratory irritation.

### Components:

#### **Dipotassium peroxodisulphate:**

Assessment : May cause respiratory irritation.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## KPS

Version	Revision Date:	SDS Number:	Date of last issue: 21.03.2023
2.3	23.03.2023	600000000019	Date of first issue: 10.03.2016

---

### STOT - repeated exposure

Not classified based on available information.

### Repeated dose toxicity

#### Product:

Species	: Rat
NOAEL	: 1.000 mg/kg
LOAEL	: 3.000 mg/kg
Application Route	: Ingestion
Exposure time	: 90 d
Method	: OECD Test Guideline 408

#### Components:

##### Dipotassium peroxodisulphate:

Species	: Rat
NOAEL	: 1.000 mg/kg
LOAEL	: 3.000 mg/kg
Application Route	: Ingestion
Exposure time	: 90 d
Method	: OECD Test Guideline 408

### Aspiration toxicity

Not classified based on available information.

## 11.2 Information on other hazards

### Endocrine disrupting properties

#### Product:

Assessment	: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.
------------	---

### Further information

#### Product:

Remarks	: No data available
---------	---------------------

---

## SECTION 12: Ecological information

### 12.1 Toxicity

#### Product:

Toxicity to fish	: LC50 (Scophthalmus maximus (turbot)): 107,6 mg/l
------------------	--



# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

## KPS



Version	Revision Date:	SDS Number:	Date of last issue: 21.03.2023
2.3	23.03.2023	600000000019	Date of first issue: 10.03.2016

---

Exposure time: 96 h  
Method: OECD Test Guideline 203  
Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 120 mg/l  
Exposure time: 48 h  
Remarks: Based on data from similar materials

Toxicity to algae/aquatic plants : EC50 (Phaeodactylum): 320 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201  
Remarks: Based on data from similar materials

NOEC (Phaeodactylum): 32 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201  
Remarks: Based on data from similar materials

Toxicity to microorganisms : EC10 (Pseudomonas putida): 36 mg/l  
Exposure time: 18 h  
Remarks: Based on data from similar materials

### Components:

#### **Dipotassium peroxodisulphate:**

Toxicity to fish : LC50 (Scophthalmus maximus (turbot)): 107,6 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 203  
Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 120 mg/l  
Exposure time: 48 h  
Remarks: Based on data from similar materials

Toxicity to algae/aquatic plants : EC50 (Phaeodactylum): 320 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201  
Remarks: Based on data from similar materials

NOEC (Phaeodactylum): 32 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201  
Remarks: Based on data from similar materials

Toxicity to microorganisms : EC10 (Pseudomonas putida): 36 mg/l  
Exposure time: 18 h  
Remarks: Based on data from similar materials

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## KPS

Version	Revision Date:	SDS Number:	Date of last issue: 21.03.2023
2.3	23.03.2023	600000000019	Date of first issue: 10.03.2016

---

### 12.2 Persistence and degradability

#### Components:

#### **Dipotassium peroxodisulphate:**

Biodegradability : Remarks: The methods for determining biodegradability are not applicable to inorganic substances.

### 12.3 Bioaccumulative potential

#### Components:

#### **Dipotassium peroxodisulphate:**

Partition coefficient: n-octanol/water : Remarks: Not applicable

### 12.4 Mobility in soil

No data available

### 12.5 Results of PBT and vPvB assessment

#### Product:

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

### 12.6 Endocrine disrupting properties

#### Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

### 12.7 Other adverse effects

#### Product:

Additional ecological information : No data available

---

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

Product : The product should not be allowed to enter drains, water courses or the soil.  
Do not contaminate ponds, waterways or ditches with chemi-

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## KPS

Version	Revision Date:	SDS Number:	Date of last issue: 21.03.2023
2.3	23.03.2023	600000000019	Date of first issue: 10.03.2016

---

cal or used container.  
Dispose of wastes in an approved waste disposal facility.

Contaminated packaging : Empty remaining contents.  
Dispose of as unused product.  
Do not re-use empty containers.  
Do not burn, or use a cutting torch on, the empty drum.  
Dispose of in accordance with local regulations.

---

## SECTION 14: Transport information

### 14.1 UN number or ID number

ADN	: UN 1492
ADR	: UN 1492
RID	: UN 1492
IMDG	: UN 1492
IATA	: UN 1492

### 14.2 UN proper shipping name

ADN	: POTASSIUM PERSULPHATE
ADR	: POTASSIUM PERSULPHATE
RID	: POTASSIUM PERSULPHATE
IMDG	: POTASSIUM PERSULPHATE
IATA	: Potassium persulphate

### 14.3 Transport hazard class(es)

ADN	: 5.1
ADR	: 5.1
RID	: 5.1
IMDG	: 5.1
IATA	: 5.1

### 14.4 Packing group

<b>ADN</b>	
Packing group	: III
Classification Code	: O2
Hazard Identification Number	: 50
Labels	: 5.1
<b>ADR</b>	
Packing group	: III
Classification Code	: O2

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## KPS

Version	Revision Date:	SDS Number:	Date of last issue: 21.03.2023
2.3	23.03.2023	600000000019	Date of first issue: 10.03.2016

---

Hazard Identification Number : 50  
Labels : 5.1  
Tunnel restriction code : (E)

### RID

Packing group : III  
Classification Code : O2  
Hazard Identification Number : 50  
Labels : 5.1

### IMDG

Packing group : III  
Labels : 5.1  
EmS Code : F-A, S-Q

### IATA (Cargo)

Packing instruction (cargo aircraft) : 563  
Packing instruction (LQ) : Y546  
Packing group : III  
Labels : Oxidizer

### IATA (Passenger)

Packing instruction (passenger aircraft) : 559  
Packing instruction (LQ) : Y546  
Packing group : III  
Labels : Oxidizer

## 14.5 Environmental hazards

### ADN

Environmentally hazardous : no

### ADR

Environmentally hazardous : no

### RID

Environmentally hazardous : no

### IMDG

Marine pollutant : no

## 14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

## 14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## KPS

Version	Revision Date:	SDS Number:	Date of last issue: 21.03.2023
2.3	23.03.2023	600000000019	Date of first issue: 10.03.2016

---

---

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, preparations and articles (Annex XVII) : Not applicable

REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59). : Not applicable

Regulation (EC) No 1005/2009 on substances that deplete the ozone layer : Not applicable

Regulation (EU) 2019/1021 on persistent organic pollutants (recast) : Not applicable

Regulation (EC) No 649/2012 of the European Parliament and the Council concerning the export and import of dangerous chemicals : Not applicable

REACH - List of substances subject to authorisation (Annex XIV) : Not applicable

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.

P8	OXIDIZING LIQUIDS AND SOLIDS	Quantity 1 50 t	Quantity 2 200 t
----	------------------------------	--------------------	---------------------

Water hazard class (Germany) : WGK 1 slightly hazardous to water  
Code Number: 1.350  
Classification according to AwSV, Annex 1 (4) (German regulatory requirements)

#### Other regulations:

The product is subject to the supply restrictions of the Ordinance on the Prohibition of Chemicals.

Take note of Directive 94/33/EC on the protection of young people at work or stricter national regulations, where applicable.

#### The components of this product are reported in the following inventories:

TCSI (TW) : On the inventory, or in compliance with the inventory

TSCA (US) : All substances listed as active on the TSCA inventory

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

## KPS



Version	Revision Date:	SDS Number:	Date of last issue: 21.03.2023
2.3	23.03.2023	600000000019	Date of first issue: 10.03.2016

---

AIIC (AU) : On the inventory, or in compliance with the inventory

DSL (CA) : All components of this product are on the Canadian DSL

ENCS (JP) : On the inventory, or in compliance with the inventory

ISHL (JP) : On the inventory, or in compliance with the inventory

KECI (KR) : On the inventory, or in compliance with the inventory

PICCS (PH) : On the inventory, or in compliance with the inventory

IECSC (CN) : On the inventory, or in compliance with the inventory

NZIoC (NZ) : On the inventory, or in compliance with the inventory

TECI (TH) : On the inventory, or in compliance with the inventory

### 15.2 Chemical safety assessment

A Chemical Safety Assessment has been carried out for this substance.  
For further information see eSDS.

---

## SECTION 16: Other information

### Full text of other abbreviations

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

## KPS



Version	Revision Date:	SDS Number:	Date of last issue: 21.03.2023
2.3	23.03.2023	600000000019	Date of first issue: 10.03.2016

---

Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

### Further information

Other information : This safety datasheet only contains information relating to safety and does not replace any product information or product specification.  
These safety instructions also apply to empty packaging which may still contain product residues.

Sources of key data used to compile the Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

DE / EN