

Vers 1.1	sion	Revision Date: 25.06.2024		S Number: 000000019	Date of last issue: 03.05.2021 Date of first issue: 03.05.2021			
1. P	1. PRODUCT AND COMPANY IDENTIFICATION							
	Product name		:	KPS				
	Manufa	acturer or supplier's c	letai	ls				
	Compa	ny	:	United Initiators (GmbH			
	Addres	S	:	DrGustav-Adolp 82049 Pullach	h-Str. 3			
	Telepho	one	:	+49 / 89 / 74422	- 0			
	Emerge	ency telephone number	:	+49 / 89 / 74422	– 0 (24 h)			
	E-mail	address	:	contact@united-i	n.com			
		mended use of the cl mended use	nem :					

2. HAZARDS IDENTIFICATION

Manufacture, Storage and Import of Hazardous Chemicals Rules 1989

Classification

Not classified as hazardous according to criteria laid down in Part I of Schedule-1.

Oxidizing solids	:	Category 3
Acute toxicity (Oral)	:	Category 4
Skin corrosion/irritation	:	Category 2
Serious eye damage/eye irri- tation	:	Category 2A
Respiratory sensitisation	:	Category 1
Skin sensitisation	:	Category 1
Specific target organ toxicity - single exposure	:	Category 3 (Respiratory system)

GHS label elements



Version 1.1	Revision Date: 25.06.2024	SDS Number: 60000000019	Date of last issue: 03.05.2021 Date of first issue: 03.05.2021
Hazar	d pictograms		
Signal	word	: Danger	· ·
Hazar	d statements	H302 Harmful H315 Causes H317 May ca H319 Causes H334 May ca difficulties if ir	ensify fire; oxidizer. I if swallowed. s skin irritation. use an allergic skin reaction. s serious eye irritation. use allergy or asthma symptoms or breathing nhaled. use respiratory irritation.
FIECA	utionary statements	and other ign P220 Keep/ S P261 Avoid b P264 Wash s P270 Do not P271 Use on P272 Contam the workplace P280 Wear p tion/ face prot	way from heat, hot surfaces, sparks, open flame ition sources. No smoking. Store away from clothing/ combustible materials. weathing dust. skin thoroughly after handling. eat, drink or smoke when using this product. y outdoors or in a well-ventilated area. hinated work clothing should not be allowed out of the store of the should not be allowed out of the store of the store of th
		Rinse mouth. P302 + P352 P304 + P340 and keep con unwell. P305 + P351 for several mi easy to do. C P333 + P317 P337 + P317 P342 + P316 gency medica P362 + P364 reuse.	 + P330 IF SWALLOWED: Get medical help. IF ON SKIN: Wash with plenty of water. + P319 IF INHALED: Remove person to fresh a nfortable for breathing. Get medical help if you fee the passes of the present of the present and solutions. Remove contact lenses, if present and ontinue rinsing. If skin irritation or rash occurs: Get medical help. If experiencing respiratory symptoms: Get emerical help immediately. Take off contaminated clothing and wash it before the passes of the part of the part
		Storage: P403 + P233 tightly closed P405 Store Disposal:	Store in a well-ventilated place. Keep contain

KPS



Version 1.1	Revision Date: 25.06.2024	SDS Number: 600000000019	Date of last issue: 03.05.2021 Date of first issue: 03.05.2021				
		disposal plant					
••	Other hazards which do not result in classification May cause fire or explosion; strong oxidizer.						
3. COMPC	3. COMPOSITION/INFORMATION ON INGREDIENTS						

Substance / Mixture	:	Substance
Chemical nature	:	Persulphate Solid
Substance name	:	Potassium Persulfate
CAS-No.	:	7727-21-1

Components

Chemical name	CAS-No.	Concentration (% w/w)
Dipotassium peroxodisulphate	7727-21-1	<= 100

4. FIRST AID MEASURES

General advice :	 Take off contaminated clothing and shoes immediately. Call a physician immediately. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and seek medical advice. Move out of dangerous area. Show this safety data sheet to the doctor in attendance. Do not leave the victim unattended. Symptoms of poisoning may appear several hours later. 			
If inhaled :	Administer oxygen if breathing is difficult or cyanosis is ob- served. If breathed in, move person into fresh air. If not breathing, give artificial respiration. Call a physician or poison control centre immediately. If unconscious, place in recovery position and seek medical advice. Keep respiratory tract clear.			
In case of skin contact :	If symptoms persist, call a physician. In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Wash contaminated clothing before re-use.			
3 / 19				



Version 1.1	Revision Date: 25.06.2024		DS Number: 0000000019	Date of last issue: 03.05.2021 Date of first issue: 03.05.2021
			If on skin, rinse we If on clothes, remo	
In ca	se of eye contact	:	sue damage and In the case of con of water and seek Remove contact le Protect unharmed Keep eye wide op	tact with eyes, rinse immediately with plenty medical advice. enses. eye.
lf swa	allowed	:	Call a physician ir Rinse mouth thoro Keep respiratory t If symptoms persi	bughly with water.
	important symptoms effects, both acute and ed	:	Harmful if swallow Causes skin irritat May cause an alle Causes serious e May cause allergy ties if inhaled. May cause respira sensitising effects	ion. ergic skin reaction. ye irritation. y or asthma symptoms or breathing difficul-
Prote	ection of first-aiders	:		ers should pay attention to self-protection nmended protective clothing
Notes	s to physician	:	Treat symptomation	cally and supportively.
5. FIREFI	GHTING MEASURES			
Suita	ble extinguishing media	:	Foam Water spray jet	
Unsu media	itable extinguishing a	:	High volume wate	r jet
Spec fightir	ific hazards during fire- ng	:	tures exceeding S composition react may auto-ignite. Do not allow run-c courses.	mpatible materials or exposure to tempera- SADT may result in a self-accelerating de- ion with release of flammable vapors which off from fire fighting to enter drains or water iners exposed to fire with water spray.
Spec ods	ific extinguishing meth-	:	cumstances and t Use a water spray Collect contamina must not be disch Fire residues and	measures that are appropriate to local cir- he surrounding environment. to cool fully closed containers. ted fire extinguishing water separately. This arged into drains. contaminated fire extinguishing water must accordance with local regulations.



Version 1.1	Revision Date: 25.06.2024		DS Number: 00000000019	Date of last issue: 03.05.2021 Date of first issue: 03.05.2021
			fire. Remove undamag so. Use water spray t	d water stream as it may scatter and spread ged containers from fire area if it is safe to do o cool unopened containers. down) gases/vapours/mists with a water
	cial protective equipment refighters	t :	essary.	ed breathing apparatus for firefighting if nec- ective equipment.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec- tive equipment and emer- gency procedures	:	Follow safe handling advice and personal protective equip- ment recommendations. Use personal protective equipment. Avoid dust formation. Avoid breathing dust. Ensure adequate ventilation. Remove all sources of ignition. Never return spills in original containers for re-use. Treat recovered material as described in the section "Disposal considerations".
Environmental precautions	:	Prevent product from entering drains. Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform respective authorities.
Methods and materials for containment and cleaning up	:	Contact with incompatible materials or exposure to tempera- tures exceeding SADT may result in a self-accelerating de- composition reaction with release of flammable vapors which may auto-ignite. Clear spills immediately. Suppress (knock down) gases/vapours/mists with a water spray jet. To clean the floor and all objects contaminated by this materi- al, use plenty of water. Soak up with inert absorbent material. Isolate waste and do not reuse. Non-sparking tools should be used. Local or national regulations may apply to releases and dis- posal of this material, as well as those materials and items employed in the cleanup of releases. You will need to deter- mine which regulations are applicable.

7. HANDLING AND STORAGE

Technical measures	:	See Engineering measures under EXPOSURE
		CONTROLS/PERSONAL PROTECTION section.



Version 1.1	n	Revision Date: 25.06.2024		PS Number: 0000000019	Date of last issue: 03.05.2021 Date of first issue: 03.05.2021
		on protection against explosion	:	Avoid dust formati	combustible material. on. e exhaust ventilation at places where dust
Α	dvice	on safe handling	:	Protect from conta Protect from moist Do not swallow. Do not breathe val Avoid exposure - Avoid contact with Take precautionar Never return any p originally removed Provide sufficient Avoid confinement Keep away from h other ignition sour Smoking, eating a plication area. Wash thoroughly a For personal prote Persons susceptil allergies, chronic	ture. pours/dust. obtain special instructions before use. a skin and eyes. y measures against static discharges. product to the container from which it was air exchange and/or exhaust in work rooms. air exchange and/or exhaust in work rooms. the eat, hot surfaces, sparks, open flames and ces. No smoking. nd drinking should be prohibited in the ap-
Co	onditic	ons for safe storage	:	Keep in a dry plac Observe label pre- Store in accordance Avoid impurities (e Electrical installation the technological	ightly closed in a cool, well-ventilated place. e. cautions. ce with the particular national regulations. e.g. rust, dust, ash), risk of decomposition. ons / working materials must comply with safety standards. are opened must be carefully resealed and
М	laterial	ls to avoid	:	age. Keep away from c	ct to get in contact with water during stor- combustible materials. trong acids, bases, heavy metal salts and pstances.
	ecomr erature	0	:	< 30 °C	
	urther ge sta	information on stor- bility	:	Stable under reco	mmended storage conditions.



Version	Revision Date:	SDS Number:	Date of last issue: 03.05.2021
1.1	25.06.2024	60000000019	Date of first issue: 03.05.2021

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis
Dipotassium peroxodisulphate	7727-21-1	TWA	0.1 mg/m3 (Persulphate)	ACGIH
Engineering measures	: Minimize w	orkplace exposure	concentrations.	
Personal protective equipm	ent			
Respiratory protection	: In the case approved fi		formation use respira	ator with an
Filter type	: Filter type F	D		
Hand protection Material Break through time Glove thickness	: butyl-rubber : <= 480 min : 0.47 mm			
Material Break through time Glove thickness	: Nitrile rubbe : <= 480 min : 0.20 mm			
Remarks	standard va material has tive glove. (depending ous substar plications, v cals of the s	alues! The exact b s to be obtained fr Choose gloves to on the concentrati nce and specific to we recommend cla aforementioned pr	a time/strength of mat reak through time/stre om the producer of th protect hands against on and quantity of the o place of work. For s arifying the resistance otective gloves with t efore breaks and at th	ength of ne protec- chemicals e hazard- pecial ap- to chemi- he glove
Eye protection	the worksta Please follo selecting pr Always wea eye contact Tightly fittin Please wea	tion location. w all applicable lo rotective measures ar eye protection v t with the product o g safety goggles	and safety showers cal/national requirem for a specific workpl when the potential for cannot be excluded. we goggles. Also wea card.	ents when ace. inadvertent
Skin and body protection	sistance da tial. Additional b	ta and an assession and an assession and an assession and an assession and a second and a second and a second a	clothing based on ch ment of the local expo puld be used based u lets, apron, gauntlets	sure poten- pon the task



Version 1.1	Revision Date: 25.06.2024	SDS Number: 60000000019	Date of last issue: 03.05.2021 Date of first issue: 03.05.2021
		Wear as appro	exposed skin surfaces. opriate: nt antistatic protective clothing.
Prote	ective measures	••••••	otective equipment must be selected according ration and amount of the dangerous substance workplace.
Hygiene measures		Keep away fro When using do When using do	with skin, eyes and clothing. Im food and drink. In not eat or drink. In not smoke. In pefore breaks and immediately after handling the

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	solid
Colour	:	white
Odour	:	not significant
Odour Threshold	:	not determined
рН	:	4 Concentration: ca. 10 g/l
Melting point/freezing point	:	Decomposition: Decomposes below the melting point.
Initial boiling point and boiling range	:	Not applicable
Flash point	:	Not applicable
Evaporation rate	:	Not applicable
Flammability (solid, gas)	:	Not expected to form explosive dust-air mixtures.
Self-ignition	:	The substance or mixture is not classified as pyrophoric.
Upper explosion limit / Upper flammability limit	:	Upper explosion limit No data available
Lower explosion limit / Lower	:	Lower explosion limit

KPS



Version 1.1	Revision Date: 25.06.2024		S Number: 0000000019	Date of last issue: 03.05.2021 Date of first issue: 03.05.2021
flamr	nability limit		No data availabl	e
Vapo	our pressure	:	Not applicable	
Relat	ive vapour density	:	Not applicable	
Relat	ive density	:	not determined	
Dens	ity	:	not determined	
Bulk	density	:	1,100 kg/m3	
	bility(ies) /ater solubility	:	60 g/l soluble (;	25 °C)
	tion coefficient: n- nol/water	:	Not applicable	
Auto	-ignition temperature	:	Not applicable	Decomposition
	Accelerating decomposi- emperature (SADT)	:	temperature at	et H.4 elerating Decomposition Temperature. Lowest which the tested package size will undergo a decomposition reaction.
Visco V	osity iscosity, dynamic	:	Not applicable	
V	iscosity, kinematic	:	Not applicable	
Explo	osive properties	:	Not explosive	
Oxidi	zing properties	:	The substance category 3.	or mixture is classified as oxidizing with the
Self-I	neating substances	:	The substance	or mixture is not classified as self heating.
Parti	cle size	:	not determined	
Parti	cle Size Distribution	:		ion: volume distribution echnique: laser diffraction

10. STABILITY AND REACTIVITY

Reactivity

: Stable under recommended storage conditions. May intensify fire; oxidizer.



Ver 1.1	sion	Revision Date: 25.06.2024		S Number: 000000019	Date of last issue: 03.05.2021 Date of first issue: 03.05.2021	
	Chemic	al stability	:		ommended storage conditions. n if stored normally.	
	Possibility of hazardous reac- tions		:	Avoid moisture. Even small amounts of moisture or impurities can noticably reduce the self-accelerating decomposition temperature (SADT).		
	Conditions to avoid		:	Protect from contamination. Protect from moisture. Contact with incompatible substances can cause decomposition at or below SADT. Even small amounts of moisture or impurities can noticably reduce the self-accelerating decomposition temperature (SADT).		
	Incomp	atible materials	:		ong acids and bases, heavy metals and s, reducing agents	
	Hazardo product	ous decomposition s	:		ammable, noxious/toxic gases and vapours e case of fire and decomposition	

11. TOXICOLOGICAL INFORMATION

Acute toxicity	
Harmful if swallowed.	
Product:	
Acute oral toxicity	: LD50(Rat, male): 742 mg/kg Method: OECD Test Guideline 401 Assessment: The component/mixture is moderately toxic after single ingestion.
Acute inhalation toxicity	 LC50(Rat): > 5.1 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: OECD Test Guideline 403 Assessment: The substance or mixture has no acute inhala- tion toxicity Remarks: Expert judgement
Acute dermal toxicity	 LD50(Rat): > 2,000 mg/kg Assessment: The substance or mixture has no acute dermal toxicity Remarks: Expert judgement

Components:

Dipotassium peroxodisulphate:								
Acute oral toxicity	:	LD50 (Rat, male): 742 mg/kg						
		Method: OECD Test Guideline 401						
		Assessment: The component/mixture is moderately toxic after						



sion	Revision Date: 25.06.2024		S Number: 0000000019	Date of last issue: 03.05.2021 Date of first issue: 03.05.2021
			single ingestior	٦.
Acute	inhalation toxicity	:		: 4 h re: dust/mist) Test Guideline 403 he substance or mixture has no acute inhala-
Acute	e dermal toxicity	:	LD50 (Rat): >2 Assessment: T toxicity Remarks: Expe	he substance or mixture has no acute dermal
-	corrosion/irritation es skin irritation.			
<u>Prod</u>	uct:			
Speci		:	Rabbit	
Metho Resul		:	OECD Test Gu Skin irritation	ideline 404
Rema	Irks	:	May cause skii	n irritation in susceptible persons.
<u>Com</u>	oonents:			
Dipot	assium peroxodisul	phate		
Snooi	06	:	Rabbit	
Speci			OECD Test Gu	ideline 404
Metho	bd	:	Skin irritation	
•	bd	:	Skin irritation	
Metho Resul	bd	irritati		
Metho Resul	bd t			
Metho Resul	od t ous eye damage/eye es serious eye irritatio			
Metho Resul Serio Cause <u>Produ</u> Speci	od t ous eye damage/eye es serious eye irritatio uct: es		on Rabbit	
Metho Resul Serio Cause <u>Produ</u> Speci Metho	od t ous eye damage/eye es serious eye irritatio <u>uct:</u> es od		on Rabbit OECD Test Gu	
Metho Resul Serio Cause <u>Produ</u> Speci	od t ous eye damage/eye es serious eye irritatio <u>uct:</u> es od		on Rabbit	
Metho Resul Serio Cause <u>Produ</u> Speci Metho	od t ous eye damage/eye es serious eye irritatio <u>uct:</u> es od t		on Rabbit OECD Test Gu Eye irritation	
Metho Resul Serio Cause Produ Speci Metho Resul	od t ous eye damage/eye es serious eye irritatio <u>uct:</u> es od t		on Rabbit OECD Test Gu Eye irritation	ideline 405
Metho Resul Serio Cause Produ Speci Metho Resul Rema	od t ous eye damage/eye es serious eye irritatio <u>uct:</u> es od t	n. : :	on Rabbit OECD Test Gu Eye irritation May cause irre	ideline 405
Metho Resul Serio Cause Produ Speci Metho Resul Rema <u>Comp</u> Dipot	od t ous eye damage/eye es serious eye irritatio <u>uct:</u> es od t t urks <u>conents:</u> cassium peroxodisul es	n. : :	on Rabbit OECD Test Gu Eye irritation May cause irre	ideline 405
Metho Resul Serio Cause Produ Speci Metho Resul Rema Dipot	od t bus eye damage/eye es serious eye irritatio <u>uct:</u> es od t urks <u>conents:</u> a ssium peroxodisul es od	n. : :	on Rabbit OECD Test Gu Eye irritation May cause irre	ideline 405 versible eye damage.



sion	Revision Date: 25.06.2024		Number: 000000019	Date of last issue: 03.05.2021 Date of first issue: 03.05.2021
Respi	ratory or skin sensi	tisation		
Skin	sensitisation			
May c	ause an allergic skin	reaction		
Respi	ratory sensitisation			
May c	cause allergy or asthr	na symp	toms or breathi	ng difficulties if inhaled.
Produ				
Expos Speci	sure routes		Skin contact Guinea pig	
Metho			DECD Test Gu	ideline 406
Resul	t			sitisation by skin contact.
	sure routes		nhalation (dust	
Resul Rema			May cause sen Expert judgeme	sitisation by inhalation.
Rema	185	. [zypen judgeme	4 IL
Rema	rks	: (Causes sensitis	sation.
<u>Comp</u>	oonents:			
Dipot	assium peroxodisu	phate:		
	sure routes		Skin contact	
Speci Metho			Guinea pig DECD Test Gu	idalina 406
Resul				sitisation by skin contact.
Expos	sure routes	· i	nhalation (dust	/mist/fume)
Resul				sitisation by inhalation.
Rema	rks	: 6	Expert judgeme	nt
Germ	cell mutagenicity			
Not cl	assified due to lack of	f data.		
<u>Comp</u>	oonents:			
Dipot	assium peroxodisu	phate:		
Genot	toxicity in vitro			terial reverse mutation assay (AMES)
			Result: negative	
		ł	vemarks: Base	d on data from similar materials
Genot	toxicity in vivo			nmalian erythrocyte micronucleus test (in vi
			cytogenetic ass Species: Mouse	
		ļ	Application Roι	ite: Intraperitoneal injection
		F	Result: negative)
		F	Remarks: Base	d on data from similar materials
	nogenicity			
Carci		fdata		
	assified due to lack c	i data.		
		o dala.		



Vers 1.1	sion	Revision Date: 25.06.2024		9S Number: 0000000019	Date of last issue: 03.05.2021 Date of first issue: 03.05.2021
		ation Route ure time t	: : :	Skin contact 52 weeks OECD Test Guide negative	eline 451
	<u>Compo</u>	onents:			
	Dipota	ssium peroxodisulph	ate	:	
		ation Route ure time		Mouse Skin contact 52 weeks OECD Test Guide negative	eline 451
	Repro	ductive toxicity			
	Not cla	ssified due to lack of d	ata.		
	<u>Produc</u>	<u>ct:</u>			
	Effects	on fertility	:	Species: Rat Application Route Method: OECD To Result: negative	
	Effects ment	on foetal develop-	:	Species: Rat Application Route Method: OECD To Result: negative	
	<u>Compo</u>	onents:			
	Dipota	ssium peroxodisulph	ate	:	
	Effects	on fertility	:	Species: Rat Application Route Method: OECD To Result: negative	
	Effects ment	on foetal develop-	:	Species: Rat Application Route Method: OECD To Result: negative	
		- single exposure ause respiratory irritatio	n.		
	<u>Produc</u> Assess		:	May cause respira	atory irritation.
	<u>Compo</u>	onents:			
	Dipota	ssium peroxodisulph	ate	:	
	Assess	•	:	May cause respira	atory irritation.



	Revision Date: 25.06.2024	SDS Number: 600000000019	Date of last issue: 03.05.2021 Date of first issue: 03.05.2021
	 repeated exposure assified due to lack of d 	-1-	
		ata.	
Repe	ated dose toxicity		
<u>Produ</u>	<u>uct:</u>		
Speci	es	: Rat	
NOAE		: 1,000 mg/kg	
LOAE		: 3,000 mg/kg	
	cation Route sure time	: Ingestion : 90 d	
Metho		: OECD Test G	uideline 408
<u>Comp</u>	oonents:		
•	assium peroxodisulph		
Speci		: Rat	
NOAE LOAE		: 1,000 mg/kg : 3,000 mg/kg	
	ation Route	: Ingestion	
	sure time	: 90 d	
Metho	od	: OECD Test G	uideline 408
Aspira			
Not cl	assified due to lack of d er information	ata.	
Not cl Furth	assified due to lack of d er information uct:		
Not cl	assified due to lack of d er information uct:	ata. : No data availal	ble
Not cl Furth Produ Rema	assified due to lack of d er information uct:	: No data availal	ble
Not cl Furth Produ Rema ECOLO Ecoto Produ	assified due to lack of d er information <u>uct:</u> rks DGICAL INFORMATION exicity <u>uct:</u>	: No data availal	
Not cl Furth Produ Rema ECOLO Ecoto Produ	assified due to lack of d er information <u>uct:</u> rks DGICAL INFORMATION	: No data availal	nalmus maximus (turbot)): 107.6 mg/l
Not cl Furth Produ Rema ECOLO Ecoto Produ	assified due to lack of d er information <u>uct:</u> rks DGICAL INFORMATION exicity <u>uct:</u>	: No data availal	nalmus maximus (turbot)): 107.6 mg/l :: 96 h
Not cl Furth Produ Rema ECOLO Ecoto Produ	assified due to lack of d er information <u>uct:</u> rks DGICAL INFORMATION exicity <u>uct:</u>	: No data availal I : LC50 (Scophth Exposure time Method: OECI	nalmus maximus (turbot)): 107.6 mg/l
Not cl Furth Produ Rema ECOLO Ecoto Produ Toxici	assified due to lack of d er information <u>uct:</u> rks DGICAL INFORMATION exicity <u>uct:</u> ty to fish	 No data availal LC50 (Scophth Exposure time Method: OECI Remarks: Bas EC50 (Daphnia) 	nalmus maximus (turbot)): 107.6 mg/l :: 96 h D Test Guideline 203 ed on data from similar materials a magna (Water flea)): 120 mg/l
Not cl Furth Produ Rema ECOLO Ecoto Produ Toxici	assified due to lack of d er information <u>uct:</u> rks DGICAL INFORMATION exicity <u>uct:</u> ty to fish	 No data availal LC50 (Scophth Exposure time Method: OECI Remarks: Bas EC50 (Daphnia Exposure time 	nalmus maximus (turbot)): 107.6 mg/l :: 96 h D Test Guideline 203 ed on data from similar materials a magna (Water flea)): 120 mg/l :: 48 h
Not cl Furth Produ Rema ECOLO Ecoto Produ Toxici	assified due to lack of d er information <u>uct:</u> rks DGICAL INFORMATION exicity <u>uct:</u> ty to fish	 No data availal LC50 (Scophth Exposure time Method: OECI Remarks: Bas EC50 (Daphnia Exposure time 	nalmus maximus (turbot)): 107.6 mg/l :: 96 h D Test Guideline 203 ed on data from similar materials a magna (Water flea)): 120 mg/l
Not cl Furth Produ Rema ECOLC Ecoto Produ Toxici aquati	assified due to lack of d er information <u>uct:</u> rks DGICAL INFORMATION exicity <u>uct:</u> ty to fish ty to daphnia and other ic invertebrates	 No data availal LC50 (Scophth Exposure time Method: OECI Remarks: Bas EC50 (Daphnia Exposure time Remarks: Bas EC50 (Phaeod 	nalmus maximus (turbot)): 107.6 mg/l :: 96 h D Test Guideline 203 ed on data from similar materials a magna (Water flea)): 120 mg/l :: 48 h ed on data from similar materials lactylum): 320 mg/l
Not cl Furth Produ Rema ECOLC Ecoto Produ Toxici aquati	assified due to lack of d er information <u>uct:</u> rks DGICAL INFORMATION exicity <u>uct:</u> ty to fish ty to daphnia and other ic invertebrates ty to algae/aquatic	 No data availal LC50 (Scophth Exposure time Method: OECI Remarks: Bas EC50 (Daphnia Exposure time Remarks: Bas EC50 (Phaeod Exposure time 	nalmus maximus (turbot)): 107.6 mg/l :: 96 h D Test Guideline 203 ed on data from similar materials a magna (Water flea)): 120 mg/l :: 48 h ed on data from similar materials lactylum): 320 mg/l :: 72 h
Not cl Furth Produ Rema ECOLC Ecoto Produ Toxici aquati	assified due to lack of d er information <u>uct:</u> rks DGICAL INFORMATION exicity <u>uct:</u> ty to fish ty to daphnia and other ic invertebrates ty to algae/aquatic	 No data availal LC50 (Scophth Exposure time Method: OECI Remarks: Bas EC50 (Daphnia Exposure time Remarks: Bas EC50 (Phaeod Exposure time Method: OECI 	nalmus maximus (turbot)): 107.6 mg/l : 96 h D Test Guideline 203 ed on data from similar materials a magna (Water flea)): 120 mg/l : 48 h ed on data from similar materials lactylum): 320 mg/l : 72 h D Test Guideline 201
Not cl Furth Produ Rema ECOLC Ecoto Produ Toxici aquati	assified due to lack of d er information <u>uct:</u> rks DGICAL INFORMATION exicity <u>uct:</u> ty to fish ty to daphnia and other ic invertebrates ty to algae/aquatic	 No data availal LC50 (Scophth Exposure time Method: OECI Remarks: Bas EC50 (Daphnia Exposure time Remarks: Bas EC50 (Phaeod Exposure time Method: OECI 	nalmus maximus (turbot)): 107.6 mg/l :: 96 h D Test Guideline 203 ed on data from similar materials a magna (Water flea)): 120 mg/l :: 48 h ed on data from similar materials lactylum): 320 mg/l :: 72 h
Not cl Furth Produ Rema ECOLC Ecoto Produ Toxici aquati	assified due to lack of d er information <u>uct:</u> rks DGICAL INFORMATION exicity <u>uct:</u> ty to fish ty to daphnia and other ic invertebrates ty to algae/aquatic	 No data availal LC50 (Scophth Exposure time Method: OECI Remarks: Bas EC50 (Daphnia Exposure time Remarks: Bas EC50 (Phaeod Exposure time Method: OECI Remarks: Bas 	nalmus maximus (turbot)): 107.6 mg/l :: 96 h D Test Guideline 203 ed on data from similar materials a magna (Water flea)): 120 mg/l :: 48 h ed on data from similar materials lactylum): 320 mg/l :: 72 h D Test Guideline 201 ed on data from similar materials dactylum): 32 mg/l



Vers 1.1	ion	Revision Date: 25.06.2024	-	S Number: 000000019	Date of last issue: 03.05.2021 Date of first issue: 03.05.2021
				Remarks: Based of	on data from similar materials
	Toxicity	to microorganisms	:	Exposure time: 18	nas putida): 36 mg/l h on data from similar materials
	<u>Compo</u>	nents:			
	Dipotas	sium peroxodisulpha	ate:		
	Toxicity	to fish	:	Exposure time: 96 Method: OECD Te	
		to daphnia and other invertebrates	:	Exposure time: 48	agna (Water flea)): 120 mg/l h on data from similar materials
	Toxicity plants	to algae/aquatic	:	EC50 (Phaeodact Exposure time: 72 Method: OECD Te Remarks: Based o	h i i i i i i i i i i i i i i i i i i i
				NOEC (Phaeodac Exposure time: 72 Method: OECD Te Remarks: Based o	h .
	Toxicity	to microorganisms	:	Exposure time: 18	nas putida): 36 mg/l 5 h on data from similar materials
	Persiste	ence and degradabili	ty		
	<u>Compo</u>	nents:			
	-	sium peroxodisulpha adability		Remarks: The me	thods for determining biodegradability are norganic substances.
	Bioaccu	umulative potential			
	<u>Compo</u>	nents:			
	-	sium peroxodisulpha a coefficient: n- water		Remarks: Not app	licable
		available			
		dverse effects			
	Produc	<u>t:</u>			



Versio	on	Revision Date: 25.06.2024		DS Number: 0000000019	Date of last issue: 03.05.2021 Date of first issue: 03.05.2021
	Addition mation	nal ecological infor-	:	No data available	
13. DI	ISPOS	AL CONSIDERATION	S		
C	Dispos	al methods			
V	Waste	from residues	:	The product shou courses or the so	te ponds, waterways or ditches with chemi-
С	Contam	ninated packaging	:	Clean container w Dispose of conter plant. Empty remaining Dispose of as unu Do not re-use em	its/ container to an approved waste disposal contents.

14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UN number Proper shipping name Class Packing group Labels Environmentally hazardous	:	UN 1492 POTASSIUM PERSULPHATE 5.1 III 5.1 no
IATA-DGR UN/ID No. Proper shipping name Class Packing group Labels Packing instruction (cargo aircraft) Packing instruction (passen- ger aircraft)	:	UN 1492 Potassium persulphate 5.1 III Oxidizer 563 559
IMDG-Code UN number Proper shipping name	:	UN 1492 POTASSIUM PERSULPHATE
Class Packing group Labels EmS Code Marine pollutant	-	5.1 III 5.1 F-A, S-Q no



Version	Revision Date:	SDS Number:	Date of last issue: 03.05.2021
1.1	25.06.2024	60000000019	Date of first issue: 03.05.2021

Transport in bulk according to IMO instruments

Not applicable for product as supplied.

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mix-ture

The components of this pro	duo	ct are reported in the following inventories:
TCSI (TW)	:	On the inventory, or in compliance with the inventory
TSCA (US)	:	All substances listed as active on the TSCA inventory
AIIC (AU)	:	All components are listed on the inventory, regulatory obliga- tions/restrictions apply
DSL (CA)	:	All components of this product are on the Canadian DSL
ENCS (JP)	:	On the inventory, or in compliance with the inventory
ISHL (JP)	:	On the inventory, or in compliance with the inventory
KECI (KR)	:	On the inventory, or in compliance with the inventory
PICCS (PH)	:	On the inventory, or in compliance with the inventory
IECSC (CN)	:	On the inventory, or in compliance with the inventory
NZIoC (NZ)	:	On the inventory, or in compliance with the inventory
TECI (TH)	:	On the inventory, or in compliance with the inventory

16. OTHER INFORMATION

Revision Date : 25.06.2024

Further information



Version 1.1	Revision Date: 25.06.2024		S Number: 0000000019	Date of last issue: 03.05.2021 Date of first issue: 03.05.2021
Other in	nformation	:	safety and does no uct specification. These safety instru- may still contain p	eet only contains information relating to ot replace any product information or prod- uctions also apply to empty packaging which roduct residues. e label also apply to residues in the con-
	s of key data used to e the Safety Data	:		data, data from raw material SDSs, OECD rch results and European Chemicals Agen- opa.eu/
Date fo	rmat	:	dd.mm.yyyy	
Full tex	ct of other abbreviation	ons		
ACGIH		:	USA. ACGIH Three	shold Limit Values (TLV)

ACGIH / TWA : 8-hour, time-weighted average

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate: NOM - Official Mexican Norm: NTP - National Toxicology Program: NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific



|--|

material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

IN / EN