KPS



Version 2.3

Revision Date: 2023/03/24

SDS Number (Inter-

nal):

60000000019

MSDS number: AA00974-0000000358

Date of last issue: 2023/03/08 Date of first issue: 2017/03/28

1. PRODUCT AND COMPANY IDENTIFICATION

Product name : KPS

Recommended use of the chemical and restrictions on use

Recommended use : Oxidizing agent

polymerisation initiators

Manufacturer or supplier's details

Company : United Initiators GmbH

Address : Dr.-Gustav-Adolph-Str. 3

82049 Pullach

Telephone : +49 / 89 / 74422 - 0

Emergency telephone number : +82-02-6245-1610

E-mail address : contact@united-in.com

2. HAZARDS IDENTIFICATION

GHS Classification

Oxidizing solids : Category 3

Acute toxicity (Oral) : Category 4

Skin corrosion/irritation : Category 2

Serious eye damage/eye irri-

tation

Category 2

Respiratory sensitisation : Category 1

Skin sensitisation : Category 1

Specific target organ toxicity - :

single exposure

Category 3 (Respiratory system)

GHS label elements

Hazard pictograms







Signal word : Danger

KPS



Version 2.3

Revision Date: 2023/03/24

SDS Number (Internal):

MSDS number: AA00974-0000000358

Date of last issue: 2023/03/08

60000000019

Date of first issue: 2017/03/28

Hazard statements : H272 May intensify fire; oxidizer.

H302 Harmful if swallowed. H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

H334 May cause allergy or asthma symptoms or breathing

difficulties if inhaled.

H335 May cause respiratory irritation.

Precautionary statements

Prevention:

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P220 Keep away from clothing and other combustible materials

P261 Avoid breathing dust.

P264 Wash the contact area thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P271 Use only outdoors or in a well-ventilated area.

P272 Contaminated work clothing should not be allowed out of the workplace.

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

P284 Wear respiratory protection.

Response:

P301 + P312 + P330 IF SWALLOWED: Call a POISON

CENTER/ doctor if you feel unwell. Rinse mouth.

P302 + P352 IF ON SKIN: Wash with plenty of water.

P304 + P340 + P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/doctor if you feel unwell.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P321 Specific treatment (see supplemental first aid instructions on this label).

P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.

P337 + P313 If eye irritation persists: Get medical advice/ attention.

P342 + P311 If experiencing respiratory symptoms: Call a POISON CENTER/ doctor.

P362 + P364 Take off contaminated clothing and wash it before reuse.

P370 + P378 In case of fire: Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide to extinguish.

Storage:

P403 + P233 Store in a well-ventilated place. Keep container tightly closed.

P405 Store locked up.

KPS



Version 2.3

Revision Date: 2023/03/24

SDS Number (Inter-

MSDS number: AA00974-0000000358

Date of last issue: 2023/03/08

nal): 60000000019

Date of first issue: 2017/03/28

Disposal:

P501 Dispose of contents and container according to wastes

control act.

Other hazards which do not result in classification

No data available

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture Substance

Chemical nature Persulphate

Solid

Components

Chemical name	Common	CAS-No.	Concentration (%
	Name		w/w)
Dipotassium peroxodisulphate	Dipotassium peroxodisul-phate	7727-21-1	<= 100

4. FIRST AID MEASURES

General advice Move out of dangerous area.

Show this safety data sheet to the doctor in attendance.

Do not leave the victim unattended.

Symptoms of poisoning may appear several hours later.

Call a physician immediately.

In the case of contact with eyes, rinse immediately with plenty In case of eye contact

of water and seek medical advice.

Remove contact lenses. Protect unharmed eye.

Keep eye wide open while rinsing.

If eye irritation persists, consult a specialist.

In case of skin contact In case of contact, immediately flush skin with plenty of water

for at least 15 minutes while removing contaminated clothing

and shoes.

Wash contaminated clothing before re-use.

If on skin, rinse well with water. If on clothes, remove clothes. If symptoms persist, call a physician.

If inhaled Call a physician or poison control centre immediately.

If unconscious, place in recovery position and seek medical

Keep respiratory tract clear.

If breathed in, move person into fresh air.

KPS



Version 2.3

Revision Date: 2023/03/24

SDS Number (Inter-

MSDS number: AA00974-0000000358 Date of last issue: 2023/03/08

3/03/24 nal): 600000000019

Date of first issue: 2017/03/28

If swallowed

Keep respiratory tract clear.
Call a physician immediately.
Rinse mouth thoroughly with water.

Most important symptoms and effects, both acute and

Harmful if swallowed. Causes skin irritation.

delayed

May cause an allergic skin reaction.

Causes serious eye irritation.

May cause allergy or asthma symptoms or breathing difficul-

ties if inhaled.

May cause respiratory irritation.

Protection of first-aiders

First Aid responders should pay attention to self-protection

and use the recommended protective clothing

Notes to physician

Treat symptomatically and supportively.

5. FIREFIGHTING MEASURES

Suitable and unsuitable extinguishing media

Suitable extinguishing media

Water spray jet

Foam

Unsuitable extinguishing

media

High volume water jet

Specific hazards during fire-

fighting

Contact with incompatible materials or exposure to temperatures exceeding SADT may result in a self-accelerating de-

composition reaction with release of flammable vapors which

may auto-ignite.

Cool closed containers exposed to fire with water spray.

Specific extinguishing meth-

ods

Collect contaminated fire extinguishing water separately. This

must not be discharged into drains.

Fire residues and contaminated fire extinguishing water must

be disposed of in accordance with local regulations.

Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment.

Do not use a solid water stream as it may scatter and spread

fire.

Remove undamaged containers from fire area if it is safe to do

SO.

Use water spray to cool unopened containers.

Suppress (knock down) gases/vapours/mists with a water

spray jet.

Special protective equipment

for firefighters

Wear self-contained breathing apparatus for firefighting if nec-

essary.

KPS



Version 2.3

Revision Date: 2023/03/24

SDS Number (Inter-

r- MS

MSDS number: AA00974-0000000358

nal): Date of last issue: 2023/03/08 60000000019 Date of first issue: 2017/03/28

Use personal protective equipment.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Avoid dust formation.

Avoid dust iornation.

Avoid breathing dust.

Ensure adequate ventile

Ensure adequate ventilation. Remove all sources of ignition.

Follow safe handling advice and personal protective equip-

ment recommendations.

Never return spills in original containers for re-use.

Treat recovered material as described in the section "Disposal

considerations".

Environmental precautions

Prevent product from entering drains.

Prevent further leakage or spillage if safe to do so.

If the product contaminates rivers and lakes or drains inform

respective authorities.

Methods and materials for containment and cleaning up

Contact with incompatible substances can cause decomposi-

tion at or below SADT.

Clear spills immediately.

Suppress (knock down) gases/vapours/mists with a water

spray jet.

To clean the floor and all objects contaminated by this materi-

al, use plenty of water.

Soak up with inert absorbent material. Isolate waste and do not reuse. Non-sparking tools should be used.

Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to deter-

mine which regulations are applicable.

7. HANDLING AND STORAGE

Technical measures : See Engineering measures under EXPOSURE

CONTROLS/PERSONAL PROTECTION section.

Advice on protection against

fire and explosion

Avoid dust formation.

Provide appropriate exhaust ventilation at places where dust

is formed.

Keep away from combustible material.

Advice on safe handling : Do not swallow.

Do not breathe vapours/dust.

Avoid exposure - obtain special instructions before use.

Avoid contact with skin and eyes.

Take precautionary measures against static discharges.

KPS



Version 2.3

Revision Date: 2023/03/24

SDS Number (Inter-

MSDS number: AA00974-0000000358 Date of last issue: 2023/03/08

nal):

60000000019

Date of first issue: 2017/03/28

Never return any product to the container from which it was originally removed.

Provide sufficient air exchange and/or exhaust in work rooms. Avoid confinement.

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Smoking, eating and drinking should be prohibited in the application area.

Wash thoroughly after handling.

For personal protection see section 8.

Persons susceptible to skin sensitisation problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used.

Protect from contamination. Protect from moisture.

Conditions for safe storage

Avoid impurities (e.g. rust, dust, ash), risk of decomposition. Electrical installations / working materials must comply with

the technological safety standards.

Containers which are opened must be carefully resealed and

kept upright to prevent leakage. Store in original container.

Keep containers tightly closed in a cool, well-ventilated place.

Keep in a dry place.

Store in accordance with the particular national regulations.

Materials to avoid Keep away from strong acids, bases, heavy metal salts and

other reducing substances.

Recommended storage tem- :

perature

< 30 °C

Further information on stor-

age stability

: No decomposition if stored normally.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type	Control parame-	Basis
		(Form of	ters / Permissible	
		exposure)	concentration	
Dipotassium peroxodisulphate	7727-21-1	TWA	0.1 mg/m3	ACGIH
			(Persulphate)	

Other ingredients, which are listed in section 3 but not listed in this section, do not have established occupational exposure limit values.

Engineering measures Minimize workplace exposure concentrations. **KPS**



Version 2.3

Revision Date:

SDS Number (Inter-

60000000019

MSDS number: AA00974-0000000358 Date of last issue: 2023/03/08

2023/03/24

Date of first issue: 2017/03/28

Personal protective equipment. Among the following personal protective equipment, the PPEs which require safety certification need to be certified by KOSHA.

Respiratory protection : In the case of dust or aerosol formation use respirator with an

approved filter.

Filter type : Filter type P

Eye protection : Tightly fitting safety goggles

nal):

Please wear suitable protective goggles. Also wear face pro-

tection if there is a splash hazard.

Ensure that eyewash stations and safety showers are close

to the workstation location.

Please follow all applicable local/national requirements when

selecting protective measures for a specific workplace.

Hand protection

Material : butyl-rubber
Break through time : 480 min
Glove thickness : 0.47 mm

Material : Nitrile rubber
Break through time : 480 min
Glove thickness : 0.20 mm

Remarks : The data about break through time/strength of material are

standard values! The exact break through time/strength of material has to be obtained from the producer of the protective glove. Choose gloves to protect hands against chemicals depending on the concentration and quantity of the hazardous substance and specific to place of work. For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer. Wash hands before breaks and at the end of

workday.

Skin and body protection : Select appropriate protective clothing based on chemical

resistance data and an assessment of the local exposure

potential.

Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, dis-

posable suits) to avoid exposed skin surfaces.

Wear as appropriate:

Flame retardant antistatic protective clothing.

Protective measures : The type of protective equipment must be selected according

to the concentration and amount of the dangerous substance

at the specific workplace.

Hygiene measures : Keep away from food and drink.

When using do not eat or drink. When using do not smoke.

KPS



Version 2.3

Revision Date: 2023/03/24

SDS Number (Inter-

MSDS number: AA00974-0000000358

Date of last issue: 2023/03/08 nal): 60000000019 Date of first issue: 2017/03/28

Wash hands before breaks and immediately after handling the product.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance solid

Colour white

Odour not significant

Odour Threshold not determined

рΗ

Concentration: ca. 10 g/l

Melting point/freezing point Decomposition: Decomposes below the melting point.

Initial boiling point and boiling

range

Not applicable

Flash point Not applicable

Evaporation rate Not applicable

Flammability (solid, gas) Not expected to form explosive dust-air mixtures.

Self-ignition The substance or mixture is not classified as pyrophoric.

Upper explosion limit / Upper

flammability limit

Upper explosion limit

No data available

Lower explosion limit / Lower

flammability limit

Lower explosion limit

No data available

Vapour pressure Not applicable

Bulk density 1,100 kg/m3

Solubility(ies)

Water solubility 60 g/l soluble (25 °C)

Relative vapour density Not applicable

Relative density not determined

not determined Density

KPS



Version 2.3

Revision Date:

SDS Number (Internal):

MSDS number: AA00974-0000000358 Date of last issue: 2023/03/08

2023/03/24

60000000019

Date of first issue: 2023/03/08

Partition coefficient: n-

octanol/water

Not applicable

Auto-ignition temperature

Not applicable Decomposition

Self-Accelerating decomposi-

tion temperature (SADT)

170 °C

Method: UN-Test H.4

SADT-Self Accelerating Decomposition Temperature. Lowest temperature at which the tested package size will undergo a

self-accelerating decomposition reaction.

Viscosity

Viscosity, dynamic : Not applicable

Viscosity, kinematic : Not applicable

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is classified as oxidizing with the

category 3.

Self-heating substances : The substance or mixture is not classified as self heating.

Particle size : not determined

Particle Size Distribution : $D10 = 18 \mu m$

Type of distribution: volume distribution Measurement technique: laser diffraction

10. STABILITY AND REACTIVITY

Chemical stability and possibility of hazardous reactions

Stable under recommended storage conditions.

Stable under recommended storage conditions.

Avoid moisture.

Even small amounts of moisture or impurities can noticably reduce the self-accelerating decomposition temperature

(SADT).

Conditions to avoid : Contact with incompatible substances can cause decomposi-

tion at or below SADT.

Even small amounts of moisture or impurities can noticably reduce the self-accelerating decomposition temperature

(SADT).

Incompatible materials : Accelerators, strong acids and bases, heavy metals and

heavy metal salts, reducing agents

Hazardous decomposition

products

: Irritant, caustic, flammable, noxious/toxic gases and vapours

can develop in the case of fire and decomposition

KPS



Version 2.3

Revision Date: 2023/03/24

SDS Number (Inter-

MSDS number: AA00974-0000000358 Date of last issue: 2023/03/08

nal): 60000000019

Date of first issue: 2017/03/28

11. TOXICOLOGICAL INFORMATION

Information on likely routes of : No data available

exposure

Health hazard information

Acute toxicity

Harmful if swallowed.

Product:

Acute oral toxicity LD50 (Rat, male): 742 mg/kg

Method: OECD Test Guideline 401

Assessment: The component/mixture is moderately toxic after

single ingestion.

Acute inhalation toxicity LC50 (Rat): > 5.1 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Method: OECD Test Guideline 403

Assessment: The substance or mixture has no acute inhala-

tion toxicity

Remarks: Expert judgement

Acute dermal toxicity LD50 (Rat): > 2,000 mg/kg

Assessment: The substance or mixture has no acute dermal

toxicity

Remarks: Expert judgement

Components:

Dipotassium peroxodisulphate:

Acute oral toxicity LD50 (Rat, male): 742 mg/kg

Method: OECD Test Guideline 401

Assessment: The component/mixture is moderately toxic after

single ingestion.

Acute inhalation toxicity LC50 (Rat): > 5.1 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Method: OECD Test Guideline 403

Assessment: The substance or mixture has no acute inhala-

tion toxicity

Remarks: Expert judgement

Acute dermal toxicity LD50 (Rat): > 2,000 mg/kg

Assessment: The substance or mixture has no acute dermal

toxicity

Remarks: Expert judgement

KPS



Version Revision Date: SDS Number (Inter- MSDS number: AA00974-0000000358

2.3 2023/03/24 nal): Date of last issue: 2023/03/08

60000000019 Date of first issue: 2017/03/28

Skin corrosion/irritation

Causes skin irritation.

Product:

Species : Rabbit

Method : OECD Test Guideline 404

Result : Skin irritation

Remarks : May cause skin irritation in susceptible persons.

Components:

Dipotassium peroxodisulphate:

Species : Rabbit

Method : OECD Test Guideline 404

Result : Skin irritation

Serious eye damage/eye irritation

Causes serious eye irritation.

Product:

Species : Rabbit
Result : Eye irritation

Method : OECD Test Guideline 405

Remarks : May cause irreversible eye damage.

Components:

Dipotassium peroxodisulphate:

Species : Rabbit
Result : Eye irritation

Method : OECD Test Guideline 405

Respiratory or skin sensitisation

Respiratory sensitisation

May cause allergy or asthma symptoms or breathing difficulties if inhaled.

Skin sensitisation

May cause an allergic skin reaction.

Product:

Exposure routes : Skin contact Species : Guinea pig

Method : OECD Test Guideline 406

Result : May cause sensitisation by skin contact.

KPS



Version Revision Date: SDS Number (Inter- MSDS number: AA00974-0000000358

2.3 2023/03/24 nal): Date of last issue: 2023/03/08

60000000019 Date of first issue: 2017/03/28

Exposure routes : inhalation (dust/mist/fume)

Result : May cause sensitisation by inhalation.

Remarks : Expert judgement

Remarks : Causes sensitisation.

Components:

Dipotassium peroxodisulphate:

Exposure routes : Skin contact Species : Guinea pig

Method : OECD Test Guideline 406

Result : May cause sensitisation by skin contact.

Exposure routes : inhalation (dust/mist/fume)

Result : May cause sensitisation by inhalation.

Remarks : Expert judgement

Carcinogenicity

Product:

Species : Mouse
Application Route : Skin contact
Exposure time : 52 weeks

Method : OECD Test Guideline 451

Result : negative

Components:

Dipotassium peroxodisulphate:

Species : Mouse
Application Route : Skin contact
Exposure time : 52 weeks

Method : OECD Test Guideline 451

Result : negative

Germ cell mutagenicity

Components:

Dipotassium peroxodisulphate:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Remarks: Based on data from similar materials

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo

cytogenetic assay) Species: Mouse

Application Route: Intraperitoneal injection

Result: negative

KPS



Version 2.3

Revision Date: 2023/03/24

SDS Number (Inter-

MSDS number: AA00974-0000000358 Date of last issue: 2023/03/08

nal):

60000000019 Date o

Date of first issue: 2017/03/28

Remarks: Based on data from similar materials

Reproductive toxicity

Product:

Effects on fertility : Species: Rat

Application Route: Ingestion Method: OECD Test Guideline 421

Result: negative

Effects on foetal develop-

ment

Species: Rat

Application Route: Ingestion

Method: OECD Test Guideline 421

Result: negative

Components:

Dipotassium peroxodisulphate:

Effects on fertility : Species: Rat

Application Route: Ingestion Method: OECD Test Guideline 421

Result: negative

Effects on foetal develop-

ment

Species: Rat

Application Route: Ingestion Method: OECD Test Guideline 421

Result: negative

STOT - single exposure

May cause respiratory irritation.

Product:

Assessment : May cause respiratory irritation.

Components:

Dipotassium peroxodisulphate:

Assessment : May cause respiratory irritation.

STOT - repeated exposure

No data available

Repeated dose toxicity

Product:

Species : Rat

NOAEL : 1,000 mg/kg
LOAEL : 3,000 mg/kg
Application Route : Ingestion

KPS



Version Revision Date: SDS Number (Inter- MSDS number: AA00974-0000000358

2.3 2023/03/24 nal): Date of last issue: 2023/03/08

60000000019 Date of first issue: 2017/03/28

Exposure time : 90 d

Method : OECD Test Guideline 408

Components:

Dipotassium peroxodisulphate:

Species : Rat

NOAEL : 1,000 mg/kg
LOAEL : 3,000 mg/kg
Application Route : Ingestion
Exposure time : 90 d

Method : OECD Test Guideline 408

Aspiration toxicity

No data available

Experience with human exposure

No data available

Toxicology, Metabolism, Distribution

No data available

Neurological effects

No data available

Further information

Product:

Remarks : No data available

12. ECOLOGICAL INFORMATION

Ecotoxicity

Product:

Toxicity to fish : LC50 (Scophthalmus maximus (turbot)): 107.6 mg/l

Exposure time: 96 h

Method: OECD Test Guideline 203

Remarks: Based on data from similar materials

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 120 mg/l

Exposure time: 48 h

Remarks: Based on data from similar materials

Toxicity to algae/aquatic

plants

EC50 (Phaeodactylum): 320 mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

Remarks: Based on data from similar materials

NOEC (Phaeodactylum): 32 mg/l

KPS



Version 2.3

Revision Date: 2023/03/24

SDS Number (Inter-

MSDS number: AA00974-0000000358

nal):

Date of last issue: 2023/03/08

60000000019

Date of first issue: 2017/03/28

Exposure time: 72 h

Method: OECD Test Guideline 201

Remarks: Based on data from similar materials

Toxicity to microorganisms

EC10 (Pseudomonas putida): 36 mg/l

Exposure time: 18 h

Remarks: Based on data from similar materials

Components:

Dipotassium peroxodisulphate:

Toxicity to fish LC50 (Scophthalmus maximus (turbot)): 107.6 mg/l

Exposure time: 96 h

Method: OECD Test Guideline 203

Remarks: Based on data from similar materials

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 120 mg/l

Exposure time: 48 h

Remarks: Based on data from similar materials

Toxicity to algae/aquatic

plants

EC50 (Phaeodactylum): 320 mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

Remarks: Based on data from similar materials

NOEC (Phaeodactylum): 32 mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

Remarks: Based on data from similar materials

EC10 (Pseudomonas putida): 36 mg/l Toxicity to microorganisms

Exposure time: 18 h

Remarks: Based on data from similar materials

Persistence and degradability

Components:

Dipotassium peroxodisulphate:

Biodegradability Remarks: The methods for determining biodegradability are

not applicable to inorganic substances.

Bioaccumulative potential

Components:

Dipotassium peroxodisulphate:

Partition coefficient: n-

octanol/water

: Remarks: Not applicable

KPS



Version 2.3

Revision Date: 2023/03/24

SDS Number (Inter-

MSDS number: AA00974-0000000358 Date of last issue: 2023/03/08

3/24 nal): 60000000019

Date of first issue: 2017/03/28

Mobility in soil

No data available

Other adverse effects

Product:

Additional ecological infor-

mation

: No data available

13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : The product should not be allowed to enter drains, water

courses or the soil.

Do not contaminate ponds, waterways or ditches with chemi-

cal or used container.

Dispose of wastes in an approved waste disposal facility.

Contaminated packaging : Empty remaining contents.

Dispose of as unused product. Do not re-use empty containers.

Do not burn, or use a cutting torch on, the empty drum.

Dispose of in accordance with local regulations.

Disposal precautions

Dispose of contents and container according to wastes control act.

14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UN number : UN 1492

Proper shipping name : POTASSIUM PERSULPHATE

Class : 5.1 Packing group : III Labels : 5.1

IATA-DGR

UN/ID No. : UN 1492

Proper shipping name : Potassium persulphate

Class : 5.1
Packing group : III
Labels : Oxidizer
Packing instruction (cargo : 563

aircraft)

Packing instruction (passen- :

559

ger aircraft)

IMDG-Code

KPS



MSDS number: AA00974-0000000358 Version Revision Date: SDS Number (Inter-

2.3 2023/03/24 nal): Date of last issue: 2023/03/08 60000000019 Date of first issue: 2017/03/28

UN number UN 1492

POTASSIUM PERSULPHATE Proper shipping name

Class 5.1 Packing group Ш Labels 5.1 F-A, S-Q EmS Code Marine pollutant

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National Regulations

Refer to section 15 for specific national regulation.

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

15. REGULATORY INFORMATION

National regulatory information

Regulation under the Occupational Safety and Health Act

Harmful Substances Prohibited from Manufacturing

Not applicable

Harmful Substances Required Permission for Manufacture

Not applicable

Harmful Agents to be kept below Occupational Exposure Limits

Not applicable

Harmful Agents Required to be kept below Permission Levels

Not applicable

Hazardous substances requiring management

Not applicable

Special Management Materials

Not applicable

Controlled Substances Subject to Environment Monitoring

Not applicable

Controlled Substances Subject to Health Examination

Not applicable

Regulation under the Chemicals Control Act

Toxic Chemicals

Not applicable

KPS



Version 2.3

Revision Date: 2023/03/24

SDS Number (Internal):

MSDS number: AA00974-0000000358

Date of last issue: 2023/03/08

60000000019

Date of first issue: 2017/03/28

Restricted Chemicals

Not applicable

Prohibited Chemicals

Not applicable

Toxic Release Inventory

Not applicable

Accident Precaution Chemicals

Not applicable

Dangerous Substances Safety Management Act

Classification Group 1, Oxidizing solids, Peroxodisulphates

Hazard rank Hazardous rank II

Designated Quantity 300 kilogram

Safety Warning Be careful in contact with flammables, Be careful with fire and

shock

Wastes Control Act

Industrial waste

Follow article 13 of the act to dispose the product waste

Other requirements in domestic and other countries

The components of this product are reported in the following inventories:

TCSI (TW) On the inventory, or in compliance with the inventory

TSCA (US) All substances listed as active on the TSCA inventory

AIIC (AU) On the inventory, or in compliance with the inventory

DSL (CA) All components of this product are on the Canadian DSL

ENCS (JP) On the inventory, or in compliance with the inventory

ISHL (JP) : On the inventory, or in compliance with the inventory

KECI (KR) On the inventory, or in compliance with the inventory

PICCS (PH) On the inventory, or in compliance with the inventory

IECSC (CN) On the inventory, or in compliance with the inventory

NZIoC (NZ) On the inventory, or in compliance with the inventory

KPS



Version 2.3

Revision Date: 2023/03/24

SDS Number (Inter-

er- MSDS number: AA00974-0000000358 Date of last issue: 2023/03/08

23/03/24 nal): 600000000019

Date of first issue: 2017/03/28

TECI (TH) : On the inventory, or in compliance with the inventory

16. OTHER INFORMATION

Further information

Sources of key data used to

compile the Safety Data

Sheet

Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agen-

cy, http://echa.europa.eu/

Issuing date : 2017/03/28

Revision number and date

Number of Revision : 2.3

Revision Date : 2023/03/24

Other information : This safety datasheet only contains information relating to

safety and does not replace any product information or prod-

uct specification.

These safety instructions also apply to empty packaging which

may still contain product residues.

Date format : yyyy/mm/dd

Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)

ACGIH / TWA : 8-hour, time-weighted average

AllC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose): MARPOL - International Convention for the Prevention of Pollution from Ships: n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect

KPS



Version Revision Date: SDS Number (Inter- MSDS number: AA00974-0000000358

2.3 2023/03/24 nal): Date of last issue: 2023/03/08 60000000019 Date of first issue: 2017/03/28

Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZloC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

KR / EN