

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



NOROX 425PR

Version
1.1

Revision Date:
16.10.2017

SDS Number:
600000000238

Print Date:
24.01.2018

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : NOROX 425PR

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub-
stance/Mixture : polymerisation initiators

1.3 Details of the supplier of the safety data sheet

Company : United Initiators GmbH
Dr.-Gustav-Adolph-Str. 3
82049 Pullach

E-mail address of person
responsible for the SDS : contact@united-in.com

1.4 Emergency telephone number

+49 / 89 / 74422 – 0 (24 h)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Organic peroxides, Type D	H242: Heating may cause a fire.
Skin sensitisation, Category 1	H317: May cause an allergic skin reaction.
Acute aquatic toxicity, Category 1	H400: Very toxic to aquatic life.
Chronic aquatic toxicity, Category 1	H410: Very toxic to aquatic life with long lasting effects.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms :



Signal word : Danger

Hazard statements : H242 Heating may cause a fire.
H317 May cause an allergic skin reaction.
H410 Very toxic to aquatic life with long lasting effects.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



NOROX 425PR

Version
1.1

Revision Date:
16.10.2017

SDS Number:
600000000238

Print Date:
24.01.2018

Precautionary statements :

Prevention:

P220 Keep/Store away from clothing/ strong acids, bases, heavy metal salts and other reducing substances /combustible materials.

P233 Keep container tightly closed.

P235 Keep cool.

P261 Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.

P273 Avoid release to the environment.

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

Response:

P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.

P362 + P364 Take off contaminated clothing and wash it before reuse.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

Hazardous components which must be listed on the label:

tert-butyl 3,5,5-trimethylperoxyhexanoate (CAS-No. 13122-18-4)

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Chemical nature : Organic Peroxide
Liquid mixture

Hazardous components

Chemical name	CAS-No. EC-No. Registration number	Classification	Concentration (% w/w)
tert-butyl 3,5,5-trimethylperoxyhexanoate	13122-18-4 236-050-7 01-2119498308-25	Org. Perox. D; H242 Skin Sens. 1; H317 Aquatic Acute 1; H400 Aquatic Chronic 1; H410	>= 85 - < 90
Acetylacetone	123-54-6 204-634-0 01-2119458968-15	Flam. Liq. 3; H226 Acute Tox. 4; H302 Acute Tox. 3; H331 Acute Tox. 3; H311	>= 10 - < 15

For explanation of abbreviations see section 16.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



NOROX 425PR

Version
1.1

Revision Date:
16.10.2017

SDS Number:
600000000238

Print Date:
24.01.2018

SECTION 4: First aid measures

4.1 Description of first aid measures

- General advice : Move out of dangerous area.
Show this safety data sheet to the doctor in attendance.
Do not leave the victim unattended.
Call a physician immediately.
- Protection of first-aiders : First Aid responders should pay attention to self-protection and use the recommended protective clothing
- If inhaled : If unconscious, place in recovery position and seek medical advice.
If symptoms persist, call a physician.
If breathed in, move person into fresh air.
- In case of skin contact : In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes.
Wash contaminated clothing before re-use.
If on skin, rinse well with water.
If on clothes, remove clothes.
If symptoms persist, call a physician.
- In case of eye contact : In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
Remove contact lenses.
Protect unharmed eye.
Keep eye wide open while rinsing.
If eye irritation persists, consult a specialist.
- If swallowed : Keep respiratory tract clear.
Call a physician immediately.

4.2 Most important symptoms and effects, both acute and delayed

- Risks : May cause an allergic skin reaction.

4.3 Indication of any immediate medical attention and special treatment needed

- Treatment : Treat symptomatically and supportively.
-

SECTION 5: Firefighting measures

5.1 Extinguishing media

- Suitable extinguishing media : Water spray
Alcohol-resistant foam
Carbon dioxide (CO₂)
Dry chemical
- Unsuitable extinguishing media : High volume water jet
-

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



NOROX 425PR

Version
1.1

Revision Date:
16.10.2017

SDS Number:
600000000238

Print Date:
24.01.2018

5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-fighting : Contact with incompatible materials or exposure to temperatures exceeding SADT may result in a self-accelerating decomposition reaction with release of flammable vapors which may auto-ignite.
The product burns violently.
Flash back possible over considerable distance.
Vapours may form explosive mixtures with air.
The product will float on water and can be reignited on surface water.
Cool closed containers exposed to fire with water spray.

5.3 Advice for firefighters

Special protective equipment for firefighters : Wear self-contained breathing apparatus for firefighting if necessary. Use personal protective equipment.

Specific extinguishing methods : Do not use a solid water stream as it may scatter and spread fire.
Remove undamaged containers from fire area if it is safe to do so.
Use water spray to cool unopened containers.

Further information : Collect contaminated fire extinguishing water separately. This must not be discharged into drains.
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Use personal protective equipment.
Remove all sources of ignition.
Follow safe handling advice and personal protective equipment recommendations.
Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.
Never return spills in original containers for re-use.
Treat recovered material as described in the section "Disposal considerations".

6.2 Environmental precautions

Environmental precautions : Prevent product from entering drains.
Prevent further leakage or spillage if safe to do so.
If the product contaminates rivers and lakes or drains inform respective authorities.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



NOROX 425PR

Version
1.1

Revision Date:
16.10.2017

SDS Number:
600000000238

Print Date:
24.01.2018

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Contact with incompatible substances can cause decomposition at or below SADT.
Clear spills immediately.
Suppress (knock down) gases/vapours/mists with a water spray jet.
To clean the floor and all objects contaminated by this material, use plenty of water.
Soak up with inert absorbent material.
Isolate waste and do not reuse.
Non-sparking tools should be used.
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.

6.4 Reference to other sections

For personal protection see section 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Technical measures : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.

Advice on safe handling : Do not breathe vapours/dust.
Avoid exposure - obtain special instructions before use.
Avoid contact with skin and eyes.
Avoid formation of aerosol.
Take precautionary measures against static discharges.
Never return any product to the container from which it was originally removed.
Provide sufficient air exchange and/or exhaust in work rooms.
Avoid confinement.
Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
Smoking, eating and drinking should be prohibited in the application area.
Wash thoroughly after handling.
For personal protection see section 8.
Persons susceptible to skin sensitisation problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used.
Protect from contamination.

Advice on protection against fire and explosion : Keep away from heat and sources of ignition. Use only explosion-proof equipment. Keep away from combustible material.

Hygiene measures : Keep away from food and drink. When using do not eat or drink. When using do not smoke. Wash hands before breaks and immediately after handling the product.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



NOROX 425PR

Version
1.1

Revision Date:
16.10.2017

SDS Number:
600000000238

Print Date:
24.01.2018

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers : Avoid impurities (e.g. rust, dust, ash), risk of decomposition. Electrical installations / working materials must comply with the technological safety standards. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Store in original container. Keep containers tightly closed in a cool, well-ventilated place. Store in accordance with the particular national regulations.

Advice on common storage : Keep away from strong acids, bases, heavy metal salts and other reducing substances.

Recommended storage temperature : < 30 °C

Other data : No decomposition if stored normally.

7.3 Specific end use(s)

Specific use(s) : For further information, refer to the product technical data sheet.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Contains no substances with occupational exposure limit values.

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health effects	Value
tert-butyl 3,5,5-trimethylperoxyhexanoate	Workers	Inhalation	Long-term systemic effects	5.6 mg/m ³
	Workers	Skin contact	Long-term systemic effects	3.2 mg/kg bw/day

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
tert-butyl 3,5,5-trimethylperoxyhexanoate	Fresh water	0.00051 mg/l
	Marine water	0.000051 mg/l
	Intermittent use/release	0.0051 mg/l
	Sewage treatment plant	2.6 mg/l
	Fresh water sediment	0.101 mg/kg
	Marine sediment	0.0101 mg/kg
	Soil	0.0199 mg/kg

8.2 Exposure controls

Engineering measures

Minimize workplace exposure concentrations.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



NOROX 425PR

Version
1.1

Revision Date:
16.10.2017

SDS Number:
600000000238

Print Date:
24.01.2018

Personal protective equipment

Eye protection	:	Tightly fitting safety goggles Please wear suitable protective goggles. Also wear face protection if there is a splash hazard. Ensure that eyewash stations and safety showers are close to the workstation location.
Hand protection	:	
Material	:	butyl-rubber
Break through time	:	>= 480 min
Glove thickness	:	0.5 mm
Remarks	:	Choose gloves to protect hands against chemicals depending on the concentration and quantity of the hazardous substance and specific to place of work. For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer. Wash hands before breaks and at the end of workday.
Skin and body protection	:	Select appropriate protective clothing based on chemical resistance data and an assessment of the local exposure potential.
Respiratory protection	:	In the case of dust or aerosol formation use respirator with an approved filter.
Filter type	:	ABEK-filter

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance	:	liquid
Colour	:	colourless
Odour	:	ester-like
pH	:	No data available
Melting point/range	:	-69 °C
Boiling point/boiling range	:	Decomposition: Decomposes below the boiling point.
Flash point	:	61 °C Method: ISO 3679
Flammability (solid, gas)	:	Not applicable
Upper explosion limit	:	No data available
Lower explosion limit	:	No data available

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



NOROX 425PR

Version 1.1	Revision Date: 16.10.2017	SDS Number: 600000000238	Print Date: 24.01.2018
----------------	------------------------------	-----------------------------	---------------------------

Vapour pressure	:	0.03 hPa (30 °C)
Density	:	0.89 g/cm ³ (20 °C)
Solubility(ies)		
Water solubility	:	14.2 g/l (20 °C) slightly soluble
Solubility in other solvents	:	No data available
Partition coefficient: n-octanol/water	:	No data available
Viscosity		
Viscosity, dynamic	:	5 mPa.s (20 °C)
Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing. Organic peroxide

9.2 Other information

Self-Accelerating decomposition temperature (SADT)	:	55 °C Method: UN-Test H.4 SADT-Self Accelerating Decomposition Temperature. Lowest temperature at which the tested package size will undergo a self-accelerating decomposition reaction.
--	---	--

SECTION 10: Stability and reactivity

10.1 Reactivity

Stable under recommended storage conditions.

10.2 Chemical stability

Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions

Hazardous reactions	:	Vapours may form explosive mixture with air.
---------------------	---	--

10.4 Conditions to avoid

Conditions to avoid	:	Protect from contamination. Contact with incompatible substances can cause decomposition at or below SADT. Heat, flames and sparks. Avoid confinement.
---------------------	---	---

10.5 Incompatible materials

Materials to avoid	:	Accelerators, strong acids and bases, heavy metals and heavy metal salts, reducing agents
--------------------	---	---

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



NOROX 425PR

Version
1.1

Revision Date:
16.10.2017

SDS Number:
600000000238

Print Date:
24.01.2018

10.6 Hazardous decomposition products

Irritant, caustic, flammable, noxious/toxic gases and vapours can develop in the case of fire and decomposition

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Not classified based on available information.

Product:

Acute oral toxicity : Acute toxicity estimate: > 2,000 mg/kg
Method: Calculation method

Acute inhalation toxicity : Acute toxicity estimate: > 20 mg/l
Exposure time: 4 h
Test atmosphere: vapour
Method: Calculation method

Acute dermal toxicity : Acute toxicity estimate: > 2,000 mg/kg
Method: Calculation method

Components:

tert-butyl 3,5,5-trimethylperoxyhexanoate:

Acute oral toxicity : LD50 (Rat): 12,905 mg/kg
Method: OECD Test Guideline 401

Acute inhalation toxicity : LC50 (Rat): > 0.8 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: OECD Test Guideline 403
Assessment: The substance or mixture has no acute inhalation toxicity

Acute dermal toxicity : LD0 (Rat): > 2,000 mg/kg
Method: OECD Test Guideline 402

Acetylacetone:

Acute oral toxicity : LD50 (Rat): 570 mg/kg

Acute inhalation toxicity : LC50 (Rat): 5.1 mg/l
Exposure time: 4 h
Test atmosphere: vapour
Method: OECD Test Guideline 403
Assessment: The component/mixture is toxic after short term inhalation.

Acute dermal toxicity : LD50 (Rabbit, female): 790 mg/kg

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



NOROX 425PR

Version
1.1

Revision Date:
16.10.2017

SDS Number:
600000000238

Print Date:
24.01.2018

Skin corrosion/irritation

Not classified based on available information.

Product:

Remarks: May cause skin irritation and/or dermatitis.

Components:

tert-butyl 3,5,5-trimethylperoxyhexanoate:

Species: Rabbit

Method: OECD Test Guideline 404

Result: No skin irritation

Acetylacetone:

Species: Rabbit

Result: No skin irritation

Serious eye damage/eye irritation

Not classified based on available information.

Product:

Remarks: Vapours may cause irritation to the eyes, respiratory system and the skin.

Components:

tert-butyl 3,5,5-trimethylperoxyhexanoate:

Species: Rabbit

Method: OECD Test Guideline 405

Result: No eye irritation

Acetylacetone:

Species: Rabbit

Result: No eye irritation

Respiratory or skin sensitisation

Skin sensitisation

May cause an allergic skin reaction.

Respiratory sensitisation

Not classified based on available information.

Product:

Remarks: Causes sensitisation.

Components:

tert-butyl 3,5,5-trimethylperoxyhexanoate:

Exposure routes: Skin contact

Species: Guinea pig

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



NOROX 425PR

Version
1.1

Revision Date:
16.10.2017

SDS Number:
600000000238

Print Date:
24.01.2018

Method: OECD Test Guideline 406
Result: May cause sensitisation by skin contact.

Acetylacetone:

Exposure routes: Skin contact
Species: Mouse
Method: OECD Test Guideline 429
Result: Does not cause skin sensitisation.

Germ cell mutagenicity

Not classified based on available information.

Components:

tert-butyl 3,5,5-trimethylperoxyhexanoate:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Method: OECD Test Guideline 471
Result: negative

: Method: OECD Test Guideline 473
Result: positive

: Method: OECD Test Guideline 476
Result: negative

Genotoxicity in vivo : Species: Rat
Application Route: Oral
Method: OECD Test Guideline 474
Result: negative

Acetylacetone:

Genotoxicity in vitro : Method: OECD Test Guideline 471
Result: negative

: Method: OECD Test Guideline 479
Result: positive

: Method: OECD Test Guideline 473
Result: positive

: Method: OECD Test Guideline 476
Result: negative

Genotoxicity in vivo : Method: OECD Test Guideline 474
Result: positive

Method: OECD Test Guideline 483
Result: negative

Method: OECD Test Guideline 475
Result: negative

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



NOROX 425PR

Version
1.1

Revision Date:
16.10.2017

SDS Number:
600000000238

Print Date:
24.01.2018

Method: OECD Test Guideline 478
Result: Equivocal

Test Type: DNA Repair
Species: Rat
Application Route: Oral
Result: negative

Species: Rat
Application Route: inhalation (vapour)
Method: OPPTS 870.5395
Result: negative

Carcinogenicity

Not classified based on available information.

Components:

tert-butyl 3,5,5-trimethylperoxyhexanoate:

Remarks: This information is not available.

Reproductive toxicity

Not classified based on available information.

Components:

tert-butyl 3,5,5-trimethylperoxyhexanoate:

Effects on fertility : Test Type: Reproduction/Developmental toxicity screening test
Species: Rat
Application Route: Oral
General Toxicity - Parent: NOAEL: 50 mg/kg body weight
Method: OECD Test Guideline 421

Effects on foetal development : Test Type: Embryo-foetal development
Species: Rat
Application Route: Oral
General Toxicity Maternal: NOAEL: 150 mg/kg body weight
Method: OECD Test Guideline 414
Result: negative

Acetylacetone:

Effects on foetal development : Species: Rat
Application Route: inhalation (vapour)
Duration of Single Treatment: 13 d
General Toxicity Maternal: NOAEC: 200
Teratogenicity: NOAEC Parent: 400
Embryo-foetal toxicity: NOAEC F1: 50
Method: OECD Test Guideline 414

Species: Rat
Application Route: inhalation (vapour)
Duration of Single Treatment: 13 d

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



NOROX 425PR

Version
1.1

Revision Date:
16.10.2017

SDS Number:
600000000238

Print Date:
24.01.2018

General Toxicity Maternal: LOAEC: 400
Embryo-foetal toxicity: LOAEC F1: 200
Method: OECD Test Guideline 414

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

Not classified based on available information.

Repeated dose toxicity

Components:

tert-butyl 3,5,5-trimethylperoxyhexanoate:

Species: Rat, male and female
NOAEL: 160 mg/kg
Application Route: oral (gavage)
Exposure time: 90 d
Method: OECD Test Guideline 408

Species: Rat, male and female
NOAEL: 50 mg/kg
Application Route: oral (gavage)
Exposure time: 28 d
Method: OECD Test Guideline 407

Acetylacetone:

Species: Rat
NOAEL: 200 mg/kg
LOAEL: 805 mg/kg
Application Route: inhalation (vapour)
Exposure time: 9 d

Species: Rat
NOAEL: 100 mg/kg
Application Route: inhalation (vapour)
Exposure time: 90 d
Method: OECD Test Guideline 413

Species: Rabbit
NOAEL: 244 mg/kg
LOAEL: 975 mg/kg
Application Route: Dermal
Exposure time: 9 d

Aspiration toxicity

Not classified based on available information.

Components:

Acetylacetone:

No aspiration toxicity classification

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



NOROX 425PR

Version
1.1

Revision Date:
16.10.2017

SDS Number:
600000000238

Print Date:
24.01.2018

Further information

Product:

Remarks: No data available

Components:

Acetylacetone:

Remarks: Solvents may degrease the skin.

SECTION 12: Ecological information

12.1 Toxicity

Components:

tert-butyl 3,5,5-trimethylperoxyhexanoate:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 7.0 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 0.52 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202

Toxicity to algae : EC50 (Pseudokirchneriella subcapitata (algae)): 0.33 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201

M-Factor (Acute aquatic toxicity) : 1

Toxicity to microorganisms : EC50 (Bacteria): 327.02 mg/l
Exposure time: 3 h
Method: OECD Test Guideline 209

Acetylacetone:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 104 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 25.9 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202

NOEC (Daphnia magna (Water flea)): 4.3 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202

Toxicity to algae : EC50 (Pseudokirchneriella subcapitata (green algae)): 83.22

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



NOROX 425PR

Version
1.1

Revision Date:
16.10.2017

SDS Number:
600000000238

Print Date:
24.01.2018

		mg/l Exposure time: 72 h Method: OECD Test Guideline 201
		NOEC (Pseudokirchneriella subcapitata (green algae)): 3.2 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
Toxicity to microorganisms	:	EC50 : 107.6 mg/l Exposure time: 3 h Method: OECD Test Guideline 209
		EC10 : 13.2 mg/l Exposure time: 3 h Method: OECD Test Guideline 209
Toxicity to fish (Chronic toxicity)	:	NOEC: 10 mg/l Exposure time: 34 d Species: Pimephales promelas (fathead minnow) Method: OECD Test Guideline 210
		LOEC: 22 mg/l Exposure time: 34 d Species: Pimephales promelas (fathead minnow) Method: OECD Test Guideline 210
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	NOEC: 18 mg/l Exposure time: 21 d Species: Daphnia magna (Water flea) Method: OECD Test Guideline 211

12.2 Persistence and degradability

Components:

tert-butyl 3,5,5-trimethylperoxyhexanoate:

Biodegradability : Result: Not readily biodegradable.
Method: OECD Test Guideline 301D

Acetylacetone:

Biodegradability : Result: Readily biodegradable.
Method: OECD Test Guideline 301C

12.3 Bioaccumulative potential

Components:

tert-butyl 3,5,5-trimethylperoxyhexanoate:

Partition coefficient: n-octanol/water : log Pow: 5.16

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



NOROX 425PR

Version
1.1

Revision Date:
16.10.2017

SDS Number:
600000000238

Print Date:
24.01.2018

Acetylacetone:

Bioaccumulation : Bioconcentration factor (BCF): 3.16
Remarks: Calculation

Partition coefficient: n-octanol/water : log Pow: 0.68 (40 °C)

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher..

12.6 Other adverse effects

Product:

Additional ecological information : **An environmental hazard cannot be excluded in the event of unprofessional handling or disposal. Very toxic to aquatic life with long lasting effects.**

Components:

Acetylacetone:

Additional ecological information : **An environmental hazard cannot be excluded in the event of unprofessional handling or disposal. Harmful to aquatic life.**

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product : The product should not be allowed to enter drains, water courses or the soil.
Do not contaminate ponds, waterways or ditches with chemical or used container.
Dispose of wastes in an approved waste disposal facility.

Contaminated packaging : Empty remaining contents.
Dispose of as unused product.
Do not re-use empty containers.
Do not burn, or use a cutting torch on, the empty drum.
Dispose of in accordance with local regulations.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



NOROX 425PR

Version
1.1

Revision Date:
16.10.2017

SDS Number:
600000000238

Print Date:
24.01.2018

SECTION 14: Transport information

14.1 UN number

ADN : UN 3105
ADR : UN 3105
RID : UN 3105
IMDG : UN 3105
IATA : UN 3105

14.2 UN proper shipping name

ADN : ORGANIC PEROXIDE TYPE D, LIQUID
(tert-BUTYL PEROXY-3,5,5-TRIMETHYLHEXANOATE)
ADR : ORGANIC PEROXIDE TYPE D, LIQUID
(tert-BUTYL PEROXY-3,5,5-TRIMETHYLHEXANOATE)
RID : ORGANIC PEROXIDE TYPE D, LIQUID
(tert-BUTYL PEROXY-3,5,5-TRIMETHYLHEXANOATE)
IMDG : ORGANIC PEROXIDE TYPE D, LIQUID
(tert-BUTYL PEROXY-3,5,5-TRIMETHYLHEXANOATE)
IATA : Organic peroxide type D, liquid
(tert-Butyl peroxy-3,5,5-trimethylhexanoate)

14.3 Transport hazard class(es)

ADN : 5.2
ADR : 5.2
RID : 5.2
IMDG : 5.2
IATA : 5.2

14.4 Packing group

ADN
Packing group : Not assigned by regulation
Classification Code : P1
Labels : 5.2

ADR
Packing group : Not assigned by regulation
Classification Code : P1
Labels : 5.2
Tunnel restriction code : (D)

RID
Packing group : Not assigned by regulation
Classification Code : P1
Hazard Identification Number : 539
Labels : 5.2

IMDG

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



NOROX 425PR

Version 1.1	Revision Date: 16.10.2017	SDS Number: 600000000238	Print Date: 24.01.2018
----------------	------------------------------	-----------------------------	---------------------------

Packing group : Not assigned by regulation
Labels : 5.2
EmS Code : F-J, S-R

IATA (Cargo)

Packing instruction (cargo aircraft) : 570
Packing group : Not assigned by regulation
Labels : Organic Peroxides, Keep Away From Heat

IATA (Passenger)

Packing instruction (passenger aircraft) : 570
Packing group : Not assigned by regulation
Labels : Organic Peroxides, Keep Away From Heat

14.5 Environmental hazards

ADN

Environmentally hazardous : yes

ADR

Environmentally hazardous : yes

RID

Environmentally hazardous : yes

IMDG

Marine pollutant : yes

14.6 Special precautions for user

Not applicable

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59) : Not applicable

Regulation (EC) No 1005/2009 on substances that deplete the ozone layer : Not applicable

Regulation (EC) No 850/2004 on persistent organic pollutants : Not applicable

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.

P6b	SELF-REACTIVE SUBSTANCES AND MIXTURES and ORGANIC PEROXIDES	Quantity 1 50 t	Quantity 2 200 t
-----	--	--------------------	---------------------

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



NOROX 425PR

Version
1.1

Revision Date:
16.10.2017

SDS Number:
600000000238

Print Date:
24.01.2018

E1 ENVIRONMENTAL HAZARDS 100 t 200 t

Other regulations : Gefahrengruppe nach § 3 BGV B4: Ib (German regulatory requirements)

Take note of Directive 94/33/EC on the protection of young people at work or stricter national regulations, where applicable.

The components of this product are reported in the following inventories:

DSL (CA) : All components of this product are on the Canadian DSL

AICS (AU) : On the inventory, or in compliance with the inventory

NZIoC (NZ) : On the inventory, or in compliance with the inventory

ENCS (JP) : On the inventory, or in compliance with the inventory

ISHL (JP) : On the inventory, or in compliance with the inventory

KECI (KR) : On the inventory, or in compliance with the inventory

PICCS (PH) : On the inventory, or in compliance with the inventory

IECSC (CN) : On the inventory, or in compliance with the inventory

TCSI (TW) : On the inventory, or in compliance with the inventory

TSCA (US) : On TSCA Inventory

15.2 Chemical safety assessment

This information is not available.

SECTION 16: Other information

Full text of H-Statements

- H226 : Flammable liquid and vapour.
- H242 : Heating may cause a fire.
- H302 : Harmful if swallowed.
- H311 : Toxic in contact with skin.
- H317 : May cause an allergic skin reaction.
- H331 : Toxic if inhaled.
- H400 : Very toxic to aquatic life.
- H410 : Very toxic to aquatic life with long lasting effects.

Full text of other abbreviations

- Acute Tox. : Acute toxicity
- Aquatic Acute : Acute aquatic toxicity
- Aquatic Chronic : Chronic aquatic toxicity
- Flam. Liq. : Flammable liquids
- Org. Perox. : Organic peroxides

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



NOROX 425PR

Version
1.1

Revision Date:
16.10.2017

SDS Number:
600000000238

Print Date:
24.01.2018

Skin Sens. : Skin sensitisation

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road; AICS - Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

Further information

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

GB / EN