

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

NOROX[®] 600-CL2



Version	Revision Date:	SDS Number:	Date of last issue: 26.06.2018
2.0	15.01.2019	600000000352	Date of first issue: 22.07.2016

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : NOROX[®]600-CL2

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub-
stance/Mixture : polymerisation initiators

1.3 Details of the supplier of the safety data sheet

Company : United Initiators GmbH
Dr.-Gustav-Adolph-Str. 3
82049 Pullach

E-mail address of person
responsible for the SDS : contact@united-in.com

1.4 Emergency telephone number

+49 / 89 / 74422 – 0 (24 h)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Organic peroxides, Type C H242: Heating may cause a fire.

Skin sensitisation, Category 1 H317: May cause an allergic skin reaction.

Long-term (chronic) aquatic hazard, Category 3 H412: Harmful to aquatic life with long lasting effects.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms :



Signal word : Danger

Hazard statements : H242 Heating may cause a fire.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

NOROX[®] 600-CL2



Version 2.0 Revision Date: 15.01.2019 SDS Number: 600000000352 Date of last issue: 26.06.2018
Date of first issue: 22.07.2016

H317 May cause an allergic skin reaction.
H412 Harmful to aquatic life with long lasting effects.

Precautionary statements :

Prevention:

P220 Keep/Store away from clothing/ strong acids, bases, heavy metal salts and other reducing substances /combustible materials.

P233 Keep container tightly closed.

P261 Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.

P273 Avoid release to the environment.

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

Response:

P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.

P362 + P364 Take off contaminated clothing and wash it before reuse.

Storage:

P411 Store at temperatures not exceeding 30 °C.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

Hazardous components which must be listed on the label:

Di(4-tert-butylcyclohexyl) peroxydicarbonate (CAS-No. 15520-11-3)

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Chemical nature : Organic Peroxide
Solid

Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
Di(4-tert-butylcyclohexyl) peroxydicarbonate	15520-11-3 239-557-1 01-2119966122-42-	Org. Perox. C; H242 Skin Sens. 1; H317 Aquatic Chronic 3;	>= 65 - < 70

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

NOROX[®] 600-CL2



Version 2.0 Revision Date: 15.01.2019 SDS Number: 600000000352 Date of last issue: 26.06.2018
Date of first issue: 22.07.2016

	0002	H412	
Dilauroyl peroxide	105-74-8 203-326-3 01-2119513346-45- 0003	Org. Perox. D; H242	>= 30 - < 35

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

- General advice : Move out of dangerous area.
Show this safety data sheet to the doctor in attendance.
Do not leave the victim unattended.
Call a physician immediately.
- Protection of first-aiders : First Aid responders should pay attention to self-protection and use the recommended protective clothing
- If inhaled : If unconscious, place in recovery position and seek medical advice.
If symptoms persist, call a physician.
If breathed in, move person into fresh air.
- In case of skin contact : In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes.
Wash contaminated clothing before re-use.
If on skin, rinse well with water.
If on clothes, remove clothes.
If symptoms persist, call a physician.
- In case of eye contact : In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
Remove contact lenses.
Protect unharmed eye.
Keep eye wide open while rinsing.
If eye irritation persists, consult a specialist.
- If swallowed : Keep respiratory tract clear.
Call a physician immediately.

4.2 Most important symptoms and effects, both acute and delayed

- Risks : May cause an allergic skin reaction.

4.3 Indication of any immediate medical attention and special treatment needed

- Treatment : Treat symptomatically and supportively.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

NOROX[®] 600-CL2



Version	Revision Date:	SDS Number:	Date of last issue: 26.06.2018
2.0	15.01.2019	600000000352	Date of first issue: 22.07.2016

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media : Water spray
Alcohol-resistant foam
Carbon dioxide (CO₂)
Dry chemical

Unsuitable extinguishing media : High volume water jet

5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-fighting : Contact with incompatible materials or exposure to temperatures exceeding SADT may result in a self-accelerating decomposition reaction with release of flammable vapors which may auto-ignite.
The product burns violently.
Flash back possible over considerable distance.
Vapours may form explosive mixtures with air.
The product will float on water and can be reignited on surface water.
Cool closed containers exposed to fire with water spray.

5.3 Advice for firefighters

Special protective equipment for firefighters : Wear self-contained breathing apparatus for firefighting if necessary. Use personal protective equipment.

Specific extinguishing methods : Do not use a solid water stream as it may scatter and spread fire.
Remove undamaged containers from fire area if it is safe to do so.
Use water spray to cool unopened containers.

Further information : Collect contaminated fire extinguishing water separately. This must not be discharged into drains.
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Use personal protective equipment.
Avoid dust formation.
Avoid breathing dust.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

NOROX[®] 600-CL2



Version	Revision Date:	SDS Number:	Date of last issue: 26.06.2018
2.0	15.01.2019	600000000352	Date of first issue: 22.07.2016

Remove all sources of ignition.
Follow safe handling advice and personal protective equipment recommendations.
Never return spills in original containers for re-use.
Treat recovered material as described in the section "Disposal considerations".

6.2 Environmental precautions

Environmental precautions : Prevent product from entering drains.
Prevent further leakage or spillage if safe to do so.
If the product contaminates rivers and lakes or drains inform respective authorities.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Contact with incompatible substances can cause decomposition at or below SADT.
Clear spills immediately.
Suppress (knock down) gases/vapours/mists with a water spray jet.
To clean the floor and all objects contaminated by this material, use plenty of water.
Soak up with inert absorbent material.
Isolate waste and do not reuse.
Non-sparking tools should be used.
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.

6.4 Reference to other sections

For personal protection see section 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Technical measures : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.

Advice on safe handling : Do not breathe vapours/dust.
Avoid exposure - obtain special instructions before use.
Avoid contact with skin and eyes.
Take precautionary measures against static discharges.
Never return any product to the container from which it was originally removed.
Provide sufficient air exchange and/or exhaust in work rooms.
Avoid confinement.
Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

NOROX[®] 600-CL2



Version	Revision Date:	SDS Number:	Date of last issue: 26.06.2018
2.0	15.01.2019	600000000352	Date of first issue: 22.07.2016

Smoking, eating and drinking should be prohibited in the application area.

Wash thoroughly after handling.

For personal protection see section 8.

Persons susceptible to skin sensitisation problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used.

Protect from contamination.

Advice on protection against fire and explosion : Avoid dust formation. Provide appropriate exhaust ventilation at places where dust is formed. Keep away from heat and sources of ignition. Use only explosion-proof equipment. Keep away from combustible material.

Hygiene measures : Keep away from food and drink. When using do not eat or drink. When using do not smoke. Wash hands before breaks and immediately after handling the product.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers : Avoid impurities (e.g. rust, dust, ash), risk of decomposition. Electrical installations / working materials must comply with the technological safety standards. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Store in original container. Keep containers tightly closed in a cool, well-ventilated place. Store in accordance with the particular national regulations.

Advice on common storage : Keep away from strong acids, bases, heavy metal salts and other reducing substances.

Recommended storage temperature : < 20 °C

Further information on storage stability : No decomposition if stored normally.

7.3 Specific end use(s)

Specific use(s) : For further information, refer to the product technical data sheet.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Contains no substances with occupational exposure limit values.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

NOROX® 600-CL2



Version 2.0 Revision Date: 15.01.2019 SDS Number: 600000000352 Date of last issue: 26.06.2018
Date of first issue: 22.07.2016

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health effects	Value
Di(4-tert-butylcyclohexyl) peroxydicarbonate	Workers	Inhalation	Long-term systemic effects	5.87 mg/m ³
	Workers	Skin contact	Long-term systemic effects	16.67 mg/kg bw/day
Dilauroyl peroxide	Workers	Inhalation	Long-term systemic effects	35 mg/m ³
	Workers	Skin contact	Long-term systemic effects	100 mg/kg bw/day
	Workers	Inhalation	Long-term local effects	10 mg/m ³

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
Di(4-tert-butylcyclohexyl) peroxydicarbonate	Fresh water	0.39 mg/l
	Marine water	0.039 mg/l
	Intermittent use/release	0.39 mg/l
	Fresh water sediment	4685 mg/kg
	Marine sediment	468.5 mg/kg
	Soil	936.8 mg/kg
	Sewage treatment plant	2 mg/l
Dilauroyl peroxide	Fresh water	0.0089 mg/l
	Marine water	0.0009 mg/l
	Intermittent use/release	0.0089 mg/l
	Sewage treatment plant	10 mg/l
	Fresh water sediment	3.2 mg/kg
	Marine sediment	0.32 mg/kg
	Soil	41.3 mg/kg

8.2 Exposure controls

Engineering measures

Minimize workplace exposure concentrations.

Personal protective equipment

Eye protection : Tightly fitting safety goggles
Please wear suitable protective goggles. Also wear face protection if there is a splash hazard.
Ensure that eyewash stations and safety showers are close to the workstation location.

Hand protection

Material : butyl-rubber
Break through time : \geq 480 min
Glove thickness : 0.5 mm

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

NOROX[®] 600-CL2



Version	Revision Date:	SDS Number:	Date of last issue: 26.06.2018
2.0	15.01.2019	600000000352	Date of first issue: 22.07.2016

Remarks	:	Choose gloves to protect hands against chemicals depending on the concentration and quantity of the hazardous substance and specific to place of work. For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer. Wash hands before breaks and at the end of workday.
Skin and body protection	:	Select appropriate protective clothing based on chemical resistance data and an assessment of the local exposure potential.
Respiratory protection	:	In the case of dust or aerosol formation use respirator with an approved filter.
Filter type	:	Filter type P

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance	:	powder
Colour	:	white
Odour	:	characteristic
Odour Threshold	:	No data available
pH	:	No data available
Melting point/freezing point	:	82 °C Decomposes before melting.
Initial boiling point and boiling range	:	No data available Decomposition
Flash point	:	Not applicable
Evaporation rate	:	Not applicable
Flammability (solid, gas)	:	Not classified as a flammability hazard
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower	:	No data available

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

NOROX[®] 600-CL2



Version	Revision Date:	SDS Number:	Date of last issue: 26.06.2018
2.0	15.01.2019	600000000352	Date of first issue: 22.07.2016

flammability limit

Vapour pressure : 0.01 Pa (20 °C)

Relative vapour density : Not applicable

Density : 1.1025 g/cm³ (20 °C)

Bulk density : 0.5 g/cm³

Solubility(ies)

Water solubility : insoluble

Partition coefficient: n-octanol/water : No data available

Auto-ignition temperature : No data available

Viscosity

Viscosity, dynamic : Not applicable

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.
Organic peroxide

9.2 Other information

Self-Accelerating decomposition temperature (SADT) : 45 °C
Method: UN-Test H.4
SADT-Self Accelerating Decomposition Temperature. Lowest temperature at which the tested package size will undergo a self-accelerating decomposition reaction.

SECTION 10: Stability and reactivity

10.1 Reactivity

Heating may cause a fire.
Stable under recommended storage conditions.

10.2 Chemical stability

Stable if used as directed. Follow precautionary advice and avoid incompatible materials and conditions.
Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions

Hazardous reactions : Dust may form explosive mixture in air.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

NOROX[®] 600-CL2



Version	Revision Date:	SDS Number:	Date of last issue: 26.06.2018
2.0	15.01.2019	600000000352	Date of first issue: 22.07.2016

10.4 Conditions to avoid

Conditions to avoid : Protect from contamination.
Contact with incompatible substances can cause decomposition at or below SADT.
Heat, flames and sparks.
Avoid confinement.

10.5 Incompatible materials

Materials to avoid : Accelerators, strong acids and bases, heavy metals and heavy metal salts, reducing agents

10.6 Hazardous decomposition products

Irritant, caustic, flammable, noxious/toxic gases and vapours can develop in the case of fire and decomposition

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Not classified based on available information.

Components:

Di(4-tert-butylcyclohexyl) peroxydicarbonate:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg
Method: OECD Test Guideline 401
Assessment: The component/mixture is minimally toxic after single ingestion.

Acute inhalation toxicity : Remarks: No data available

Acute dermal toxicity : Remarks: No data available

Dilauroyl peroxide:

Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg
Method: Expert judgement
Assessment: The substance or mixture has no acute oral toxicity

Acute inhalation toxicity : LC50 (Rat): 200 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: Expert judgement
Assessment: The substance or mixture has no acute inhalation toxicity

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

NOROX[®] 600-CL2



Version	Revision Date:	SDS Number:	Date of last issue: 26.06.2018
2.0	15.01.2019	600000000352	Date of first issue: 22.07.2016

Method: Expert judgement
Assessment: The substance or mixture has no acute dermal toxicity

Skin corrosion/irritation

Not classified based on available information.

Product:

Remarks : May cause skin irritation and/or dermatitis.

Components:

Di(4-tert-butylcyclohexyl) peroxydicarbonate:

Species : Rabbit
Method : OECD Test Guideline 404
Result : No skin irritation

Dilauroyl peroxide:

Species : Rabbit
Method : OECD Test Guideline 404
Result : No skin irritation

Serious eye damage/eye irritation

Not classified based on available information.

Product:

Remarks : Product dust may be irritating to eyes, skin and respiratory system.

Components:

Di(4-tert-butylcyclohexyl) peroxydicarbonate:

Species : Rabbit
Method : OECD Test Guideline 405
Result : No eye irritation

Dilauroyl peroxide:

Species : Rabbit
Method : OECD Test Guideline 405
Result : No eye irritation

Respiratory or skin sensitisation

Skin sensitisation

May cause an allergic skin reaction.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

NOROX[®] 600-CL2



Version	Revision Date:	SDS Number:	Date of last issue: 26.06.2018
2.0	15.01.2019	600000000352	Date of first issue: 22.07.2016

Respiratory sensitisation

Not classified based on available information.

Product:

Remarks : Causes sensitisation.

Components:

Di(4-tert-butylcyclohexyl) peroxydicarbonate:

Species : Mouse
Method : OECD Test Guideline 429
Result : May cause sensitisation by skin contact.

Dilauroyl peroxide:

Species : Guinea pig
Method : OECD Test Guideline 406
Result : Does not cause skin sensitisation.

Germ cell mutagenicity

Not classified based on available information.

Components:

Di(4-tert-butylcyclohexyl) peroxydicarbonate:

Genotoxicity in vitro : Method: OECD Test Guideline 471
Result: negative

Method: OECD Test Guideline 476
Result: negative

Method: OECD Test Guideline 487
Result: negative

Genotoxicity in vivo : Remarks: No data available

Dilauroyl peroxide:

Genotoxicity in vitro : Test Type: In vitro mammalian cell gene mutation test
Method: OECD Test Guideline 476
Result: negative

Test Type: Chromosome aberration test in vitro
Method: OECD Test Guideline 473
Result: negative

Test Type: Bacterial reverse mutation assay (AMES)
Method: OECD Test Guideline 471
Result: negative

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

NOROX[®] 600-CL2



Version	Revision Date:	SDS Number:	Date of last issue: 26.06.2018
2.0	15.01.2019	600000000352	Date of first issue: 22.07.2016

Carcinogenicity

Not classified based on available information.

Components:

Di(4-tert-butylcyclohexyl) peroxydicarbonate:

Remarks : This information is not available.

Reproductive toxicity

Not classified based on available information.

Components:

Di(4-tert-butylcyclohexyl) peroxydicarbonate:

Effects on fertility : Remarks: This information is not available.

Effects on foetal development : Remarks: This information is not available.

Dilauroyl peroxide:

Effects on foetal development : Species: Rat
General Toxicity Maternal: NOAEL: 1,000 mg/kg body weight
Method: OECD Test Guideline 414

STOT - single exposure

Not classified based on available information.

Components:

Di(4-tert-butylcyclohexyl) peroxydicarbonate:

Remarks : No data available

STOT - repeated exposure

Not classified based on available information.

Components:

Di(4-tert-butylcyclohexyl) peroxydicarbonate:

Remarks : No data available

Repeated dose toxicity

Components:

Di(4-tert-butylcyclohexyl) peroxydicarbonate:

Species : Rat
NOAEL : 500 mg/kg
LOAEL : 1,000 mg/kg
Application Route : Oral

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

NOROX® 600-CL2



Version	Revision Date:	SDS Number:	Date of last issue: 26.06.2018
2.0	15.01.2019	600000000352	Date of first issue: 22.07.2016

Exposure time : 28 d
Method : OECD Test Guideline 407

Dilauroyl peroxide:

Species : Rat
NOAEL : 1,000 mg/kg
Application Route : Oral
Exposure time : 28 d
Method : OECD Test Guideline 407

Aspiration toxicity

Not classified based on available information.

Components:

Di(4-tert-butylcyclohexyl) peroxydicarbonate:

No data available

Further information

Product:

Remarks : No data available

SECTION 12: Ecological information

12.1 Toxicity

Components:

Di(4-tert-butylcyclohexyl) peroxydicarbonate:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 704 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 42 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202

Toxicity to algae : ErC50 (Desmodesmus subspicatus (green algae)): 39 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201

Dilauroyl peroxide:

Toxicity to fish : LC50 (Poecilia reticulata (guppy)): > 1,000 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203
Remarks: No toxicity at the limit of solubility

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

NOROX[®] 600-CL2



Version	Revision Date:	SDS Number:	Date of last issue: 26.06.2018
2.0	15.01.2019	600000000352	Date of first issue: 22.07.2016

- Toxicity to daphnia and other aquatic invertebrates : EC0 (Daphnia magna (Water flea)): > 9.7 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202
Remarks: No toxicity at the limit of solubility
- Toxicity to algae : NOEC (Pseudokirchneriella subcapitata (green algae)): 0.089 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201
Remarks: No toxicity at the limit of solubility
- Toxicity to microorganisms : EC50 : > 1,000 mg/l
Exposure time: 0.5 h
Method: OECD Test Guideline 209
Remarks: No toxicity at the limit of solubility

12.2 Persistence and degradability

Components:

Di(4-tert-butylcyclohexyl) peroxydicarbonate:

Biodegradability : Result: Not readily biodegradable.
Method: OECD Test Guideline 301B

Dilauroyl peroxide:

Biodegradability : Result: Readily biodegradable.
Method: OECD Test Guideline 301D

12.3 Bioaccumulative potential

Components:

Di(4-tert-butylcyclohexyl) peroxydicarbonate:

Bioaccumulation : Bioconcentration factor (BCF): 2,926

Partition coefficient: n-octanol/water : log Pow: 8.34
Remarks: Calculation

Dilauroyl peroxide:

Partition coefficient: n-octanol/water : log Pow: > 6.5

12.4 Mobility in soil

No data available

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

NOROX[®] 600-CL2



Version	Revision Date:	SDS Number:	Date of last issue: 26.06.2018
2.0	15.01.2019	600000000352	Date of first issue: 22.07.2016

12.5 Results of PBT and vPvB assessment

Product:

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher..

12.6 Other adverse effects

Product:

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.
Harmful to aquatic life with long lasting effects.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product : The product should not be allowed to enter drains, water courses or the soil.
Do not contaminate ponds, waterways or ditches with chemical or used container.
Dispose of wastes in an approved waste disposal facility.

Contaminated packaging : Empty remaining contents.
Dispose of as unused product.
Do not re-use empty containers.
Do not burn, or use a cutting torch on, the empty drum.
Dispose of in accordance with local regulations.

SECTION 14: Transport information

14.1 UN number

ADN : UN 3114
ADR : UN 3114
RID : UN 3114
Not permitted for transport
IMDG : UN 3114
IATA : UN 3114
Not permitted for transport

14.2 UN proper shipping name

ADN : ORGANIC PEROXIDE TYPE C, SOLID, TEMPERATURE CONTROLLED

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

NOROX[®] 600-CL2



Version 2.0 Revision Date: 15.01.2019 SDS Number: 600000000352 Date of last issue: 26.06.2018
Date of first issue: 22.07.2016

ADR : (DI-(4-tert-BUTYLCYCLOHEXYL)PEROXYDICARBONATE)
ORGANIC PEROXIDE TYPE C, SOLID, TEMPERATURE CONTROLLED

RID : (DI-(4-tert-BUTYLCYCLOHEXYL)PEROXYDICARBONATE)
ORGANIC PEROXIDE TYPE C, SOLID, TEMPERATURE CONTROLLED
Not permitted for transport

IMDG : ORGANIC PEROXIDE TYPE C, SOLID, TEMPERATURE CONTROLLED
(DI-(4-tert-BUTYLCYCLOHEXYL)PEROXYDICARBONATE)

IATA : ORGANIC PEROXIDE TYPE C, SOLID, TEMPERATURE CONTROLLED
Not permitted for transport

14.3 Transport hazard class(es)

ADN : 5.2

ADR : 5.2

RID : Not permitted for transport

IMDG : 5.2

IATA : Not permitted for transport

14.4 Packing group

ADN
Packing group : Not assigned by regulation
Classification Code : P2
Labels : 5.2

ADR
Packing group : Not assigned by regulation
Classification Code : P2
Labels : 5.2
Tunnel restriction code : (D)

RID : Not permitted for transport

IMDG
Packing group : Not assigned by regulation
Labels : 5.2
EmS Code : F-F, S-R

IATA (Cargo) : Not permitted for transport

IATA (Passenger) : Not permitted for transport

14.5 Environmental hazards

ADN
Environmentally hazardous : no

ADR

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

NOROX[®] 600-CL2



Version	Revision Date:	SDS Number:	Date of last issue: 26.06.2018
2.0	15.01.2019	600000000352	Date of first issue: 22.07.2016

Environmentally hazardous : no
RID : Not permitted for transport
IMDG
Marine pollutant : no

14.6 Special precautions for user

Additional advice:

Temperature controlled transport.:
Control temperature : 30 °C
Emergency temperature : 35 °C

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59) : Not applicable

REACH - List of substances subject to authorisation (Annex XIV) : Not applicable

Regulation (EC) No 1005/2009 on substances that deplete the ozone layer : Not applicable

Regulation (EC) No 850/2004 on persistent organic pollutants : Not applicable

Regulation (EC) No 649/2012 of the European Parliament and the Council concerning the export and import of dangerous chemicals : Not applicable

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, preparations and articles (Annex XVII) : Not applicable

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.

P6b	SELF-REACTIVE SUBSTANCES AND	Quantity 1 50 t	Quantity 2 200 t
-----	---------------------------------	--------------------	---------------------

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

NOROX[®] 600-CL2



Version	Revision Date:	SDS Number:	Date of last issue: 26.06.2018
2.0	15.01.2019	600000000352	Date of first issue: 22.07.2016

MIXTURES and ORGANIC PEROXIDES

Other regulations:

Gefahrgruppe nach § 3 BGV B4: Ib (German regulatory requirements)

Take note of Directive 94/33/EC on the protection of young people at work or stricter national regulations, where applicable.

The components of this product are reported in the following inventories:

DSL (CA)	:	All components of this product are on the Canadian DSL
AICS (AU)	:	On the inventory, or in compliance with the inventory
ENCS (JP)	:	On the inventory, or in compliance with the inventory
ISHL (JP)	:	On the inventory, or in compliance with the inventory
KECI (KR)	:	On the inventory, or in compliance with the inventory
PICCS (PH)	:	On the inventory, or in compliance with the inventory
IECSC (CN)	:	On the inventory, or in compliance with the inventory
TCSI (TW)	:	On the inventory, or in compliance with the inventory
TSCA (US)	:	On TSCA Inventory

15.2 Chemical safety assessment

This information is not available.

SECTION 16: Other information

Full text of H-Statements

H242	:	Heating may cause a fire.
H317	:	May cause an allergic skin reaction.
H412	:	Harmful to aquatic life with long lasting effects.

Full text of other abbreviations

Aquatic Chronic	:	Long-term (chronic) aquatic hazard
Org. Perox.	:	Organic peroxides
Skin Sens.	:	Skin sensitisation

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road; AICS - Australian Inventory of Chemical Substances; ASTM - American Society

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

NOROX[®] 600-CL2



Version	Revision Date:	SDS Number:	Date of last issue: 26.06.2018
2.0	15.01.2019	600000000352	Date of first issue: 22.07.2016

for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

Further information

Other information : This safety datasheet only contains information relating to safety and does not replace any product information or product specification.
These safety instructions also apply to empty packaging which may still contain product residues.

Sources of key data used to compile the Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Classification of the mixture:

Org. Perox. C	H242
Skin Sens. 1	H317
Aquatic Chronic 3	H412

Classification procedure:

Based on product data or assessment
Calculation method
Calculation method

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

NOROX[®] 600-CL2



Version	Revision Date:	SDS Number:	Date of last issue: 26.06.2018
2.0	15.01.2019	600000000352	Date of first issue: 22.07.2016

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

GB / EN