

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

## NOROX<sup>®</sup> CHP FRED



Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	03.02.2020	600000000866	Date of first issue: 03.02.2020

---

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Trade name : NOROX<sup>®</sup> CHP FRED

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub-  
stance/Mixture : Hardener

#### 1.3 Details of the supplier of the safety data sheet

Company : United Initiators GmbH  
Dr.-Gustav-Adolph-Str. 3  
82049 Pullach

Telephone : +49 / 89 / 74422 – 0

E-mail address of person  
responsible for the SDS : contact@united-in.com

#### 1.4 Emergency telephone number

+49 / 89 / 74422 – 0 (24 h)

---

### SECTION 2: Hazards identification

#### 2.1 Classification of the substance or mixture

##### Classification (REGULATION (EC) No 1272/2008)

Organic peroxides, Type F	H242: Heating may cause a fire.
Acute toxicity, Category 4	H302: Harmful if swallowed.
Acute toxicity, Category 3	H331: Toxic if inhaled.
Acute toxicity, Category 4	H312: Harmful in contact with skin.
Skin corrosion, Sub-category 1B	H314: Causes severe skin burns and eye damage.
Serious eye damage, Category 1	H318: Causes serious eye damage.
Specific target organ toxicity - single exposure, Category 3, Respiratory system	H335: May cause respiratory irritation.
Specific target organ toxicity - repeated exposure, Category 2	H373: May cause damage to organs through prolonged or repeated exposure.

---

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

## NOROX<sup>®</sup> CHP FRED



Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	03.02.2020	600000000866	Date of first issue: 03.02.2020

---

Aspiration hazard, Category 1

H304: May be fatal if swallowed and enters airways.

Long-term (chronic) aquatic hazard, Category 2

H411: Toxic to aquatic life with long lasting effects.

### 2.2 Label elements

#### Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms :



Signal word : Danger

Hazard statements :

- H242 Heating may cause a fire.
- H302 + H312 Harmful if swallowed or in contact with skin.
- H304 May be fatal if swallowed and enters airways.
- H314 Causes severe skin burns and eye damage.
- H331 Toxic if inhaled.
- H335 May cause respiratory irritation.
- H373 May cause damage to organs through prolonged or repeated exposure.
- H411 Toxic to aquatic life with long lasting effects.

Precautionary statements :

#### Prevention:

- P220 Keep/Store away from clothing/ strong acids, bases, heavy metal salts and other reducing substances /combustible materials.
- P233 Keep container tightly closed.
- P235 Keep cool.
- P260 Do not breathe dust/ fume/ gas/ mist/ vapours/ spray.
- P262 Do not get in eyes, on skin, or on clothing.
- P273 Avoid release to the environment.
- P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

#### Response:

- P301 + P310 IF SWALLOWED: Immediately call a POISON CENTER/doctor.
- P301 + P312 IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.
- P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
- P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.



# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

## NOROX<sup>®</sup> CHP FRED



Version 1.0      Revision Date: 03.02.2020      SDS Number: 600000000866      Date of last issue: -  
Date of first issue: 03.02.2020

	01-2119473983-24	Aquatic Chronic 2; H411	
Benzenemethanol, alpha,alpha-dimethyl-	617-94-7 210-539-5 01-2119965145-35	Acute Tox. 4; H302 Skin Irrit. 2; H315 Eye Irrit. 2; H319	>= 1 - < 5
acetophenone	98-86-2 202-708-7 606-042-00-1 01-2119533169-37	Eye Irrit. 2; H319	>= 1 - < 5

For explanation of abbreviations see section 16.

## SECTION 4: First aid measures

### 4.1 Description of first aid measures

- General advice : Move out of dangerous area.  
Show this safety data sheet to the doctor in attendance.  
Do not leave the victim unattended.  
Symptoms of poisoning may appear several hours later.  
No artificial respiration, mouth-to-mouth or mouth to nose. Use suitable instruments/apparatus.  
Call a physician immediately.
- Protection of first-aiders : First Aid responders should pay attention to self-protection and use the recommended protective clothing
- If inhaled : Call a physician or poison control centre immediately.  
If unconscious, place in recovery position and seek medical advice.  
Keep respiratory tract clear.  
Call a physician immediately.  
If breathed in, move person into fresh air.  
Contact a poison control center.
- In case of skin contact : In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes.  
Wash contaminated clothing before re-use.  
If on skin, rinse well with water.  
If on clothes, remove clothes.  
If symptoms persist, call a physician.
- In case of eye contact : Small amounts splashed into eyes can cause irreversible tissue damage and blindness.  
In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice.  
Continue rinsing eyes during transport to hospital.  
Remove contact lenses.  
Protect unharmed eye.  
Keep eye wide open while rinsing.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

## NOROX<sup>®</sup> CHP FRED



Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	03.02.2020	600000000866	Date of first issue: 03.02.2020

---

If eye irritation persists, consult a specialist.

If swallowed : Keep respiratory tract clear.  
Call a physician immediately.  
Contact a poison control center.  
Rinse mouth thoroughly with water.

#### 4.2 Most important symptoms and effects, both acute and delayed

Risks : Harmful if swallowed or in contact with skin.  
May be fatal if swallowed and enters airways.  
Causes serious eye damage.  
Toxic if inhaled.  
May cause respiratory irritation.  
May cause damage to organs through prolonged or repeated exposure.  
Causes severe burns.

#### 4.3 Indication of any immediate medical attention and special treatment needed

Treatment : Treat symptomatically and supportively.

---

### SECTION 5: Firefighting measures

#### 5.1 Extinguishing media

Suitable extinguishing media : Water spray jet  
Alcohol-resistant foam  
Carbon dioxide (CO<sub>2</sub>)  
Dry chemical

Unsuitable extinguishing media : High volume water jet

#### 5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-fighting : Contact with incompatible materials or exposure to temperatures exceeding SADT may result in a self-accelerating decomposition reaction with release of flammable vapors which may auto-ignite.  
The product burns violently.  
Flash back possible over considerable distance.  
Vapours may form explosive mixtures with air.  
The product will float on water and can be reignited on surface water.  
Cool closed containers exposed to fire with water spray.

#### 5.3 Advice for firefighters

Special protective equipment : Wear self-contained breathing apparatus for firefighting if necessary. Use personal protective equipment.

---

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

## NOROX<sup>®</sup> CHP FRED



Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	03.02.2020	600000000866	Date of first issue: 03.02.2020

---

- Specific extinguishing methods : Do not use a solid water stream as it may scatter and spread fire.  
Remove undamaged containers from fire area if it is safe to do so.  
Use water spray to cool unopened containers.
- Further information : Collect contaminated fire extinguishing water separately. This must not be discharged into drains.  
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.  
Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
- 

### SECTION 6: Accidental release measures

#### 6.1 Personal precautions, protective equipment and emergency procedures

- Personal precautions : Use personal protective equipment.  
Ensure adequate ventilation.  
Remove all sources of ignition.  
Evacuate personnel to safe areas.  
Follow safe handling advice and personal protective equipment recommendations.  
Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.  
Never return spills in original containers for re-use.  
Treat recovered material as described in the section "Disposal considerations".

#### 6.2 Environmental precautions

- Environmental precautions : Prevent product from entering drains.  
Prevent further leakage or spillage if safe to do so.  
If the product contaminates rivers and lakes or drains inform respective authorities.

#### 6.3 Methods and material for containment and cleaning up

- Methods for cleaning up : Contact with incompatible substances can cause decomposition at or below SADT.  
Clear spills immediately.  
Suppress (knock down) gases/vapours/mists with a water spray jet.  
To clean the floor and all objects contaminated by this material, use plenty of water.  
Soak up with inert absorbent material.  
Isolate waste and do not reuse.  
Non-sparking tools should be used.  
Local or national regulations may apply to releases and dis-

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

## NOROX<sup>®</sup> CHP FRED



Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	03.02.2020	600000000866	Date of first issue: 03.02.2020

---

posal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.

### 6.4 Reference to other sections

For personal protection see section 8.

---

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

- |   |   |   |
|---|---|---|
| Technical measures                              | : | See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.   |
| Advice on safe handling                         | : | Do not swallow.<br>Do not breathe vapours/dust.<br>Avoid exposure - obtain special instructions before use.<br>Avoid contact with skin and eyes.<br>Avoid formation of aerosol.<br>Take precautionary measures against static discharges.<br>Never return any product to the container from which it was originally removed.<br>Provide sufficient air exchange and/or exhaust in work rooms.<br>Avoid confinement.<br>Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.<br>Smoking, eating and drinking should be prohibited in the application area.<br>Wash thoroughly after handling.<br>For personal protection see section 8.<br>Protect from contamination. |
| Advice on protection against fire and explosion | : | Keep away from heat and sources of ignition. Use only explosion-proof equipment. Keep away from combustible material.   |
| Hygiene measures                                | : | Avoid contact with skin, eyes and clothing. Keep away from food and drink. When using do not eat or drink. When using do not smoke. Wash hands before breaks and immediately after handling the product.  |

### 7.2 Conditions for safe storage, including any incompatibilities

- |   |   |   |
|---|---|---|
| Requirements for storage areas and containers | : | Avoid impurities (e.g. rust, dust, ash), risk of decomposition. Electrical installations / working materials must comply with the technological safety standards. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Store in original container. Keep containers tightly closed in a cool, well-ventilated place. Store in accordance with the particular national regulations. |
|---|---|---|

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

## NOROX<sup>®</sup> CHP FRED



Version 1.0      Revision Date: 03.02.2020      SDS Number: 600000000866      Date of last issue: -  
Date of first issue: 03.02.2020

- Advice on common storage : Keep away from strong acids, bases, heavy metal salts and other reducing substances.
- Storage class (TRGS 510) : 5.2, Organic peroxides and self-reacting hazardous materials
- Recommended storage temperature : < 30 °C
- Further information on storage stability : No decomposition if stored normally.

### 7.3 Specific end use(s)

- Specific use(s) : For further information, refer to the product technical data sheet.

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

#### Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
Cumene	98-82-8	TWA	20 ppm 100 mg/m <sup>3</sup>	2000/39/EC
Further information	Identifies the possibility of significant uptake through the skin, Indicative			
		STEL	50 ppm 250 mg/m <sup>3</sup>	2000/39/EC
Further information	Identifies the possibility of significant uptake through the skin, Indicative			
		AGW	10 ppm 50 mg/m <sup>3</sup>	DE TRGS 900
Peak-limit: excursion factor (category)	4;(II)			
Further information	Commission for dangerous substances, Senate commission for the review of compounds at the work place dangerous for the health (MAK-commission), European Union (The EU has established a limit value: deviations in value and peak limit are possible), Skin absorption, When there is compliance with the OEL and biological tolerance values, there is no risk of harming the unborn child			

#### Biological occupational exposure limits

Substance name	CAS-No.	Control parameters	Sampling time	Basis
Cumene	98-82-8	2-phenyl-2-propanol: 10 mg/g Creatinine (Urine)	Immediately after exposure or after working hours	TRGS 903



# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

## NOROX<sup>®</sup> CHP FRED



Version 1.0      Revision Date: 03.02.2020      SDS Number: 600000000866      Date of last issue: -  
Date of first issue: 03.02.2020

### Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health effects	Value
Cumene hydroperoxide	Workers	Inhalation	Long-term systemic effects	6 mg/m <sup>3</sup>

### Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
Cumene hydroperoxide	Fresh water	0,0031 mg/l
	Marine water	0,00031 mg/l
	Intermittent use/release	0,031 mg/l
	Sewage treatment plant	0,35 mg/l
	Fresh water sediment	0,023 mg/kg
	Marine sediment	0,0023 mg/kg
	Soil	0,0029 mg/kg

## 8.2 Exposure controls

### Engineering measures

Minimize workplace exposure concentrations.

### Personal protective equipment

Eye protection : Tightly fitting safety goggles  
Please wear suitable protective goggles. Also wear face protection if there is a splash hazard.  
Ensure that eyewash stations and safety showers are close to the workstation location.

### Hand protection

Material : butyl-rubber  
Break through time : >= 480 min  
Glove thickness : 0,5 mm

Remarks : Choose gloves to protect hands against chemicals depending on the concentration and quantity of the hazardous substance and specific to place of work. For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer. Wash hands before breaks and at the end of workday.

Skin and body protection : Select appropriate protective clothing based on chemical resistance data and an assessment of the local exposure potential.

Respiratory protection : In the case of dust or aerosol formation use respirator with an approved filter.

Filter type : ABEK-filter

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

## NOROX<sup>®</sup> CHP FRED



Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	03.02.2020	600000000866	Date of first issue: 03.02.2020

---

---

### SECTION 9: Physical and chemical properties

#### 9.1 Information on basic physical and chemical properties

Appearance	:	liquid
Colour	:	clear, red
Odour	:	aromatic
pH	:	No data available
Melting point/range	:	-9 °C
Boiling point/boiling range	:	53 °C (0,13 hPa)
Flash point	:	63 °C Method: closed cup
Flammability (solid, gas)	:	Not applicable
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapour pressure	:	0,044 hPa (25 °C)
Relative vapour density	:	ca. 5 (20 °C)
Density	:	1,0619 g/cm <sup>3</sup> (20 °C)
Solubility(ies)		
Water solubility	:	13,9 g/l slightly soluble (25 °C)
Solubility in other solvents	:	No data available
Partition coefficient: n-octanol/water	:	log Pow: 1,6 (25 °C)
Viscosity		
Viscosity, dynamic	:	ca. 12 - 15 mPa.s
Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing. Organic peroxide

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

## NOROX<sup>®</sup> CHP FRED



Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	03.02.2020	600000000866	Date of first issue: 03.02.2020

---

### 9.2 Other information

Self-Accelerating decomposition temperature (SADT) : > 60 °C  
Method: UN-Test H.4  
SADT-Self Accelerating Decomposition Temperature. Lowest temperature at which the tested package size will undergo a self-accelerating decomposition reaction.

Self-ignition : Not applicable

---

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

Stable under recommended storage conditions.

### 10.2 Chemical stability

Stable under recommended storage conditions.

### 10.3 Possibility of hazardous reactions

Hazardous reactions : Vapours may form explosive mixture with air.

### 10.4 Conditions to avoid

Conditions to avoid : Protect from contamination.  
Contact with incompatible substances can cause decomposition at or below SADT.  
Heat, flames and sparks.  
Avoid confinement.

### 10.5 Incompatible materials

Materials to avoid : Accelerators, strong acids and bases, heavy metals and heavy metal salts, reducing agents

### 10.6 Hazardous decomposition products

Irritant, caustic, flammable, noxious/toxic gases and vapours can develop in the case of fire and decomposition

---

## SECTION 11: Toxicological information

### 11.1 Information on toxicological effects

#### Acute toxicity

Harmful if swallowed or in contact with skin.  
Toxic if inhaled.

#### **Product:**

Acute oral toxicity : LD50 (Rat): 382 mg/kg

---

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

## NOROX<sup>®</sup> CHP FRED



Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	03.02.2020	600000000866	Date of first issue: 03.02.2020

---

Acute inhalation toxicity : LC50: 1,370 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Assessment: The component/mixture is toxic after short term inhalation.

Acute dermal toxicity : Acute toxicity estimate: 1.100 mg/kg  
Method: Converted acute toxicity point estimate  
Assessment: The component/mixture is moderately toxic after single contact with skin.

### **Components:**

#### **Cumene hydroperoxide:**

Acute oral toxicity : LD50 Oral (Rat): 382 mg/kg

Acute inhalation toxicity : Acute toxicity estimate: 2,01 mg/l  
Exposure time: 4 h  
Test atmosphere: vapour  
Method: Expert judgement  
Assessment: The component/mixture is toxic after short term inhalation.

Acute dermal toxicity : Acute toxicity estimate: 1.100 mg/kg  
Method: Converted acute toxicity point estimate  
Assessment: The component/mixture is moderately toxic after single contact with skin.

#### **Cumene:**

Acute oral toxicity : LD50 (Rat): 2.700 mg/kg  
Method: OECD Test Guideline 401

Acute dermal toxicity : LD50 (Rabbit): > 2.000 mg/kg  
Assessment: The substance or mixture has no acute dermal toxicity  
Remarks: No mortality observed at this dose.

#### **Benzenemethanol, alpha,alpha-dimethyl-:**

Acute oral toxicity : LD50: Method: Expert judgement  
Assessment: The component/mixture is moderately toxic after single ingestion.

Acute inhalation toxicity : Remarks: No data available

Acute dermal toxicity : LD50: Method: Expert judgement  
Assessment: The substance or mixture has no acute dermal toxicity  
Remarks: Based on available data, the classification criteria

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

## NOROX<sup>®</sup> CHP FRED



Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	03.02.2020	600000000866	Date of first issue: 03.02.2020

---

are not met.

### **acetophenone:**

Acute oral toxicity : Acute toxicity estimate: 500,0 mg/kg  
Method: Converted acute toxicity point estimate

Acute dermal toxicity : LD50 (Rat): 3.300 mg/kg  
Method: OECD Test Guideline 402

### **Skin corrosion/irritation**

Causes severe burns.

#### **Product:**

Species : Rabbit  
Result : Causes burns.

Remarks : Extremely corrosive and destructive to tissue.

#### **Components:**

##### **Cumene hydroperoxide:**

Species : Rabbit  
Result : Causes burns.

Remarks : Extremely corrosive and destructive to tissue.

##### **Cumene:**

Species : Rabbit  
Method : OECD Test Guideline 404  
Result : No skin irritation

##### **Benzenemethanol, alpha,alpha-dimethyl-:**

Species : Rabbit  
Result : Severe skin irritation

### **acetophenone:**

Species : Rabbit  
Method : OECD Test Guideline 404  
Result : No skin irritation

### **Serious eye damage/eye irritation**

Causes serious eye damage.

#### **Product:**

Remarks : May cause irreversible eye damage.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

## NOROX<sup>®</sup> CHP FRED



Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	03.02.2020	600000000866	Date of first issue: 03.02.2020

---

### Components:

#### **Cumene hydroperoxide:**

Species : Rabbit  
Result : Corrosive  
  
Remarks : May cause irreversible eye damage.

#### **Cumene:**

Species : Rabbit  
Method : OECD Test Guideline 405  
Result : No eye irritation

#### **Benzenemethanol, alpha,alpha-dimethyl-:**

Result : Irritating to eyes.

#### **acetophenone:**

Species : Rabbit  
Method : No information available.  
Result : Eye irritation  
Remarks : Based on harmonised classification in EU regulation 1272/2008, Annex VI

### **Respiratory or skin sensitisation**

#### **Skin sensitisation**

Not classified based on available information.

#### **Respiratory sensitisation**

Not classified based on available information.

### Product:

Result : Does not cause skin sensitisation.

### Components:

#### **Cumene hydroperoxide:**

Result : Does not cause skin sensitisation.

#### **Cumene:**

Exposure routes : Skin contact  
Species : Guinea pig  
Method : OECD Test Guideline 406  
Result : Does not cause skin sensitisation.

#### **acetophenone:**

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

## NOROX<sup>®</sup> CHP FRED



Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	03.02.2020	600000000866	Date of first issue: 03.02.2020

---

Test Type : Draize Test  
Exposure routes : Skin contact  
Species : Guinea pig  
Result : Does not cause skin sensitisation.

### **Germ cell mutagenicity**

Not classified based on available information.

#### **Product:**

Genotoxicity in vitro : Result: positive  
Remarks: In vitro tests have shown mutagenic effects.

Genotoxicity in vivo : Test Type: Micronucleus test  
Species: Mouse  
Application Route: Skin contact  
Result: negative

#### **Components:**

##### **Cumene hydroperoxide:**

Genotoxicity in vitro : Result: positive  
Remarks: In vitro tests have shown mutagenic effects.

Genotoxicity in vivo : Test Type: Micronucleus test  
Species: Mouse  
Application Route: Skin contact  
Result: negative

##### **Cumene:**

Genotoxicity in vitro : Method: OECD Test Guideline 473  
Result: negative

Method: OECD Test Guideline 471  
Result: negative

Method: OECD Test Guideline 476  
Result: negative

Method: OECD Test Guideline 482  
Result: negative

Test Type: Ames test  
Result: positive

Genotoxicity in vivo : Species: Rat  
Application Route: Intraperitoneal  
Exposure time: 72 h  
Method: OECD Test Guideline 474  
Result: Equivocal

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

## NOROX® CHP FRED



Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	03.02.2020	600000000866	Date of first issue: 03.02.2020

---

Species: Mouse  
Application Route: inhalation (gas)  
Exposure time: 14 w  
Method: OECD Test Guideline 474  
Result: negative

### acetophenone:

Genotoxicity in vitro : Method: OECD Test Guideline 473  
Result: negative

Method: OECD Test Guideline 476  
Result: negative

Method: OECD Test Guideline 471  
Result: negative

Genotoxicity in vivo : Species: Mouse  
Application Route: Intraperitoneal  
Method: OECD Test Guideline 474  
Result: negative

### Carcinogenicity

Not classified based on available information.

### Product:

Remarks : This information is not available.

### Components:

#### Cumene hydroperoxide:

Remarks : This information is not available.

#### Cumene:

Species : Rat  
Application Route : inhalation (gas)  
Exposure time : 2 Years  
LOEC : 250  
Method : OECD Test Guideline 451  
Result : negative

Species : Mouse  
Application Route : inhalation (gas)  
Exposure time : 2 Years  
LOEC : 125  
Method : OECD Test Guideline 451  
Result : negative



# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

## NOROX® CHP FRED



Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	03.02.2020	600000000866	Date of first issue: 03.02.2020

---

### Reproductive toxicity

Not classified based on available information.

### Components:

#### Cumene hydroperoxide:

Effects on fertility : Remarks: No data available

Effects on foetal development : Remarks: No data available

#### Cumene:

Effects on foetal development : Species: Rabbit  
Application Route: inhalation (vapour)  
General Toxicity Maternal: LOAEL: 500  
Developmental Toxicity: NOAEL: 2.300  
Method: OECD Test Guideline 414

#### acetophenone:

Effects on fertility : Species: Rat  
Application Route: Ingestion  
General Toxicity - Parent: NOAEL: 225 mg/kg body weight  
General Toxicity F1: NOAEL: 225 mg/kg body weight  
Method: OECD Test Guideline 422  
Result: negative

Species: Rat  
Application Route: Ingestion  
General Toxicity - Parent: LOAEL: 750 mg/kg body weight  
General Toxicity F1: LOAEL: 750 mg/kg body weight  
Method: OECD Test Guideline 422

Effects on foetal development : Species: Mouse  
Application Route: Ingestion  
General Toxicity Maternal: NOAEL: 125 mg/kg body weight  
Embryo-foetal toxicity: NOAEL: 125 mg/kg body weight  
Method: OECD Test Guideline 414

### STOT - single exposure

May cause respiratory irritation.

### Product:

Assessment : May cause respiratory irritation.

### Components:

#### Cumene:

Assessment : May cause respiratory irritation.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

## NOROX<sup>®</sup> CHP FRED



Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	03.02.2020	600000000866	Date of first issue: 03.02.2020

---

### STOT - repeated exposure

May cause damage to organs through prolonged or repeated exposure.

#### Product:

Assessment : May cause damage to organs through prolonged or repeated exposure.

#### Components:

##### **Cumene hydroperoxide:**

Assessment : May cause damage to organs through prolonged or repeated exposure.

### Repeated dose toxicity

#### Product:

Species : Rat  
NOAEL : 0,031 mg/l  
Application Route : inhalation (dust/mist/fume)  
Exposure time : 90 d

#### Components:

##### **Cumene hydroperoxide:**

Species : Rat  
NOAEL : 0,031 mg/l  
Application Route : inhalation (dust/mist/fume)  
Exposure time : 90 d

##### **Cumene:**

Species : Rat  
NOAEL : 154 mg/kg  
Application Route : Oral  
Method : OECD Test Guideline 413

##### **acetophenone:**

Species : Rat  
NOAEL : 225 mg/kg  
LOAEL : 750 mg/kg  
Application Route : Ingestion  
Method : OECD Test Guideline 422

### Aspiration toxicity

May be fatal if swallowed and enters airways.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

## NOROX<sup>®</sup> CHP FRED



Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	03.02.2020	600000000866	Date of first issue: 03.02.2020

---

### Product:

May be fatal if swallowed and enters airways.

### Components:

#### **Cumene:**

May be fatal if swallowed and enters airways.

### **Further information**

#### Product:

Remarks : Solvents may degrease the skin.

Remarks : Solvents may degrease the skin.

#### Components:

#### **Cumene hydroperoxide:**

Remarks : Solvents may degrease the skin.

---

## SECTION 12: Ecological information

### 12.1 Toxicity

#### Product:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 3,9 mg/l  
Exposure time: 96 h  
Test Type: semi-static test  
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 18,84 mg/l  
Exposure time: 48 h  
Test Type: Immobilization  
Method: OECD Test Guideline 202

Toxicity to algae : EC50 (Desmodesmus subspicatus (green algae)): 3,1 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

Toxicity to microorganisms : NOEC (Pseudomonas putida): 50 mg/l  
End point: Growth rate  
Exposure time: 16 h

#### **Ecotoxicology Assessment**

Acute aquatic toxicity : Toxic to aquatic life.

---

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

## NOROX<sup>®</sup> CHP FRED



Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	03.02.2020	600000000866	Date of first issue: 03.02.2020

---

Chronic aquatic toxicity : Toxic to aquatic life with long lasting effects.

### **Components:**

#### **Cumene hydroperoxide:**

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 3,9 mg/l  
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 18 mg/l  
Exposure time: 48 h

Toxicity to algae : EC50 (Desmodesmus subspicatus (green algae)): 1,6 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

#### **Cumene:**

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 4,8 mg/l  
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 2,14 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202

Toxicity to algae : EC50 (Desmodesmus subspicatus (green algae)): 2,01 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

Toxicity to microorganisms : EC50 : > 2.000 mg/l  
Exposure time: 3 h  
Method: OECD Test Guideline 209

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 0,35 mg/l  
Exposure time: 21 d  
Species: Daphnia magna (Water flea)  
Method: OECD Test Guideline 211

### **Ecotoxicology Assessment**

Chronic aquatic toxicity : Toxic to aquatic life with long lasting effects.

#### **Benzenemethanol, alpha,alpha-dimethyl-:**

### **Ecotoxicology Assessment**

Acute aquatic toxicity : This product has no known ecotoxicological effects.

Chronic aquatic toxicity : This product has no known ecotoxicological effects.

#### **acetophenone:**

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

## NOROX<sup>®</sup> CHP FRED



Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	03.02.2020	600000000866	Date of first issue: 03.02.2020

---

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 162 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 528 mg/l  
Exposure time: 48 h

Toxicity to algae : EC50 (Pseudokirchneriella subcapitata (green algae)): 86,4 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

NOEC (Pseudokirchneriella subcapitata (green algae)): 24,8 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

### 12.2 Persistence and degradability

#### **Product:**

Biodegradability : Result: Not readily biodegradable.  
Method: OECD Test Guideline 301B

#### **Components:**

##### **Cumene hydroperoxide:**

Biodegradability : Result: Not readily biodegradable.  
Method: OECD Test Guideline 301B

##### **Cumene:**

Biodegradability : Result: Readily biodegradable.

##### **Benzenemethanol, alpha,alpha-dimethyl-:**

Biodegradability : Remarks: No data available

##### **acetophenone:**

Biodegradability : Result: Readily biodegradable.  
Method: OECD Test Guideline 301C

### 12.3 Bioaccumulative potential

#### **Components:**

##### **Cumene hydroperoxide:**

Partition coefficient: n-octanol/water : log Pow: 1,6

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

## NOROX<sup>®</sup> CHP FRED



Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	03.02.2020	600000000866	Date of first issue: 03.02.2020

---

### Cumene:

Bioaccumulation : Bioconcentration factor (BCF): 94,69  
Remarks: Calculation

Partition coefficient: n-octanol/water : log Pow: 3,55 (23 °C)

### Benzenemethanol, alpha,alpha-dimethyl-:

Partition coefficient: n-octanol/water : Remarks: No data available

### acetophenone:

Bioaccumulation : Bioconcentration factor (BCF): 0,48

Partition coefficient: n-octanol/water : log Pow: 1,63

## 12.4 Mobility in soil

No data available

## 12.5 Results of PBT and vPvB assessment

### Product:

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher..

: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher..

## 12.6 Other adverse effects

### Product:

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.  
Toxic to aquatic life with long lasting effects.

### Components:

#### Cumene hydroperoxide:

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.  
Toxic to aquatic life with long lasting effects.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

## NOROX<sup>®</sup> CHP FRED



Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	03.02.2020	600000000866	Date of first issue: 03.02.2020

---

---

### SECTION 13: Disposal considerations

#### 13.1 Waste treatment methods

- Product : The product should not be allowed to enter drains, water courses or the soil.  
Do not contaminate ponds, waterways or ditches with chemical or used container.  
Dispose of wastes in an approved waste disposal facility.
- Contaminated packaging : Empty remaining contents.  
Dispose of as unused product.  
Do not re-use empty containers.  
Do not burn, or use a cutting torch on, the empty drum.  
Dispose of in accordance with local regulations.

---

### SECTION 14: Transport information

#### 14.1 UN number

- ADR : UN 3109  
RID : UN 3109  
IMDG : UN 3109  
IATA : UN 3109

#### 14.2 UN proper shipping name

- ADR : ORGANIC PEROXIDE TYPE F, LIQUID (CUMYL HYDROPEROXIDE)  
RID : ORGANIC PEROXIDE TYPE F, LIQUID (CUMYL HYDROPEROXIDE)  
IMDG : ORGANIC PEROXIDE TYPE F, LIQUID (CUMYL HYDROPEROXIDE)  
IATA : Organic peroxide type F, liquid (Cumyl hydroperoxide)

#### 14.3 Transport hazard class(es)

- ADR : 5.2  
RID : 5.2  
IMDG : 5.2  
IATA : 5.2

#### 14.4 Packing group

- ADR  
Packing group : Not assigned by regulation

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

## NOROX<sup>®</sup> CHP FRED



Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	03.02.2020	600000000866	Date of first issue: 03.02.2020

---

Classification Code : P1  
Hazard Identification Number : 539  
Labels : 5.2 (8)  
Tunnel restriction code : (D)

### RID

Packing group : Not assigned by regulation  
Classification Code : P1  
Hazard Identification Number : 539  
Labels : 5.2 (8)

### IMDG

Packing group : Not assigned by regulation  
Labels : 5.2 (8)  
EmS Code : F-J, S-R

### IATA (Cargo)

Packing instruction (cargo aircraft) : 570  
Packing group : Not assigned by regulation  
Labels : Organic Peroxides, Keep Away From Heat

### IATA (Passenger)

Packing instruction (passenger aircraft) : 570  
Packing group : Not assigned by regulation  
Labels : Organic Peroxides, Keep Away From Heat

## 14.5 Environmental hazards

### ADR

Environmentally hazardous : yes

### RID

Environmentally hazardous : yes

### IMDG

Marine pollutant : yes

## 14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

## 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable for product as supplied.

---

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Candidate List of Substances of Very High : Not applicable



# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

## NOROX<sup>®</sup> CHP FRED



Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	03.02.2020	600000000866	Date of first issue: 03.02.2020

---

Concern for Authorisation (Article 59).

REACH - List of substances subject to authorisation (Annex XIV) : Not applicable

Regulation (EC) No 1005/2009 on substances that deplete the ozone layer : Not applicable

Regulation (EC) No 850/2004 on persistent organic pollutants : Not applicable

Regulation (EC) No 649/2012 of the European Parliament and the Council concerning the export and import of dangerous chemicals : Cumene hydroperoxide

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, preparations and articles (Annex XVII) : Conditions of restriction for the following entries should be considered: Number on list 3

Cumene hydroperoxide (Number on list 3)

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.

		Quantity 1	Quantity 2
H2	ACUTE TOXIC	50 t	200 t
P6b	SELF-REACTIVE SUBSTANCES AND MIXTURES and ORGANIC PEROXIDES	50 t	200 t
E2	ENVIRONMENTAL HAZARDS	200 t	500 t

Water contaminating class (Germany) : WGK 2 obviously hazardous to water  
Classification according to AwSV, Annex 1 (5.2)

### Other regulations:

Gefahrgruppe nach § 3 BGV B4: Ib (German regulatory requirements)

Take note of Law on the protection of mothers at work, in education and in studies (Maternity Protection Act - MuSchG).

Take note of Directive 94/33/EC on the protection of young people at work or stricter national regulations, where applicable.

### The components of this product are reported in the following inventories:

DSL (CA) : All components of this product are on the Canadian DSL

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

## NOROX<sup>®</sup> CHP FRED



Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	03.02.2020	600000000866	Date of first issue: 03.02.2020

---

AICS (AU) : On the inventory, or in compliance with the inventory

KECI (KR) : On the inventory, or in compliance with the inventory

TCSI (TW) : On the inventory, or in compliance with the inventory

TSCA (US) : On TSCA Inventory

### 15.2 Chemical safety assessment

This information is not available.

---

## SECTION 16: Other information

### Full text of H-Statements

H226 : Flammable liquid and vapour.  
H242 : Heating may cause a fire.  
H302 : Harmful if swallowed.  
H304 : May be fatal if swallowed and enters airways.  
H312 : Harmful in contact with skin.  
H314 : Causes severe skin burns and eye damage.  
H315 : Causes skin irritation.  
H318 : Causes serious eye damage.  
H319 : Causes serious eye irritation.  
H331 : Toxic if inhaled.  
H335 : May cause respiratory irritation.  
H373 : May cause damage to organs through prolonged or repeated exposure.  
H411 : Toxic to aquatic life with long lasting effects.

### Full text of other abbreviations

Acute Tox. : Acute toxicity  
Aquatic Chronic : Long-term (chronic) aquatic hazard  
Asp. Tox. : Aspiration hazard  
Eye Dam. : Serious eye damage  
Eye Irrit. : Eye irritation  
Flam. Liq. : Flammable liquids  
Org. Perox. : Organic peroxides  
Skin Corr. : Skin corrosion  
Skin Irrit. : Skin irritation  
STOT RE : Specific target organ toxicity - repeated exposure  
STOT SE : Specific target organ toxicity - single exposure  
2000/39/EC : Europe. Commission Directive 2000/39/EC establishing a first

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

## NOROX<sup>®</sup> CHP FRED



Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	03.02.2020	600000000866	Date of first issue: 03.02.2020

---

list of indicative occupational exposure limit values

DE TRGS 900	:	Germany. TRGS 900 - Occupational exposure limit values.
TRGS 903	:	TRGS 903 - Biological limit values
2000/39/EC / TWA	:	Limit Value - eight hours
2000/39/EC / STEL	:	Short term exposure limit
DE TRGS 900 / AGW	:	Time Weighted Average

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road; AICS - Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

### Further information

Other information : This safety datasheet only contains information relating to safety and does not replace any product information or product specification.  
These safety instructions also apply to empty packaging which may still contain product residues.

Sources of key data used to : Internal technical data, data from raw material SDSs, OECD

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

## NOROX<sup>®</sup> CHP FRED



Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	03.02.2020	600000000866	Date of first issue: 03.02.2020

---

compile the Safety Data Sheet

eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

### Classification of the mixture:

Org. Perox. F	H242
Acute Tox. 4	H302
Acute Tox. 3	H331
Acute Tox. 4	H312
Skin Corr. 1B	H314
Eye Dam. 1	H318
STOT SE 3	H335
STOT RE 2	H373
Asp. Tox. 1	H304
Aquatic Chronic 2	H411

### Classification procedure:

Based on product data or assessment
Based on product data or assessment
Based on product data or assessment
Based on product data or assessment
Based on product data or assessment
Based on product data or assessment
Based on product data or assessment
Based on product data or assessment
Based on product data or assessment
Based on product data or assessment

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

DE / EN