

SAFETY DATA SHEET

According to 13 December 2014, No:29204, "Ministry of Environment and Urbanization; Regulation on Safety data sheets regarding hazardous substances and mixtures".



NOROX FC-100

| | | | |
|----------------|------------------------------|-----------------------------|---------------------------|
| Version 1.0 | Revision Date: 13.07.2018 | SDS Number: 600000000132 | Print Date: 13.07.2018 |
|----------------|------------------------------|-----------------------------|---------------------------|

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : NOROX FC-100

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub-
stance/Mixture : Industrial use

1.3 Details of the supplier of the safety data sheet

Company : United Initiators GmbH
Dr.-Gustav-Adolph-Str. 3
82049 Pullach

E-mail address of person
responsible for the SDS : contact@united-in.com

1.4 Emergency telephone number

+49 / 89 / 74422 – 0 (24 h)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification T.R. SEA No 28848

| | |
|--|--|
| Organic peroxides, Type D | H242: Heating may cause a fire. |
| Eye irritation, Category 2 | H319: Causes serious eye irritation. |
| Skin sensitisation, Category 1 | H317: May cause an allergic skin reaction. |
| Specific target organ toxicity - single exposure, Category 3, Respiratory system | H335: May cause respiratory irritation. |

2.2 Label elements

Labelling T.R. SEA No 28848

Hazard pictograms :



Signal word : Danger

Hazard statements : H242 Heating may cause a fire.

SAFETY DATA SHEET

According to 13 December 2014, No:29204, "Ministry of Environment and Urbanization; Regulation on Safety data sheets regarding hazardous substances and mixtures".



NOROX FC-100

Version 1.0 Revision Date: 13.07.2018 SDS Number: 600000000132 Print Date: 13.07.2018

H317 May cause an allergic skin reaction.
H319 Causes serious eye irritation.
H335 May cause respiratory irritation.

Precautionary statements :

Prevention:

P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking.
P220 Keep/Store away from clothing/ strong acids, bases, heavy metal salts and other reducing substances /combustible materials.
P234 Keep only in original container.
P280 Wear protective gloves/ eye protection/ face protection.

Response:

P370 + P378 In case of fire: Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide for extinction.

Storage:

P403 + P235 Store in a well-ventilated place. Keep cool.

Hazardous components which must be listed on the label:

2,4-Pentanedione, peroxide

Diacetone alcohol

tert-Butyl perbenzoate

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Chemical nature : Organic Peroxide
Liquid mixture

Hazardous components

| Chemical name | CAS-No. EC-No. | Classification | Concentration (%) |
|----------------------------|-------------------------|---|-------------------|
| 2,4-Pentanedione, peroxide | 37187-22-7 253-384-9 | Org. Perox.D; H242 Eye Irrit.2; H319 Skin Sens.1; H317 | >= 25 - < 30 |
| Diacetone alcohol | 123-42-2 204-626-7 | Eye Irrit.2; H319 STOT SE3; H335 | >= 25 - < 30 |

SAFETY DATA SHEET

According to 13 December 2014, No:29204, "Ministry of Environment and Urbanization; Regulation on Safety data sheets regarding hazardous substances and mixtures".



NOROX FC-100

Version: 1.0 Revision Date: 13.07.2018 SDS Number: 600000000132 Print Date: 13.07.2018

| | | | |
|------------------------|-----------------------|---|---------------|
| tert-Butyl perbenzoate | 614-45-9 210-382-2 | Org. Perox.C; H242 Acute Tox.4; H332 Skin Irrit.2; H315 Skin Sens.1A; H317 Aquatic Acute1; H400 Aquatic Chronic3; H412 | >= 7,5 - < 10 |
| Acetylacetone | 123-54-6 204-634-0 | Flam. Liq.3; H226 Acute Tox.4; H302 Acute Tox.3; H331 Acute Tox.3; H311 | >= 1 - < 5 |

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

- General advice : Move out of dangerous area.
Show this safety data sheet to the doctor in attendance.
Do not leave the victim unattended.
Symptoms of poisoning may appear several hours later.
Call a physician immediately.
- Protection of first-aiders : First Aid responders should pay attention to self-protection and use the recommended protective clothing
- If inhaled : Call a physician or poison control centre immediately.
If unconscious, place in recovery position and seek medical advice.
Keep respiratory tract clear.
If breathed in, move person into fresh air.
- In case of skin contact : In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes.
Wash contaminated clothing before re-use.
If on skin, rinse well with water.
If on clothes, remove clothes.
If symptoms persist, call a physician.
- In case of eye contact : In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
Remove contact lenses.
Protect unharmed eye.
Keep eye wide open while rinsing.
If eye irritation persists, consult a specialist.
- If swallowed : Keep respiratory tract clear.
Call a physician immediately.

SAFETY DATA SHEET

According to 13 December 2014, No:29204, "Ministry of Environment and Urbanization; Regulation on Safety data sheets regarding hazardous substances and mixtures".



NOROX FC-100

| | | | |
|---------|----------------|--------------|-------------|
| Version | Revision Date: | SDS Number: | Print Date: |
| 1.0 | 13.07.2018 | 600000000132 | 13.07.2018 |

Rinse mouth thoroughly with water.

4.2 Most important symptoms and effects, both acute and delayed

Risks : May cause an allergic skin reaction.
Causes serious eye irritation.
May cause respiratory irritation.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment : Treat symptomatically and supportively.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media : Water spray
Alcohol-resistant foam
Carbon dioxide (CO₂)
Dry chemical

Unsuitable extinguishing media : High volume water jet

5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-fighting : Contact with incompatible materials or exposure to temperatures exceeding SADT may result in a self-accelerating decomposition reaction with release of flammable vapors which may auto-ignite.
The product burns violently.
Flash back possible over considerable distance.
Vapours may form explosive mixtures with air.
The product will float on water and can be reignited on surface water.
Cool closed containers exposed to fire with water spray.

5.3 Advice for firefighters

Special protective equipment for firefighters : Wear self-contained breathing apparatus for firefighting if necessary. Use personal protective equipment.

Specific extinguishing methods : Do not use a solid water stream as it may scatter and spread fire.
Remove undamaged containers from fire area if it is safe to do so.
Use water spray to cool unopened containers.

Further information : Collect contaminated fire extinguishing water separately. This must not be discharged into drains.
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

SAFETY DATA SHEET

According to 13 December 2014, No:29204, "Ministry of Environment and Urbanization; Regulation on Safety data sheets regarding hazardous substances and mixtures".



NOROX FC-100

| | | | |
|---------|----------------|--------------|-------------|
| Version | Revision Date: | SDS Number: | Print Date: |
| 1.0 | 13.07.2018 | 600000000132 | 13.07.2018 |

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Use personal protective equipment.
Remove all sources of ignition.
Follow safe handling advice and personal protective equipment recommendations.
Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.
Never return spills in original containers for re-use.
Treat recovered material as described in the section "Disposal considerations".

6.2 Environmental precautions

Environmental precautions : Prevent product from entering drains.
Prevent further leakage or spillage if safe to do so.
If the product contaminates rivers and lakes or drains inform respective authorities.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Contact with incompatible substances can cause decomposition at or below SADT.
Clear spills immediately.
Suppress (knock down) gases/vapours/mists with a water spray jet.
To clean the floor and all objects contaminated by this material, use plenty of water.
Soak up with inert absorbent material.
Isolate waste and do not reuse.
Non-sparking tools should be used.
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.

6.4 Reference to other sections

For personal protection see section 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Technical measures : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.

SAFETY DATA SHEET

According to 13 December 2014, No:29204, "Ministry of Environment and Urbanization; Regulation on Safety data sheets regarding hazardous substances and mixtures".



NOROX FC-100

| | | | |
|---------|----------------|--------------|-------------|
| Version | Revision Date: | SDS Number: | Print Date: |
| 1.0 | 13.07.2018 | 600000000132 | 13.07.2018 |

- Advice on safe handling : Do not swallow.
Do not breathe vapours/dust.
Avoid exposure - obtain special instructions before use.
Avoid contact with skin and eyes.
Avoid formation of aerosol.
Take precautionary measures against static discharges.
Never return any product to the container from which it was originally removed.
Provide sufficient air exchange and/or exhaust in work rooms.
Avoid confinement.
Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
Smoking, eating and drinking should be prohibited in the application area.
Wash thoroughly after handling.
For personal protection see section 8.
Persons susceptible to skin sensitisation problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used.
Protect from contamination.
- Advice on protection against fire and explosion : Keep away from heat and sources of ignition. Use only explosion-proof equipment. Keep away from combustible material.
- Hygiene measures : Keep away from food and drink. When using do not eat or drink. When using do not smoke. Wash hands before breaks and immediately after handling the product.

7.2 Conditions for safe storage, including any incompatibilities

- Requirements for storage areas and containers : Avoid impurities (e.g. rust, dust, ash), risk of decomposition. Electrical installations / working materials must comply with the technological safety standards. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Store in original container. Keep containers tightly closed in a cool, well-ventilated place. Store in accordance with the particular national regulations.
- Advice on common storage : Keep away from strong acids, bases, heavy metal salts and other reducing substances.
- Recommended storage temperature : 0 - 25 °C
- Other data : No decomposition if stored normally.

7.3 Specific end use(s)

- Specific use(s) : For further information, refer to the product technical data sheet.

SAFETY DATA SHEET

According to 13 December 2014, No:29204, "Ministry of Environment and Urbanization; Regulation on Safety data sheets regarding hazardous substances and mixtures".



NOROX FC-100

Version
1.0

Revision Date:
13.07.2018

SDS Number:
600000000132

Print Date:
13.07.2018

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Contains no substances with occupational exposure limit values.

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

| Substance name | End Use | Exposure routes | Potential health effects | Value |
|----------------------------|---------|-----------------|----------------------------|-------------------------|
| 2,4-Pentanedione, peroxide | Workers | Inhalation | Long-term systemic effects | 11,75 mg/m ³ |
| 2,4-Pentanedione, peroxide | Workers | Skin contact | Long-term systemic effects | 13,33 mg/kg bw/day |
| tert-Butylperbenzoat | Workers | Inhalation | Long-term systemic effects | 4 mg/m ³ |
| tert-Butylperbenzoat | Workers | Skin contact | Long-term systemic effects | 6,25 mg/kg bw/day |

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

| Substance name | Environmental Compartment | Value |
|----------------------------|---------------------------|-------------|
| 2,4-Pentanedione, peroxide | Fresh water | 0,054 mg/l |
| 2,4-Pentanedione, peroxide | Marine water | 0,0054 mg/l |
| 2,4-Pentanedione, peroxide | Intermittent use/release | 0,054 mg/l |
| 2,4-Pentanedione, peroxide | Fresh water sediment | 0,48 mg/kg |
| 2,4-Pentanedione, peroxide | Marine sediment | 0,048 mg/kg |
| 2,4-Pentanedione, peroxide | Sewage treatment plant | 6,2 mg/l |
| 2,4-Pentanedione, peroxide | Soil | 0,065 mg/kg |
| tert-Butylperbenzoat | Fresh water | 0,0088 mg/l |
| tert-Butylperbenzoat | Marine water | 0,0009 mg/l |
| tert-Butylperbenzoat | Intermittent use/release | 0,008 mg/l |
| tert-Butylperbenzoat | Sewage treatment plant | 0,6 mg/l |
| tert-Butylperbenzoat | Fresh water sediment | 0,24 mg/kg |
| tert-Butylperbenzoat | Marine sediment | 0,024 mg/kg |
| tert-Butylperbenzoat | Soil | 0,043 mg/kg |

8.2 Exposure controls

Engineering measures

Minimize workplace exposure concentrations.

Personal protective equipment

Eye protection : Tightly fitting safety goggles
Please wear suitable protective goggles. Also wear face protection if there is a splash hazard.
Ensure that eyewash stations and safety showers are close to the workstation location.

Hand protection

Material : butyl-rubber
Break through time : >= 480 min
Glove thickness : 0,5 mm

SAFETY DATA SHEET

According to 13 December 2014, No:29204, "Ministry of Environment and Urbanization; Regulation on Safety data sheets regarding hazardous substances and mixtures".



NOROX FC-100

| | | | |
|----------------|------------------------------|-----------------------------|---------------------------|
| Version 1.0 | Revision Date: 13.07.2018 | SDS Number: 600000000132 | Print Date: 13.07.2018 |
|----------------|------------------------------|-----------------------------|---------------------------|

| | | |
|--------------------------|---|---|
| Remarks | : | Choose gloves to protect hands against chemicals depending on the concentration and quantity of the hazardous substance and specific to place of work. For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer. Wash hands before breaks and at the end of workday. |
| Skin and body protection | : | Select appropriate protective clothing based on chemical resistance data and an assessment of the local exposure potential. |
| Respiratory protection | : | In the case of dust or aerosol formation use respirator with an approved filter. |
| Filter type | : | ABEK-filter |

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

| | | |
|-------------------------------------|---|---------------------------|
| Appearance | : | liquid |
| Colour | : | Colorless to pale yellow |
| Odour | : | mild |
| pH | : | No data available |
| Melting point/range | : | No data available |
| Boiling point/boiling range | : | No data available |
| Flash point | : | 65 °C |
| Evaporation rate | : | No data available |
| Flammability (solid, gas) | : | Not applicable |
| Upper explosion limit | : | No data available |
| Lower explosion limit | : | No data available |
| Vapour pressure | : | No data available |
| Relative vapour density | : | No data available |
| Density | : | ca. 1,1 g/cm ³ |
| Solubility(ies) Water solubility | : | slightly soluble |

SAFETY DATA SHEET

According to 13 December 2014, No:29204, "Ministry of Environment and Urbanization; Regulation on Safety data sheets regarding hazardous substances and mixtures".



NOROX FC-100

| | | | |
|---------|----------------|--------------|-------------|
| Version | Revision Date: | SDS Number: | Print Date: |
| 1.0 | 13.07.2018 | 600000000132 | 13.07.2018 |

| | | |
|--|---|--|
| Partition coefficient: n-octanol/water | : | No data available |
| Viscosity | | |
| Viscosity, dynamic | : | No data available |
| Viscosity, kinematic | : | No data available |
| Oxidizing properties | : | The substance or mixture is not classified as oxidizing. Organic peroxide |

9.2 Other information

| | | |
|--|---|---|
| Self-Accelerating decomposition temperature (SADT) | : | > 60 °C SADT-Self Accelerating Decomposition Temperature. Lowest temperature at which the tested package size will undergo a self-accelerating decomposition reaction. |
|--|---|---|

SECTION 10: Stability and reactivity

10.1 Reactivity

Stable under recommended storage conditions.

10.2 Chemical stability

Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions

| | | |
|---------------------|---|--|
| Hazardous reactions | : | Vapours may form explosive mixture with air. |
|---------------------|---|--|

10.4 Conditions to avoid

| | | |
|---------------------|---|---|
| Conditions to avoid | : | Protect from contamination. Contact with incompatible substances can cause decomposition at or below SADT. Heat, flames and sparks. Avoid confinement. |
|---------------------|---|---|

10.5 Incompatible materials

| | | |
|--------------------|---|---|
| Materials to avoid | : | Accelerators, strong acids and bases, heavy metals and heavy metal salts, reducing agents |
|--------------------|---|---|

10.6 Hazardous decomposition products

Irritant, caustic, flammable, noxious/toxic gases and vapours can develop in the case of fire and decomposition

SAFETY DATA SHEET

According to 13 December 2014, No:29204, "Ministry of Environment and Urbanization; Regulation on Safety data sheets regarding hazardous substances and mixtures".



NOROX FC-100

| | | | |
|----------------|------------------------------|-----------------------------|---------------------------|
| Version 1.0 | Revision Date: 13.07.2018 | SDS Number: 600000000132 | Print Date: 13.07.2018 |
|----------------|------------------------------|-----------------------------|---------------------------|

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Not classified based on available information.

Product:

- | | | |
|---------------------------|---|---|
| Acute oral toxicity | : | Acute toxicity estimate: > 2.000 mg/kg Method: Calculation method |
| Acute inhalation toxicity | : | Acute toxicity estimate: > 5 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: Calculation method |
| Acute dermal toxicity | : | Acute toxicity estimate: > 2.000 mg/kg Method: Calculation method |

Components:

2,4-Pentanedione, peroxide:

- | | | |
|---------------------------|---|--|
| Acute oral toxicity | : | LD50 (Rat): > 2.000 mg/kg Method: OECD Test Guideline 401 |
| Acute inhalation toxicity | : | LC50 (Rat, male): > 13,1 mg/l Exposure time: 1 h Test atmosphere: dust/mist Method: Expert judgement Assessment: The substance or mixture has no acute inhalation toxicity |
| Acute dermal toxicity | : | LD50 (Rat): > 2.000 mg/kg Method: Expert judgement Assessment: The substance or mixture has no acute dermal toxicity |

Diacetone alcohol:

- | | | |
|---------------------------|---|---|
| Acute oral toxicity | : | LD50 (Rat): 3.002 mg/kg Method: OECD Test Guideline 401 |
| Acute inhalation toxicity | : | LC0 (Rat): >= 7,6 mg/l Exposure time: 4 h Test atmosphere: vapour Method: OECD Test Guideline 403 Assessment: The substance or mixture has no acute inhalation toxicity |
| Acute dermal toxicity | : | LD0 (Rat): > 1.875 mg/kg Method: OECD Test Guideline 402 |

SAFETY DATA SHEET

According to 13 December 2014, No:29204, "Ministry of Environment and Urbanization; Regulation on Safety data sheets regarding hazardous substances and mixtures".



NOROX FC-100

| | | | |
|----------------|------------------------------|-----------------------------|---------------------------|
| Version 1.0 | Revision Date: 13.07.2018 | SDS Number: 600000000132 | Print Date: 13.07.2018 |
|----------------|------------------------------|-----------------------------|---------------------------|

tert-Butyl perbenzoate:

- Acute oral toxicity : LD0 (Rat): > 2.000 mg/kg
Method: OECD Test Guideline 423
Assessment: The substance or mixture has no acute oral toxicity
- Acute inhalation toxicity : LC50 (Rat): 1,01 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: OECD Test Guideline 436
- Acute dermal toxicity : LD0 (Rat): > 2.000 mg/kg
Method: OECD Test Guideline 402
Assessment: The substance or mixture has no acute dermal toxicity

Acetylacetone:

- Acute oral toxicity : LD50 (Rat): 570 mg/kg
- Acute inhalation toxicity : LC50 (Rat): 5,1 mg/l
Exposure time: 4 h
Test atmosphere: vapour
Method: OECD Test Guideline 403
Assessment: The component/mixture is toxic after short term inhalation.
- Acute dermal toxicity : LD50 (Rabbit, female): 790 mg/kg

Skin corrosion/irritation

Not classified based on available information.

Product:

Remarks: May cause skin irritation and/or dermatitis.

Components:

2,4-Pentanedione, peroxide:

Species: Rabbit
Method: OECD Test Guideline 404
Result: No skin irritation

Diacetone alcohol:

Species: Rabbit
Method: OECD Test Guideline 404
Result: No skin irritation

tert-Butyl perbenzoate:

SAFETY DATA SHEET

According to 13 December 2014, No:29204, "Ministry of Environment and Urbanization; Regulation on Safety data sheets regarding hazardous substances and mixtures".



NOROX FC-100

| | | | |
|---------|----------------|--------------|-------------|
| Version | Revision Date: | SDS Number: | Print Date: |
| 1.0 | 13.07.2018 | 600000000132 | 13.07.2018 |

Species: Rabbit
Method: OECD Test Guideline 404
Result: Skin irritation

Acetylacetone:

Species: Rabbit
Result: No skin irritation

Serious eye damage/eye irritation

Causes serious eye irritation.

Product:

Remarks: May cause irreversible eye damage.

Components:

2,4-Pentanedione, peroxide:

Species: Rabbit
Method: OECD Test Guideline 405
Result: Eye irritation

Diacetone alcohol:

Species: Rabbit
Method: OECD Test Guideline 405
Result: Eye irritation

tert-Butyl perbenzoate:

Species: Rabbit
Method: OECD Test Guideline 405
Result: No eye irritation

Acetylacetone:

Species: Rabbit
Result: No eye irritation

Respiratory or skin sensitisation

Skin sensitisation

May cause an allergic skin reaction.

Respiratory sensitisation

Not classified based on available information.

Product:

Remarks: Causes sensitisation.

SAFETY DATA SHEET

According to 13 December 2014, No:29204, "Ministry of Environment and Urbanization; Regulation on Safety data sheets regarding hazardous substances and mixtures".



NOROX FC-100

| | | | |
|----------------|------------------------------|-----------------------------|---------------------------|
| Version 1.0 | Revision Date: 13.07.2018 | SDS Number: 600000000132 | Print Date: 13.07.2018 |
|----------------|------------------------------|-----------------------------|---------------------------|

Components:

2,4-Pentanedione, peroxide:

Test Type: Maximisation Test

Exposure routes: Skin contact

Species: Guinea pig

Method: OECD Test Guideline 406

Result: Probability or evidence of skin sensitisation in humans

Remarks: Causes sensitisation.

Diacetone alcohol:

Species: Guinea pig

Method: OECD Test Guideline 406

Result: Does not cause skin sensitisation.

tert-Butyl perbenzoate:

Species: Mouse

Method: OECD Test Guideline 429

Result: Probability or evidence of high skin sensitisation rate in humans

Remarks: May cause sensitisation by skin contact.

Acetylacetone:

Exposure routes: Skin contact

Species: Mouse

Method: OECD Test Guideline 429

Result: Does not cause skin sensitisation.

Germ cell mutagenicity

Not classified based on available information.

Components:

2,4-Pentanedione, peroxide:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Method: OECD Test Guideline 471
Result: positive

: Test Type: In vitro mammalian cell gene mutation test
Method: OECD Test Guideline 476
Result: negative

Genotoxicity in vivo : Test Type: In vivo micronucleus test
Species: Mouse (male and female)
Application Route: Intraperitoneal injection
Method: OECD Test Guideline 474
Result: negative

Diacetone alcohol:

SAFETY DATA SHEET

According to 13 December 2014, No:29204, "Ministry of Environment and Urbanization; Regulation on Safety data sheets regarding hazardous substances and mixtures".



NOROX FC-100

| | | | |
|----------------|------------------------------|-----------------------------|---------------------------|
| Version 1.0 | Revision Date: 13.07.2018 | SDS Number: 600000000132 | Print Date: 13.07.2018 |
|----------------|------------------------------|-----------------------------|---------------------------|

Genotoxicity in vitro : Method: OECD Test Guideline 476
Result: negative

: Method: OECD Test Guideline 471
Result: negative

: Method: OECD Test Guideline 473
Result: negative

tert-Butyl perbenzoate:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Method: OECD Test Guideline 471
Result: positive

: Test Type: In vitro mammalian cell gene mutation test
Method: OECD Test Guideline 476
Result: positive

: Test Type: Chromosome aberration test in vitro
Method: OECD Test Guideline 473
Result: positive

: Test Type: Mouse Lymphoma
Result: positive

Genotoxicity in vivo : Test Type: Micronucleus test
Species: Mouse (male and female)
Application Route: Oral
Result: negative

Acetylacetone:

Genotoxicity in vitro : Method: OECD Test Guideline 471
Result: negative

: Method: OECD Test Guideline 479
Result: positive

: Method: OECD Test Guideline 473
Result: positive

: Method: OECD Test Guideline 476
Result: negative

Genotoxicity in vivo : Method: OECD Test Guideline 474
Result: positive

Method: OECD Test Guideline 483
Result: negative

Method: OECD Test Guideline 475

SAFETY DATA SHEET

According to 13 December 2014, No:29204, "Ministry of Environment and Urbanization; Regulation on Safety data sheets regarding hazardous substances and mixtures".



NOROX FC-100

| | | | |
|----------------|------------------------------|-----------------------------|---------------------------|
| Version 1.0 | Revision Date: 13.07.2018 | SDS Number: 600000000132 | Print Date: 13.07.2018 |
|----------------|------------------------------|-----------------------------|---------------------------|

Result: negative

Method: OECD Test Guideline 478
Result: Equivocal

Test Type: DNA Repair
Species: Rat
Application Route: Oral
Result: negative

Species: Rat
Application Route: inhalation (vapour)
Method: OPPTS 870.5395
Result: negative

Carcinogenicity

Not classified based on available information.

Components:

2,4-Pentanedione, peroxide:

Remarks: This information is not available.

Diacetone alcohol:

Application Route: inhalation (vapour)
1,847 mg/l
Method: OECD Test Guideline 451
Remarks: Based on data from similar materials

tert-Butyl perbenzoate:

Remarks: This information is not available.

Reproductive toxicity

Not classified based on available information.

Components:

2,4-Pentanedione, peroxide:

Effects on fertility : Remarks: No data available

Effects on foetal development : Remarks: No data available

Diacetone alcohol:

Effects on fertility : Species: Rat
Application Route: oral (gavage)
General Toxicity - Parent: NOAEL: 300 mg/kg body weight
General Toxicity F1: NOAEL: 300 mg/kg body weight
Method: OECD Test Guideline 422

SAFETY DATA SHEET

According to 13 December 2014, No:29204, "Ministry of Environment and Urbanization; Regulation on Safety data sheets regarding hazardous substances and mixtures".



NOROX FC-100

| | | | |
|---------|----------------|--------------|-------------|
| Version | Revision Date: | SDS Number: | Print Date: |
| 1.0 | 13.07.2018 | 600000000132 | 13.07.2018 |

Effects on foetal development : Species: Rat
Application Route: inhalation (vapour)
General Toxicity Maternal: NOAEL: 4,106
Embryo-foetal toxicity: NOAEL: 12.292
Method: OECD Test Guideline 414

tert-Butyl perbenzoate:

Effects on fertility : Species: Rat
Application Route: Oral
General Toxicity - Parent: NOAEL: 300 mg/kg body weight
Method: OECD Test Guideline 421

Effects on foetal development : Species: Rat
Application Route: Oral
General Toxicity Maternal: NOAEL: 300 mg/kg body weight
Method: OECD Test Guideline 414

Acetylacetone:

Effects on foetal development : Species: Rat
Application Route: inhalation (vapour)
Duration of Single Treatment: 13 d
General Toxicity Maternal: NOAEC: 200
Teratogenicity: NOAEC Parent: 400
Embryo-foetal toxicity: NOAEC F1: 50
Method: OECD Test Guideline 414

Species: Rat
Application Route: inhalation (vapour)
Duration of Single Treatment: 13 d
General Toxicity Maternal: LOAEC: 400
Embryo-foetal toxicity: LOAEC F1: 200
Method: OECD Test Guideline 414

STOT - single exposure

May cause respiratory irritation.

Components:

Diacetone alcohol:

Target Organs: Respiratory system
Assessment: May cause respiratory irritation.

STOT - repeated exposure

Not classified based on available information.

SAFETY DATA SHEET

According to 13 December 2014, No:29204, "Ministry of Environment and Urbanization; Regulation on Safety data sheets regarding hazardous substances and mixtures".



NOROX FC-100

| | | | |
|----------------|------------------------------|-----------------------------|---------------------------|
| Version 1.0 | Revision Date: 13.07.2018 | SDS Number: 600000000132 | Print Date: 13.07.2018 |
|----------------|------------------------------|-----------------------------|---------------------------|

Repeated dose toxicity

Components:

Diacetone alcohol:

Species: Rat
NOAEL: 1,04 mg/l
LOAEL: 4,685 mg/l
Application Route: inhalation (vapour)
Exposure time: 6 w
Method: OECD Test Guideline 412

Species: Rat
NOAEL: 100 mg/kg
Application Route: oral (gavage)
Method: OECD Test Guideline 422

Acetylacetone:

Species: Rat
NOAEL: 200 mg/kg
LOAEL: 805 mg/kg
Application Route: inhalation (vapour)
Exposure time: 9 d

Species: Rat
NOAEL: 100 mg/kg
Application Route: inhalation (vapour)
Exposure time: 90 d
Method: OECD Test Guideline 413

Species: Rabbit
NOAEL: 244 mg/kg
LOAEL: 975 mg/kg
Application Route: Dermal
Exposure time: 9 d

Aspiration toxicity

Not classified based on available information.

Components:

Acetylacetone:

No aspiration toxicity classification

Further information

Product:

Remarks: No data available

SAFETY DATA SHEET

According to 13 December 2014, No:29204, "Ministry of Environment and Urbanization; Regulation on Safety data sheets regarding hazardous substances and mixtures".



NOROX FC-100

| | | | |
|----------------|------------------------------|-----------------------------|---------------------------|
| Version 1.0 | Revision Date: 13.07.2018 | SDS Number: 600000000132 | Print Date: 13.07.2018 |
|----------------|------------------------------|-----------------------------|---------------------------|

Components:

2,4-Pentanedione, peroxide:

Remarks: No data available

Acetylacetone:

Remarks: Solvents may degrease the skin.

SECTION 12: Ecological information

12.1 Toxicity

Components:

2,4-Pentanedione, peroxide:

- | | | |
|---|---|---|
| Toxicity to fish | : | LC50 (Danio rerio (zebra fish)): > 67,6 mg/l Exposure time: 96 h Test Type: semi-static test Method: OECD Test Guideline 203 |
| Toxicity to daphnia and other aquatic invertebrates | : | EC50 (Daphnia magna (Water flea)): 7,05 mg/l Exposure time: 48 h Method: OECD Test Guideline 202 |
| Toxicity to algae | : | EC50 (Pseudokirchneriella subcapitata (green algae)): 5,36 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 |
| Toxicity to microorganisms | : | EC50 : 614 mg/l Exposure time: 3 h Method: OECD Test Guideline 209 |

Diacetone alcohol:

- | | | |
|---|---|--|
| Toxicity to fish | : | LC50 (Oryzias latipes (Orange-red killifish)): > 100 mg/l Exposure time: 96 h Method: OECD Test Guideline 203 |
| Toxicity to daphnia and other aquatic invertebrates | : | EC50 (Daphnia magna (Water flea)): > 1.000 mg/l Exposure time: 48 h Method: OECD Test Guideline 202 NOEC (Daphnia magna (Water flea)): 1.000 mg/l Exposure time: 48 h Method: OECD Test Guideline 202 |
| Toxicity to algae | : | EbC50 (Pseudokirchneriella subcapitata (green algae)): > 1.000 mg/l Exposure time: 72 h |
-

SAFETY DATA SHEET

According to 13 December 2014, No:29204, "Ministry of Environment and Urbanization; Regulation on Safety data sheets regarding hazardous substances and mixtures".



NOROX FC-100

| | | | |
|---------|----------------|--------------|-------------|
| Version | Revision Date: | SDS Number: | Print Date: |
| 1.0 | 13.07.2018 | 600000000132 | 13.07.2018 |

Method: OECD Test Guideline 201

NOEC (Pseudokirchneriella subcapitata (green algae)): 1.000 mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

Toxicity to microorganisms : EC50 : > 1.000 mg/l
Exposure time: 3 h
Method: OECD Test Guideline 209

Ecotoxicology Assessment

Acute aquatic toxicity : This product has no known ecotoxicological effects.

Chronic aquatic toxicity : This product has no known ecotoxicological effects.

tert-Butyl perbenzoate:

Toxicity to fish : LC50 (Danio rerio (zebra fish)): 1,6 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 11 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202

Toxicity to algae : EC50 (Pseudokirchneriella subcapitata (green algae)): 0,8 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201

NOEC (Pseudokirchneriella subcapitata (green algae)): 0,72 mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

M-Factor (Acute aquatic toxicity) : 1

Toxicity to microorganisms : EC50 : 43 mg/l
Exposure time: 0,5 h
Method: OECD Test Guideline 209

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : EC10: 0,49 mg/l
Exposure time: 21 d
Species: Daphnia magna (Water flea)
Method: OECD Test Guideline 211

Acetylacetone:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 104 mg/l
Exposure time: 96 h

SAFETY DATA SHEET

According to 13 December 2014, No:29204, "Ministry of Environment and Urbanization; Regulation on Safety data sheets regarding hazardous substances and mixtures".



NOROX FC-100

| | | | |
|---------|----------------|--------------|-------------|
| Version | Revision Date: | SDS Number: | Print Date: |
| 1.0 | 13.07.2018 | 600000000132 | 13.07.2018 |

- Method: OECD Test Guideline 203
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 25,9 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202
- NOEC (Daphnia magna (Water flea)): 4,3 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202
- Toxicity to algae : EC50 (Pseudokirchneriella subcapitata (green algae)): 83,22 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201
- NOEC (Pseudokirchneriella subcapitata (green algae)): 3,2 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201
- Toxicity to microorganisms : EC50 : 107,6 mg/l
Exposure time: 3 h
Method: OECD Test Guideline 209
- EC10 : 13,2 mg/l
Exposure time: 3 h
Method: OECD Test Guideline 209
- Toxicity to fish (Chronic toxicity) : NOEC: 10 mg/l
Exposure time: 34 d
Species: Pimephales promelas (fathead minnow)
Method: OECD Test Guideline 210
- LOEC: 22 mg/l
Exposure time: 34 d
Species: Pimephales promelas (fathead minnow)
Method: OECD Test Guideline 210
- Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 18 mg/l
Exposure time: 21 d
Species: Daphnia magna (Water flea)
Method: OECD Test Guideline 211

12.2 Persistence and degradability

Components:

2,4-Pentanedione, peroxide:

- Biodegradability : Result: Readily biodegradable.
Method: OECD Test Guideline 301D

SAFETY DATA SHEET

According to 13 December 2014, No:29204, "Ministry of Environment and Urbanization; Regulation on Safety data sheets regarding hazardous substances and mixtures".



NOROX FC-100

| | | | |
|----------------|------------------------------|-----------------------------|---------------------------|
| Version 1.0 | Revision Date: 13.07.2018 | SDS Number: 600000000132 | Print Date: 13.07.2018 |
|----------------|------------------------------|-----------------------------|---------------------------|

Diacetone alcohol:

Biodegradability : Result: Readily biodegradable.
Method: OECD Test Guideline 301A

tert-Butyl perbenzoate:

Biodegradability : Result: Readily biodegradable.
Method: OECD Test Guideline 301D

Acetylacetone:

Biodegradability : Result: Readily biodegradable.
Method: OECD Test Guideline 301C

12.3 Bioaccumulative potential

Components:

2,4-Pentanedione, peroxide:

Partition coefficient: n-octanol/water : log Pow: 1,1 (25 °C)
Method: OECD Test Guideline 117

Diacetone alcohol:

Partition coefficient: n-octanol/water : log Pow: 1,9

tert-Butyl perbenzoate:

Partition coefficient: n-octanol/water : log Pow: 2,89 (25 °C)

Acetylacetone:

Bioaccumulation : Bioconcentration factor (BCF): 3,16
Remarks: Calculation

Partition coefficient: n-octanol/water : log Pow: 0,68 (40 °C)

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher..

SAFETY DATA SHEET

According to 13 December 2014, No:29204, "Ministry of Environment and Urbanization; Regulation on Safety data sheets regarding hazardous substances and mixtures".



NOROX FC-100

| | | | |
|---------|----------------|--------------|-------------|
| Version | Revision Date: | SDS Number: | Print Date: |
| 1.0 | 13.07.2018 | 600000000132 | 13.07.2018 |

12.6 Other adverse effects

Product:

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.
Toxic to aquatic life.

Components:

2,4-Pentanedione, peroxide:

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.
Toxic to aquatic life.

Acetylacetone:

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.
Harmful to aquatic life.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product : The product should not be allowed to enter drains, water courses or the soil.
Do not contaminate ponds, waterways or ditches with chemical or used container.
Dispose of wastes in an approved waste disposal facility.

Contaminated packaging : Empty remaining contents.
Dispose of as unused product.
Do not re-use empty containers.
Do not burn, or use a cutting torch on, the empty drum.
Dispose of in accordance with local regulations.

SECTION 14: Transport information

14.1 UN number

ADR : UN 3105
RID : UN 3105
IMDG : UN 3105

14.2 UN proper shipping name

ADR : ORGANIC PEROXIDE TYPE D, LIQUID
(ACETYL ACETONE PEROXIDE, tert-BUTYL PEROXYBENZOATE)

SAFETY DATA SHEET

According to 13 December 2014, No:29204, "Ministry of Environment and Urbanization; Regulation on Safety data sheets regarding hazardous substances and mixtures".



NOROX FC-100

| | | | |
|---------|----------------|--------------|-------------|
| Version | Revision Date: | SDS Number: | Print Date: |
| 1.0 | 13.07.2018 | 600000000132 | 13.07.2018 |

RID : ORGANIC PEROXIDE TYPE D, LIQUID
(ACETYL ACETONE PEROXIDE, tert-BUTYL PEROXYBENZOATE)

IMDG : ORGANIC PEROXIDE TYPE D, LIQUID
(ACETYL ACETONE PEROXIDE, tert-BUTYL PEROXYBENZOATE)

14.3 Transport hazard class(es)

ADR : 5.2

RID : 5.2

IMDG : 5.2

14.4 Packing group

ADR
Packing group : Not assigned by regulation
Classification Code : P1
Labels : 5.2
Tunnel restriction code : (D)

RID
Packing group : Not assigned by regulation
Classification Code : P1
Hazard Identification Number : 539
Labels : 5.2

IMDG
Packing group : Not assigned by regulation
Labels : 5.2
EmS Code : F-J, S-R

14.5 Environmental hazards

ADR
Environmentally hazardous : no

RID
Environmentally hazardous : no

IMDG
Marine pollutant : no

14.6 Special precautions for user

Not applicable

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

SAFETY DATA SHEET

According to 13 December 2014, No:29204, "Ministry of Environment and Urbanization; Regulation on Safety data sheets regarding hazardous substances and mixtures".



NOROX FC-100

| | | | |
|---------|----------------|--------------|-------------|
| Version | Revision Date: | SDS Number: | Print Date: |
| 1.0 | 13.07.2018 | 600000000132 | 13.07.2018 |

Ministry of Environment and Forestry; Regulation on Restriction Regarding to Manufacture, Placing on the Market and Use of Certain Hazardous Substances, Preparations and Articles. Dated 26 December 2008, Numbered 27092 (Bis). : Not applicable

Other regulations : Gefahrengruppe nach § 3 BGV B4: II (German regulatory requirements)

According to 13 December 2014, No:29204, "Ministry of Environment and Urbanization; Regulation on Safety data sheets regarding hazardous substances and mixtures".
Regulation on Classification, Labelling and Packaging of Substances and Mixtures. Dated 11 December 2013, Numbered 28848 (Bis) Ministry of Environment and Forestry.

The components of this product are reported in the following inventories:

DSL (CA) : All components of this product are on the Canadian DSL
AICS (AU) : On the inventory, or in compliance with the inventory
NZIoC (NZ) : On the inventory, or in compliance with the inventory
ENCS (JP) : On the inventory, or in compliance with the inventory
ISHL (JP) : On the inventory, or in compliance with the inventory
KECI (KR) : On the inventory, or in compliance with the inventory
PICCS (PH) : On the inventory, or in compliance with the inventory
IECSC (CN) : On the inventory, or in compliance with the inventory
TCSI (TW) : On the inventory, or in compliance with the inventory
TSCA (US) : On TSCA Inventory

SECTION 16: Other information

Full text of H-Statements

H226 : Flammable liquid and vapour.
H242 : Heating may cause a fire.
H302 : Harmful if swallowed.
H311 : Toxic in contact with skin.
H315 : Causes skin irritation.
H317 : May cause an allergic skin reaction.
H319 : Causes serious eye irritation.
H331 : Toxic if inhaled.
H332 : Harmful if inhaled.

SAFETY DATA SHEET

According to 13 December 2014, No:29204, "Ministry of Environment and Urbanization; Regulation on Safety data sheets regarding hazardous substances and mixtures".



NOROX FC-100

| | | | |
|---------|----------------|--------------|-------------|
| Version | Revision Date: | SDS Number: | Print Date: |
| 1.0 | 13.07.2018 | 600000000132 | 13.07.2018 |

H335 : May cause respiratory irritation.
H400 : Very toxic to aquatic life.
H412 : Harmful to aquatic life with long lasting effects.

Full text of other abbreviations

Acute Tox. : Acute toxicity
Aquatic Acute : Acute aquatic toxicity
Aquatic Chronic : Chronic aquatic toxicity
Eye Irrit. : Eye irritation
Flam. Liq. : Flammable liquids
Org. Perox. : Organic peroxides
Skin Irrit. : Skin irritation
Skin Sens. : Skin sensitisation
STOT SE : Specific target organ toxicity - single exposure

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road; AICS - Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific

SAFETY DATA SHEET

According to 13 December 2014, No:29204, "Ministry of Environment and Urbanization; Regulation on Safety data sheets regarding hazardous substances and mixtures".



NOROX FC-100

| | | | |
|---------|----------------|--------------|-------------|
| Version | Revision Date: | SDS Number: | Print Date: |
| 1.0 | 13.07.2018 | 600000000132 | 13.07.2018 |

material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

TR / EN