

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

## NOROX<sup>®</sup> KP-100 FRED-3



Version 1.4      Revision Date: 22.07.2020      SDS Number: 600000000448      Date of last issue: 02.08.2019  
Date of first issue: 27.02.2017

---

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Trade name : NOROX<sup>®</sup> KP-100 FRED-3

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub-stance/Mixture : Hardener

#### 1.3 Details of the supplier of the safety data sheet

Company : United Initiators GmbH  
Dr.-Gustav-Adolph-Str. 3  
82049 Pullach

Telephone : +49 / 89 / 74422 – 0

E-mail address of person responsible for the SDS : contact@united-in.com

#### 1.4 Emergency telephone number

+49 / 89 / 74422 – 0 (24 h)

---

### SECTION 2: Hazards identification

#### 2.1 Classification of the substance or mixture

##### Classification (REGULATION (EC) No 1272/2008)

Organic peroxides, Type D	H242: Heating may cause a fire.
Acute toxicity, Category 4	H302: Harmful if swallowed.
Acute toxicity, Category 4	H332: Harmful if inhaled.
Skin corrosion, Sub-category 1B	H314: Causes severe skin burns and eye damage.
Serious eye damage, Category 1	H318: Causes serious eye damage.

#### 2.2 Label elements

##### Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms :



Signal word : Danger

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

## NOROX® KP-100 FRED-3



Version	Revision Date:	SDS Number:	Date of last issue: 02.08.2019
1.4	22.07.2020	600000000448	Date of first issue: 27.02.2017

---

Hazard statements : H242 Heating may cause a fire.  
H302 + H332 Harmful if swallowed or if inhaled.  
H314 Causes severe skin burns and eye damage.

Precautionary statements : **Prevention:**  
P220 Keep/Store away from clothing/ strong acids, bases, heavy metal salts and other reducing substances /combustible materials.  
P233 Keep container tightly closed.  
P235 Keep cool.  
P260 Do not breathe dust/ fume/ gas/ mist/ vapours/ spray.  
P262 Do not get in eyes, on skin, or on clothing.  
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

### Response:

P301 + P312 IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.  
P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.  
P304 + P340 + P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/doctor if you feel unwell.  
P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P308 + P313 IF exposed or concerned: Get medical advice/ attention.  
P315 Get immediate medical advice/ attention.  
P370 + P378 In case of fire: Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide to extinguish.

### Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

Hazardous components which must be listed on the label:

2-Butanone peroxide; Reaction mass of butane-2,2-diyl dihydroperoxide and dioxydibutane-2,2-diyl dihydroperoxide (CAS-No. 1338-23-4)

### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

---

## SECTION 3: Composition/information on ingredients

### 3.2 Mixtures

Chemical nature : Organic Peroxide  
Liquid mixture

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

## NOROX® KP-100 FRED-3



Version 1.4      Revision Date: 22.07.2020      SDS Number: 600000000448      Date of last issue: 02.08.2019  
Date of first issue: 27.02.2017

### Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
2-Butanone peroxide; Reaction mass of butane-2,2-diyl dihydroperoxide and dioxydibutane-2,2-diyl dihydroperoxide	1338-23-4 700-954-4 01-2119514691-43-0000	Org. Perox. D; H242 Acute Tox. 4; H302 Acute Tox. 4; H332 Skin Corr. 1B; H314 Eye Dam. 1; H318	>= 30 - < 35
Hydrogen peroxide	7722-84-1 231-765-0 01-2119485845-22	Ox. Liq. 1; H271 Acute Tox. 4; H302 Acute Tox. 4; H332 Skin Corr. 1A; H314 Eye Dam. 1; H318 STOT SE 3; H335 Aquatic Chronic 3; H412	>= 2.5 - < 3

For explanation of abbreviations see section 16.

## SECTION 4: First aid measures

### 4.1 Description of first aid measures

- General advice : Move out of dangerous area.  
Show this safety data sheet to the doctor in attendance.  
Do not leave the victim unattended.  
Symptoms of poisoning may appear several hours later.  
Call a physician immediately.
- Protection of first-aiders : First Aid responders should pay attention to self-protection and use the recommended protective clothing
- If inhaled : Call a physician or poison control centre immediately.  
If unconscious, place in recovery position and seek medical advice.  
Keep respiratory tract clear.  
Call a physician immediately.  
If breathed in, move person into fresh air.
- In case of skin contact : In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes.  
Wash contaminated clothing before re-use.  
If on skin, rinse well with water.  
If on clothes, remove clothes.  
If symptoms persist, call a physician.
- In case of eye contact : Small amounts splashed into eyes can cause irreversible tissue damage and blindness.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

## NOROX<sup>®</sup> KP-100 FRED-3



Version	Revision Date:	SDS Number:	Date of last issue: 02.08.2019
1.4	22.07.2020	600000000448	Date of first issue: 27.02.2017

---

In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice.  
Continue rinsing eyes during transport to hospital.  
Remove contact lenses.  
Protect unharmed eye.  
Keep eye wide open while rinsing.  
If eye irritation persists, consult a specialist.

If swallowed : Keep respiratory tract clear.  
Do NOT induce vomiting.  
Call a physician immediately.  
Rinse mouth thoroughly with water.

### 4.2 Most important symptoms and effects, both acute and delayed

Risks : Harmful if swallowed or if inhaled.  
Causes serious eye damage.  
Causes severe burns.

### 4.3 Indication of any immediate medical attention and special treatment needed

Treatment : Treat symptomatically and supportively.

---

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media

Suitable extinguishing media : Water spray jet  
Alcohol-resistant foam  
Carbon dioxide (CO<sub>2</sub>)  
Dry chemical

Unsuitable extinguishing media : High volume water jet

### 5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-fighting : Contact with incompatible materials or exposure to temperatures exceeding SADT may result in a self-accelerating decomposition reaction with release of flammable vapors which may auto-ignite.  
The product burns violently.  
Flash back possible over considerable distance.  
Vapours may form explosive mixtures with air.  
The product will float on water and can be reignited on surface water.  
Cool closed containers exposed to fire with water spray.

### 5.3 Advice for firefighters

Special protective equipment : Wear self-contained breathing apparatus for firefighting if necessary. Use personal protective equipment.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

## NOROX® KP-100 FRED-3



Version	Revision Date:	SDS Number:	Date of last issue: 02.08.2019
1.4	22.07.2020	600000000448	Date of first issue: 27.02.2017

---

- Specific extinguishing methods : Do not use a solid water stream as it may scatter and spread fire.  
Remove undamaged containers from fire area if it is safe to do so.  
Use water spray to cool unopened containers.
- Further information : Collect contaminated fire extinguishing water separately. This must not be discharged into drains.  
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.  
Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
- 

### SECTION 6: Accidental release measures

#### 6.1 Personal precautions, protective equipment and emergency procedures

- Personal precautions : Use personal protective equipment.  
Remove all sources of ignition.  
Follow safe handling advice and personal protective equipment recommendations.  
Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.  
Never return spills in original containers for re-use.  
Treat recovered material as described in the section "Disposal considerations".

#### 6.2 Environmental precautions

- Environmental precautions : Prevent product from entering drains.  
Prevent further leakage or spillage if safe to do so.  
If the product contaminates rivers and lakes or drains inform respective authorities.

#### 6.3 Methods and material for containment and cleaning up

- Methods for cleaning up : Contact with incompatible substances can cause decomposition at or below SADT.  
Clear spills immediately.  
Suppress (knock down) gases/vapours/mists with a water spray jet.  
To clean the floor and all objects contaminated by this material, use plenty of water.  
Soak up with inert absorbent material.  
Isolate waste and do not reuse.  
Non-sparking tools should be used.  
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

## NOROX<sup>®</sup> KP-100 FRED-3



Version	Revision Date:	SDS Number:	Date of last issue: 02.08.2019
1.4	22.07.2020	600000000448	Date of first issue: 27.02.2017

---

### 6.4 Reference to other sections

For personal protection see section 8.

---

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

- Technical measures : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.
- Advice on safe handling : Do not swallow.  
Do not breathe vapours/dust.  
Avoid contact with skin and eyes.  
Avoid formation of aerosol.  
Take precautionary measures against static discharges.  
Never return any product to the container from which it was originally removed.  
Provide sufficient air exchange and/or exhaust in work rooms.  
Avoid confinement.  
Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
Smoking, eating and drinking should be prohibited in the application area.  
Wash thoroughly after handling.  
For personal protection see section 8.  
Protect from contamination.
- Advice on protection against fire and explosion : Keep away from heat and sources of ignition. Use only explosion-proof equipment. Keep away from combustible material.
- Hygiene measures : Keep away from food and drink. When using do not eat or drink. When using do not smoke. Wash hands before breaks and immediately after handling the product.

### 7.2 Conditions for safe storage, including any incompatibilities

- Requirements for storage areas and containers : Avoid impurities (e.g. rust, dust, ash), risk of decomposition. Electrical installations / working materials must comply with the technological safety standards. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Store in original container. Keep containers tightly closed in a cool, well-ventilated place. Store in accordance with the particular national regulations.
- Advice on common storage : Keep away from strong acids, bases, heavy metal salts and other reducing substances.
- Recommended storage temperature : < 30 °C
- Further information on storage stability : No decomposition if stored normally.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

## NOROX® KP-100 FRED-3



Version 1.4      Revision Date: 22.07.2020      SDS Number: 600000000448      Date of last issue: 02.08.2019  
Date of first issue: 27.02.2017

### 7.3 Specific end use(s)

Specific use(s) : For further information, refer to the product technical data sheet.

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

#### Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
dimethyl phthalate	131-11-3	OELV - 8 hrs (TWA)	5 mg/m <sup>3</sup>	IE OEL
		OELV - 15 min (STEL)	10 mg/m <sup>3</sup>	IE OEL
2-Butanone peroxide; Reaction mass of butane-2,2-diyl dihydroperoxide and dioxydibutane-2,2-diyl dihydroperoxide	1338-23-4	OELV - 15 min (STEL)	0.2 ppm 1.5 mg/m <sup>3</sup>	IE OEL
Hydrogen peroxide	7722-84-1	OELV - 15 min (STEL)	2 ppm 3 mg/m <sup>3</sup>	IE OEL
		OELV - 8 hrs (TWA)	1 ppm 1.5 mg/m <sup>3</sup>	IE OEL

#### Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health effects	Value
dimethyl phthalate	Workers	Inhalation	Long-term systemic effects	66.1 mg/m <sup>3</sup>
	Workers	Skin contact	Long-term systemic effects	135 mg/kg bw/day
2-Butanone peroxide; Reaction mass of butane-2,2-diyl dihydroperoxide and dioxydibutane-2,2-diyl dihydroperoxide	Workers	Inhalation	Long-term systemic effects	2.35 mg/m <sup>3</sup>
	Workers	Skin contact	Long-term systemic effects	1.33 mg/kg bw/day
	Workers	Inhalation	Acute systemic effects	7.05 mg/m <sup>3</sup>
Hydrogen peroxide	Workers	Inhalation	Acute local effects	3.4 mg/m <sup>3</sup>
	Workers	Inhalation	Long-term local effects	1.4 mg/m <sup>3</sup>

#### Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

## NOROX® KP-100 FRED-3



Version 1.4      Revision Date: 22.07.2020      SDS Number: 600000000448      Date of last issue: 02.08.2019  
Date of first issue: 27.02.2017

Substance name	Environmental Compartment	Value
dimethyl phthalate	Fresh water	0.192 mg/l
	Marine water	0.0192 mg/l
	Sewage treatment plant	4 mg/l
	Fresh water sediment	1.3 mg/kg dry weight (d.w.)
	Soil	3.16 mg/kg dry weight (d.w.)
	Marine sediment	0.13 mg/kg dry weight (d.w.)
2-Butanone peroxide; Reaction mass of butane-2,2-diyl dihydroperoxide and dioxydibutane-2,2-diyl dihydroperoxide	Fresh water	0.0056 mg/l
	Marine water	0.00056 mg/l
	Intermittent use/release	0.056 mg/l
	Sewage treatment plant	1.2 mg/l
	Fresh water sediment	0.0876 mg/kg
	Marine sediment	0.00876 mg/kg
Hydrogen peroxide	Soil	0.0142 mg/kg
	Fresh water	0.0126 mg/l
	Marine water	0.0126 mg/l
	Intermittent use/release	0.0138 mg/l
	Sewage treatment plant	4.66 mg/l
	Fresh water sediment	0.047 mg/l
	Marine sediment	0.047 mg/l
	Soil	0.0023 mg/l

### 8.2 Exposure controls

#### Engineering measures

Minimize workplace exposure concentrations.

#### Personal protective equipment

Eye protection : Tightly fitting safety goggles  
Please wear suitable protective goggles. Also wear face protection if there is a splash hazard.  
Ensure that eyewash stations and safety showers are close to the workstation location.

#### Hand protection

Material : butyl-rubber  
Break through time : 480 min  
Glove thickness : 0.5 mm

Remarks : Choose gloves to protect hands against chemicals depending on the concentration and quantity of the hazardous substance and specific to place of work. For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer. Wash hands before breaks and at the end of workday.



# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

## NOROX<sup>®</sup> KP-100 FRED-3



Version	Revision Date:	SDS Number:	Date of last issue: 02.08.2019
1.4	22.07.2020	600000000448	Date of first issue: 27.02.2017

---

Skin and body protection : Select appropriate protective clothing based on chemical resistance data and an assessment of the local exposure potential.

Respiratory protection : In the case of dust or aerosol formation use respirator with an approved filter.

Filter type : ABEK-filter

---

### SECTION 9: Physical and chemical properties

#### 9.1 Information on basic physical and chemical properties

Appearance : liquid

Colour : red

Odour : mint-like

pH : No data available

Melting point/range : No data available

Boiling point/boiling range : Decomposition: Decomposes below the boiling point.

Flash point : > 80 °C  
Method: ISO 3679

Flammability (solid, gas) : Not applicable

Upper explosion limit / Upper flammability limit : No data available

Lower explosion limit / Lower flammability limit : No data available

Vapour pressure : No data available

Density : 1.12 g/cm<sup>3</sup> (20 °C)

Solubility(ies)

Water solubility : slightly soluble

Solubility in other solvents : No data available

Partition coefficient: n-octanol/water : No data available

Viscosity

Viscosity, dynamic : 19 - 23 mPa.s

Explosive properties : Not explosive

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

## NOROX<sup>®</sup> KP-100 FRED-3



Version	Revision Date:	SDS Number:	Date of last issue: 02.08.2019
1.4	22.07.2020	600000000448	Date of first issue: 27.02.2017

---

Oxidizing properties : The substance or mixture is not classified as oxidizing.  
Organic peroxide

### 9.2 Other information

Self-Accelerating decomposition temperature (SADT) :  $\geq 60$  °C  
Method: UN-Test H.4  
SADT-Self Accelerating Decomposition Temperature. Lowest temperature at which the tested package size will undergo a self-accelerating decomposition reaction.

---

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

Stable under recommended storage conditions.

### 10.2 Chemical stability

Stable under recommended storage conditions.

### 10.3 Possibility of hazardous reactions

Hazardous reactions : Vapours may form explosive mixture with air.

### 10.4 Conditions to avoid

Conditions to avoid : Protect from contamination.  
Contact with incompatible substances can cause decomposition at or below SADT.  
Heat, flames and sparks.  
Avoid confinement.

### 10.5 Incompatible materials

Materials to avoid : Accelerators, strong acids and bases, heavy metals and heavy metal salts, reducing agents

### 10.6 Hazardous decomposition products

Irritant, caustic, flammable, noxious/toxic gases and vapours can develop in the case of fire and decomposition

---

## SECTION 11: Toxicological information

### 11.1 Information on toxicological effects

#### Acute toxicity

Harmful if swallowed or if inhaled.

#### Product:

Acute oral toxicity : Acute toxicity estimate: 1,384 mg/kg  
Method: Calculation method

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

## NOROX® KP-100 FRED-3



Version	Revision Date:	SDS Number:	Date of last issue: 02.08.2019
1.4	22.07.2020	600000000448	Date of first issue: 27.02.2017

---

Acute inhalation toxicity : Acute toxicity estimate: 4.01 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: Calculation method

### Components:

#### **2-Butanone peroxide; Reaction mass of butane-2,2-diyl dihydroperoxide and dioxydibutane-2,2-diyl dihydroperoxide:**

Acute oral toxicity : Acute toxicity estimate: 500 mg/kg  
Method: Expert judgement

Acute inhalation toxicity : Acute toxicity estimate: 1.5 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: Expert judgement  
Assessment: The component/mixture is moderately toxic after short term inhalation.  
Remarks: Based on data from similar materials

Acute dermal toxicity : Acute toxicity estimate: 2,500 mg/kg  
Method: Expert judgement

#### **Hydrogen peroxide:**

Acute oral toxicity : LD50 (Rat, male): 1,026 mg/kg  
Method: OECD Test Guideline 401

Acute inhalation toxicity : LC50 (Rat): > 0.17 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Assessment: The component/mixture is moderately toxic after short term inhalation.  
Remarks: Based on harmonised classification in EU regulation 1272/2008, Annex VI

Acute dermal toxicity : LD50 (Rabbit): > 6,500 mg/kg

#### **Skin corrosion/irritation**

Causes severe burns.

### Product:

Remarks : Extremely corrosive and destructive to tissue.

### Components:

#### **2-Butanone peroxide; Reaction mass of butane-2,2-diyl dihydroperoxide and dioxydibutane-2,2-diyl dihydroperoxide:**

Species : Rabbit  
Result : Causes burns.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

## NOROX<sup>®</sup> KP-100 FRED-3



Version	Revision Date:	SDS Number:	Date of last issue: 02.08.2019
1.4	22.07.2020	600000000448	Date of first issue: 27.02.2017

---

### Hydrogen peroxide:

Result : Corrosive after 3 minutes or less of exposure

### Serious eye damage/eye irritation

Causes serious eye damage.

### Product:

Remarks : May cause irreversible eye damage.

### Components:

#### 2-Butanone peroxide; Reaction mass of butane-2,2-diyl dihydroperoxide and dioxydibutane-2,2-diyl dihydroperoxide:

Result : Irreversible effects on the eye

### Hydrogen peroxide:

Result : Irreversible effects on the eye

### Respiratory or skin sensitisation

#### Skin sensitisation

Not classified based on available information.

#### Respiratory sensitisation

Not classified based on available information.

### Components:

#### 2-Butanone peroxide; Reaction mass of butane-2,2-diyl dihydroperoxide and dioxydibutane-2,2-diyl dihydroperoxide:

Species : Guinea pig  
Method : OECD Test Guideline 406  
Result : Does not cause skin sensitisation.

Assessment : Harmful if swallowed., Harmful if inhaled.

### Germ cell mutagenicity

Not classified based on available information.

### Components:

#### 2-Butanone peroxide; Reaction mass of butane-2,2-diyl dihydroperoxide and dioxydibutane-2,2-diyl dihydroperoxide:

Genotoxicity in vitro : Method: OECD Test Guideline 473  
Result: negative

Method: OECD Test Guideline 471  
Result: negative

Method: OECD Test Guideline 476  
Result: negative

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

## NOROX® KP-100 FRED-3



Version	Revision Date:	SDS Number:	Date of last issue: 02.08.2019
1.4	22.07.2020	600000000448	Date of first issue: 27.02.2017

---

### Hydrogen peroxide:

Genotoxicity in vitro : Test Type: Ames test  
Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo  
cytogenetic assay)  
Species: Mouse  
Result: negative

### Carcinogenicity

Not classified based on available information.

### Components:

#### 2-Butanone peroxide; Reaction mass of butane-2,2-diyl dihydroperoxide and dioxydibutane-2,2-diyl dihydroperoxide:

Remarks : This information is not available.

### Hydrogen peroxide:

Carcinogenicity - Assessment : Carcinogenicity classification not possible from current data.

### Reproductive toxicity

Not classified based on available information.

### Components:

#### 2-Butanone peroxide; Reaction mass of butane-2,2-diyl dihydroperoxide and dioxydibutane-2,2-diyl dihydroperoxide:

Effects on fertility : Species: Rat  
Application Route: oral (gavage)  
General Toxicity - Parent: NOAEL: 50 mg/kg body weight  
Method: OECD Test Guideline 421  
Result: negative

### STOT - single exposure

Not classified based on available information.

### Components:

### Hydrogen peroxide:

Assessment : May cause respiratory irritation.

### STOT - repeated exposure

Not classified based on available information.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

## NOROX<sup>®</sup> KP-100 FRED-3



Version	Revision Date:	SDS Number:	Date of last issue: 02.08.2019
1.4	22.07.2020	600000000448	Date of first issue: 27.02.2017

---

### Repeated dose toxicity

#### Components:

#### **2-Butanone peroxide; Reaction mass of butane-2,2-diyl dihydroperoxide and dioxydibutane-2,2-diyl dihydroperoxide:**

Species	:	Rat
NOAEL	:	200 mg/kg
Application Route	:	oral (gavage)
Exposure time	:	28 d
Method	:	OECD Test Guideline 407

#### **Hydrogen peroxide:**

Species	:	Mouse
Application Route	:	Ingestion
Exposure time	:	90 d
Symptoms	:	No adverse effects

#### **Aspiration toxicity**

Not classified based on available information.

#### **Further information**

#### Product:

Remarks	:	No data available
---------	---	-------------------

---

## SECTION 12: Ecological information

### 12.1 Toxicity

#### Components:

#### **2-Butanone peroxide; Reaction mass of butane-2,2-diyl dihydroperoxide and dioxydibutane-2,2-diyl dihydroperoxide:**

Toxicity to fish	:	LC50 (Poecilia reticulata (guppy)): 44.2 mg/l Exposure time: 96 h Method: OECD Test Guideline 203
------------------	---	---

	:	NOEC (Poecilia reticulata (guppy)): 18 mg/l Exposure time: 96 h Method: OECD Test Guideline 203
--	---	---

Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): 39 mg/l Exposure time: 48 h Method: OECD Test Guideline 202
---	---	--

	:	NOEC (Daphnia magna (Water flea)): 26.7 mg/l Method: OECD Test Guideline 202
--	---	---

Toxicity to algae/aquatic plants	:	EC50 (Pseudokirchneriella subcapitata (green algae)): 5.6 mg/l
----------------------------------	---	--

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

## NOROX® KP-100 FRED-3



Version	Revision Date:	SDS Number:	Date of last issue: 02.08.2019
1.4	22.07.2020	600000000448	Date of first issue: 27.02.2017

---

Exposure time: 72 h  
Method: OECD Test Guideline 201

NOEC (Pseudokirchneriella subcapitata (green algae)): 2.1 mg/l

Exposure time: 72 h  
Method: OECD Test Guideline 201

Toxicity to microorganisms : EC50 (Bacteria): 48 mg/l  
Exposure time: 0.5 h  
Method: OECD Test Guideline 209

### Hydrogen peroxide:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 16.4 mg/l  
Exposure time: 96 h

Toxicity to daphnia and other : LC50 (Daphnia pulex (Water flea)): 2.4 mg/l  
aquatic invertebrates Exposure time: 48 h

Toxicity to algae/aquatic : EC50 (Skeletonema costatum (marine diatom)): 1.38 mg/l  
plants Exposure time: 72 h

NOEC (Skeletonema costatum (marine diatom)): 0.63 mg/l  
Exposure time: 72 h

Toxicity to daphnia and other : NOEC: 0.63 mg/l  
aquatic invertebrates (Chronic toxicity) Exposure time: 21 d  
Species: Daphnia magna (Water flea)

## 12.2 Persistence and degradability

### Components:

#### **2-Butanone peroxide; Reaction mass of butane-2,2-diyl dihydroperoxide and dioxydibutane-2,2-diyl dihydroperoxide:**

Biodegradability : Result: Readily biodegradable.  
Method: OECD Test Guideline 301D

### **Hydrogen peroxide:**

Biodegradability : Result: Readily biodegradable.

## 12.3 Bioaccumulative potential

### Components:

#### **2-Butanone peroxide; Reaction mass of butane-2,2-diyl dihydroperoxide and dioxydibutane-2,2-diyl dihydroperoxide:**

Partition coefficient: n- : log Pow: < 0.3 (25 °C)  
octanol/water

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

## NOROX<sup>®</sup> KP-100 FRED-3



Version	Revision Date:	SDS Number:	Date of last issue: 02.08.2019
1.4	22.07.2020	600000000448	Date of first issue: 27.02.2017

---

### Hydrogen peroxide:

Partition coefficient: n-octanol/water : log Pow: -1.57  
Remarks: Calculation

### 12.4 Mobility in soil

No data available

### 12.5 Results of PBT and vPvB assessment

#### Product:

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher..

### 12.6 Other adverse effects

#### Product:

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.  
Toxic to aquatic life.

---

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

Product : The product should not be allowed to enter drains, water courses or the soil.  
Do not contaminate ponds, waterways or ditches with chemical or used container.  
Dispose of wastes in an approved waste disposal facility.

Contaminated packaging : Empty remaining contents.  
Dispose of as unused product.  
Do not re-use empty containers.  
Do not burn, or use a cutting torch on, the empty drum.  
Dispose of in accordance with local regulations.

---

## SECTION 14: Transport information

### 14.1 UN number

ADN : UN 3105  
ADR : UN 3105  
RID : UN 3105  
IMDG : UN 3105  
IATA : UN 3105



# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

## NOROX<sup>®</sup> KP-100 FRED-3



Version 1.4      Revision Date: 22.07.2020      SDS Number: 600000000448      Date of last issue: 02.08.2019  
Date of first issue: 27.02.2017

---

### 14.2 UN proper shipping name

**ADN** : ORGANIC PEROXIDE TYPE D, LIQUID  
(METHYL ETHYL KETONE PEROXIDE(S))

**ADR** : ORGANIC PEROXIDE TYPE D, LIQUID  
(METHYL ETHYL KETONE PEROXIDE(S))

**RID** : ORGANIC PEROXIDE TYPE D, LIQUID  
(METHYL ETHYL KETONE PEROXIDE(S))

**IMDG** : ORGANIC PEROXIDE TYPE D, LIQUID  
(METHYL ETHYL KETONE PEROXIDE(S))

**IATA** : Organic peroxide type D, liquid  
(Methyl ethyl ketone peroxide(s))

### 14.3 Transport hazard class(es)

**ADN** : 5.2

**ADR** : 5.2

**RID** : 5.2

**IMDG** : 5.2

**IATA** : 5.2

### 14.4 Packing group

**ADN**  
Packing group : Not assigned by regulation  
Classification Code : P1  
Labels : 5.2

**ADR**  
Packing group : Not assigned by regulation  
Classification Code : P1  
Labels : 5.2  
Tunnel restriction code : (D)

**RID**  
Packing group : Not assigned by regulation  
Classification Code : P1  
Hazard Identification Number : 539  
Labels : 5.2

**IMDG**  
Packing group : Not assigned by regulation  
Labels : 5.2  
EmS Code : F-J, S-R

**IATA (Cargo)**  
Packing instruction (cargo aircraft) : 570  
Packing group : Not assigned by regulation  
Labels : Division 5.2 - Organic peroxides, Handling Label - Keep Away From Heat

**IATA (Passenger)**

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

## NOROX® KP-100 FRED-3



Version	Revision Date:	SDS Number:	Date of last issue: 02.08.2019
1.4	22.07.2020	600000000448	Date of first issue: 27.02.2017

---

Packing instruction (passenger aircraft) : 570  
Packing group : Not assigned by regulation  
Labels : Division 5.2 - Organic peroxides, Handling Label - Keep Away From Heat

### 14.5 Environmental hazards

#### ADN

Environmentally hazardous : no

#### ADR

Environmentally hazardous : no

#### RID

Environmentally hazardous : no

#### IMDG

Marine pollutant : no

### 14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

### 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable for product as supplied.

---

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59) : Not applicable

REACH - List of substances subject to authorisation (Annex XIV) : Not applicable

Regulation (EC) No 1005/2009 on substances that deplete the ozone layer : Not applicable

Regulation (EC) No 850/2004 on persistent organic pollutants : Not applicable

Regulation (EC) No 649/2012 of the European Parliament and the Council concerning the export and import of dangerous chemicals : Not applicable

REACH - Restrictions on the manufacture, placing on : Conditions of restriction for the fol-

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

## NOROX<sup>®</sup> KP-100 FRED-3



Version	Revision Date:	SDS Number:	Date of last issue: 02.08.2019
1.4	22.07.2020	600000000448	Date of first issue: 27.02.2017

---

the market and use of certain dangerous substances, preparations and articles (Annex XVII)

lowing entries should be considered:  
Number on list 3

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.

P6b	SELF-REACTIVE SUBSTANCES AND MIXTURES and ORGANIC PEROXIDES	Quantity 1 50 t	Quantity 2 200 t
-----	--	--------------------	---------------------

### Other regulations:

Gefahrgruppe nach § 3 BGV B4: Ib (German regulatory requirements)

Take note of Directive 94/33/EC on the protection of young people at work or stricter national regulations, where applicable.

### The components of this product are reported in the following inventories:

TCSI (TW)	:	On the inventory, or in compliance with the inventory
TSCA (US)	:	All substances listed as active on the TSCA inventory
AICS (AU)	:	On the inventory, or in compliance with the inventory
DSL (CA)	:	All components of this product are on the Canadian DSL
KECI (KR)	:	On the inventory, or in compliance with the inventory

### 15.2 Chemical safety assessment

This information is not available.

---

## SECTION 16: Other information

### Further information

Other information : This safety datasheet only contains information relating to safety and does not replace any product information or product specification.  
These safety instructions also apply to empty packaging which may still contain product residues.

Sources of key data used to compile the Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

**Classification of the mixture:**

**Classification procedure:**

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

## NOROX® KP-100 FRED-3



Version	Revision Date:	SDS Number:	Date of last issue: 02.08.2019
1.4	22.07.2020	600000000448	Date of first issue: 27.02.2017

---

Org. Perox. D	H242	Based on product data or assessment
Acute Tox. 4	H302	Calculation method
Acute Tox. 4	H332	Calculation method
Skin Corr. 1B	H314	Calculation method
Eye Dam. 1	H318	Calculation method

### Full text of H-Statements

H242 : Heating may cause a fire.  
H271 : May cause fire or explosion; strong oxidizer.  
H302 : Harmful if swallowed.  
H314 : Causes severe skin burns and eye damage.  
H318 : Causes serious eye damage.  
H332 : Harmful if inhaled.  
H335 : May cause respiratory irritation.  
H412 : Harmful to aquatic life with long lasting effects.

### Full text of other abbreviations

Acute Tox. : Acute toxicity  
Aquatic Chronic : Long-term (chronic) aquatic hazard  
Eye Dam. : Serious eye damage  
Org. Perox. : Organic peroxides  
Ox. Liq. : Oxidizing liquids  
Skin Corr. : Skin corrosion  
STOT SE : Specific target organ toxicity - single exposure  
IE OEL : Ireland. List of Chemical Agents and Occupational Exposure Limit Values - Schedule 1  
IE OEL / OELV - 8 hrs (TWA) : Occupational exposure limit value (8-hour reference period)  
IE OEL / OELV - 15 min (STEL) : Occupational exposure limit value (15-minute reference period)

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road; AICS - Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

## NOROX<sup>®</sup> KP-100 FRED-3



Version	Revision Date:	SDS Number:	Date of last issue: 02.08.2019
1.4	22.07.2020	600000000448	Date of first issue: 27.02.2017

---

Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of very high concern; TCSI - Taiwan Chemical Substance Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

IE / EN