

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## NOROX MCP-75

Version  
1.2

Revision Date:  
21.09.2017

SDS Number:  
600000000086

Print Date:  
23.01.2018

---

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Trade name : NOROX MCP-75

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub-  
stance/Mixture : Hardener

#### 1.3 Details of the supplier of the safety data sheet

Company : United Initiators GmbH  
Dr.-Gustav-Adolph-Str. 3  
82049 Pullach

E-mail address of person  
responsible for the SDS : contact@united-in.com

#### 1.4 Emergency telephone number

+49 / 89 / 74422 – 0 (24 h)

---

### SECTION 2: Hazards identification

#### 2.1 Classification of the substance or mixture

##### Classification (REGULATION (EC) No 1272/2008)

Organic peroxides, Type D	H242: Heating may cause a fire.
Acute toxicity, Category 4	H302: Harmful if swallowed.
Acute toxicity, Category 4	H332: Harmful if inhaled.
Skin corrosion, Category 1B	H314: Causes severe skin burns and eye damage.
Serious eye damage, Category 1	H318: Causes serious eye damage.
Specific target organ toxicity - single exposure, Category 3, Respiratory system	H335: May cause respiratory irritation.
Specific target organ toxicity - repeated exposure, Category 2	H373: May cause damage to organs through prolonged or repeated exposure.
Chronic aquatic toxicity, Category 3	H412: Harmful to aquatic life with long lasting effects.

#### 2.2 Label elements

##### Labelling (REGULATION (EC) No 1272/2008)

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

## NOROX MCP-75

Version  
1.2

Revision Date:  
21.09.2017

SDS Number:  
600000000086

Print Date:  
23.01.2018

Hazard pictograms :



Signal word :

Danger

Hazard statements :

H242 Heating may cause a fire.  
H302 + H332 Harmful if swallowed or if inhaled  
H314 Causes severe skin burns and eye damage.  
H335 May cause respiratory irritation.  
H373 May cause damage to organs through prolonged or repeated exposure.  
H412 Harmful to aquatic life with long lasting effects.

Precautionary statements :

### Prevention:

P220 Keep/Store away from clothing/ strong acids, bases, heavy metal salts and other reducing substances /combustible materials.  
P233 Keep container tightly closed.  
P235 Keep cool.  
P260 Do not breathe dust/ fume/ gas/ mist/ vapours/ spray.  
P262 Do not get in eyes, on skin, or on clothing.  
P273 Avoid release to the environment.  
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

### Response:

P301 + P312 IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.  
P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.  
P304 + P340 + P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/doctor if you feel unwell.  
P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P308 + P313 IF exposed or concerned: Get medical advice/ attention.  
P314 Get medical advice/ attention if you feel unwell.  
P315 Get immediate medical advice/ attention.

### Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

Hazardous components which must be listed on the label:

2-Butanone, peroxide (CAS-No. 1338-23-4)

Cumene hydroperoxide (CAS-No. 80-15-9)

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## NOROX MCP-75

Version  
1.2

Revision Date:  
21.09.2017

SDS Number:  
600000000086

Print Date:  
23.01.2018

### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

## SECTION 3: Composition/information on ingredients

### 3.2 Mixtures

Chemical nature : Organic Peroxide  
Liquid mixture

#### Hazardous components

Chemical name	CAS-No. EC-No. Registration number	Classification	Concentration (% w/w)
2-Butanone, peroxide	1338-23-4 215-661-2 01-2119514691-43	Org. Perox. D; H242 Acute Tox. 4; H302 Acute Tox. 4; H332 Skin Corr. 1B; H314 Eye Dam. 1; H318	>= 25 - < 30
Cumene hydroperoxide	80-15-9 201-254-7 01-2119475796-19	Flam. Liq. 3; H226 Org. Perox. E; H242 Acute Tox. 4; H302 Acute Tox. 3; H331 Acute Tox. 4; H312 Skin Corr. 1B; H314 Eye Dam. 1; H318 STOT RE 2; H373 Aquatic Chronic 2; H411	>= 20 - < 25
Cumene	98-82-8 202-704-5 01-2119473983-24	Flam. Liq. 3; H226 STOT SE 3; H335 Asp. Tox. 1; H304 Aquatic Chronic 2; H411	>= 2.5 - < 5
Benzenemethanol, alpha,alpha-dimethyl-	617-94-7 210-539-5 01-2119965145-35	Acute Tox. 4; H302 Skin Irrit. 2; H315 Eye Irrit. 2; H319	>= 1 - < 3

For explanation of abbreviations see section 16.

## SECTION 4: First aid measures

### 4.1 Description of first aid measures

General advice : Move out of dangerous area.  
Show this safety data sheet to the doctor in attendance.  
Do not leave the victim unattended.  
Symptoms of poisoning may appear several hours later.  
Call a physician immediately.

Protection of first-aiders : First Aid responders should pay attention to self-protection

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## NOROX MCP-75

Version  
1.2

Revision Date:  
21.09.2017

SDS Number:  
600000000086

Print Date:  
23.01.2018

---

- and use the recommended protective clothing
- If inhaled : Call a physician or poison control centre immediately.  
If unconscious, place in recovery position and seek medical advice.  
Keep respiratory tract clear.  
Call a physician immediately.  
If breathed in, move person into fresh air.
- In case of skin contact : In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes.  
Wash contaminated clothing before re-use.  
If on skin, rinse well with water.  
If on clothes, remove clothes.  
If symptoms persist, call a physician.
- In case of eye contact : Small amounts splashed into eyes can cause irreversible tissue damage and blindness.  
In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice.  
Continue rinsing eyes during transport to hospital.  
Remove contact lenses.  
Protect unharmed eye.  
Keep eye wide open while rinsing.  
If eye irritation persists, consult a specialist.
- If swallowed : Keep respiratory tract clear.  
Do NOT induce vomiting.  
Call a physician immediately.  
Rinse mouth thoroughly with water.

### 4.2 Most important symptoms and effects, both acute and delayed

- Risks : Harmful if swallowed or if inhaled  
Causes serious eye damage.  
May cause respiratory irritation.  
May cause damage to organs through prolonged or repeated exposure.  
Causes severe burns.

### 4.3 Indication of any immediate medical attention and special treatment needed

- Treatment : Treat symptomatically and supportively.
- 

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media

- Suitable extinguishing media : Water spray  
Alcohol-resistant foam  
Carbon dioxide (CO<sub>2</sub>)  
Dry chemical

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## NOROX MCP-75

Version  
1.2

Revision Date:  
21.09.2017

SDS Number:  
600000000086

Print Date:  
23.01.2018

Unsuitable extinguishing media : High volume water jet

### 5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-fighting : Contact with incompatible materials or exposure to temperatures exceeding SADT may result in a self-accelerating decomposition reaction with release of flammable vapors which may auto-ignite.  
The product burns violently.  
Flash back possible over considerable distance.  
Vapours may form explosive mixtures with air.  
Cool closed containers exposed to fire with water spray.

### 5.3 Advice for firefighters

Special protective equipment for firefighters : Wear self-contained breathing apparatus for firefighting if necessary. Use personal protective equipment.

Specific extinguishing methods : Do not use a solid water stream as it may scatter and spread fire.  
Remove undamaged containers from fire area if it is safe to do so.  
Use water spray to cool unopened containers.

Further information : Collect contaminated fire extinguishing water separately. This must not be discharged into drains.  
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.  
Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

---

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Use personal protective equipment.  
Remove all sources of ignition.  
Follow safe handling advice and personal protective equipment recommendations.  
Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.  
Never return spills in original containers for re-use.  
Treat recovered material as described in the section "Disposal considerations".

### 6.2 Environmental precautions

Environmental precautions : Prevent product from entering drains.  
Prevent further leakage or spillage if safe to do so.  
If the product contaminates rivers and lakes or drains inform respective authorities.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## NOROX MCP-75

Version  
1.2

Revision Date:  
21.09.2017

SDS Number:  
600000000086

Print Date:  
23.01.2018

---

### 6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Contact with incompatible substances can cause decomposition at or below SADT.  
Clear spills immediately.  
Suppress (knock down) gases/vapours/mists with a water spray jet.  
To clean the floor and all objects contaminated by this material, use plenty of water.  
Soak up with inert absorbent material.  
Isolate waste and do not reuse.  
Non-sparking tools should be used.  
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.

### 6.4 Reference to other sections

For personal protection see section 8.

---

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

Technical measures : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.

Advice on safe handling : Do not swallow.  
Do not breathe vapours/dust.  
Avoid exposure - obtain special instructions before use.  
Avoid contact with skin and eyes.  
Avoid formation of aerosol.  
Take precautionary measures against static discharges.  
Never return any product to the container from which it was originally removed.  
Provide sufficient air exchange and/or exhaust in work rooms.  
Avoid confinement.  
Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
Smoking, eating and drinking should be prohibited in the application area.  
Wash thoroughly after handling.  
For personal protection see section 8.  
Protect from contamination.

Advice on protection against fire and explosion : Keep away from heat and sources of ignition. Use only explosion-proof equipment. Keep away from combustible material.

Hygiene measures : Keep away from food and drink. When using do not eat or drink. When using do not smoke. Wash hands before breaks and immediately after handling the product.

### 7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage : Avoid impurities (e.g. rust, dust, ash), risk of decomposition.

---

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## NOROX MCP-75

Version  
1.2

Revision Date:  
21.09.2017

SDS Number:  
600000000086

Print Date:  
23.01.2018

areas and containers                      Electrical installations / working materials must comply with the technological safety standards. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Store in original container. Keep containers tightly closed in a cool, well-ventilated place. Store in accordance with the particular national regulations.

Advice on common storage            :    Keep away from strong acids, bases, heavy metal salts and other reducing substances.

Recommended storage temperature    :    < 30 °C

Other data                                    :    No decomposition if stored normally.

### 7.3 Specific end use(s)

Specific use(s)                            :    For further information, refer to the product technical data sheet.

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

#### Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
dimethyl phthalate	Dimethyl phthalate	TWA	5 mg/m <sup>3</sup>	GB EH40
		STEL	10 mg/m <sup>3</sup>	GB EH40
2-Butanone, peroxide	2-Butanone, peroxide	STEL	0.2 ppm 1.5 mg/m <sup>3</sup>	GB EH40
Cumene	Cumene	TWA	20 ppm 100 mg/m <sup>3</sup>	2000/39/EC
		Further information	Identifies the possibility of significant uptake through the skin, Indicative	
		STEL	50 ppm 250 mg/m <sup>3</sup>	2000/39/EC
Further information	Identifies the possibility of significant uptake through the skin, Indicative			
		TWA	25 ppm 125 mg/m <sup>3</sup>	GB EH40
Further information	Can be absorbed through skin. The assigned substances are those for which there are concerns that dermal absorption will lead to systemic toxicity.			
		STEL	50 ppm 250 mg/m <sup>3</sup>	GB EH40
Further information	Can be absorbed through skin. The assigned substances are those for which there are concerns that dermal absorption will lead to systemic toxicity.			

#### Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health effects	Value
2-Butanone, peroxide	Workers	Inhalation	Long-term systemic effects	2.35 mg/m <sup>3</sup>

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## NOROX MCP-75

Version  
1.2

Revision Date:  
21.09.2017

SDS Number:  
600000000086

Print Date:  
23.01.2018

	Workers	Skin contact	Long-term systemic effects	1.33 mg/kg bw/day
	Workers	Inhalation	Acute systemic effects	7.05 mg/m <sup>3</sup>
Cumene hydroperoxide	Workers	Inhalation	Long-term systemic effects	6 mg/m <sup>3</sup>

### Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
2-Butanone, peroxide	Fresh water	0.0056 mg/l
	Marine water	0.00056 mg/l
	Intermittent use/release	0.056 mg/l
	Sewage treatment plant	1.2 mg/l
	Fresh water sediment	0.0876 mg/kg
	Marine sediment	0.00876 mg/kg
Cumene hydroperoxide	Soil	0.0142 mg/kg
	Fresh water	0.0031 mg/l
	Marine water	0.00031 mg/l
	Intermittent use/release	0.031 mg/l
	Sewage treatment plant	0.35 mg/l
	Fresh water sediment	0.023 mg/kg
	Marine sediment	0.0023 mg/kg
	Soil	0.0029 mg/kg

## 8.2 Exposure controls

### Engineering measures

Minimize workplace exposure concentrations.

### Personal protective equipment

Eye protection : Tightly fitting safety goggles  
Please wear suitable protective goggles. Also wear face protection if there is a splash hazard.  
Ensure that eyewash stations and safety showers are close to the workstation location.

### Hand protection

Material : butyl-rubber  
Break through time : >= 480 min  
Glove thickness : 0.5 mm

Remarks : Choose gloves to protect hands against chemicals depending on the concentration and quantity of the hazardous substance and specific to place of work. For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer. Wash hands before breaks and at the end of workday.

Skin and body protection : Select appropriate protective clothing based on chemical resistance data and an assessment of the local exposure potential.

Respiratory protection : In the case of dust or aerosol formation use respirator with an



# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## NOROX MCP-75

Version  
1.2

Revision Date:  
21.09.2017

SDS Number:  
600000000086

Print Date:  
23.01.2018

approved filter.

Filter type : ABEK-filter

### SECTION 9: Physical and chemical properties

#### 9.1 Information on basic physical and chemical properties

Appearance	: liquid
Colour	: colourless
Odour	: slight
pH	: Not applicable
Melting point/range	: No data available
Boiling point/boiling range	: not determined
Flash point	: > 65 °C
Evaporation rate	: No data available
Flammability (solid, gas)	: Not applicable
Upper explosion limit	: No data available
Lower explosion limit	: No data available
Vapour pressure	: No data available
Relative vapour density	: > 1
Density	: 1.0 g/cm <sup>3</sup>
Solubility(ies) Water solubility	: soluble
Partition coefficient: n-octanol/water	: No data available
Viscosity Viscosity, dynamic	: No data available
Viscosity, kinematic	: not determined
Explosive properties	: Not explosive
Oxidizing properties	: The substance or mixture is not classified as oxidizing. Organic peroxide

#### 9.2 Other information

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## NOROX MCP-75

Version  
1.2

Revision Date:  
21.09.2017

SDS Number:  
600000000086

Print Date:  
23.01.2018

Self-Accelerating decomposition temperature (SADT) : 60 °C  
SADT-Self Accelerating Decomposition Temperature. Lowest temperature at which the tested package size will undergo a self-accelerating decomposition reaction.

Self-ignition :

---

### SECTION 10: Stability and reactivity

#### 10.1 Reactivity

Stable under recommended storage conditions.

#### 10.2 Chemical stability

Stable under recommended storage conditions.

#### 10.3 Possibility of hazardous reactions

Hazardous reactions : Vapours may form explosive mixture with air.

#### 10.4 Conditions to avoid

Conditions to avoid : Protect from contamination.  
Contact with incompatible substances can cause decomposition at or below SADT.  
Heat, flames and sparks.  
Avoid confinement.

#### 10.5 Incompatible materials

Materials to avoid : Accelerators, strong acids and bases, heavy metals and heavy metal salts, reducing agents

#### 10.6 Hazardous decomposition products

Irritant, caustic, flammable, noxious/toxic gases and vapours can develop in the case of fire and decomposition

---

### SECTION 11: Toxicological information

#### 11.1 Information on toxicological effects

##### Acute toxicity

Harmful if swallowed or if inhaled

##### Product:

Acute oral toxicity : Acute toxicity estimate: 953.89 mg/kg  
Method: Calculation method

Acute inhalation toxicity : Acute toxicity estimate: 1.73 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: Calculation method

Acute dermal toxicity : Acute toxicity estimate: > 2,000 mg/kg

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## NOROX MCP-75

Version  
1.2

Revision Date:  
21.09.2017

SDS Number:  
600000000086

Print Date:  
23.01.2018

Method: Calculation method

### Components:

#### **2-Butanone, peroxide:**

- Acute oral toxicity : Acute toxicity estimate: 500 mg/kg  
Method: Expert judgement
- Acute inhalation toxicity : Acute toxicity estimate: 1.5 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: Expert judgement  
Assessment: The component/mixture is moderately toxic after short term inhalation.  
Remarks: Based on data from similar materials
- Acute dermal toxicity : Acute toxicity estimate: 2,500 mg/kg  
Method: Expert judgement

#### **Cumene hydroperoxide:**

- Acute oral toxicity : LD50 Oral (Rat): 382 mg/kg
- Acute inhalation toxicity : Acute toxicity estimate: 2.01 mg/l  
Exposure time: 4 h  
Test atmosphere: vapour  
Method: Expert judgement  
Assessment: The component/mixture is toxic after short term inhalation.
- Acute dermal toxicity : Acute toxicity estimate: 1,100 mg/kg  
Method: Expert judgement

#### **Cumene:**

- Acute oral toxicity : LD50 (Rat): 2,700 mg/kg  
Method: OECD Test Guideline 401
- Acute dermal toxicity : LD50 (Rabbit): > 3,160 mg/kg

#### **Benzenemethanol, alpha,alpha-dimethyl-:**

- Acute oral toxicity : LD50 (Rat): 1,300 mg/kg
- Acute dermal toxicity : LD50 (Rabbit): 4,300 mg/kg

#### **Skin corrosion/irritation**

Causes severe burns.

#### Product:

Remarks: Extremely corrosive and destructive to tissue.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## NOROX MCP-75

Version  
1.2

Revision Date:  
21.09.2017

SDS Number:  
600000000086

Print Date:  
23.01.2018

---

### Components:

#### **2-Butanone, peroxide:**

Species: Rabbit  
Result: Causes burns.

#### **Cumene hydroperoxide:**

Species: Rabbit  
Result: Causes burns.

#### **Cumene:**

Species: Rabbit  
Method: OECD Test Guideline 404  
Result: No skin irritation

#### **Benzenemethanol, alpha,alpha-dimethyl-:**

Species: Rabbit  
Result: Severe skin irritation

#### **Serious eye damage/eye irritation**

Causes serious eye damage.

### Product:

Remarks: May cause irreversible eye damage.

### Components:

#### **2-Butanone, peroxide:**

Result: Irreversible effects on the eye

#### **Cumene hydroperoxide:**

Species: Rabbit  
Result: Corrosive

#### **Cumene:**

Species: Rabbit  
Method: OECD Test Guideline 405  
Result: No eye irritation

#### **Benzenemethanol, alpha,alpha-dimethyl-:**

Result: Irritating to eyes.

#### **Respiratory or skin sensitisation**

#### **Skin sensitisation**

Not classified based on available information.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## NOROX MCP-75

Version  
1.2

Revision Date:  
21.09.2017

SDS Number:  
600000000086

Print Date:  
23.01.2018

---

### Respiratory sensitisation

Not classified based on available information.

### Components:

#### 2-Butanone, peroxide:

Species: Guinea pig  
Method: OECD Test Guideline 406  
Result: Does not cause skin sensitisation.

Assessment: Harmful if swallowed., Harmful if inhaled.

#### Cumene hydroperoxide:

Result: Does not cause skin sensitisation.

#### Cumene:

Exposure routes: Skin contact  
Species: Guinea pig  
Method: OECD Test Guideline 406  
Result: Does not cause skin sensitisation.

### Germ cell mutagenicity

Not classified based on available information.

### Components:

#### 2-Butanone, peroxide:

Genotoxicity in vitro : Method: OECD Test Guideline 473  
Result: negative  
: Method: OECD Test Guideline 471  
Result: negative  
: Method: OECD Test Guideline 476  
Result: negative

#### Cumene hydroperoxide:

Genotoxicity in vitro : Result: positive  
Remarks: In vitro tests have shown mutagenic effects.  
Genotoxicity in vivo : Test Type: Micronucleus test  
Species: Mouse  
Application Route: Skin contact  
Result: negative

#### Cumene:

Genotoxicity in vitro : Method: OECD Test Guideline 473  
Result: negative  
: Method: OECD Test Guideline 471  
Result: negative

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## NOROX MCP-75

Version  
1.2

Revision Date:  
21.09.2017

SDS Number:  
600000000086

Print Date:  
23.01.2018

---

- : Method: OECD Test Guideline 476  
Result: negative
- : Method: OECD Test Guideline 482  
Result: negative
- : Test Type: Ames test  
Result: positive
- Genotoxicity in vivo : Species: Rat  
Application Route: Intraperitoneal  
Exposure time: 72 h  
Method: OECD Test Guideline 474  
Result: Equivocal  
  
Species: Mouse  
Application Route: inhalation (gas)  
Exposure time: 14 w  
Method: OECD Test Guideline 474  
Result: negative

### **Carcinogenicity**

Not classified based on available information.

### **Components:**

#### **2-Butanone, peroxide:**

Remarks: This information is not available.

#### **Cumene hydroperoxide:**

Remarks: This information is not available.

#### **Cumene:**

Species: Rat  
Application Route: inhalation (gas)  
Exposure time: 2 Years  
LOEC: 250  
Method: OECD Test Guideline 451  
Result: negative

Species: Mouse  
Application Route: inhalation (gas)  
Exposure time: 2 Years  
LOEC: 125  
Method: OECD Test Guideline 451  
Result: negative

### **Reproductive toxicity**

Not classified based on available information.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## NOROX MCP-75

Version  
1.2

Revision Date:  
21.09.2017

SDS Number:  
600000000086

Print Date:  
23.01.2018

---

### Components:

#### **2-Butanone, peroxide:**

Effects on fertility : Species: Rat  
Application Route: oral (gavage)  
General Toxicity - Parent: NOAEL: 50 mg/kg body weight  
Method: OECD Test Guideline 421  
Result: negative

#### **Cumene hydroperoxide:**

Effects on fertility : Remarks: No data available

Effects on foetal development : Remarks: No data available

#### **Cumene:**

Effects on foetal development : Species: Rabbit  
Application Route: inhalation (vapour)  
General Toxicity Maternal: LOAEL: 500  
Developmental Toxicity: NOAEL: 2,300  
Method: OECD Test Guideline 414

Species: Rat  
Application Route: inhalation (vapour)  
General Toxicity Maternal: NOAEL: 100  
Developmental Toxicity: NOAEL: > 1,200  
Method: OECD Test Guideline 414

#### **STOT - single exposure**

May cause respiratory irritation.

### Components:

#### **Cumene:**

Assessment: May cause respiratory irritation.

#### **STOT - repeated exposure**

May cause damage to organs through prolonged or repeated exposure.

### Components:

#### **Cumene hydroperoxide:**

Assessment: May cause damage to organs through prolonged or repeated exposure.

#### **Repeated dose toxicity**

### Components:

#### **2-Butanone, peroxide:**

Species: Rat  
NOAEL: 200 mg/kg  
Application Route: oral (gavage)

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## NOROX MCP-75

Version  
1.2

Revision Date:  
21.09.2017

SDS Number:  
600000000086

Print Date:  
23.01.2018

---

Exposure time: 28 d  
Method: OECD Test Guideline 407

### **Cumene hydroperoxide:**

Species: Rat  
NOAEL: 0.031 mg/l  
Application Route: inhalation (dust/mist/fume)  
Exposure time: 90 d

### **Cumene:**

Species: Rat  
NOAEL: > 536 mg/kg  
Application Route: oral (feed)

Species: Rat  
NOAEL: 125 mg/kg  
Application Route: inhalation (vapour)  
Method: OECD Test Guideline 413

### **Aspiration toxicity**

Not classified based on available information.

### **Components:**

#### **Cumene:**

May be fatal if swallowed and enters airways.

### **Further information**

#### **Product:**

Remarks: No data available

---

## SECTION 12: Ecological information

### 12.1 Toxicity

#### **Components:**

##### **2-Butanone, peroxide:**

Toxicity to fish : LC50 (Poecilia reticulata (guppy)): 44.2 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 203

NOEC (Poecilia reticulata (guppy)): 18 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 39 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202



# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## NOROX MCP-75

Version  
1.2

Revision Date:  
21.09.2017

SDS Number:  
600000000086

Print Date:  
23.01.2018

---

NOEC (Daphnia magna (Water flea)): 26.7 mg/l  
Method: OECD Test Guideline 202

Toxicity to algae : EC50 (Pseudokirchneriella subcapitata (green algae)): 5.6 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

NOEC (Pseudokirchneriella subcapitata (green algae)): 2.1 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

Toxicity to microorganisms : EC50 (Bacteria): 48 mg/l  
Exposure time: 0.5 h  
Method: OECD Test Guideline 209

### Cumene hydroperoxide:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 3.9 mg/l  
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 18 mg/l  
Exposure time: 48 h

Toxicity to algae : EC50 (Desmodesmus subspicatus (green algae)): 1.6 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

### Cumene:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 4.8 mg/l  
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 2.14 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202

Toxicity to algae : EC50 (Desmodesmus subspicatus (green algae)): 2.01 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

Toxicity to microorganisms : EC50 : > 2,000 mg/l  
Exposure time: 3 h  
Method: OECD Test Guideline 209

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 0.35 mg/l  
Exposure time: 21 d  
Species: Daphnia magna (Water flea)  
Method: OECD Test Guideline 211

### Ecotoxicology Assessment

Chronic aquatic toxicity : Toxic to aquatic life with long lasting effects.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## NOROX MCP-75

Version  
1.2

Revision Date:  
21.09.2017

SDS Number:  
600000000086

Print Date:  
23.01.2018

---

### 12.2 Persistence and degradability

#### Components:

##### **2-Butanone, peroxide:**

Biodegradability : Result: Readily biodegradable.  
Method: OECD Test Guideline 301D

##### **Cumene hydroperoxide:**

Biodegradability : Result: Not readily biodegradable.  
Method: OECD Test Guideline 301B

##### **Cumene:**

Biodegradability : Result: Readily biodegradable.

##### **Benzenemethanol, alpha,alpha-dimethyl-:**

Biodegradability : Remarks: No data available

### 12.3 Bioaccumulative potential

#### Components:

##### **2-Butanone, peroxide:**

Partition coefficient: n-octanol/water : log Pow: < 0.3 (25 °C)

##### **Cumene hydroperoxide:**

Partition coefficient: n-octanol/water : log Pow: 1.6

##### **Cumene:**

Bioaccumulation : Bioconcentration factor (BCF): 94.69  
Remarks: Calculation

Partition coefficient: n-octanol/water : log Pow: 3.55 (23 °C)

##### **Benzenemethanol, alpha,alpha-dimethyl-:**

Partition coefficient: n-octanol/water : Remarks: No data available

### 12.4 Mobility in soil

No data available

### 12.5 Results of PBT and vPvB assessment

#### Product:

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## NOROX MCP-75

Version  
1.2

Revision Date:  
21.09.2017

SDS Number:  
600000000086

Print Date:  
23.01.2018

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher..

### 12.6 Other adverse effects

**Product:**

Additional ecological information : **An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.**  
**Toxic to aquatic life.**  
**Harmful to aquatic life with long lasting effects.**

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

Product : The product should not be allowed to enter drains, water courses or the soil.  
Do not contaminate ponds, waterways or ditches with chemical or used container.  
Dispose of wastes in an approved waste disposal facility.

Contaminated packaging : Empty remaining contents.  
Dispose of as unused product.  
Do not re-use empty containers.  
Do not burn, or use a cutting torch on, the empty drum.  
Dispose of in accordance with local regulations.

## SECTION 14: Transport information

### 14.1 UN number

ADN : UN 3105  
ADR : UN 3105  
RID : UN 3105  
IMDG : UN 3105  
IATA : UN 3105

### 14.2 UN proper shipping name

ADN : ORGANIC PEROXIDE TYPE D, LIQUID  
(METHYL ETHYL KETONE PEROXIDE(S), CUMYL HYDROPEROXIDE)  
ADR : ORGANIC PEROXIDE TYPE D, LIQUID  
(METHYL ETHYL KETONE PEROXIDE(S), CUMYL HYDROPEROXIDE)  
RID : ORGANIC PEROXIDE TYPE D, LIQUID  
(METHYL ETHYL KETONE PEROXIDE(S), CUMYL

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## NOROX MCP-75

Version  
1.2

Revision Date:  
21.09.2017

SDS Number:  
600000000086

Print Date:  
23.01.2018

**IMDG** : HYDROPEROXIDE)  
: ORGANIC PEROXIDE TYPE D, LIQUID  
(METHYL ETHYL KETONE PEROXIDE(S), CUMYL  
HYDROPEROXIDE)

**IATA** : Organic peroxide type D, liquid  
(Methyl ethyl ketone peroxide(s), Cumyl hydroperoxide)

### 14.3 Transport hazard class(es)

**ADN** : 5.2  
**ADR** : 5.2  
**RID** : 5.2  
**IMDG** : 5.2  
**IATA** : 5.2

### 14.4 Packing group

**ADN**  
Packing group : Not assigned by regulation  
Classification Code : P1  
Labels : 5.2

**ADR**  
Packing group : Not assigned by regulation  
Classification Code : P1  
Labels : 5.2  
Tunnel restriction code : (D)

**RID**  
Packing group : Not assigned by regulation  
Classification Code : P1  
Hazard Identification Number : 539  
Labels : 5.2

**IMDG**  
Packing group : Not assigned by regulation  
Labels : 5.2  
EmS Code : F-J, S-R

**IATA (Cargo)**  
Packing instruction (cargo aircraft) : 570  
Packing group : Not assigned by regulation  
Labels : Organic Peroxides, Keep Away From Heat

**IATA (Passenger)**  
Packing instruction (passenger aircraft) : 570  
Packing group : Not assigned by regulation  
Labels : Organic Peroxides, Keep Away From Heat

### 14.5 Environmental hazards

**ADN**  
Environmentally hazardous : no

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## NOROX MCP-75

Version  
1.2

Revision Date:  
21.09.2017

SDS Number:  
600000000086

Print Date:  
23.01.2018

### ADR

Environmentally hazardous : no

### RID

Environmentally hazardous : no

### IMDG

Marine pollutant : no

### 14.6 Special precautions for user

Not applicable

### 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable for product as supplied.

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59) : Not applicable

Regulation (EC) No 1005/2009 on substances that deplete the ozone layer : Not applicable

Regulation (EC) No 850/2004 on persistent organic pollutants : Not applicable

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.

P6b	SELF-REACTIVE SUBSTANCES AND MIXTURES and ORGANIC PEROXIDES	Quantity 1 50 t	Quantity 2 200 t
-----	---	--------------------	---------------------

Other regulations : Gefahrengruppe nach § 3 BGV B4: II (German regulatory requirements)

Take note of Directive 92/85/EEC regarding maternity protection or stricter national regulations, where applicable.

Take note of Directive 94/33/EC on the protection of young people at work or stricter national regulations, where applicable.

### The components of this product are reported in the following inventories:

AICS (AU) : On the inventory, or in compliance with the inventory

NZIoC (NZ) : On the inventory, or in compliance with the inventory

ENCS (JP) : On the inventory, or in compliance with the inventory

ISHL (JP) : On the inventory, or in compliance with the inventory

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## NOROX MCP-75

Version 1.2	Revision Date: 21.09.2017	SDS Number: 600000000086	Print Date: 23.01.2018
----------------	------------------------------	-----------------------------	---------------------------

---

KECI (KR)	:	On the inventory, or in compliance with the inventory
PICCS (PH)	:	On the inventory, or in compliance with the inventory
IECSC (CN)	:	On the inventory, or in compliance with the inventory
TCSI (TW)	:	On the inventory, or in compliance with the inventory
TSCA (US)	:	On TSCA Inventory

### 15.2 Chemical safety assessment

This information is not available.

---

## SECTION 16: Other information

### Full text of H-Statements

H226	:	Flammable liquid and vapour.
H242	:	Heating may cause a fire.
H302	:	Harmful if swallowed.
H304	:	May be fatal if swallowed and enters airways.
H312	:	Harmful in contact with skin.
H314	:	Causes severe skin burns and eye damage.
H315	:	Causes skin irritation.
H318	:	Causes serious eye damage.
H319	:	Causes serious eye irritation.
H331	:	Toxic if inhaled.
H332	:	Harmful if inhaled.
H335	:	May cause respiratory irritation.
H373	:	May cause damage to organs through prolonged or repeated exposure.
H411	:	Toxic to aquatic life with long lasting effects.

### Full text of other abbreviations

Acute Tox.	:	Acute toxicity
Aquatic Chronic	:	Chronic aquatic toxicity
Asp. Tox.	:	Aspiration hazard
Eye Dam.	:	Serious eye damage
Eye Irrit.	:	Eye irritation
Flam. Liq.	:	Flammable liquids
Org. Perox.	:	Organic peroxides
Skin Corr.	:	Skin corrosion
Skin Irrit.	:	Skin irritation
STOT RE	:	Specific target organ toxicity - repeated exposure
STOT SE	:	Specific target organ toxicity - single exposure

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road; AICS - Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx -

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## NOROX MCP-75

Version  
1.2

Revision Date:  
21.09.2017

SDS Number:  
600000000086

Print Date:  
23.01.2018

Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

### Further information

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

GB / EN