

# SAFETY DATA SHEET

## NOROX<sup>®</sup> MEKP-900 FRED



Version 2.0      Revision Date: 01.02.2021      SDS Number: 600000000106      Date of last issue: 08.11.2018  
Date of first issue: 08.11.2018

---

### SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : NOROX<sup>®</sup> MEKP-900 FRED

#### Manufacturer or supplier's details

Company : United Initiators Pty Ltd  
Address : 20-22 McPherson Street  
Banksmeadow NSW 2019 Australia  
Telephone : +61 2 9188 3690 (Monday–Friday office hours only)  
Emergency telephone number : +49 89 744220 (24 hours specialist advise)  
E-mail address : cs-initiators.au@united-in.com

#### Recommended use of the chemical and restrictions on use

Recommended use : Hardener

---

### SECTION 2. HAZARDS IDENTIFICATION

#### GHS Classification

Flammable liquids : Category 4  
Organic peroxides : Type D  
Acute toxicity (Oral) : Category 4  
Acute toxicity (Inhalation) : Category 4  
Skin corrosion/irritation : Category 1B  
Serious eye damage/eye irritation : Category 1  
Reproductive toxicity : Category 2  
Short-term (acute) aquatic hazard : Category 2

#### GHS label elements

Hazard pictograms :



# SAFETY DATA SHEET

## NOROX® MEKP-900 FRED



Version	Revision Date:	SDS Number:	Date of last issue: 08.11.2018
2.0	01.02.2021	600000000106	Date of first issue: 08.11.2018

---

Signal word : Danger

Hazard statements : H227 Combustible liquid.  
H242 Heating may cause a fire.  
H302 + H332 Harmful if swallowed or if inhaled.  
H314 Causes severe skin burns and eye damage.  
H361d Suspected of damaging the unborn child.  
H401 Toxic to aquatic life.

Precautionary statements : **Prevention:**  
P201 Obtain special instructions before use.  
P202 Do not handle until all safety precautions have been read and understood.  
P210 Keep away from heat/ sparks/ open flames/ hot surfaces. No smoking.  
P220 Keep/Store away from clothing/ strong acids, bases, heavy metal salts and other reducing substances /combustible materials.  
P234 Keep only in original container.  
P261 Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.  
P264 Wash skin thoroughly after handling.  
P270 Do not eat, drink or smoke when using this product.  
P271 Use only outdoors or in a well-ventilated area.  
P273 Avoid release to the environment.  
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.  
P281 Use personal protective equipment as required.

**Response:**

P301 + P312 + P330 IF SWALLOWED: Call a POISON CENTER or doctor/ physician if you feel unwell. Rinse mouth.  
P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.  
P303 + P361 + P353 IF ON SKIN (or hair): Remove/ Take off immediately all contaminated clothing. Rinse skin with water/ shower.  
P304 + P340 + P310 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Immediately call a POISON CENTER or doctor/ physician.  
P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/ physician.  
P308 + P313 IF exposed or concerned: Get medical advice/ attention.  
P363 Wash contaminated clothing before reuse.  
P370 + P378 In case of fire: Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide for extinction.

**Storage:**

P405 Store locked up.  
P410 Protect from sunlight.

# SAFETY DATA SHEET

## NOROX® MEKP-900 FRED



Version 2.0      Revision Date: 01.02.2021      SDS Number: 600000000106      Date of last issue: 08.11.2018  
Date of first issue: 08.11.2018

---

P411 + P235    Store at temperatures not exceeding < 100 °F/  
< 38 °C. Keep cool.

P420    Store away from other materials.

**Disposal:**

P501 Dispose of contents/ container to an approved waste disposal plant.

**Other hazards which do not result in classification**

None known.

---

### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture                    : Mixture  
  
Chemical nature                         : Organic Peroxide  
Liquid mixture

**Components**

Chemical name	CAS-No.	Concentration (% w/w)
dimethyl phthalate	131-11-3	>= 40 -< 45
2-Butanone, peroxide	1338-23-4	>= 30 -< 35
Trimethylpentanediol isobutyrate	6846-50-0	>= 15 -< 20
Butanone	78-93-3	>= 1 -< 5
Hydrogen peroxide	7722-84-1	>= 1 -< 2.5
N-Methyl-2-pyrrolidone	872-50-4	>= 0.1 -< 0.3

---

### SECTION 4. FIRST AID MEASURES

General advice                         : Move out of dangerous area.  
Show this safety data sheet to the doctor in attendance.  
Do not leave the victim unattended.  
Symptoms of poisoning may appear several hours later.  
Call a physician immediately.

If inhaled                                 : Call a physician or poison control centre immediately.  
If unconscious, place in recovery position and seek medical advice.  
Keep respiratory tract clear.  
Call a physician immediately.  
If breathed in, move person into fresh air.

In case of skin contact                : In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes.  
Wash contaminated clothing before re-use.  
If on skin, rinse well with water.  
If on clothes, remove clothes.  
If symptoms persist, call a physician.

---

# SAFETY DATA SHEET

## NOROX® MEKP-900 FRED



Version	Revision Date:	SDS Number:	Date of last issue: 08.11.2018
2.0	01.02.2021	600000000106	Date of first issue: 08.11.2018

---

- In case of eye contact : Small amounts splashed into eyes can cause irreversible tissue damage and blindness.  
In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice.  
Continue rinsing eyes during transport to hospital.  
Remove contact lenses.  
Protect unharmed eye.  
Keep eye wide open while rinsing.  
If eye irritation persists, consult a specialist.
- If swallowed : Keep respiratory tract clear.  
Do NOT induce vomiting.  
Call a physician immediately.  
Rinse mouth thoroughly with water.
- Most important symptoms and effects, both acute and delayed : Harmful if swallowed or if inhaled.  
Causes serious eye damage.  
Suspected of damaging the unborn child.  
Causes severe burns.
- Protection of first-aiders : First Aid responders should pay attention to self-protection and use the recommended protective clothing
- Notes to physician : Treat symptomatically and supportively.
- 

### SECTION 5. FIREFIGHTING MEASURES

- Suitable extinguishing media : Water spray jet  
Alcohol-resistant foam  
Carbon dioxide (CO<sub>2</sub>)  
Dry chemical
- Unsuitable extinguishing media : High volume water jet
- Specific hazards during fire-fighting : Contact with incompatible materials or exposure to temperatures exceeding SADT may result in a self-accelerating decomposition reaction with release of flammable vapours which may auto-ignite.  
The product burns violently.  
Flash back possible over considerable distance.  
Vapours may form explosive mixtures with air.  
Cool closed containers exposed to fire with water spray.
- Specific extinguishing methods : Collect contaminated fire extinguishing water separately. This must not be discharged into drains.  
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.  
Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

# SAFETY DATA SHEET

## NOROX® MEKP-900 FRED



Version	Revision Date:	SDS Number:	Date of last issue: 08.11.2018
2.0	01.02.2021	600000000106	Date of first issue: 08.11.2018

---

Do not use a solid water stream as it may scatter and spread fire.  
Remove undamaged containers from fire area if it is safe to do so.  
Use water spray to cool unopened containers.

Special protective equipment for firefighters : Wear self-contained breathing apparatus for firefighting if necessary.  
Use personal protective equipment.

Hazchem Code : 2WE

---

### SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.  
Remove all sources of ignition.  
Follow safe handling advice and personal protective equipment recommendations.  
Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.  
Never return spills in original containers for re-use.  
Treat recovered material as described in the section "Disposal considerations".

Environmental precautions : Prevent product from entering drains.  
Prevent further leakage or spillage if safe to do so.  
If the product contaminates rivers and lakes or drains inform respective authorities.

Methods and materials for containment and cleaning up : Contact with incompatible substances can cause decomposition at or below SADT.  
Clear spills immediately.  
Suppress (knock down) gases/vapours/mists with a water spray jet.  
To clean the floor and all objects contaminated by this material, use plenty of water.  
Soak up with inert absorbent material.  
Isolate waste and do not reuse.  
Non-sparking tools should be used.  
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.

---

### SECTION 7. HANDLING AND STORAGE

Technical measures : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.

Advice on protection against : Keep away from heat and sources of ignition.

# SAFETY DATA SHEET

## NOROX® MEKP-900 FRED



Version 2.0      Revision Date: 01.02.2021      SDS Number: 600000000106      Date of last issue: 08.11.2018  
Date of first issue: 08.11.2018

---

- fire and explosion      Use only explosion-proof equipment.  
Keep away from combustible material.
- Advice on safe handling      :    Do not swallow.  
Do not breathe vapours/dust.  
Avoid exposure - obtain special instructions before use.  
Avoid contact with skin and eyes.  
Avoid formation of aerosol.  
Take precautionary measures against static discharges.  
Never return any product to the container from which it was originally removed.  
Provide sufficient air exchange and/or exhaust in work rooms.  
Avoid confinement.  
Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
Smoking, eating and drinking should be prohibited in the application area.  
Wash thoroughly after handling.  
For personal protection see section 8.  
Protect from contamination.
- Hygiene measures      :    Keep away from food and drink.  
When using do not eat or drink.  
When using do not smoke.  
Wash hands before breaks and immediately after handling the product.
- Conditions for safe storage      :    Avoid impurities (e.g. rust, dust, ash), risk of decomposition.  
Electrical installations / working materials must comply with the technological safety standards.  
Containers which are opened must be carefully resealed and kept upright to prevent leakage.  
Store in original container.  
Keep containers tightly closed in a cool, well-ventilated place.  
Store in accordance with the particular national regulations.
- Materials to avoid      :    Keep away from strong acids, bases, heavy metal salts and other reducing substances.
- Recommended storage temperature      :    < 38 °C
- Further information on storage stability      :    No decomposition if stored normally.

---

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Components with workplace control parameters

Components	CAS-No.	Value type (Form of	Control parameters / Permissible	Basis
------------	---------	------------------------	----------------------------------	-------

# SAFETY DATA SHEET

## NOROX® MEKP-900 FRED



Version 2.0      Revision Date: 01.02.2021      SDS Number: 600000000106      Date of last issue: 08.11.2018  
 Date of first issue: 08.11.2018

		exposure)	concentration	
dimethyl phthalate	131-11-3	TWA	5 mg/m <sup>3</sup>	AU OEL
		TWA	5 mg/m <sup>3</sup>	ACGIH
2-Butanone, peroxide	1338-23-4	Peak limit	0.2 ppm 1.5 mg/m <sup>3</sup>	AU OEL
		C	0.2 ppm	ACGIH
Butanone	78-93-3	STEL	300 ppm 890 mg/m <sup>3</sup>	AU OEL
		TWA	150 ppm 445 mg/m <sup>3</sup>	AU OEL
		TWA	200 ppm	ACGIH
		STEL	300 ppm	ACGIH
Hydrogen peroxide	7722-84-1	TWA	1 ppm 1.4 mg/m <sup>3</sup>	AU OEL
		TWA	1 ppm	ACGIH
N-Methyl-2-pyrrolidone	872-50-4	STEL	75 ppm 309 mg/m <sup>3</sup>	AU OEL
Further information: Skin absorption				
		TWA	25 ppm 103 mg/m <sup>3</sup>	AU OEL
Further information: Skin absorption				

### Biological occupational exposure limits

Components	CAS-No.	Control parameters	Biological specimen	Sam-pling time	Permissible concentra-tion	Basis
Butanone	78-93-3	methyl ethyl ketone	Urine	End of shift (As soon as possible after exposure ceases)	2 mg/l	ACGIH BEI
N-Methyl-2-pyrrolidone	872-50-4	5-Hydroxy-N-methyl-2-pyrrolidone	Urine	End of shift (As soon as possible after exposure ceases)	100 mg/l	ACGIH BEI

**Engineering measures** : Minimize workplace exposure concentrations.

### Personal protective equipment

Respiratory protection : In the case of dust or aerosol formation use respirator with an approved filter.

Filter type : ABEK-filter

Hand protection

# SAFETY DATA SHEET

## NOROX® MEKP-900 FRED



Version	Revision Date:	SDS Number:	Date of last issue: 08.11.2018
2.0	01.02.2021	600000000106	Date of first issue: 08.11.2018

---

Material	:	butyl-rubber
Break through time	:	480 min
Glove thickness	:	0.5 mm

Material	:	Nitrile rubber
Break through time	:	30 min
Glove thickness	:	0.4 mm

Remarks	:	Choose gloves to protect hands against chemicals depending on the concentration and quantity of the hazardous substance and specific to place of work. For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer. Wash hands before breaks and at the end of workday.
Eye protection	:	Tightly fitting safety goggles Please wear suitable protective goggles. Also wear face protection if there is a splash hazard. Ensure that eyewash stations and safety showers are close to the workstation location.
Skin and body protection	:	Select appropriate protective clothing based on chemical resistance data and an assessment of the local exposure potential.

---

### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	liquid
Colour	:	red
Odour	:	slight
pH	:	No data available
Melting point/range	:	No data available
Boiling point/boiling range	:	Decomposition: Decomposes below the boiling point.
Flash point	:	> 76 °C
Evaporation rate	:	No data available
Flammability (solid, gas)	:	Not applicable



# SAFETY DATA SHEET

## NOROX® MEKP-900 FRED



Version	Revision Date:	SDS Number:	Date of last issue: 08.11.2018
2.0	01.02.2021	600000000106	Date of first issue: 08.11.2018

---

Upper explosion limit / Upper flammability limit : No data available

Lower explosion limit / Lower flammability limit : No data available

Vapour pressure : No data available

Relative vapour density : > 1

Density : 1.1 g/cm<sup>3</sup>

Solubility(ies)  
Water solubility : soluble

Partition coefficient: n-octanol/water : No data available

Self-Accelerating decomposition temperature (SADT) : 60 °C  
SADT-Self Accelerating Decomposition Temperature. Lowest temperature at which the tested package size will undergo a self-accelerating decomposition reaction.

Viscosity  
Viscosity, dynamic : No data available

Viscosity, kinematic : not determined

Oxidizing properties : The substance or mixture is not classified as oxidizing.  
Organic peroxide

---

### SECTION 10. STABILITY AND REACTIVITY

Reactivity : Stable under recommended storage conditions.

Chemical stability : Stable under recommended storage conditions.

Possibility of hazardous reactions : Vapours may form explosive mixture with air.

Conditions to avoid : Protect from contamination.  
Contact with incompatible substances can cause decomposition at or below SADT.  
Heat, flames and sparks.  
Avoid confinement.

Incompatible materials : Accelerators, strong acids and bases, heavy metals and heavy metal salts, reducing agents

Hazardous decomposition : Irritant, caustic, flammable, noxious/toxic gases and vapours

---

# SAFETY DATA SHEET

## NOROX® MEKP-900 FRED



Version	Revision Date:	SDS Number:	Date of last issue: 08.11.2018
2.0	01.02.2021	600000000106	Date of first issue: 08.11.2018

---

products

can develop in the case of fire and decomposition

---

### SECTION 11. TOXICOLOGICAL INFORMATION

#### Acute toxicity

Harmful if swallowed or if inhaled.

#### Product:

Acute oral toxicity : Acute toxicity estimate: 1,389 mg/kg  
Method: Calculation method

Acute inhalation toxicity : Acute toxicity estimate: 4.17 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: Calculation method

#### Components:

##### **dimethyl phthalate:**

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Acute inhalation toxicity : (Rat): > 10.4 mg/l  
Exposure time: 6 h  
Test atmosphere: vapour  
Remarks: No mortality observed at this dose.

Acute dermal toxicity : LD50 (Rabbit): > 12,000 mg/kg

##### **2-Butanone, peroxide:**

Acute oral toxicity : Acute toxicity estimate: 500 mg/kg  
Method: Expert judgement

Acute inhalation toxicity : Acute toxicity estimate: 1.5 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: Expert judgement  
Assessment: The component/mixture is moderately toxic after short term inhalation.  
Remarks: Based on data from similar materials

Acute dermal toxicity : Acute toxicity estimate: 2,500 mg/kg  
Method: Expert judgement

##### **Trimethylpentanediol isobutyrate:**

Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg  
Method: Expert judgement  
Assessment: The substance or mixture has no acute oral toxicity

# SAFETY DATA SHEET

## NOROX<sup>®</sup> MEKP-900 FRED



Version	Revision Date:	SDS Number:	Date of last issue: 08.11.2018
2.0	01.02.2021	600000000106	Date of first issue: 08.11.2018

---

Acute inhalation toxicity : LCLo (Rat): > 0.12 mg/l  
Exposure time: 6 h  
Test atmosphere: dust/mist  
Method: Expert judgement  
Assessment: The substance or mixture has no acute inhalation toxicity  
Remarks: No mortality observed at this dose.

Acute dermal toxicity : LD50 (Guinea pig): > 2,000 mg/kg  
Method: Expert judgement  
Assessment: The substance or mixture has no acute dermal toxicity

### **Butanone:**

Acute oral toxicity : LD50 (Rat): 2,193 mg/kg  
Method: OECD Test Guideline 423

Acute inhalation toxicity : Remarks: No data available

Acute dermal toxicity : LD50 (Rabbit): > 5,000 mg/kg  
Method: OECD Test Guideline 402  
Remarks: Based on available data, the classification criteria are not met.

### **Hydrogen peroxide:**

Acute oral toxicity : Acute toxicity estimate: 500.0 mg/kg  
Method: Converted acute toxicity point estimate  
Assessment: The component/mixture is moderately toxic after single ingestion.

Acute inhalation toxicity : LC50 (Rat): > 0.17 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Assessment: The component/mixture is moderately toxic after short term inhalation.  
Remarks: Based on harmonised classification in EU regulation 1272/2008, Annex VI

Acute dermal toxicity : LD50 (Rabbit): > 6,500 mg/kg

### **N-Methyl-2-pyrrolidone:**

Acute oral toxicity : LD50 (Rat): 4,150 mg/kg  
Method: OECD Test Guideline 401

Acute inhalation toxicity : LC50 (Rat): > 5.1 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: OECD Test Guideline 403  
Assessment: The substance or mixture has no acute inhala-

# SAFETY DATA SHEET

## NOROX® MEKP-900 FRED



Version	Revision Date:	SDS Number:	Date of last issue: 08.11.2018
2.0	01.02.2021	600000000106	Date of first issue: 08.11.2018

---

tion toxicity  
Remarks: No mortality observed at this dose.

Acute dermal toxicity : LD50 (Rat): > 5,000 mg/kg  
Method: OECD Test Guideline 402  
Remarks: No mortality observed at this dose.

### **Skin corrosion/irritation**

Causes severe burns.

#### **Product:**

Remarks : Extremely corrosive and destructive to tissue.

#### **Components:**

##### **dimethyl phthalate:**

Species : Rabbit  
Method : Draize Test  
Result : No skin irritation

##### **2-Butanone, peroxide:**

Species : Rabbit  
Result : Causes burns.

##### **Trimethylpentanediol isobutyrate:**

Species : Guinea pig  
Exposure time : 24 h  
Result : No skin irritation  
Remarks : Based on available data, the classification criteria are not met.

##### **Butanone:**

Species : Rabbit  
Assessment : Repeated exposure may cause skin dryness or cracking.  
Method : OECD Test Guideline 404  
Result : No skin irritation

##### **Hydrogen peroxide:**

Result : Corrosive after 3 minutes or less of exposure

##### **N-Methyl-2-pyrrolidone:**

Species : Rabbit  
Method : OECD Test Guideline 404  
Result : Irritating to skin.

### **Serious eye damage/eye irritation**

Causes serious eye damage.

# SAFETY DATA SHEET

## NOROX® MEKP-900 FRED



Version	Revision Date:	SDS Number:	Date of last issue: 08.11.2018
2.0	01.02.2021	600000000106	Date of first issue: 08.11.2018

---

### **Product:**

Remarks : May cause irreversible eye damage.

### **Components:**

#### **dimethyl phthalate:**

Species : Rabbit  
Result : No eye irritation  
Method : OECD Test Guideline 405

#### **2-Butanone, peroxide:**

Result : Irreversible effects on the eye

#### **Trimethylpentanediol isobutyrate:**

Species : Rabbit  
Result : No eye irritation

#### **Butanone:**

Species : Rabbit  
Result : Eye irritation  
Method : OECD Test Guideline 405

#### **Hydrogen peroxide:**

Result : Irreversible effects on the eye

#### **N-Methyl-2-pyrrolidone:**

Species : Rabbit  
Result : Eye irritation  
Method : OECD Test Guideline 405

### **Respiratory or skin sensitisation**

#### **Skin sensitisation**

Not classified based on available information.

#### **Respiratory sensitisation**

Not classified based on available information.

### **Components:**

#### **dimethyl phthalate:**

Species : Mouse  
Method : OECD Test Guideline 429  
Result : Does not cause skin sensitisation.

# SAFETY DATA SHEET

## NOROX® MEKP-900 FRED



Version	Revision Date:	SDS Number:	Date of last issue: 08.11.2018
2.0	01.02.2021	600000000106	Date of first issue: 08.11.2018

---

### 2-Butanone, peroxide:

Species : Guinea pig  
Method : OECD Test Guideline 406  
Result : Does not cause skin sensitisation.

Assessment : Harmful if swallowed., Harmful if inhaled.

### Trimethylpentanediol isobutyrate:

Species : Guinea pig  
Result : Does not cause skin sensitisation.

### Butanone:

Exposure routes : Skin contact  
Species : Guinea pig  
Method : OECD Test Guideline 406  
Result : Does not cause skin sensitisation.

### N-Methyl-2-pyrrolidone:

Species : Mouse  
Method : OECD Test Guideline 429  
Result : Does not cause skin sensitisation.  
Remarks : Based on data from similar materials

### Chronic toxicity

#### Germ cell mutagenicity

Not classified based on available information.

#### Components:

##### dimethyl phthalate:

Genotoxicity in vitro : Method: OECD Test Guideline 471  
Result: negative

Method: OECD Test Guideline 473  
Result: negative

Method: OECD Test Guideline 476  
Result: positive

Genotoxicity in vivo : Test Type: Chromosomal aberration  
Species: Rat  
Application Route: Intraperitoneal  
Result: negative

Test Type: Micronucleus test  
Species: Mouse  
Application Route: Intraperitoneal injection  
Result: negative

# SAFETY DATA SHEET

## NOROX<sup>®</sup> MEKP-900 FRED



Version	Revision Date:	SDS Number:	Date of last issue: 08.11.2018
2.0	01.02.2021	600000000106	Date of first issue: 08.11.2018

---

### **2-Butanone, peroxide:**

Genotoxicity in vitro : Method: OECD Test Guideline 473  
Result: negative

Method: OECD Test Guideline 471  
Result: negative

Method: OECD Test Guideline 476  
Result: negative

### **Trimethylpentanediol isobutyrate:**

Genotoxicity in vitro : Method: OECD Test Guideline 476  
Result: negative

Test Type: Ames test  
Result: negative

Method: OECD Test Guideline 473  
Result: negative

### **Butanone:**

Genotoxicity in vitro : Method: OECD Test Guideline 471  
Result: negative

Method: OECD Test Guideline 476  
Result: negative

Method: OECD Test Guideline 473  
Result: negative

Genotoxicity in vivo : Species: Mouse  
Application Route: Intraperitoneal  
Method: OECD Test Guideline 474  
Result: negative

### **Hydrogen peroxide:**

Genotoxicity in vitro : Test Type: Ames test  
Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo  
cytogenetic assay)  
Species: Mouse  
Result: negative

### **Carcinogenicity**

Not classified based on available information.

# SAFETY DATA SHEET

## NOROX® MEKP-900 FRED



Version	Revision Date:	SDS Number:	Date of last issue: 08.11.2018
2.0	01.02.2021	600000000106	Date of first issue: 08.11.2018

---

### **Components:**

#### **dimethyl phthalate:**

Species : Rat  
Application Route : Skin contact  
Method : OECD Test Guideline 451  
Result : negative  
Remarks : Based on data from similar materials

#### **2-Butanone, peroxide:**

Remarks : This information is not available.

#### **Hydrogen peroxide:**

Carcinogenicity - Assessment : Carcinogenicity classification not possible from current data.

### **Reproductive toxicity**

Suspected of damaging the unborn child.

### **Components:**

#### **dimethyl phthalate:**

Effects on fertility : Species: Rat  
Application Route: oral (gavage)  
Method: OECD Test Guideline 440  
Result: negative

Effects on foetal development : Species: Rat  
Application Route: Ingestion  
General Toxicity Maternal: NOAEL: 840 mg/kg body weight  
Developmental Toxicity: NOAEL: 3,570 mg/kg body weight  
Method: OECD Test Guideline 414

#### **2-Butanone, peroxide:**

Effects on fertility : Species: Rat  
Application Route: oral (gavage)  
General Toxicity - Parent: NOAEL: 50 mg/kg body weight  
Method: OECD Test Guideline 421  
Result: negative

#### **Trimethylpentanediol isobutyrate:**

Effects on foetal development : Test Type: One-generation reproduction toxicity study  
Species: Rat  
Application Route: Ingestion  
Result: negative

Reproductive toxicity - Assessment : Suspected of damaging the unborn child., Some evidence of adverse effects on development, based on animal experi-



# SAFETY DATA SHEET

## NOROX® MEKP-900 FRED



Version	Revision Date:	SDS Number:	Date of last issue: 08.11.2018
2.0	01.02.2021	600000000106	Date of first issue: 08.11.2018

---

ments.

### Butanone:

Effects on fertility

: Species: Rat  
Application Route: oral (drinking water)  
General Toxicity - Parent: NOAEL: 10,000 mg/l  
General Toxicity F1: NOAEL: 10,000 mg/l  
Method: OECD Test Guideline 416  
Remarks: Based on data from similar materials

Species: Rat  
Application Route: oral (drinking water)  
General Toxicity - Parent: LOAEL: 20,000 mg/l  
Method: OECD Test Guideline 416  
Remarks: Based on data from similar materials

Effects on foetal development

: Species: Rat  
Application Route: Inhalation  
General Toxicity Maternal: NOAEC: ca. 1,002 mg/kg body weight  
Teratogenicity: NOAEC Parent: ca. 1,002 mg/kg body weight  
Method: OECD Test Guideline 414  
Result: negative

### N-Methyl-2-pyrrolidone:

Reproductive toxicity - Assessment

: Clear evidence of adverse effects on sexual function and fertility, and/or on development, based on animal experiments

### STOT - single exposure

Not classified based on available information.

### Components:

#### Butanone:

Assessment : May cause drowsiness or dizziness.

#### Hydrogen peroxide:

Assessment : May cause respiratory irritation.

#### N-Methyl-2-pyrrolidone:

Assessment : May cause respiratory irritation.

### STOT - repeated exposure

Not classified based on available information.

# SAFETY DATA SHEET

## NOROX® MEKP-900 FRED



Version 2.0      Revision Date: 01.02.2021      SDS Number: 600000000106      Date of last issue: 08.11.2018  
Date of first issue: 08.11.2018

---

### Repeated dose toxicity

#### Components:

##### **dimethyl phthalate:**

Species : Rat  
NOAEL : 770 mg/kg  
Application Route : Oral  
Exposure time : 16 w  
Method : OECD Test Guideline 408

##### **2-Butanone, peroxide:**

Species : Rat  
NOAEL : 200 mg/kg  
Application Route : oral (gavage)  
Exposure time : 28 d  
Method : OECD Test Guideline 407

Repeated dose toxicity - Assessment : Harmful if swallowed., Harmful if inhaled.

##### **Hydrogen peroxide:**

Species : Mouse  
Application Route : Ingestion  
Exposure time : 90 d  
Symptoms : No adverse effects

##### **N-Methyl-2-pyrrolidone:**

Species : Rat  
NOAEL : 0.5 mg/l  
LOAEL : 1 mg/l  
Application Route : inhalation (vapour)  
Exposure time : 90 d  
Method : OECD Test Guideline 413

Species : Rat  
NOAEL : 3,000 mg/kg  
LOAEL : 7,500 mg/kg  
Application Route : Ingestion  
Exposure time : 90 d  
Method : OECD Test Guideline 408

Species : Rat  
NOAEL : 6,000 mg/kg  
LOAEL : 18,000 mg/kg  
Application Route : oral (feed)  
Exposure time : 28 d  
Method : OECD Test Guideline 407

Species : Rabbit

# SAFETY DATA SHEET

## NOROX® MEKP-900 FRED



Version	Revision Date:	SDS Number:	Date of last issue: 08.11.2018
2.0	01.02.2021	600000000106	Date of first issue: 08.11.2018

---

NOAEL	:	826 mg/kg
Application Route	:	Skin contact
Exposure time	:	20 d
Method	:	OECD Test Guideline 410

### Aspiration toxicity

Not classified based on available information.

### Components:

#### dimethyl phthalate:

No aspiration toxicity classification

#### Trimethylpentanediol isobutyrate:

Not classified due to data which are conclusive although insufficient for classification.

### Further information

#### Product:

Remarks : No data available

#### Components:

#### dimethyl phthalate:

Remarks : No data available

---

## SECTION 12. ECOLOGICAL INFORMATION

### Ecotoxicity

#### Components:

#### dimethyl phthalate:

Toxicity to fish	:	LC50 (Pimephales promelas (fathead minnow)): 39 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	LC50 (Daphnia magna (Water flea)): > 52 mg/l Exposure time: 48 h
Toxicity to algae/aquatic plants	:	EC50 (Desmodesmus subspicatus (green algae)): 260 mg/l Exposure time: 72 h
Toxicity to fish (Chronic toxicity)	:	NOEC (Oncorhynchus mykiss (rainbow trout)): 11 mg/l Exposure time: 102 d Method: OECD Test Guideline 210
		LOEC (Oncorhynchus mykiss (rainbow trout)): 24 mg/l Exposure time: 102 d

# SAFETY DATA SHEET

## NOROX® MEKP-900 FRED



Version	Revision Date:	SDS Number:	Date of last issue: 08.11.2018
2.0	01.02.2021	600000000106	Date of first issue: 08.11.2018

---

Method: OECD Test Guideline 210

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 9.6 mg/l  
Exposure time: 21 d

LOEC (Daphnia magna (Water flea)): 23 mg/l  
Exposure time: 21 d

Toxicity to microorganisms : EC50: 4,100 mg/l  
Exposure time: 0.5 h  
Method: OECD Test Guideline 209

### **2-Butanone, peroxide:**

Toxicity to fish : LC50 (Poecilia reticulata (guppy)): 44.2 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 203

NOEC (Poecilia reticulata (guppy)): 18 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 39 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202

NOEC (Daphnia magna (Water flea)): 26.7 mg/l  
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (green algae)): 5.6 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

NOEC (Pseudokirchneriella subcapitata (green algae)): 2.1 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

Toxicity to microorganisms : EC50 (Bacteria): 48 mg/l  
Exposure time: 0.5 h  
Method: OECD Test Guideline 209

### **Trimethylpentanediol isobutyrate:**

Toxicity to fish : NOEC (Fish):  $\geq 6$  mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia (water flea)):  $\geq 1.46$  mg/l  
Exposure time: 48 h

# SAFETY DATA SHEET

## NOROX® MEKP-900 FRED



Version 2.0      Revision Date: 01.02.2021      SDS Number: 600000000106      Date of last issue: 08.11.2018  
Date of first issue: 08.11.2018

---

NOEC (Daphnia (water flea)): 0.7 mg/l  
Exposure time: 21 d

Toxicity to algae/aquatic plants : EC50 (Chlorella pyrenoidosa (aglae)): > 7.49 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : LOEC (Daphnia magna (Water flea)): 0.7 mg/l  
Exposure time: 21 d

### Ecotoxicology Assessment

Acute aquatic toxicity : This product has no known ecotoxicological effects.

Chronic aquatic toxicity : Harmful to aquatic life with long lasting effects.

### Butanone:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 2,993 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 308 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (green algae)): 2,029 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 201

Toxicity to microorganisms : NOEC (Pseudomonas putida): 1,150 mg/l  
Exposure time: 16 h  
Method: DIN 38 412 Part 8

### Hydrogen peroxide:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 16.4 mg/l  
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : LC50 (Daphnia pulex (Water flea)): 2.4 mg/l  
Exposure time: 48 h

Toxicity to algae/aquatic plants : EC50 (Skeletonema costatum (marine diatom)): 1.38 mg/l  
Exposure time: 72 h

NOEC (Skeletonema costatum (marine diatom)): 0.63 mg/l  
Exposure time: 72 h

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 0.63 mg/l  
Exposure time: 21 d

# SAFETY DATA SHEET

## NOROX® MEKP-900 FRED



Version	Revision Date:	SDS Number:	Date of last issue: 08.11.2018
2.0	01.02.2021	600000000106	Date of first issue: 08.11.2018

---

ic toxicity)

### **N-Methyl-2-pyrrolidone:**

- Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 500 mg/l  
Exposure time: 96 h
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 1,000 mg/l  
Exposure time: 24 h  
Method: DIN 38412
- EC50 (Palaeomonetes vulgaris (Grass shrimp)): 1,107 mg/l  
Exposure time: 96 h
- Toxicity to algae/aquatic plants : EC50 (Desmodesmus subspicatus (green algae)): > 500 mg/l  
Exposure time: 72 h
- NOEC (Desmodesmus subspicatus (green algae)): 125 mg/l  
Exposure time: 72 h
- Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 12.5 mg/l  
Exposure time: 21 d  
Method: OECD Test Guideline 211
- LOEC (Daphnia magna (Water flea)): 25 mg/l  
Exposure time: 21 d  
Method: OECD Test Guideline 211
- Toxicity to microorganisms : EC50: > 600 mg/l  
Exposure time: 0.5 h  
Method: ISO 8192

### **Persistence and degradability**

#### **Components:**

##### **dimethyl phthalate:**

- Biodegradability : Result: Readily biodegradable.  
Method: OECD Test Guideline 301E

##### **2-Butanone, peroxide:**

- Biodegradability : Result: Readily biodegradable.  
Method: OECD Test Guideline 301D

##### **Trimethylpentanediol isobutyrate:**

- Biodegradability : Result: rapidly biodegradable  
Exposure time: 28 d  
Method: OECD Test Guideline 301B

##### **Butanone:**

# SAFETY DATA SHEET

## NOROX® MEKP-900 FRED



Version	Revision Date:	SDS Number:	Date of last issue: 08.11.2018
2.0	01.02.2021	600000000106	Date of first issue: 08.11.2018

---

Biodegradability : Result: Readily biodegradable.  
Method: OECD Test Guideline 301D

### Hydrogen peroxide:

Biodegradability : Result: Readily biodegradable.

### N-Methyl-2-pyrrolidone:

Biodegradability : Result: Readily biodegradable.  
Method: OECD Test Guideline 301C

### Bioaccumulative potential

#### Components:

#### dimethyl phthalate:

Bioaccumulation : Bioconcentration factor (BCF): 57  
Method: OECD Test Guideline 305

Partition coefficient: n-octanol/water : log Pow: 1.54

#### 2-Butanone, peroxide:

Partition coefficient: n-octanol/water : log Pow: < 0.3 (25 °C)

#### Trimethylpentanediol isobutyrate:

Bioaccumulation : Species: Fish  
Bioconcentration factor (BCF): 1.95

Partition coefficient: n-octanol/water : log Pow: 4.91 (25 °C)

#### Butanone:

Partition coefficient: n-octanol/water : log Pow: 0.3 (40 °C)

#### Hydrogen peroxide:

Partition coefficient: n-octanol/water : log Pow: -1.57  
Remarks: Calculation

#### N-Methyl-2-pyrrolidone:

Partition coefficient: n-octanol/water : log Pow: -0.46 (25 °C)

# SAFETY DATA SHEET

## NOROX® MEKP-900 FRED



Version	Revision Date:	SDS Number:	Date of last issue: 08.11.2018
2.0	01.02.2021	600000000106	Date of first issue: 08.11.2018

---

### Mobility in soil

No data available

### Other adverse effects

#### Product:

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.  
Toxic to aquatic life.

#### Components:

##### **dimethyl phthalate:**

Additional ecological information : No data available

---

## SECTION 13. DISPOSAL CONSIDERATIONS

### Disposal methods

Waste from residues : The product should not be allowed to enter drains, water courses or the soil.  
Do not contaminate ponds, waterways or ditches with chemical or used container.  
Dispose of wastes in an approved waste disposal facility.

Contaminated packaging : Empty remaining contents.  
Dispose of as unused product.  
Do not re-use empty containers.  
Do not burn, or use a cutting torch on, the empty drum.  
Dispose of in accordance with local regulations.

---

## SECTION 14. TRANSPORT INFORMATION

### International Regulations

#### **UNRTDG**

UN number : UN 3105  
Proper shipping name : ORGANIC PEROXIDE TYPE D, LIQUID  
(METHYL ETHYL KETONE PEROXIDE(S))  
Class : 5.2  
Packing group : Not assigned by regulation  
Labels : 5.2

#### **IATA-DGR**

UN/ID No. : UN 3105  
Proper shipping name : Organic peroxide type D, liquid  
(Methyl ethyl ketone peroxide(s))  
Class : 5.2  
Packing group : Not assigned by regulation

---



# SAFETY DATA SHEET

## NOROX® MEKP-900 FRED



Version	Revision Date:	SDS Number:	Date of last issue: 08.11.2018
2.0	01.02.2021	600000000106	Date of first issue: 08.11.2018

---

Labels : Organic Peroxides, Keep Away From Heat  
Packing instruction (cargo aircraft) : 570  
Packing instruction (passenger aircraft) : 570

### IMDG-Code

UN number : UN 3105  
Proper shipping name : ORGANIC PEROXIDE TYPE D, LIQUID (METHYL ETHYL KETONE PEROXIDE(S))  
Class : 5.2  
Packing group : Not assigned by regulation  
Labels : 5.2  
EmS Code : F-J, S-R  
Marine pollutant : no

### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

### National Regulations

#### ADG

UN number : UN 3105  
Proper shipping name : ORGANIC PEROXIDE TYPE D, LIQUID (METHYL ETHYL KETONE PEROXIDE(S))  
Class : 5.2  
Packing group : Not assigned by regulation  
Labels : 5.2  
Hazchem Code : 2WE

### Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

---

## SECTION 15. REGULATORY INFORMATION

### Safety, health and environmental regulations/legislation specific for the substance or mixture

Standard for the Uniform Scheduling of Medicines and Poisons : Schedule 6

Prohibition/Licensing Requirements : There is no applicable prohibition, authorisation and restricted use requirements, including for carcinogens referred to in Schedule 10 of the model WHS Act and Regulations.

# SAFETY DATA SHEET

## NOROX® MEKP-900 FRED



Version	Revision Date:	SDS Number:	Date of last issue: 08.11.2018
2.0	01.02.2021	600000000106	Date of first issue: 08.11.2018

---

### The components of this product are reported in the following inventories:

TCSI (TW)	:	On the inventory, or in compliance with the inventory
TSCA (US)	:	All substances listed as active on the TSCA inventory
AICS (AU)	:	On the inventory, or in compliance with the inventory
DSL (CA)	:	All components of this product are on the Canadian DSL
ENCS (JP)	:	On the inventory, or in compliance with the inventory
ISHL (JP)	:	On the inventory, or in compliance with the inventory
KECI (KR)	:	On the inventory, or in compliance with the inventory
PICCS (PH)	:	On the inventory, or in compliance with the inventory
IECSC (CN)	:	On the inventory, or in compliance with the inventory

---

## SECTION 16. OTHER INFORMATION

### Further information

Revision Date	:	01.02.2021
Other information	:	This safety datasheet only contains information relating to safety and does not replace any product information or product specification. These safety instructions also apply to empty packaging which may still contain product residues.
Sources of key data used to compile the Safety Data Sheet	:	Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <a href="http://echa.europa.eu/">http://echa.europa.eu/</a>
Date format	:	dd.mm.yyyy

### Full text of other abbreviations

ACGIH	:	USA. ACGIH Threshold Limit Values (TLV)
ACGIH BEI	:	ACGIH - Biological Exposure Indices (BEI)
AU OEL	:	Australia. Workplace Exposure Standards for Airborne Contaminants.
ACGIH / TWA	:	8-hour, time-weighted average
ACGIH / STEL	:	Short-term exposure limit
ACGIH / C	:	Ceiling limit
AU OEL / TWA	:	Exposure standard - time weighted average

# SAFETY DATA SHEET

## NOROX® MEKP-900 FRED



Version	Revision Date:	SDS Number:	Date of last issue: 08.11.2018
2.0	01.02.2021	600000000106	Date of first issue: 08.11.2018

---

AU OEL / STEL : Exposure standard - short term exposure limit  
AU OEL / Peak limit : Exposure standard - peak

AICS - Australian Inventory of Chemical Substances; AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

AU / EN