

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

## NOROX<sup>®</sup> 410



Version	Revision Date:	SDS Number:	Date of last issue: 06.12.2022
5.3	10.03.2023	600000000049	Date of first issue: 25.04.2016

---

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifier

Trade name : NOROX<sup>®</sup> 410

REACH Registration Number : 01-2119498310-40-0000

Substance name : tert-Butyl 2-ethylperoxyhexanoate

EC-No. : 221-110-7

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub-  
stance/Mixture : polymerisation initiators

Recommended restrictions on use : Exposure Scenario is available as separate attachment., For further information see eSDS.

### 1.3 Details of the supplier of the safety data sheet

Company : United Initiators GmbH  
Dr.-Gustav-Adolph-Str. 3  
82049 Pullach

Telephone : +49 / 89 / 74422 – 0

E-mail address of person responsible for the SDS : contact@united-in.com

### 1.4 Emergency telephone number

+44 1235 239670

---

## SECTION 2: Hazards identification

### 2.1 Classification of the substance or mixture

#### Classification (REGULATION (EC) No 1272/2008)

Organic peroxides, Type C	H242: Heating may cause a fire.
Skin sensitisation, Category 1	H317: May cause an allergic skin reaction.
Reproductive toxicity, Category 1B	H360F: May damage fertility.
Short-term (acute) aquatic hazard, Category 1	H400: Very toxic to aquatic life.
Long-term (chronic) aquatic hazard, Cat-	H411: Toxic to aquatic life with long lasting effects.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

## NOROX<sup>®</sup> 410



Version	Revision Date:	SDS Number:	Date of last issue: 06.12.2022
5.3	10.03.2023	600000000049	Date of first issue: 25.04.2016

---

egory 2

### 2.2 Label elements

#### Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms :



Signal word : Danger

Hazard statements :  
H242 Heating may cause a fire.  
H317 May cause an allergic skin reaction.  
H360F May damage fertility.  
H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements : **Prevention:**  
P220 Keep/Store away from clothing/ strong acids, bases, heavy metal salts and other reducing substances /combustible materials.  
P233 Keep container tightly closed.  
P261 Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.  
P273 Avoid release to the environment.  
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

#### **Response:**

P308 + P313 IF exposed or concerned: Get medical advice/ attention.  
P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.  
P362 + P364 Take off contaminated clothing and wash it before reuse.  
P370 + P378 In case of fire: Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide to extinguish.

#### **Storage:**

P411 Store at temperatures not exceeding 20 °C.

#### **Disposal:**

P501 Dispose of contents/ container to an approved waste disposal plant.

### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

## NOROX® 410



Version 5.3      Revision Date: 10.03.2023      SDS Number: 600000000049      Date of last issue: 06.12.2022  
Date of first issue: 25.04.2016

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

### SECTION 3: Composition/information on ingredients

#### 3.1 Substances

Substance name : tert-Butyl 2-ethylperoxyhexanoate  
EC-No. : 221-110-7  
Chemical nature : Organic Peroxide liquid

#### Components

Chemical name	CAS-No. EC-No.	Concentration (%) w/w)	M-Factor, SCL, ATE
tert-Butyl 2-ethylperoxyhexanoate	3006-82-4 221-110-7	<= 100	M-Factor (Acute aquatic toxicity): 1

### SECTION 4: First aid measures

#### 4.1 Description of first aid measures

General advice : Move out of dangerous area.  
Show this safety data sheet to the doctor in attendance.  
Do not leave the victim unattended.  
Call a physician immediately.

Protection of first-aiders : First Aid responders should pay attention to self-protection and use the recommended protective clothing

If inhaled : If unconscious, place in recovery position and seek medical advice.  
If symptoms persist, call a physician.  
If breathed in, move person into fresh air.

In case of skin contact : In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes.  
Wash contaminated clothing before re-use.  
If on skin, rinse well with water.  
If on clothes, remove clothes.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

## NOROX<sup>®</sup> 410



Version	Revision Date:	SDS Number:	Date of last issue: 06.12.2022
5.3	10.03.2023	600000000049	Date of first issue: 25.04.2016

---

If symptoms persist, call a physician.

In case of eye contact : In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice.  
Remove contact lenses.  
Protect unharmed eye.  
Keep eye wide open while rinsing.  
If eye irritation persists, consult a specialist.

If swallowed : Keep respiratory tract clear.  
Call a physician immediately.

### 4.2 Most important symptoms and effects, both acute and delayed

Risks : May cause an allergic skin reaction.  
May damage fertility.

### 4.3 Indication of any immediate medical attention and special treatment needed

Treatment : Treat symptomatically and supportively.

---

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media

Suitable extinguishing media : Water spray jet  
Alcohol-resistant foam  
Carbon dioxide (CO<sub>2</sub>)  
Dry chemical

Unsuitable extinguishing media : High volume water jet

### 5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-fighting : Contact with incompatible materials or exposure to temperatures exceeding SADT may result in a self-accelerating decomposition reaction with release of flammable vapors which may auto-ignite.  
The product burns violently.  
Flash back possible over considerable distance.  
Vapours may form explosive mixtures with air.  
The product will float on water and can be reignited on surface water.  
Cool closed containers exposed to fire with water spray.

### 5.3 Advice for firefighters

Special protective equipment for firefighters : Wear self-contained breathing apparatus for firefighting if necessary. Use personal protective equipment.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

## NOROX® 410



Version	Revision Date:	SDS Number:	Date of last issue: 06.12.2022
5.3	10.03.2023	600000000049	Date of first issue: 25.04.2016

---

- Specific extinguishing methods : Do not use a solid water stream as it may scatter and spread fire.  
Remove undamaged containers from fire area if it is safe to do so.  
Use water spray to cool unopened containers.
- Further information : Collect contaminated fire extinguishing water separately. This must not be discharged into drains.  
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.  
Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

---

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

- Personal precautions : Use personal protective equipment.  
Remove all sources of ignition.  
Follow safe handling advice and personal protective equipment recommendations.  
Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.  
Never return spills in original containers for re-use.  
Treat recovered material as described in the section "Disposal considerations".

### 6.2 Environmental precautions

- Environmental precautions : Prevent product from entering drains.  
Prevent further leakage or spillage if safe to do so.  
If the product contaminates rivers and lakes or drains inform respective authorities.

### 6.3 Methods and material for containment and cleaning up

- Methods for cleaning up : Contact with incompatible substances can cause decomposition at or below SADT.  
Clear spills immediately.  
Suppress (knock down) gases/vapours/mists with a water spray jet.  
To clean the floor and all objects contaminated by this material, use plenty of water.  
Soak up with inert absorbent material.  
Isolate waste and do not reuse.  
Non-sparking tools should be used.  
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

## NOROX® 410



Version	Revision Date:	SDS Number:	Date of last issue: 06.12.2022
5.3	10.03.2023	600000000049	Date of first issue: 25.04.2016

---

### 6.4 Reference to other sections

For personal protection see section 8.

---

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

- Technical measures : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.
- Advice on safe handling : Do not breathe vapours/dust.  
Avoid exposure - obtain special instructions before use.  
Avoid contact with skin and eyes.  
Avoid formation of aerosol.  
Take precautionary measures against static discharges.  
Never return any product to the container from which it was originally removed.  
Provide sufficient air exchange and/or exhaust in work rooms.  
Avoid confinement.  
Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
Smoking, eating and drinking should be prohibited in the application area.  
Wash thoroughly after handling.  
For personal protection see section 8.  
Persons susceptible to skin sensitisation problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used.  
Protect from contamination.
- Advice on protection against fire and explosion : Keep away from heat and sources of ignition. Use only explosion-proof equipment. Keep away from combustible material.
- Hygiene measures : Keep away from food and drink. When using do not eat or drink. When using do not smoke. Wash hands before breaks and immediately after handling the product.

### 7.2 Conditions for safe storage, including any incompatibilities

- Requirements for storage areas and containers : Avoid impurities (e.g. rust, dust, ash), risk of decomposition. Electrical installations / working materials must comply with the technological safety standards. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Store in original container. Keep containers tightly closed in a cool, well-ventilated place. Store in accordance with the particular national regulations.
- Advice on common storage : Keep away from strong acids, bases, heavy metal salts and other reducing substances.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

## NOROX® 410



Version 5.3      Revision Date: 10.03.2023      SDS Number: 600000000049      Date of last issue: 06.12.2022  
Date of first issue: 25.04.2016

Recommended storage temperature : < 10 °C

Further information on storage stability : No decomposition if stored normally.

### 7.3 Specific end use(s)

Specific use(s) : For further information, refer to the product technical data sheet.

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

Contains no substances with occupational exposure limit values.

#### Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health effects	Value
tert-Butyl 2-ethylperoxyhexanoate	Workers	Inhalation	Long-term systemic effects	9.8 mg/m <sup>3</sup>
	Workers	Skin contact	Long-term systemic effects	5.6 mg/kg bw/day
	Consumers	Inhalation	Long-term systemic effects	1.74 mg/m <sup>3</sup>
	Consumers	Oral	Long-term systemic effects	1 mg/kg bw/day

#### Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
tert-Butyl 2-ethylperoxyhexanoate	Fresh water	0.002 mg/l
	Marine water	0 mg/l
	Sewage treatment plant	0.64 mg/l
	Fresh water sediment	0.622 mg/kg dry weight (d.w.)
	Marine sediment	0.062 mg/kg dry weight (d.w.)

### 8.2 Exposure controls

#### Engineering measures

Minimize workplace exposure concentrations.

#### Personal protective equipment

Eye protection : Equipment should conform to EN 166

Tightly fitting safety goggles  
Please wear suitable protective goggles. Also wear face protection if there is a splash hazard.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

## NOROX® 410



Version 5.3      Revision Date: 10.03.2023      SDS Number: 600000000049      Date of last issue: 06.12.2022  
Date of first issue: 25.04.2016

---

Ensure that eyewash stations and safety showers are close to the workstation location.

Please follow all applicable local/national requirements when selecting protective measures for a specific workplace.

### Hand protection

Material : Nitrile rubber  
Break through time : 480 min  
Glove thickness : 0.40 mm  
Directive : Equipment should conform to EN 374

Material : butyl-rubber  
Break through time : 480 min  
Glove thickness : 0.47 mm  
Directive : Equipment should conform to EN 374

Remarks : The data about break through time/strength of material are standard values! The exact break through time/strength of material has to be obtained from the producer of the protective glove. Choose gloves to protect hands against chemicals depending on the concentration and quantity of the hazardous substance and specific to place of work. For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer. Wash hands before breaks and at the end of workday.

Skin and body protection : Select appropriate protective clothing based on chemical resistance data and an assessment of the local exposure potential.  
Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces.  
Wear as appropriate:  
Flame retardant antistatic protective clothing.

Respiratory protection : In the case of dust or aerosol formation use respirator with an approved filter.  
Respirator with combination filter for vapour/particulate (EN 141)

Filter type : ABEK-filter

Protective measures : The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.



# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

## NOROX<sup>®</sup> 410



Version	Revision Date:	SDS Number:	Date of last issue: 06.12.2022
5.3	10.03.2023	600000000049	Date of first issue: 25.04.2016

---

---

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

Physical state	:	liquid
Colour	:	colourless
Odour	:	ester-like
Odour Threshold	:	not determined
Melting point/freezing point	:	< -25 °C (1,013 hPa)
Boiling point/boiling range	:	Decomposition: Decomposes below the boiling point.
Flammability	:	Not applicable
Upper explosion limit / Upper flammability limit	:	Upper explosion limit not determined
Lower explosion limit / Lower flammability limit	:	Lower explosion limit Not applicable
Flash point	:	78 °C Method: ISO 3679
Auto-ignition temperature	:	not determined
Self-Accelerating decomposition temperature (SADT)	:	35 °C Method: UN-Test H.4 SADT-Self Accelerating Decomposition Temperature. Lowest temperature at which the tested package size will undergo a self-accelerating decomposition reaction.
pH	:	substance/mixture is non-soluble (in water)
Viscosity		
Viscosity, dynamic	:	3.7 mPa.s (20 °C)
Viscosity, kinematic	:	not determined
Solubility(ies)		
Water solubility	:	ca. 0.05 g/l (20 °C) insoluble
Dispersion Stability	:	No data available
Vapour pressure	:	0.02 hPa (20 °C)
Relative density	:	not determined

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

## NOROX<sup>®</sup> 410



Version	Revision Date:	SDS Number:	Date of last issue: 06.12.2022
5.3	10.03.2023	600000000049	Date of first issue: 25.04.2016

---

Density : 0.9 g/cm<sup>3</sup> (20 °C)

Relative vapour density : No data available

Particle characteristics  
Particle size : Not applicable

### 9.2 Other information

Explosives : Risk of explosion by shock, friction, fire or other sources of ignition.  
In use, may form flammable/explosive vapour-air mixture.

Oxidizing properties : The substance or mixture is not classified as oxidizing.  
Organic peroxide

Flammability (liquids) : Organic peroxide

Self-ignition : The substance or mixture is not classified as pyrophoric.

Self-heating substances : The substance or mixture is not classified as self heating.

Substances and mixtures, which in contact with water, emit flammable gases : The substance or mixture does not emit flammable gases in contact with water.

Desensitised explosives : Not applicable

Evaporation rate : No data available

Refractive index : 1.428 at 20 °C

---

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

Stable under recommended storage conditions.

### 10.2 Chemical stability

Stable under recommended storage conditions.

### 10.3 Possibility of hazardous reactions

Hazardous reactions : Vapours may form explosive mixture with air.

### 10.4 Conditions to avoid

Conditions to avoid : Protect from contamination.  
Contact with incompatible substances can cause decomposition at or below SADT.  
Heat, flames and sparks.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

## NOROX<sup>®</sup> 410



Version	Revision Date:	SDS Number:	Date of last issue: 06.12.2022
5.3	10.03.2023	600000000049	Date of first issue: 25.04.2016

---

Avoid confinement.

### 10.5 Incompatible materials

Materials to avoid : Accelerators, strong acids and bases, heavy metals and heavy metal salts, reducing agents

### 10.6 Hazardous decomposition products

Irritant, caustic, flammable, noxious/toxic gases and vapours can develop in the case of fire and decomposition

---

## SECTION 11: Toxicological information

### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Acute toxicity

Not classified based on available information.

#### Product:

Acute oral toxicity : LD<sub>0</sub> (Rat):  $\geq 10,000$  mg/kg  
Method: OECD Test Guideline 401

Acute inhalation toxicity : LC<sub>50</sub> (Rat):  $> 42.2$  mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist

Acute dermal toxicity : LD<sub>50</sub> (Rabbit): 16,818 mg/kg  
Method: OECD Test Guideline 402

#### Components:

##### **tert-Butyl 2-ethylperoxyhexanoate:**

Acute oral toxicity : LD<sub>50</sub> (Rat):  $\geq 10,000$  mg/kg  
Method: OECD Test Guideline 401  
Assessment: The substance or mixture has no acute oral toxicity  
Remarks: No mortality observed at this dose.

Acute inhalation toxicity : LC<sub>50</sub> (Rat):  $> 42.2$  mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist

Acute dermal toxicity : LD<sub>50</sub> (Rabbit): 16,820 mg/kg  
Method: OECD Test Guideline 402

#### **Skin corrosion/irritation**

Not classified based on available information.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

## NOROX® 410



Version	Revision Date:	SDS Number:	Date of last issue: 06.12.2022
5.3	10.03.2023	600000000049	Date of first issue: 25.04.2016

---

### **Product:**

Remarks : May cause skin irritation in susceptible persons.

Species : Rabbit

Method : OECD Test Guideline 404

Result : No skin irritation

### **Components:**

#### **tert-Butyl 2-ethylperoxyhexanoate:**

Species : Rabbit

Method : OECD Test Guideline 404

Result : No skin irritation

#### **Serious eye damage/eye irritation**

Not classified based on available information.

### **Product:**

Remarks : Vapours may cause irritation to the eyes, respiratory system and the skin.

Species : Rabbit

Method : OECD Test Guideline 405

Result : No eye irritation

### **Components:**

#### **tert-Butyl 2-ethylperoxyhexanoate:**

Species : Rabbit

Method : OECD Test Guideline 405

Result : No eye irritation

#### **Respiratory or skin sensitisation**

##### **Skin sensitisation**

May cause an allergic skin reaction.

##### **Respiratory sensitisation**

Not classified based on available information.

### **Product:**

Remarks : Causes sensitisation.

Species : Guinea pig

Method : OECD Test Guideline 406

Result : May cause sensitisation by skin contact.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

## NOROX<sup>®</sup> 410



Version	Revision Date:	SDS Number:	Date of last issue: 06.12.2022
5.3	10.03.2023	600000000049	Date of first issue: 25.04.2016

---

### Components:

#### **tert-Butyl 2-ethylperoxyhexanoate:**

Species : Guinea pig  
Method : OECD Test Guideline 406  
Result : May cause sensitisation by skin contact.

#### **Germ cell mutagenicity**

Not classified based on available information.

### Product:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Method: OECD Test Guideline 471  
Result: positive

Test Type: In vitro mammalian cell gene mutation test  
Method: OECD Test Guideline 476  
Result: positive

Genotoxicity in vivo : Species: Mouse  
Application Route: Ingestion  
Method: OECD Test Guideline 474  
Result: negative

### Components:

#### **tert-Butyl 2-ethylperoxyhexanoate:**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Method: OECD Test Guideline 471  
Result: positive

Test Type: In vitro mammalian cell gene mutation test  
Method: OECD Test Guideline 476  
Result: positive

Genotoxicity in vivo : Species: Mouse  
Application Route: Ingestion  
Method: OECD Test Guideline 474  
Result: negative

#### **Carcinogenicity**

Not classified based on available information.

### Product:

Remarks : This information is not available.

### Components:

#### **tert-Butyl 2-ethylperoxyhexanoate:**

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

## NOROX<sup>®</sup> 410



Version 5.3      Revision Date: 10.03.2023      SDS Number: 600000000049      Date of last issue: 06.12.2022  
Date of first issue: 25.04.2016

---

Remarks : This information is not available.

### Reproductive toxicity

May damage fertility.

#### Product:

Effects on fertility : Test Type: Reproduction/Developmental toxicity screening test  
Species: Rat  
Application Route: Oral  
General Toxicity - Parent: NOAEL: 300 mg/kg body weight  
Method: OECD Test Guideline 421

Test Type: One-generation reproduction toxicity study  
Species: Rat  
Application Route: Oral  
General Toxicity - Parent: NOAEL: 300 mg/kg body weight  
General Toxicity F1: NOAEL: 300 mg/kg body weight  
Fertility: NOAEL Mating/Fertility: 100 mg/kg body weight  
Early Embryonic Development: NOAEL F2: 300 mg/kg body weight  
Method: OECD Test Guideline 443  
GLP: yes

Effects on foetal development : Species: Rat  
Application Route: Oral  
Embryo-foetal toxicity: NOAEL Mating/Fertility: 1,000 mg/kg body weight  
Method: OECD Test Guideline 414

Reproductive toxicity - Assessment : Clear evidence of adverse effects on sexual function and fertility, based on animal experiments.

#### Components:

##### **tert-Butyl 2-ethylperoxyhexanoate:**

Effects on fertility : Test Type: Reproduction/Developmental toxicity screening test  
Species: Rat  
Application Route: Oral  
General Toxicity - Parent: NOEL: 300 mg/kg body weight  
Method: OECD Test Guideline 421

Test Type: One-generation reproduction toxicity study  
Species: Rat  
Application Route: Oral  
General Toxicity - Parent: NOAEL: 300 mg/kg body weight  
General Toxicity F1: NOAEL: 300 mg/kg body weight  
Fertility: NOAEL Mating/Fertility: 100 mg/kg body weight  
Early Embryonic Development: NOAEL F2: 300 mg/kg body weight

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

## NOROX<sup>®</sup> 410



Version	Revision Date:	SDS Number:	Date of last issue: 06.12.2022
5.3	10.03.2023	600000000049	Date of first issue: 25.04.2016

---

weight  
Method: OECD Test Guideline 443  
GLP: yes

Effects on foetal development : Species: Rabbit  
Application Route: Oral  
General Toxicity Maternal: NOAEL: 30 mg/kg body weight  
Developmental Toxicity: NOAEL: 100 mg/kg body weight  
Method: OECD Test Guideline 414

Species: Rat  
Application Route: Oral  
General Toxicity Maternal: NOEL: 400 mg/kg body weight  
Developmental Toxicity: NOEL: 400 mg/kg body weight  
Method: OECD Test Guideline 414

Reproductive toxicity - Assessment : Clear evidence of adverse effects on sexual function and fertility, based on animal experiments.

### STOT - single exposure

Not classified based on available information.

#### Product:

Remarks : No data available

#### Components:

##### tert-Butyl 2-ethylperoxyhexanoate:

Remarks : No data available

### STOT - repeated exposure

Not classified based on available information.

#### Product:

Remarks : No data available

#### Components:

##### tert-Butyl 2-ethylperoxyhexanoate:

Remarks : No data available

### Repeated dose toxicity

#### Product:

Species : Rat, male  
NOAEL : 316 mg/kg  
Exposure time : 28 d  
Method : OECD Test Guideline 407

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

## NOROX® 410



Version	Revision Date:	SDS Number:	Date of last issue: 06.12.2022
5.3	10.03.2023	600000000049	Date of first issue: 25.04.2016

---

Species : Rat, female  
NOAEL : 100 mg/kg  
Exposure time : 28 d  
Method : OECD Test Guideline 407

Species : Rat  
NOAEL : 450 mg/kg  
Method : OECD Test Guideline 408

### **Components:**

#### **tert-Butyl 2-ethylperoxyhexanoate:**

Species : Rat, male  
NOAEL : 316 mg/kg  
Exposure time : 28 d  
Method : OECD Test Guideline 407

Species : Rat, female  
NOAEL : 100 mg/kg  
Exposure time : 28 d  
Method : OECD Test Guideline 407

Species : Rat  
NOAEL : 450 mg/kg  
Method : OECD Test Guideline 408

### **Aspiration toxicity**

Not classified based on available information.

## **11.2 Information on other hazards**

### **Endocrine disrupting properties**

#### **Product:**

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

### **Further information**

#### **Product:**

Remarks : No data available



# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

## NOROX<sup>®</sup> 410



Version	Revision Date:	SDS Number:	Date of last issue: 06.12.2022
5.3	10.03.2023	600000000049	Date of first issue: 25.04.2016

---

---

## SECTION 12: Ecological information

### 12.1 Toxicity

#### Product:

- Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 8.66 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 203
- NOEC (Poecilia reticulata (guppy)): 2.10 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 203
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 7.5 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202
- Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (green algae)): 0.44 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201
- NOEC (Pseudokirchneriella subcapitata (green algae)): 0.018 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201
- Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 0.45 mg/l  
Exposure time: 21 d  
Species: Daphnia magna (Water flea)  
Method: OECD Test Guideline 211
- LOEC: 0.87 mg/l  
Exposure time: 21 d  
Species: Daphnia magna (Water flea)  
Method: OECD Test Guideline 211
- Toxicity to microorganisms : EC50 : 64 mg/l  
Exposure time: 0.5 h  
Method: OECD Test Guideline 209

#### **Ecotoxicology Assessment**

- Acute aquatic toxicity : Very toxic to aquatic life.
- Chronic aquatic toxicity : Toxic to aquatic life with long lasting effects.

#### Components:

**tert-Butyl 2-ethylperoxyhexanoate:**

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

## NOROX® 410



Version 5.3      Revision Date: 10.03.2023      SDS Number: 600000000049      Date of last issue: 06.12.2022  
Date of first issue: 25.04.2016

---

- Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 8.66 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 203
- NOEC (Poecilia reticulata (guppy)): 2.10 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 203
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 7.5 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202
- Toxicity to algae/aquatic plants : EC50 (Raphidocelis subcapitata (freshwater green alga)): 0.44 mg/l  
Exposure time: 72 h  
Test Type: Growth inhibition  
Method: OECD Test Guideline 201  
GLP: yes
- NOEC (Raphidocelis subcapitata (freshwater green alga)): 0.018 mg/l  
Exposure time: 72 h  
Test Type: Growth inhibition  
Method: OECD Test Guideline 201  
GLP: yes
- M-Factor (Acute aquatic toxicity) : 1
- Toxicity to microorganisms : EC50 : 64 mg/l  
Exposure time: 0.5 h  
Method: OECD Test Guideline 209
- Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 0.45 mg/l  
Exposure time: 21 d  
Species: Daphnia magna (Water flea)  
Method: OECD Test Guideline 211
- LOEC: 0.87 mg/l  
Exposure time: 21 d  
Species: Daphnia magna (Water flea)  
Method: OECD Test Guideline 211

### Ecotoxicology Assessment

- Acute aquatic toxicity : Very toxic to aquatic life.
- Chronic aquatic toxicity : Toxic to aquatic life with long lasting effects.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

## NOROX<sup>®</sup> 410



Version	Revision Date:	SDS Number:	Date of last issue: 06.12.2022
5.3	10.03.2023	600000000049	Date of first issue: 25.04.2016

---

### 12.2 Persistence and degradability

#### Product:

Biodegradability : Result: rapidly biodegradable  
Biodegradation: 65 %  
Related to: Theoretical oxygen demand  
Exposure time: 28 d  
Method: OECD Test Guideline 301D  
GLP: yes  
Remarks: According to the results of tests of biodegradability this product is considered as being readily biodegradable.

#### Components:

##### **tert-Butyl 2-ethylperoxyhexanoate:**

Biodegradability : Result: rapidly biodegradable  
Biodegradation: 65 %  
Related to: Theoretical oxygen demand  
Exposure time: 28 d  
Method: OECD Test Guideline 301D  
GLP: yes  
Remarks: According to the results of tests of biodegradability this product is considered as being readily biodegradable.

### 12.3 Bioaccumulative potential

#### Product:

Bioaccumulation : Bioconcentration factor (BCF): 202.4  
Method: QSAR

#### Components:

##### **tert-Butyl 2-ethylperoxyhexanoate:**

Bioaccumulation : Bioconcentration factor (BCF): 202.4  
Method: QSAR

### 12.4 Mobility in soil

No data available

### 12.5 Results of PBT and vPvB assessment

#### Product:

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

## NOROX<sup>®</sup> 410



Version	Revision Date:	SDS Number:	Date of last issue: 06.12.2022
5.3	10.03.2023	600000000049	Date of first issue: 25.04.2016

---

### 12.6 Endocrine disrupting properties

**Product:**

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

### 12.7 Other adverse effects

**Product:**

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.  
Very toxic to aquatic life.  
Toxic to aquatic life with long lasting effects.

---

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

Product : The product should not be allowed to enter drains, water courses or the soil.  
Do not contaminate ponds, waterways or ditches with chemical or used container.  
Dispose of wastes in an approved waste disposal facility.

Contaminated packaging : Empty remaining contents.  
Dispose of as unused product.  
Do not re-use empty containers.  
Do not burn, or use a cutting torch on, the empty drum.  
Dispose of in accordance with local regulations.

---

## SECTION 14: Transport information

### 14.1 UN number or ID number

ADR : UN 3113

RID : UN 3113  
Not permitted for transport

IMDG : UN 3113

IATA : UN 3113  
Not permitted for transport

### 14.2 UN proper shipping name

ADR : ORGANIC PEROXIDE TYPE C, LIQUID, TEMPERATURE CONTROLLED

---

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

## NOROX® 410



Version 5.3      Revision Date: 10.03.2023      SDS Number: 600000000049      Date of last issue: 06.12.2022  
Date of first issue: 25.04.2016

---

(tert-BUTYL PEROXY-2-ETHYLHEXANOATE)

**RID** : ORGANIC PEROXIDE TYPE C, LIQUID, TEMPERATURE CONTROLLED  
Not permitted for transport

**IMDG** : ORGANIC PEROXIDE TYPE C, LIQUID, TEMPERATURE CONTROLLED  
(tert-BUTYL PEROXY-2-ETHYLHEXANOATE)

**IATA** : ORGANIC PEROXIDE TYPE C, LIQUID, TEMPERATURE CONTROLLED  
Not permitted for transport

### 14.3 Transport hazard class(es)

**ADR** : 5.2

**RID** : Not permitted for transport

**IMDG** : 5.2

**IATA** : Not permitted for transport

### 14.4 Packing group

**ADR**  
Packing group : Not assigned by regulation  
Classification Code : P2  
Labels : 5.2  
Tunnel restriction code : (D)

**RID** : Not permitted for transport

**IMDG**  
Packing group : Not assigned by regulation  
Labels : 5.2  
EmS Code : F-F, S-R

**IATA (Cargo)** : Not permitted for transport

**IATA (Passenger)** : Not permitted for transport

### 14.5 Environmental hazards

**ADR**  
Environmentally hazardous : yes

**RID** : Not permitted for transport

**IMDG**  
Marine pollutant : yes

### 14.6 Special precautions for user

**Additional advice**  
Temperature controlled transport.:  
Control temperature : 20 °C  
Emergency temperature : 25 °C

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

## NOROX® 410



Version 5.3      Revision Date: 10.03.2023      SDS Number: 600000000049      Date of last issue: 06.12.2022  
Date of first issue: 25.04.2016

---

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

### 14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

---

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

- REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, preparations and articles (Annex XVII) : Conditions of restriction for the following entries should be considered: Number on list 3
- REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59). : Not applicable
- Regulation (EC) No 1005/2009 on substances that deplete the ozone layer : Not applicable
- Regulation (EU) 2019/1021 on persistent organic pollutants (recast) : Not applicable
- Regulation (EC) No 649/2012 of the European Parliament and the Council concerning the export and import of dangerous chemicals : Not applicable
- REACH - List of substances subject to authorisation (Annex XIV) : Not applicable

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.

		Quantity 1	Quantity 2
P6b	SELF-REACTIVE SUBSTANCES AND MIXTURES and ORGANIC PEROXIDES	50 t	200 t
E1	ENVIRONMENTAL HAZARDS	100 t	200 t

#### Other regulations:

Gefahrgruppe nach DGUV 13 Vorschrift 13 (bisher BGV B4): Ib, S+ (German regulatory requirements)

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

## NOROX<sup>®</sup> 410



Version	Revision Date:	SDS Number:	Date of last issue: 06.12.2022
5.3	10.03.2023	600000000049	Date of first issue: 25.04.2016

---

Produkt unterliegt dem Sprengstoffgesetz (SprengG; Stoffgruppe C). (German regulatory requirements)

Take note of Directive 92/85/EEC regarding maternity protection or stricter national regulations, where applicable.

Take note of Directive 94/33/EC on the protection of young people at work or stricter national regulations, where applicable.

### The components of this product are reported in the following inventories:

TCSI (TW)	:	On the inventory, or in compliance with the inventory
TSCA (US)	:	All substances listed as active on the TSCA inventory
AiIC (AU)	:	On the inventory, or in compliance with the inventory
DSL (CA)	:	All components of this product are on the Canadian DSL
ENCS (JP)	:	On the inventory, or in compliance with the inventory
ISHL (JP)	:	On the inventory, or in compliance with the inventory
KECI (KR)	:	On the inventory, or in compliance with the inventory
PICCS (PH)	:	On the inventory, or in compliance with the inventory
IECSC (CN)	:	On the inventory, or in compliance with the inventory
NZIoC (NZ)	:	On the inventory, or in compliance with the inventory
TECI (TH)	:	On the inventory, or in compliance with the inventory

### 15.2 Chemical safety assessment

A Chemical Safety Assessment has been carried out for this substance.  
For further information see eSDS.

---

## SECTION 16: Other information

### Full text of other abbreviations

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road; AiIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada);

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

## NOROX® 410



Version	Revision Date:	SDS Number:	Date of last issue: 06.12.2022
5.3	10.03.2023	600000000049	Date of first issue: 25.04.2016

---

ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

### Further information

Other information : This safety datasheet only contains information relating to safety and does not replace any product information or product specification.  
These safety instructions also apply to empty packaging which may still contain product residues.

Sources of key data used to compile the Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

IE / EN