according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



# NOROX®425PR

Version Revision Date: SDS Number: Date of last issue: 09.03.2023 02.02.2024 60000000238 Date of first issue: 24.10.2016 2.0

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

: NOROX<sup>®</sup>425PR Trade name

Unique Formula Identifier : RXP6-10GP-P000-Y53F

(UFI)

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub-: polymerisation initiators

stance/Mixture

1.3 Details of the supplier of the safety data sheet

Company : United Initiators GmbH

Dr.-Gustav-Adolph-Str. 3

82049 Pullach

Telephone : +49 / 89 / 74422 - 0

E-mail address of person responsible for the SDS

: contact@united-in.com

1.4 Emergency telephone number

0800 000 7801 (toll-free, access from Germany only) +49 89 220 61012

#### **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

#### Classification (REGULATION (EC) No 1272/2008)

Organic peroxides, Type D H242: Heating may cause a fire.

Skin sensitisation, Category 1 H317: May cause an allergic skin reaction.

Short-term (acute) aquatic hazard, Cate-

gory 1

H400: Very toxic to aquatic life.

Long-term (chronic) aquatic hazard, Cat-

egory 3

H412: Harmful to aquatic life with long lasting ef-

fects.

### 2.2 Label elements

#### Labelling (REGULATION (EC) No 1272/2008)

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



# NOROX®425PR

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 09.03.2023

 2.0
 02.02.2024
 600000000238
 Date of first issue: 24.10.2016

Hazard pictograms :







Signal word : Danger

Hazard statements : H242 Heating may cause a fire.

H317 May cause an allergic skin reaction.

H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements : Prevention:

P210 Keep away from heat, hot surfaces, sparks, open

flames and other ignition sources. No smoking.

P234 Keep only in original packaging. P273 Avoid release to the environment.

P280 Wear protective gloves/ protective clothing/ eye protec-

tion/ face protection/ hearing protection.

Response:

P370 + P378 In case of fire: Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide to extinguish.

P391 Collect spillage.

Hazardous components which must be listed on the label: tert-butyl 3,5,5-trimethylperoxyhexanoate (CAS-No. 13122-18-4)

#### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

## **SECTION 3: Composition/information on ingredients**

3.2 Mixtures

Chemical nature : Organic Peroxide

Liquid mixture

Components

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



# NOROX®425PR

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 09.03.2023

 2.0
 02.02.2024
 600000000238
 Date of first issue: 24.10.2016

Chemical name	CAS-No. EC-No.	Classification	Concentration (% w/w)
	Index-No.		( /6 W/W)
	Registration number		
tert-butyl 3,5,5- trimethylperoxyhexanoate	13122-18-4 236-050-7 01-2119498308-25- 0000	Org. Perox. D; H242 Skin Sens. 1B; H317 Aquatic Acute 1; H400 Aquatic Chronic 3; H412	>= 85 - < 90
		M-Factor (Acute aquatic toxicity): 1	
Acetylacetone	123-54-6 204-634-0 606-029-00-0 01-2119458968-15	Flam. Liq. 3; H226 Acute Tox. 4; H302 Acute Tox. 3; H331 Acute Tox. 3; H311	>= 10 - < 15
		Acute toxicity esti- mate	
		Acute oral toxicity: 570 mg/kg Acute inhalation tox- icity (vapour): 5,1 mg/l	
		Acute dermal toxicity: 790 mg/kg	

For explanation of abbreviations see section 16.

#### **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures

General advice : Take off contaminated clothing and shoes immediately.

Call a physician immediately.

Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and seek medical

advice.

Move out of dangerous area.

Show this safety data sheet to the doctor in attendance.

Do not leave the victim unattended.

Protection of first-aiders : First Aid responders should pay attention to self-protection

and use the recommended protective clothing

If inhaled : Administer oxygen if breathing is difficult or cyanosis is ob-

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



# NOROX®425PR

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 09.03.2023

 2.0
 02.02.2024
 600000000238
 Date of first issue: 24.10.2016

served.

If breathed in, move person into fresh air. If not breathing, give artificial respiration.

If unconscious, place in recovery position and seek medical

advice.

If symptoms persist, call a physician.

In case of skin contact : If symptoms persist, call a physician.

In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing

and shoes.

Wash contaminated clothing before re-use.

If on skin, rinse well with water. If on clothes, remove clothes.

In case of eye contact : In the case of contact with eyes, rinse immediately with plenty

of water and seek medical advice.

Remove contact lenses. Protect unharmed eye.

Keep eye wide open while rinsing.

If eye irritation persists, consult a specialist.

If swallowed : Call a physician immediately.

Keep respiratory tract clear.

If symptoms persist, call a physician.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms : sensitising effects

Risks : May cause an allergic skin reaction.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment : Treat symptomatically and supportively.

## **SECTION 5: Firefighting measures**

#### 5.1 Extinguishing media

Suitable extinguishing media : Water spray jet

Alcohol-resistant foam Carbon dioxide (CO2)

Dry chemical

Unsuitable extinguishing

media

High volume water jet

#### 5.2 Special hazards arising from the substance or mixture

Specific hazards during fire- : Risk of explosion if heated under confinement.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



# NOROX®425PR

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 09.03.2023

 2.0
 02.02.2024
 600000000238
 Date of first issue: 24.10.2016

fighting Possible emission of gaseous decomposition products may

lead to a dangerous pressure build-up.

Avoid confinement.

Contact with incompatible materials or exposure to temperatures exceeding SADT may result in a self-accelerating decomposition reaction with release of flammable vapors which

may auto-ignite.

The product burns violently.

Flash back possible over considerable distance.

Do not allow run-off from fire fighting to enter drains or water

courses.

Vapours may form explosive mixtures with air.

The product will float on water and can be reignited on surface

water.

Cool closed containers exposed to fire with water spray.

#### 5.3 Advice for firefighters

Special protective equipment :

for firefighters

Wear self-contained breathing apparatus for firefighting if nec-

essary. Use personal protective equipment.

Specific extinguishing meth-

ods

Do not use a solid water stream as it may scatter and spread

fire

Remove undamaged containers from fire area if it is safe to do

SO.

Use water spray to cool unopened containers.

Further information : Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment.
Use a water spray to cool fully closed containers.

Collect contaminated fire extinguishing water separately. This

must not be discharged into drains.

Fire residues and contaminated fire extinguishing water must

be disposed of in accordance with local regulations.

### **SECTION 6: Accidental release measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Follow safe handling advice and personal protective equip-

ment recommendations.

Beware of vapours accumulating to form explosive concentra-

tions. Vapours can accumulate in low areas.

Use personal protective equipment. Remove all sources of ignition.

Never return spills in original containers for re-use.

Treat recovered material as described in the section "Disposal

considerations".

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



# NOROX®425PR

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 09.03.2023

 2.0
 02.02.2024
 600000000238
 Date of first issue: 24.10.2016

## 6.2 Environmental precautions

Environmental precautions : Prevent product from entering drains.

Prevent further leakage or spillage if safe to do so.

If the product contaminates rivers and lakes or drains inform

respective authorities.

#### 6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Contact with incompatible substances can cause decomposi-

tion at or below SADT. Clear spills immediately.

Suppress (knock down) gases/vapours/mists with a water

spray jet.

To clean the floor and all objects contaminated by this materi-

al, use plenty of water.

Soak up with inert absorbent material. Isolate waste and do not reuse. Non-sparking tools should be used.

Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to deter-

mine which regulations are applicable.

#### 6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

#### **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

Technical measures : See Engineering measures under EXPOSURE

CONTROLS/PERSONAL PROTECTION section.

Advice on safe handling : Open drum carefully as content may be under pressure.

Protect from contamination.

Do not breathe vapours/dust.

Avoid exposure - obtain special instructions before use.

Avoid contact with skin and eyes.

Avoid formation of aerosol.

Take precautionary measures against static discharges. Never return any product to the container from which it was

originally removed.

Provide sufficient air exchange and/or exhaust in work rooms.

Avoid confinement.

Keep away from heat, hot surfaces, sparks, open flames and

other ignition sources. No smoking.

Smoking, eating and drinking should be prohibited in the ap-

plication area.

Wash thoroughly after handling. For personal protection see section 8.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



# NOROX®425PR

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 09.03.2023

 2.0
 02.02.2024
 600000000238
 Date of first issue: 24.10.2016

Persons susceptible to skin sensitisation problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used.

Advice on protection against

fire and explosion

Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapours). Keep away from heat and sources of ignition. Use only explosion-proof equipment. Keep away from open flames, hot surfaces and sources of ignition. Keep away from combustible material. Do not spray on a naked flame or any incandescent material.

Hygiene measures : Avoid contact with skin, eyes and clothing. Keep away from

food and drink. When using do not eat or drink. When using do not smoke. Wash hands before breaks and immediately

after handling the product.

#### 7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers

Store in original container. Keep containers tightly closed in a cool, well-ventilated place. Store in cool place. Keep in a well-ventilated place. Contamination may result in dangerous pressure increases - closed containers may rupture. Observe label precautions. Store in accordance with the particular national regulations. Avoid impurities (e.g. rust, dust, ash), risk of decomposition. Electrical installations / working materials must comply with the technological safety standards. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

Advice on common storage

Keep away from combustible materials.

Keep away from strong acids, bases, heavy metal salts and

other reducing substances.

Storage class (TRGS 510) : 5.2

Recommended storage tem- :

perature

< 30 °C

Further information on stor-

age stability

: Stable under recommended storage conditions.

7.3 Specific end use(s)

Specific use(s) : For further information, refer to the product technical data

sheet.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



# NOROX®425PR

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 09.03.2023

 2.0
 02.02.2024
 600000000238
 Date of first issue: 24.10.2016

# **SECTION 8: Exposure controls/personal protection**

### 8.1 Control parameters

### **Occupational Exposure Limits**

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
Acetylacetone	123-54-6	AGW	30 ppm	DE TRGS
			126 mg/m3	900
	Peak-limit: excursion factor (category): 2;(II)			
	Further information: Skin absorption, When there is compliance with the OEL and biological tolerance values, there is no risk of harming the unborn child			

# Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health effects	Value
tert-butyl 3,5,5- trimethylperoxyhexa- noate	Workers	Inhalation	Long-term systemic effects	2,5 mg/m3
	Workers	Skin contact	Long-term systemic effects	7 mg/kg bw/day
Acetylacetone	Workers	Inhalation		84 mg/m3
	Workers	Skin contact		12 mg/kg bw/day

#### Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
tert-butyl 3,5,5- trimethylperoxyhexanoate	Fresh water	0,003 mg/l
	Marine water	0,0 mg/l
	Intermittent use/release	0,005 mg/l
	Sewage treatment plant	2,63 mg/l
	Fresh water sediment	0,497 mg/kg dry weight (d.w.)
	Marine sediment	0,05 mg/kg dry weight (d.w.)
	Soil	0,098 mg/kg dry weight (d.w.)
Acetylacetone	Fresh water	0,026 mg/l
	Marine water	0,0026 mg/l
	Sewage treatment plant	1,32 mg/l
	Fresh water sediment	0,155 mg/kg wet weight
	Marine sediment	0,0155 mg/kg wet weight
	Soil	0,01582 mg/kg wet weight

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



# NOROX®425PR

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 09.03.2023

 2.0
 02.02.2024
 600000000238
 Date of first issue: 24.10.2016

#### 8.2 Exposure controls

#### **Engineering measures**

Minimize workplace exposure concentrations.

#### Personal protective equipment

Eye/face protection : Ensure that eyewash stations and safety showers are close

to the workstation location.

Please follow all applicable local/national requirements when selecting protective measures for a specific workplace. Always wear eye protection when the potential for inadvertent

eye contact with the product cannot be excluded.

Tightly fitting safety goggles

Please wear suitable protective goggles. Also wear face pro-

tection if there is a splash hazard.

Equipment should conform to EN 166

Hand protection

Material : Nitrile rubber Break through time : 480 min Glove thickness : 0,40 mm

Directive : Equipment should conform to EN 374

Material : butyl-rubber
Break through time : 480 min
Glove thickness : 0,47 mm

Directive : Equipment should conform to EN 374

Remarks : The data about break through time/strength of material are

standard values! The exact break through time/strength of material has to be obtained from the producer of the protective glove. Choose gloves to protect hands against chemicals depending on the concentration and quantity of the hazardous substance and specific to place of work. For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer. Wash hands before breaks and at the end of

workday.

Skin and body protection : Select appropriate protective clothing based on chemical

resistance data and an assessment of the local exposure

potential.

Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, dis-

posable suits) to avoid exposed skin surfaces.

Wear as appropriate:

Flame retardant antistatic protective clothing.

Respiratory protection : In the case of dust or aerosol formation use respirator with an

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



# NOROX®425PR

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 09.03.2023

 2.0
 02.02.2024
 600000000238
 Date of first issue: 24.10.2016

approved filter.

Respirator with combination filter for vapour/particulate (EN

141)

Filter type : ABEK-filter

Protective measures : The type of protective equipment must be selected according

to the concentration and amount of the dangerous substance

at the specific workplace.

#### **SECTION 9: Physical and chemical properties**

9.1 Information on basic physical and chemical properties

Physical state : liquid

Colour : colourless

Odour : ester-like

Odour Threshold : not determined

Melting point/range : < -25 °C

Boiling point/boiling range : Decomposition: Decomposes below the boiling point.

Flammability : Not applicable

Upper explosion limit / Upper

flammability limit

Upper explosion limit

11,4 %(V)

(for a component of this mixture)

Lower explosion limit / Lower

flammability limit

Lower explosion limit

2,4 %(V)

(for a component of this mixture)

Flash point : 61 °C

Method: ISO 3679, closed cup

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



# NOROX®425PR

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 09.03.2023

 2.0
 02.02.2024
 600000000238
 Date of first issue: 24.10.2016

Auto-ignition temperature : not determined

Self-Accelerating decomposi-

tion temperature (SADT)

: 55 °C

Method: UN-Test H.4

SADT-Self Accelerating Decomposition Temperature. Lowest temperature at which the tested package size will undergo a

self-accelerating decomposition reaction.

pH : not determined

Viscosity

Viscosity, dynamic : 5 mPa.s (20 °C)

Viscosity, kinematic : not determined

Solubility(ies)

Water solubility : 14,2 g/l (20 °C)

slightly soluble

Solubility in other solvents : No data available

Partition coefficient: n-

octanol/water

Not applicable

Vapour pressure : 0,03 hPa (30 °C)

Relative density : not determined

Density : 0,90 g/cm3 (20 °C)

Relative vapour density : not determined

9.2 Other information

Explosives : Not explosive

In use, may form flammable/explosive vapour-air mixture.

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Organic peroxide

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



# NOROX®425PR

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 09.03.2023

 2.0
 02.02.2024
 600000000238
 Date of first issue: 24.10.2016

Flammability (liquids) : Flammable liquid, Organic peroxide

Self-ignition : The substance or mixture is not classified as pyrophoric.

Self-heating substances : The substance or mixture is not classified as self heating.

Substances and mixtures, which in contact with water, emit flammable gases

The substance or mixture does not emit flammable gases in

contact with water.

Desensitised explosives : Not applicable

### **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

Stable under recommended storage conditions. Heating may cause a fire or explosion.

#### 10.2 Chemical stability

Stable under recommended storage conditions.

No decomposition if stored normally.

#### 10.3 Possibility of hazardous reactions

Hazardous reactions : Vapours may form explosive mixture with air.

#### 10.4 Conditions to avoid

Conditions to avoid : Protect from contamination.

Contact with incompatible substances can cause decomposi-

tion at or below SADT. Heat, flames and sparks. Avoid confinement.

# 10.5 Incompatible materials

Materials to avoid : Accelerators, strong acids and bases, heavy metals and

heavy metal salts, reducing agents

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



# NOROX®425PR

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 09.03.2023

 2.0
 02.02.2024
 600000000238
 Date of first issue: 24.10.2016

#### 10.6 Hazardous decomposition products

Irritant, caustic, flammable, noxious/toxic gases and vapours can develop in the case of fire and decomposition

### **SECTION 11: Toxicological information**

#### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Acute toxicity

Not classified due to lack of data.

**Product:** 

Acute oral toxicity : Acute toxicity estimate: > 2.000 mg/kg

Method: Calculation method

Acute inhalation toxicity : Acute toxicity estimate: > 20 mg/l

Exposure time: 4 h
Test atmosphere: vapour

Method: Calculation method

Acute dermal toxicity : Acute toxicity estimate: > 2.000 mg/kg

Method: Calculation method

### **Components:**

#### tert-butyl 3,5,5-trimethylperoxyhexanoate:

Acute oral toxicity : LD50 (Rat): 12.905 mg/kg

Method: OECD Test Guideline 401

Acute inhalation toxicity : LC50 (Rat): > 0,8 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist Method: OECD Test Guideline 403

Assessment: The substance or mixture has no acute inhala-

tion toxicity

Acute dermal toxicity : LD0 (Rat): > 2.000 mg/kg

Method: OECD Test Guideline 402

Acetylacetone:

Acute oral toxicity : LD50 (Rat): 570 mg/kg

Acute inhalation toxicity : LC50 (Rat): 5,1 mg/l

Exposure time: 4 h
Test atmosphere: vapour

Method: OECD Test Guideline 403

Acute dermal toxicity : LD50 (Rabbit, female): 790 mg/kg

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



# NOROX®425PR

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 09.03.2023

 2.0
 02.02.2024
 600000000238
 Date of first issue: 24.10.2016

#### Skin corrosion/irritation

Based on available data, the classification criteria are not met.

**Product:** 

Remarks : May cause skin irritation in susceptible persons.

#### **Components:**

#### tert-butyl 3,5,5-trimethylperoxyhexanoate:

Species : Rabbit

Method : OECD Test Guideline 404

Result : No skin irritation

Acetylacetone:

Species : Rabbit

Result : No skin irritation

#### Serious eye damage/eye irritation

Based on available data, the classification criteria are not met.

**Product:** 

Remarks : Vapours may cause irritation to the eyes, respiratory system

and the skin.

#### **Components:**

### tert-butyl 3,5,5-trimethylperoxyhexanoate:

Species : Rabbit

Method : OECD Test Guideline 405

Result : No eye irritation

Acetylacetone:

Species : Rabbit

Result : No eye irritation

# Respiratory or skin sensitisation

#### Skin sensitisation

May cause an allergic skin reaction.

#### Respiratory sensitisation

Not classified due to lack of data.

**Product:** 

Remarks : Causes sensitisation.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



# NOROX®425PR

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 09.03.2023

 2.0
 02.02.2024
 600000000238
 Date of first issue: 24.10.2016

#### **Components:**

#### tert-butyl 3,5,5-trimethylperoxyhexanoate:

Exposure routes : Skin contact Species : Guinea pig

Method : OECD Test Guideline 406

Result : The product is a skin sensitiser, sub-category 1B.

Acetylacetone:

Exposure routes : Skin contact Species : Mouse

Method : OECD Test Guideline 429

Result : Does not cause skin sensitisation.

#### Germ cell mutagenicity

Not classified due to lack of data.

#### **Components:**

#### tert-butyl 3,5,5-trimethylperoxyhexanoate:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Metabolic activation: Metabolic activation Method: OECD Test Guideline 471

Result: positive

Test Type: Chromosome aberration test in vitro

Method: OECD Test Guideline 473

Result: positive

Genotoxicity in vivo : Test Type: In vivo micronucleus test

Species: Rat

Application Route: Oral

Method: OECD Test Guideline 474

Result: negative

Acetylacetone:

Genotoxicity in vitro : Method: OECD Test Guideline 471

Result: negative

Method: OECD Test Guideline 479

Result: positive

Method: OECD Test Guideline 473

Result: positive

Method: OECD Test Guideline 476

Result: negative

Genotoxicity in vivo : Method: OECD Test Guideline 474

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



# NOROX®425PR

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 09.03.2023

 2.0
 02.02.2024
 600000000238
 Date of first issue: 24.10.2016

Result: positive

Method: OECD Test Guideline 483

Result: negative

Method: OECD Test Guideline 475

Result: negative

Method: OECD Test Guideline 478

Result: Equivocal

Test Type: DNA Repair

Species: Rat

Application Route: Oral

Result: negative

Species: Rat

Application Route: inhalation (vapour)

Method: OPPTS 870.5395

Result: negative

#### Carcinogenicity

Not classified due to lack of data.

#### Components:

#### tert-butyl 3,5,5-trimethylperoxyhexanoate:

Remarks : This information is not available.

## Reproductive toxicity

Not classified due to lack of data.

### **Components:**

### tert-butyl 3,5,5-trimethylperoxyhexanoate:

Effects on fertility : Test Type: Reproduction/Developmental toxicity screening

test

Species: Rat, male and female

Application Route: Oral

General Toxicity - Parent: NOAEL: 160 mg/kg bw/day General Toxicity F1: NOAEL: 160 mg/kg bw/day

Method: OECD Test Guideline 421

General Toxicity - Parent: NOAEL: 50 mg/kg bw/day

Method: OECD Test Guideline 443

Effects on foetal develop-

ment

Test Type: Embryo-foetal development

Species: Rat

Application Route: Oral

General Toxicity Maternal: NOAEL: 150 mg/kg body weight

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



# NOROX®425PR

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 09.03.2023

 2.0
 02.02.2024
 600000000238
 Date of first issue: 24.10.2016

Method: OECD Test Guideline 414

Result: negative

Acetylacetone:

Effects on foetal develop-

ment

Species: Rat Application Route: inhalation (vapour)

Duration of Single Treatment: 13 d General Toxicity Maternal: NOAEC: 200 Teratogenicity: NOAEC Parent: 400 Embryo-foetal toxicity: NOAEC F1: 50 Method: OECD Test Guideline 414

Species: Rat

Application Route: inhalation (vapour)
Duration of Single Treatment: 13 d
General Toxicity Maternal: LOAEC: 400
Embryo-foetal toxicity: LOAEC F1: 200
Method: OECD Test Guideline 414

STOT - single exposure

Not classified due to lack of data.

STOT - repeated exposure

Not classified due to lack of data.

Repeated dose toxicity

**Components:** 

tert-butyl 3,5,5-trimethylperoxyhexanoate:

Species : Rat, male and female

NOAEL : 160 mg/kg Application Route : oral (gavage)

Exposure time : 90 d

Method : OECD Test Guideline 408

Species : Rat, male and female

NOAEL : 50 mg/kg Application Route : oral (gavage)

Exposure time : 28 d

Method : OECD Test Guideline 407

Acetylacetone:

Species : Rat

 NOAEL
 : 200 mg/kg

 LOAEL
 : 805 mg/kg

Application Route : inhalation (vapour)

Exposure time : 9 d

Species : Rat

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



# NOROX®425PR

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 09.03.2023

 2.0
 02.02.2024
 600000000238
 Date of first issue: 24.10.2016

NOAEL : 100 mg/kg

Application Route : inhalation (vapour)

Exposure time : 90 d

Method : OECD Test Guideline 413

Species : Rabbit
NOAEL : 244 mg/kg
LOAEL : 975 mg/kg
Application Route : Dermal
Exposure time : 9 d

#### **Aspiration toxicity**

Not classified due to lack of data.

#### **Components:**

#### Acetylacetone:

No aspiration toxicity classification

#### 11.2 Information on other hazards

#### **Endocrine disrupting properties**

#### **Product:**

Assessment : The substance/mixture does not contain components consid-

ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at

levels of 0.1% or higher.

#### **Further information**

**Product:** 

Remarks : No data available

#### **Components:**

Acetylacetone:

Remarks : Solvents may degrease the skin.

# **SECTION 12: Ecological information**

### 12.1 Toxicity

#### **Components:**

#### tert-butyl 3,5,5-trimethylperoxyhexanoate:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 7,03 mg/l

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



# NOROX®425PR

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 09.03.2023

 2.0
 02.02.2024
 600000000238
 Date of first issue: 24.10.2016

Exposure time: 96 h

Method: OECD Test Guideline 203

NOEC (Oncorhynchus mykiss (rainbow trout)): 3 mg/l

Exposure time: 96 h

Method: OECD Test Guideline 203

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): > 0,52 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

Toxicity to algae/aquatic

plants

NOEC (Pseudokirchneriella subcapitata (algae)): 0,125 mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

EC50 (Pseudokirchneriella subcapitata (algae)): 0,51 mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

M-Factor (Acute aquatic tox-

icity)

. !

Toxicity to microorganisms : EC50 (Bacteria): 327,02 mg/l

Exposure time: 3 h

Method: OECD Test Guideline 209

Toxicity to daphnia and other :

aquatic invertebrates (Chron-

ic toxicity)

NOEC: 0,22 mg/l Exposure time: 21 d

Species: Daphnia magna (Water flea) Method: OECD Test Guideline 211

Acetylacetone:

Toxicity to fish : LC50 (Fish): 104 mg/l

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 25,9 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

Toxicity to algae/aquatic

plants

EC50 (Pseudokirchneriella subcapitata (green algae)): 83,22

mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

NOEC (Pseudokirchneriella subcapitata (green algae)): 3,2

mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

Toxicity to microorganisms : EC50 : 107,6 mg/l

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



# NOROX®425PR

Version Revision Date: SDS Number: Date of last issue: 09.03.2023 02.02.2024 60000000238 Date of first issue: 24.10.2016 2.0

Exposure time: 3 h

Method: OECD Test Guideline 209

EC10: 13,2 mg/l Exposure time: 3 h

Method: OECD Test Guideline 209

Toxicity to fish (Chronic tox-

icity)

NOEC: 10 mg/l Exposure time: 34 d

Species: Pimephales promelas (fathead minnow)

Method: OECD Test Guideline 210

LOEC: 22 mg/l Exposure time: 34 d

Species: Pimephales promelas (fathead minnow)

Method: OECD Test Guideline 210

Toxicity to daphnia and other : aquatic invertebrates (Chron-

ic toxicity)

NOEC: 18 mg/l Exposure time: 21 d

Species: Daphnia magna (Water flea) Method: OECD Test Guideline 211

#### 12.2 Persistence and degradability

#### Components:

#### tert-butyl 3,5,5-trimethylperoxyhexanoate:

Biodegradability Test Type: aerobic

Result: Readily biodegradable.

Biodegradation: 72 % Exposure time: 28 d

Method: OECD Test Guideline 301D

Acetylacetone:

Biodegradability Result: Readily biodegradable.

Method: OECD Test Guideline 301C

## 12.3 Bioaccumulative potential

#### **Components:**

#### tert-butyl 3,5,5-trimethylperoxyhexanoate:

Bioaccumulation Bioconcentration factor (BCF): 375

Remarks: Calculation

Partition coefficient: n-

octanol/water

: log Pow: 5,16

#### Acetylacetone:

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



# NOROX®425PR

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 09.03.2023

 2.0
 02.02.2024
 600000000238
 Date of first issue: 24.10.2016

Bioaccumulation : Bioconcentration factor (BCF): 3,16

Remarks: Calculation

Partition coefficient: n-

octanol/water

: log Pow: 0,68 (40 °C)

#### 12.4 Mobility in soil

No data available

#### 12.5 Results of PBT and vPvB assessment

#### **Product:**

Assessment : This substance/mixture contains no components considered

to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of

0.1% or higher.

#### 12.6 Endocrine disrupting properties

#### **Product:**

Assessment : The substance/mixture does not contain components consid-

ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at

levels of 0.1% or higher.

#### 12.7 Other adverse effects

#### **Product:**

Additional ecological infor-

mation

An environmental hazard cannot be excluded in the event of

unprofessional handling or disposal.

Very toxic to aquatic life.

Harmful to aquatic life with long lasting effects.

### **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

Product : Dispose of wastes in an approved waste disposal facility.

The product should not be allowed to enter drains, water

courses or the soil.

Do not contaminate ponds, waterways or ditches with chemi-

cal or used container.

According to the European Waste Catalogue, Waste Codes

are not product specific, but application specific.

Waste codes should be assigned by the user, preferably in

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



# NOROX®425PR

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 09.03.2023

 2.0
 02.02.2024
 600000000238
 Date of first issue: 24.10.2016

discussion with the waste disposal authorities.

Contaminated packaging : Dispose of in accordance with local regulations.

Clean container with water.

Dispose of contents/ container to an approved waste disposal

plant.

Empty remaining contents.

Dispose of as unused product.

Do not re-use empty containers.

Do not burn, or use a cutting torch on, the empty drum.

### **SECTION 14: Transport information**

#### 14.1 UN number or ID number

ADN : UN 3105
ADR : UN 3105
RID : UN 3105
IMDG : UN 3105
IATA : UN 3105

14.2 UN proper shipping name

ADN : ORGANIC PEROXIDE TYPE D, LIQUID

(tert-BUTYL PEROXY-3,5,5-TRIMETHYLHEXANOATE)

ADR : ORGANIC PEROXIDE TYPE D, LIQUID

(tert-BUTYL PEROXY-3,5,5-TRIMETHYLHEXANOATE)

RID : ORGANIC PEROXIDE TYPE D, LIQUID

(tert-BUTYL PEROXY-3,5,5-TRIMETHYLHEXANOATE)

IMDG : ORGANIC PEROXIDE TYPE D, LIQUID

(tert-BUTYL PEROXY-3,5,5-TRIMETHYLHEXANOATE)

IATA : Organic peroxide type D, liquid

(tert-Butyl peroxy-3,5,5-trimethylhexanoate)

#### 14.3 Transport hazard class(es)

Class Subsidiary risks

ADN : 5.2
ADR : 5.2
RID : 5.2
IMDG : 5.2

IATA : 5.2 HEAT

## 14.4 Packing group

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



# NOROX®425PR

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 09.03.2023

 2.0
 02.02.2024
 600000000238
 Date of first issue: 24.10.2016

**ADN** 

Packing group : Not assigned by regulation

Classification Code : P1 Labels : 5.2

**ADR** 

Packing group : Not assigned by regulation

Classification Code : P1 Labels : 5.2 Tunnel restriction code : (D)

**RID** 

Packing group : Not assigned by regulation

Classification Code : P1
Hazard Identification Number : 539
Labels : 5.2

**IMDG** 

Packing group : Not assigned by regulation

Labels : 5.2 EmS Code : F-J, S-R

IATA (Cargo)

Packing instruction (cargo : 570

aircraft)

Packing group : Not assigned by regulation

Labels : Organic Peroxides, Keep Away From Heat

IATA (Passenger)

Packing instruction (passen: 570

ger aircraft)

Packing group : Not assigned by regulation

Labels : Organic Peroxides, Keep Away From Heat

14.5 Environmental hazards

**ADN** 

Environmentally hazardous : yes

**ADR** 

Environmentally hazardous : yes

RID

Environmentally hazardous : yes

**IMDG** 

Marine pollutant : yes

14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

#### 14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878





 Version
 Revision Date:
 SDS Number:
 Date of last issue: 09.03.2023

 2.0
 02.02.2024
 600000000238
 Date of first issue: 24.10.2016

### **SECTION 15: Regulatory information**

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII) Conditions of restriction for the following entries should be considered: Number on list 3

REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59).

Not applicable

Regulation (EC) No 1005/2009 on substances that de-

plete the ozone layer

Not applicable

Regulation (EU) 2019/1021 on persistent organic pollu-

tants (recast)

Not applicable

Regulation (EC) No 649/2012 of the European Parliament and the Council concerning the export and import

of dangerous chemicals

Not applicable

REACH - List of substances subject to authorisation

(Annex XIV)

Not applicable

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving

dangerous substances.

P6b SELF-REACTIVE SUBSTANCES AND MIXTURES and ORGANIC

**PEROXIDES** 

E1 ENVIRONMENTAL HAZARDS

Water hazard class (Germa- : WGK 2 obviously hazardous to water

ny) Classification according to AwSV, Annex 1 (5.2)

#### Other regulations:

Gefahrgruppe nach TRGS 741: lb (German regulatory requirements)

The product is subject to the supply restrictions of the Ordinance on the Prohibition of Chemicals.

Take note of Directive 94/33/EC on the protection of young people at work or stricter national

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



# NOROX®425PR

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 09.03.2023

 2.0
 02.02.2024
 600000000238
 Date of first issue: 24.10.2016

regulations, where applicable.

The components of this product are reported in the following inventories:

TCSI (TW) : On the inventory, or in compliance with the inventory

TSCA (US) : All substances listed as active on the TSCA inventory

AllC (AU) : On the inventory, or in compliance with the inventory

DSL (CA) : All components of this product are on the Canadian DSL

ENCS (JP) : On the inventory, or in compliance with the inventory

ISHL (JP) : On the inventory, or in compliance with the inventory

KECI (KR) : On the inventory, or in compliance with the inventory

PICCS (PH) : On the inventory, or in compliance with the inventory

IECSC (CN) : On the inventory, or in compliance with the inventory

TECI (TH) : On the inventory, or in compliance with the inventory

### 15.2 Chemical safety assessment

This information is not available.

### **SECTION 16: Other information**

#### **Further information**

Other information : This safety datasheet only contains information relating to

safety and does not replace any product information or prod-

uct specification.

These safety instructions also apply to empty packaging which

may still contain product residues.

The hazards on the label also apply to residues in the con-

tainer.

Sources of key data used to

compile the Safety Data

Sheet

Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agen-

cy, http://echa.europa.eu/

Classification of the mixture:

Classification procedure:

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



# NOROX®425PR

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 09.03.2023

 2.0
 02.02.2024
 600000000238
 Date of first issue: 24.10.2016

Org. Perox. D H242 Based on product data or assessment

Skin Sens. 1 H317 Calculation method
Aquatic Acute 1 H400 Calculation method
Aquatic Chronic 3 H412 Calculation method

#### **Full text of H-Statements**

H226 : Flammable liquid and vapour.
H242 : Heating may cause a fire.
H302 : Harmful if swallowed.
H311 : Toxic in contact with skin.

H317 : May cause an allergic skin reaction.

H331 : Toxic if inhaled.

H400 : Very toxic to aquatic life.

H412 : Harmful to aquatic life with long lasting effects.

#### Full text of other abbreviations

Acute Tox. : Acute toxicity

Aquatic Acute : Short-term (acute) aquatic hazard Aquatic Chronic : Long-term (chronic) aquatic hazard

Flam. Liq. : Flammable liquids Org. Perox. : Organic peroxides Skin Sens. : Skin sensitisation

DE TRGS 900 : Germany. TRGS 900 - Occupational exposure limit values.

DE TRGS 900 / AGW : Time Weighted Average

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA -European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods: IMO - International Maritime Organization: ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quanti-

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



# NOROX®425PR

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 09.03.2023

 2.0
 02.02.2024
 600000000238
 Date of first issue: 24.10.2016

tative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

#### Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

DE / EN