according to Regulation (EC) No. 1907/2006

NOROX[®]500-90-AL3



Version	Revision Date:
3.1	06.03.2023

SDS Number: 600000000760

Date of last issue: 14.12.2022 Date of first issue: 29.06.2018

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name	:	NOROX®500-90-AL3
Unique Formula Identifier (UFI)	:	MCT9-E0MG-M00R-THGW

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub-	:	polymerisation initiators
stance/Mixture		

1.3 Details of the supplier of the safety data sheet

Company	:	United Initiators GmbH DrGustav-Adolph-Str. 3 82049 Pullach
Telephone	:	+49 / 89 / 74422 – 0
E-mail address of person responsible for the SDS	:	contact@united-in.com

1.4 Emergency telephone number

0800 000 7801 (toll-free, access from Germany only) +49 89 220 61012

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)			
Organic peroxides, Type C	H242: Heating may cause a fire.		
Aspiration hazard, Category 1	H304: May be fatal if swallowed and enters air- ways.		
Long-term (chronic) aquatic hazard, Cat- egory 4	H413: May cause long lasting harmful effects to aquatic life.		

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

according to Regulation (EC) No. 1907/2006

NOROX[®]500-90-AL3



Version 3.1	Revision Date: 06.03.2023	-	DS Numl 00000000	
Hazard	pictograms	:		
Signal	word	:	Danger	
Hazard	statements	:	H242 H304 H413	Heating may cause a fire. May be fatal if swallowed and enters airways. May cause long lasting harmful effects to aquatic life.
Precau	tionary statements	:	material P233 P235 P273 P280	Keep/Store away from clothing/ strong acids, bases, netal salts and other reducing substances /combustible
			P331 P370 +	 P310 IF SWALLOWED: Immediately call a POISON R/ doctor. Do NOT induce vomiting. P378 In case of fire: Use water spray, alcohol- t foam, dry chemical or carbon dioxide to extinguish. nl: Dispose of contents/ container to an approved waste

Hazardous components which must be listed on the label: Hydrocarbons, C11-C12, isoalkanes, <2% aromatics

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

according to Regulation (EC) No. 1907/2006

NOROX[®]500-90-AL3



Version Revisio 3.1 06.03.2

Revision Date: 06.03.2023

SDS Number: 600000000760

Date of last issue: 14.12.2022 Date of first issue: 29.06.2018

SECTION 3: Composition/information on ingredients

:

3.2 Mixtures

Chemical nature

Organic Peroxide Liquid mixture

Components

Chemical name	CAS-No.	Classification	Concentration
	EC-No.		(% w/w)
	Index-No.		
	Registration number		
di-tert-butyl 3,3,5-	6731-36-8	Org. Perox. B; H241	>= 85 - < 90
trimethylcyclohexylidene diperox-	229-782-3	Aquatic Chronic 4;	
ide	01-2119735694-30-	H413	
	0002		
Hydrocarbons, C11-C12, isoal-	Not Assigned	Flam. Liq. 3; H226	>= 10 - < 15
kanes, <2% aromatics	918-167-1	Asp. Tox. 1; H304	
	01-2119472146-39		

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice	:	Move out of dangerous area. Show this safety data sheet to the doctor in attendance. Do not leave the victim unattended. Symptoms of poisoning may appear several hours later. No artificial respiration, mouth-to-mouth or mouth to nose. Use suitable instruments/apparatus. Call a physician immediately.
Protection of first-aiders	:	First Aid responders should pay attention to self-protection and use the recommended protective clothing
lf inhaled	:	Call a physician or poison control centre immediately. If unconscious, place in recovery position and seek medical advice. Keep respiratory tract clear. If breathed in, move person into fresh air.
In case of skin contact	:	In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Wash contaminated clothing before re-use. If on skin, rinse well with water. If on clothes, remove clothes. If symptoms persist, call a physician.

according to Regulation (EC) No. 1907/2006

NOROX[®]500-90-AL3



Version 3.1	Revision Date: 06.03.2023	SDS Number: 60000000760	Date of last issue: 14.12.2022 Date of first issue: 29.06.2018
In ca	se of eye contact	of water and Remove con Protect unha Keep eye wie	
lf swa	allowed	Do NOT indu Call a physic Contact a po	tory tract clear. uce vomiting. tian immediately. ison control center. thoroughly with water.
4.2 Most i	important symptoms a	nd effects, both	acute and delayed
Risks	;	: May be fatal	if swallowed and enters airways.
4 3 Indica	tion of any immediate	medical attentio	n and special treatment needed
Treat			pmatically and supportively.
SECTIO	N 5: Firefighting mea	sures	
E 1 Extina	wishing modio		
-	juishing media ble extinguishing media	: Water spray Alcohol-resis Carbon dioxi Dry chemica	tant foam de (CO2)
Unsu media	itable extinguishing a	: High volume	water jet
5.2 Speci	al hazards arising from	the substance	or mixture
-	ific hazards during fire-	: Contact with tures exceed composition may auto-ign The product Flash back p Vapours may The product water.	incompatible materials or exposure to tempera- ling SADT may result in a self-accelerating de- reaction with release of flammable vapors which
5.3 Advice	e for firefighters		
•	ial protective equipment efighters		ntained breathing apparatus for firefighting if nec- personal protective equipment.

according to Regulation (EC) No. 1907/2006

NOROX[®]500-90-AL3



Version 3.1	Revision Date: 06.03.2023	SDS Number: 600000000760	Date of last issue: 14.12.2022 Date of first issue: 29.06.2018
Spec ods	ific extinguishing meth-	fire. Remove undama so.	id water stream as it may scatter and spread aged containers from fire area if it is safe to do to cool unopened containers.
Furth	er information	must not be disc Fire residues and be disposed of ir Use extinguishin	ated fire extinguishing water separately. This harged into drains. d contaminated fire extinguishing water must accordance with local regulations. g measures that are appropriate to local cir- the surrounding environment.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions :	Use personal protective equipment. Ensure adequate ventilation. Remove all sources of ignition. Follow safe handling advice and personal protective equip- ment recommendations. Beware of vapours accumulating to form explosive concentra- tions. Vapours can accumulate in low areas. Never return spills in original containers for re-use. Treat recovered material as described in the section "Disposal considerations".
6.2 Environmental precautions	
Environmental precautions :	Prevent product from entering drains. Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform respective authorities.
6.3 Methods and material for contain	nment and cleaning up
Methods for cleaning up :	Contact with incompatible substances can cause decomposi- tion at or below SADT. Clear spills immediately. Suppress (knock down) gases/vapours/mists with a water spray jet. To clean the floor and all objects contaminated by this materi- al, use plenty of water. Soak up with inert absorbent material. Isolate waste and do not reuse. Non-sparking tools should be used. Local or national regulations may apply to releases and dis- posal of this material, as well as those materials and items employed in the cleanup of releases. You will need to deter- mine which regulations are applicable.

according to Regulation (EC) No. 1907/2006

NOROX[®]500-90-AL3



Version Revision 3.1 06.03.

Revision Date: 06.03.2023

SDS Number: 600000000760 Date of last issue: 14.12.2022 Date of first issue: 29.06.2018

6.4 Reference to other sections

For personal protection see section 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

		,	
	Technical measures	:	See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.
	Advice on safe handling	:	Do not swallow. Do not breathe vapours/dust. Avoid contact with skin and eyes. Avoid formation of aerosol. Take precautionary measures against static discharges. Never return any product to the container from which it was originally removed. Provide sufficient air exchange and/or exhaust in work rooms. Avoid confinement. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Smoking, eating and drinking should be prohibited in the ap- plication area. Wash thoroughly after handling. For personal protection see section 8. Protect from contamination.
	Advice on protection against fire and explosion	:	Keep away from heat and sources of ignition. Use only explo- sion-proof equipment. Keep away from combustible material.
	Hygiene measures	:	Keep away from food and drink. When using do not eat or drink. When using do not smoke. Wash hands before breaks and immediately after handling the product.
7.2	Conditions for safe storage, i	ncl	uding any incompatibilities
	Requirements for storage areas and containers	:	Avoid impurities (e.g. rust, dust, ash), risk of decomposition. Electrical installations / working materials must comply with the technological safety standards. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Store in original container. Keep containers tightly closed in a cool, well-ventilated place. Store in accordance with the particular national regulations.
	Advice on common storage	:	Keep away from strong acids, bases, heavy metal salts and other reducing substances.
	Storage class (TRGS 510)	:	5.2, Organic peroxides and self-reacting hazardous materials
	Recommended storage tem-	:	< 30 °C

according to Regulation (EC) No. 1907/2006

Revision Date:

NOROX[®]500-90-AL3

Version



Date of last issue: 14.12.2022

3.1	06.03.2023	60	000000760	Date of first issue: 29.06.2018
	perature			
	Further information on stor- age stability	:	No decomposit	ion if stored normally.
7.3	Specific end use(s)			
	Specific use(s)	:	For further infor sheet.	mation, refer to the product technical data

SDS Number:

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis			
Hydrocarbons, C11-C12, isoal- kanes, <2% aro- matics	Not As- signed	AGW	300 mg/m3	DE TRGS 900			
	Peak-limit: excursion factor (category): 2;(II)						
	Further information: Group exposure limit for hydrocarbon solvent mixtures						
		TWA (Vapour)	171 ppm 1.200 mg/m3 (total hydrocarbons)	Supplier data			

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health ef-	Value
			fects	
di-tert-butyl 3,3,5- trimethylcyclohexyli- dene diperoxide	Workers	Inhalation	Long-term systemic effects	1,4 mg/m3
	Workers	Skin contact	Long-term systemic effects	2 mg/kg bw/day

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
di-tert-butyl 3,3,5- trimethylcyclohexylidene diperox- ide	Fresh water sediment	0,102 mg/kg dry weight (d.w.)
	Marine sediment	0,01 mg/kg dry weight (d.w.)
	Sewage treatment plant	100 mg/l
	Soil	5,29 mg/kg dry weight (d.w.)

according to Regulation (EC) No. 1907/2006

NOROX[®]500-90-AL3



Version	Revision Date:
3.1	06.03.2023

SDS Number: 600000000760

Date of last issue: 14.12.2022 Date of first issue: 29.06.2018

8.2 Exposure controls

Engineering measures							
Minimize workplace exposure concentrations.							
Personal protective equipment Eye protection :		Tightly fitting safety goggles Please wear suitable protective goggles. Also wear face pro- tection if there is a splash hazard. Ensure that eyewash stations and safety showers are close to the workstation location. Please follow all applicable local/national requirements when selecting protective measures for a specific workplace.					
Hand protection		Equipment should conform to EN 166					
Material Break through time Glove thickness Directive	: : :	Nitrile rubber 480 min 0,40 mm Equipment should conform to EN 374					
Material Break through time Glove thickness Directive	:	butyl-rubber 480 min 0,47 mm Equipment should conform to EN 374					
Remarks	:	The data about break through time/strength of material are standard values! The exact break through time/strength of material has to be obtained from the producer of the protec- tive glove. Choose gloves to protect hands against chemicals depending on the concentration and quantity of the hazard- ous substance and specific to place of work. For special ap- plications, we recommend clarifying the resistance to chemi- cals of the aforementioned protective gloves with the glove manufacturer. Wash hands before breaks and at the end of workday.					
Skin and body protection	:	Select appropriate protective clothing based on chemical resistance data and an assessment of the local exposure potential. Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, dis- posable suits) to avoid exposed skin surfaces. Wear as appropriate: Flame retardant antistatic protective clothing.					
Respiratory protection	:	In the case of dust or aerosol formation use respirator with an approved filter. Respirator with combination filter for vapour/particulate (EN					

according to Regulation (EC) No. 1907/2006

NOROX[®]500-90-AL3



Version 3.1	Revision Date: 06.03.2023		DS Number: 00000000760	Date of last issue: 14.12.2022 Date of first issue: 29.06.2018
			141)	
Fi	lter type	:	ABEK-filter	
Prote	ctive measures	:	, i i	ctive equipment must be selected according ion and amount of the dangerous substance rkplace.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	:	liquid
Colour	:	colourless
Odour	:	musty
Odour Threshold	:	not determined
Melting point/range	:	< -25 °C
Boiling point/boiling range	:	Decomposition: Decomposes below the boiling point.
Flammability	:	Not applicable
Upper explosion limit / Upper flammability limit	:	Upper explosion limit not determined
Lower explosion limit / Lower flammability limit	:	Lower explosion limit not determined
Flash point	:	72 °C Method: closed cup
Self-Accelerating decomposi- tion temperature (SADT)	:	60 °C Method: UN-Test H.4 SADT-Self Accelerating Decomposition Temperature. Lowest temperature at which the tested package size will undergo a self-accelerating decomposition reaction.
рН	:	substance/mixture is non-soluble (in water)
Viscosity Viscosity, dynamic	:	17,3 mPa.s (20 °C)
Viscosity, kinematic	:	not determined
Solubility(ies) Water solubility	:	insoluble

according to Regulation (EC) No. 1907/2006

NOROX[®]500-90-AL3



Vers 3.1	sion	Revision Date: 06.03.2023	-	S Number: 0000000760	Date of last issue: 14.12.2022 Date of first issue: 29.06.2018
	Solu	ubility in other solvents	:	Solvent: organic Description: solu	
	Partition octanol	n coefficient: n- /water	:	log Pow: 7,0 (25	°C)
	Vapour	pressure	:	No data available	
	Relative	e density	:	not determined	
	Density Relative vapour density		:	0,892 g/cm3 (20	°C)
			:	not determined	
9.2	Other ir	nformation			
	Explosi	ves	:	Not explosive	
	Oxidizir	ng properties	:	The substance o Organic peroxide	r mixture is not classified as oxidizing.
	Flamma	ability (liquids)	:	Flammable liquid	l, Organic peroxide
	Self-ign	ition	:	The substance o	r mixture is not classified as pyrophoric.
	Self-hea	ating substances	:	The substance o	r mixture is not classified as self heating.
	Evapora	ation rate	:	No data available	
	Refracti	ive index	:	1,438 at 20 °C	

SECTION 10: Stability and reactivity

10.1 Reactivity

Stable under recommended storage conditions.

10.2 Chemical stability

Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions

Hazardous reactions	:	Vapours	may form	explosive	mixture with air.
---------------------	---	---------	----------	-----------	-------------------

10.4 Conditions to avoid

Conditions to avoid : Protect from contamination. Contact with incompatible substances can cause decomposition at or below SADT. Heat, flames and sparks.

according to Regulation (EC) No. 1907/2006

NOROX[®]500-90-AL3



Version	Revision Date:	SDS Number:	Date of last issue: 14.12.2022
3.1	06.03.2023	60000000760	Date of first issue: 29.06.2018

Avoid confinement.

10.5 Incompatible materials

Materials to avoid

: Accelerators, strong acids and bases, heavy metals and heavy metal salts, reducing agents

10.6 Hazardous decomposition products

Irritant, caustic, flammable, noxious/toxic gases and vapours can develop in the case of fire and decomposition

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Not classified based on available information.

Components:

di-tert-butyl 3,3,5-trimethylcyclohexylidene diperoxide:

Acute oral toxicity :	LD50 (Rat): > 2.000 mg/kg Method: OECD Test Guideline 401 Assessment: The substance or mixture has no acute oral tox- icity
Acute inhalation toxicity :	LC50 (Rat): > 5,6 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: OECD Test Guideline 436 Assessment: The substance or mixture has no acute inhala- tion toxicity
Acute dermal toxicity :	LD50 (Rat): > 2.000 mg/kg Method: OECD Test Guideline 402 Assessment: The substance or mixture has no acute dermal toxicity
Hydrocarbons, C11-C12, isoall	anes, <2% aromatics:
Acute oral toxicity :	LD50 (Rat): > 5.000 mg/kg Method: OECD Test Guideline 401
Acute inhalation toxicity :	LC50 (Rat): > 5 mg/l Exposure time: 8 h Test atmosphere: vapour Method: OECD Test Guideline 403
Acute dermal toxicity :	LD50 (Rabbit): > 5.000 mg/kg Method: OECD Test Guideline 402

according to Regulation (EC) No. 1907/2006

NOROX[®]500-90-AL3



sion	Revision Date: 06.03.2023	SDS Numb 600000007	
Skin	corrosion/irritation		
-	assified based on ava	ailable informati	on.
Produ			
Rema		: May ca	use skin irritation and/or dermatitis.
<u>Com</u> p	oonents:		
di-ter	t-butyl 3,3,5-trimeth	ylcyclohexylid	ene diperoxide:
Speci	es	: Rabbit	
Metho			Test Guideline 404
Resul	t	: NO SKIN	irritation
Hydro	ocarbons, C11-C12,	isoalkanes, <2	% aromatics:
Metho			Test Guideline 404
Resul	t	: Mild ski	n irritation
Rema	ırks	: Mav ca	use skin irritation and/or dermatitis.
Not cl	us eye damage/eye lassified based on ava		on.
<u>Produ</u> Rema		: Vapours and the	s may cause irritation to the eyes, respiratory systems.
<u>Com</u> p	oonents:		
di-ter	t-butyl 3,3,5-trimeth	ylcyclohexylid	ene diperoxide:
Speci		: Rabbit	
Metho Resul			Fest Guideline 405 irritation
Hydro	ocarbons, C11-C12,	isoalkanes, <2	% aromatics:
Rema	ırks	: No data	available
Rema	ırks	: Vapours and the	may cause irritation to the eyes, respiratory syst
Respi	iratory or skin sensi	tisation	
-	iratory or skin sensi sensitisation	tisation	
Skin	-		on.
Skin Not cl	sensitisation		on.

according to Regulation (EC) No. 1907/2006

NOROX[®]500-90-AL3



Version	Revision Date:	SDS Number:	Date of last issue: 14.12.2022
3.1	06.03.2023	60000000760	Date of first issue: 29.06.2018

Components:

di-tert-butyl 3,3,5-trimethylcyclohexylidene diperoxide:					
Species	:	Guinea pig			
Method	:	OECD Test Guideline 406			
Result	:	Does not cause skin sensitisation.			

Hydrocarbons, C11-C12, isoalkanes, <2% aromatics:

Result : D	Does not cause skin sensitisation.
------------	------------------------------------

Germ cell mutagenicity

Not classified based on available information.

Components:

di-tert-butyl 3,3,5-trimethylcyclohexylidene diperoxide:

Genotoxicity in vitro :		Test Type: Chromosome aberration test in vitro Method: OECD Test Guideline 473 Result: negative
		Test Type: Bacterial reverse mutation assay (AMES) Method: OECD Test Guideline 471 Result: negative
		Test Type: In vitro mammalian cell gene mutation test Method: OECD Test Guideline 476 Result: negative
Genotoxicity in vivo	:	Remarks: No data available

Hydrocarbons, C11-C12, isoalkanes, <2% aromatics:

Germ cell mutagenicity- As- : Animal testing did not show any mutagenic effects. sessment

Carcinogenicity

Not classified based on available information.

Components:

di-tert-butyl 3,3,5-trimethylcyclohexylidene diperoxide:

Species	:	Mouse
Application Route	:	Oral
Result	:	negative

Hydrocarbons, C11-C12, isoalkanes, <2% aromatics:

Carcinogenicity - Assess- : Animal testing did not show any carcinogenic effects. ment

according to Regulation (EC) No. 1907/2006

NOROX[®]500-90-AL3



Version	Revision Date:	SDS Number:
3.1	06.03.2023	60000000760

nber: Date 00760 Date

Date of last issue: 14.12.2022 Date of first issue: 29.06.2018

Reproductive toxicity

Not classified based on available information.

Components:

di-tert-butyl 3,3,5-trimethylcyclohexylidene diperoxide:

Effects on fertility	:	Remarks: No data available
Effects on foetal develop- ment	:	Species: Rat Application Route: oral (gavage) General Toxicity Maternal: NOAEL: 1.000 mg/kg body weight Method: OECD Test Guideline 414

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

Not classified based on available information.

Aspiration toxicity

May be fatal if swallowed and enters airways.

Components:

Hydrocarbons, C11-C12, isoalkanes, <2% aromatics:

May be fatal if swallowed and enters airways.

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment	:	The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation
		(EU) 2017/2100 or Commission Regulation (EU) 2018/605 at
		levels of 0.1% or higher.

Further information

Product:

Remarks

: Solvents may degrease the skin.

Components:

Hydrocarbons,	C11-C12,	isoalk	anes, <2% aromatics:
Remarks		:	Solvents may degrease the skin.

according to Regulation (EC) No. 1907/2006

NOROX[®]500-90-AL3



Version Revis 3.1 06.03

Revision Date: 06.03.2023 SDS Number: 600000000760

Date of last issue: 14.12.2022 Date of first issue: 29.06.2018

SECTION 12: Ecological information

12.1 Toxicity

Components:					
di-tert-butyl 3,3,5-trimethylcyclohexylidene diperoxide:					
Toxicity to fish	:	LC50 (Brachydanio rerio (zebrafish)): > 0,043 mg/l Exposure time: 96 h Method: OECD Test Guideline 203 Remarks: No toxicity at the limit of solubility			
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): > 1 mg/l Exposure time: 48 h Method: OECD Test Guideline 202 Remarks: No toxicity at the limit of solubility			
Toxicity to algae/aquatic plants	:	EC10 (Pseudokirchneriella subcapitata (green algae)): 0,11 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 Remarks: No toxicity at the limit of solubility			
Toxicity to microorganisms	:	EC50 (Bacteria): > 1.000 mg/l Exposure time: 3 h Method: OECD Test Guideline 209			
Toxicity to daphnia and other aquatic invertebrates (Chron- ic toxicity)	:	NOEC: 0,0128 mg/l Exposure time: 21 d Species: Daphnia magna (Water flea) Method: OECD Test Guideline 211 Remarks: No toxicity at the limit of solubility			
Ecotoxicology Assessment					
Chronic aquatic toxicity	:	May cause long lasting harmful effects to aquatic life.			
Hydrocarbons, C11-C12, iso	alk	anes, <2% aromatics:			
Toxicity to fish	:	LC0 (Oncorhynchus mykiss (rainbow trout)): 1.000 mg/l Exposure time: 96 h			
Toxicity to daphnia and other aquatic invertebrates	:	EC0 (Daphnia magna (Water flea)): 1.000 mg/l Exposure time: 48 h			
Toxicity to algae/aquatic plants	:	EC0 (Pseudokirchneriella subcapitata (green algae)): 1.000 mg/l Exposure time: 72 h			
		NOELR (Pseudokirchneriella subcapitata (green algae)): 1.000 mg/l			

according to Regulation (EC) No. 1907/2006

NOROX[®]500-90-AL3



Vers 3.1	ion	Revision Date: 06.03.2023		0S Number: 0000000760	Date of last issue: 14.12.2022 Date of first issue: 29.06.2018	
				Exposure time: 7		
				Exposure time: 72	2 11	
	Toxicity to daphnia and other aquatic invertebrates (Chron- ic toxicity)		:	NOELR: >= 1 mg/l Exposure time: 21 d Species: Daphnia magna (Water flea)		
	Ecotox	icology Assessment				
	Chronic	aquatic toxicity	:	Remarks: Informa	no known ecotoxicological effects. tion given is based on data on the compo- toxicology of similar products.	

12.2 Persistence and degradability

Components:

di-tert-butyl 3,3,5-trimethylcyclohexylidene diperoxide:				
Biodegradability	:	Result: Biodegradable Method: OECD Test Guideline 301D		

Hydrocarbons,	C11-C12,	isoalkanes,	<2% aromatics:	
---------------	----------	-------------	----------------	--

Biodegradability : Result: rapidly biodegradable

12.3 Bioaccumulative potential

Components:

di-tert-butyl 3,3,5-trimethylcyclohexylidene diperoxide:

Bioaccumulation	:	Bioconcentration factor (BCF): 443
Partition coefficient: n- octanol/water	:	log Pow: 6,53

Hydrocarbons, C11-C12, isoalkanes, <2% aromatics:

Partition coefficient: n- : log Pow: > 4 octanol/water

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment

: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

according to Regulation (EC) No. 1907/2006

NOROX[®]500-90-AL3



Version	Revision Date:	SDS Number:	Date of last issue: 14.12.2022
3.1	06.03.2023	60000000760	Date of first issue: 29.06.2018

12.6 Endocrine disrupting properties

Product:

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

12.7 Other adverse effects

<u>Product:</u>		
Additional ecological infor- mation	:	An environmental hazard cannot be excluded in the event of unprofessional handling or disposal. May cause long lasting harmful effects to aquatic life.

Components:

Hydrocarbons, C11-C12, isoalkanes, <2% aromatics:

Additional ecological infor-	:	No data available
mation		

SECTION 13: Disposal considerations

13.1 Waste treatment methods	
Product	 The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of wastes in an approved waste disposal facility.
Contaminated packaging	 Empty remaining contents. Dispose of as unused product. Do not re-use empty containers. Do not burn, or use a cutting torch on, the empty drum. Dispose of in accordance with local regulations.

SECTION 14: Transport information

14.1 UN number or ID number

ADN	:	UN 3103
ADR	:	UN 3103
RID	:	UN 3103
IMDG	:	UN 3103

according to Regulation (EC) No. 1907/2006



ΙΑΤΑ



Version 3.1	Revision Date: 06.03.2023	SDS Number: 60000000760	Date of last issue: 14.12.2022 Date of first issue: 29.06.2018	

: UN 3103

	•	UN 5105
14.2 UN proper shipping name		
ADN	:	ORGANIC PEROXIDE TYPE C, LIQUID (1,1-DI-(tert-BUTYLPEROXY)-3,3,5- TRIMETHYLCYCLOHEXANE)
ADR	:	ORGANIC PEROXIDE TYPE C, LIQUID (1,1-DI-(tert-BUTYLPEROXY)-3,3,5- TRIMETHYLCYCLOHEXANE)
RID	:	ORGANIC PEROXIDE TYPE C, LIQUID (1,1-DI-(tert-BUTYLPEROXY)-3,3,5- TRIMETHYLCYCLOHEXANE)
IMDG	:	ORGANIC PEROXIDE TYPE C, LIQUID (1,1-DI-(tert-BUTYLPEROXY)-3,3,5- TRIMETHYLCYCLOHEXANE)
ΙΑΤΑ	:	Organic peroxide type C, liquid (1,1-Di-(tert-butylperoxy)-3,3,5-trimethylcyclohexane)
14.3 Transport hazard class(es)		
ADN	:	5.2
ADR	:	5.2
RID	:	5.2
IMDG	:	5.2
ΙΑΤΑ	:	5.2
14.4 Packing group		
ADN Packing group Classification Code Labels	:	Not assigned by regulation P1 5.2
ADR Packing group Classification Code Labels Tunnel restriction code	:	Not assigned by regulation P1 5.2 (D)
RID Packing group Classification Code Hazard Identification Number Labels	::	Not assigned by regulation P1 539 5.2
IMDG Packing group Labels EmS Code	:	Not assigned by regulation 5.2 F-J, S-R

according to Regulation (EC) No. 1907/2006

NOROX[®]500-90-AL3



Version	Revision Date:	SDS Number:	Date of last issue: 14.12.2022
3.1	06.03.2023	60000000760	Date of first issue: 29.06.2018

IATA (Cargo)

Packing instruction (cargo aircraft)	:	570
Packing group	:	Not assigned by regulation
Labels	:	Organic Peroxides, Keep Away From Heat
IATA (Passenger)		
Packing instruction (passen-	:	570
ger aircraft)		
Packing group	:	Not assigned by regulation
Labels	:	Organic Peroxides, Keep Away From Heat

14.5 Environmental hazards

ADN Environmentally hazardous	:	no
ADR Environmentally hazardous	:	no
RID Environmentally hazardous	:	no
IMDG Marine pollutant	:	no

14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, preparations and articles (Annex XVII)	:	Conditions of restriction for the fol- lowing entries should be considered: Number on list 3
REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59).	:	Not applicable
Regulation (EC) No 1005/2009 on substances that deplete the ozone layer	:	Not applicable
Regulation (EU) 2019/1021 on persistent organic pollutants (recast)	:	Not applicable
Regulation (EC) No 649/2012 of the European Parlia-	:	Not applicable

according to Regulation (EC) No. 1907/2006





Version Revision Date:	SDS Number:	Date of last issue: 14.12.2022
3.1 06.03.2023	60000000760	Date of first issue: 29.06.2018

ment and the Council concerning the export and import of dangerous chemicals

REACH - List of substances subject to authorisation : Not applicable (Annex XIV)

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.

	5 5	Quantity 1	Quantity 2
P6b	SELF-REACTIVE SUBSTANCES AND MIXTURES and ORGANIC PEROXIDES	50 t	200 t

Water hazard class (Germa-	:	WGK 2 obviously hazardous to water
ny)		Classification according to AwSV, Annex 1 (5.2)

Other regulations:

Gefahrgruppe nach DGUV 13 Vorschrift 13 (bisher BGV B4): lb, S+ (German regulatory requirements)

Produkt unterliegt dem Sprengstoffgesetz (SprengG; Stoffgruppe C). (German regulatory requirements)

The product is subject to the supply restrictions of the Ordinance on the Prohibition of Chemicals.

The components of this product are reported in the following inventories:

TCSI (TW)	:	On the inventory, or in compliance with the inventory
TSCA (US)	: .	All substances listed as active on the TSCA inventory
AIIC (AU)	:	On the inventory, or in compliance with the inventory
DSL (CA)	: .	All components of this product are on the Canadian DSL
KECI (KR)	:	On the inventory, or in compliance with the inventory
- ()		
PICCS (PH)	:	On the inventory, or in compliance with the inventory
		On the inventory, or in compliance with the inventory On the inventory, or in compliance with the inventory
PICCS (PH)	:	

15.2 Chemical safety assessment

This information is not available.

according to Regulation (EC) No. 1907/2006

NOROX[®]500-90-AL3



Version Revision Date: 3.1 06.03.2023

Date:)23

SDS Number: 600000000760

Date of last issue: 14.12.2022 Date of first issue: 29.06.2018

SECTION 16: Other information

Full text of H-Statements

H226	:	Flammable liquid and vapour.
H241	:	Heating may cause a fire or explosion.
H304	:	May be fatal if swallowed and enters airways.
H413	:	May cause long lasting harmful effects to aquatic life.
Full text of other abbreviation	ons	
Aquatic Chronic	:	Long-term (chronic) aquatic hazard
Asp. Tox.	:	Aspiration hazard
Flam. Liq.	:	Flammable liquids
Org. Perox.	:	Organic peroxides
DE TRGS 900	:	Germany. TRGS 900 - Occupational exposure limit values.
DE TRGS 900 / AGW	•	Time Weighted Average

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN -Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS -Emergency Schedule: ENCS - Existing and New Chemical Substances (Japan): ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP -Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL -International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals: RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI -Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

Further information

according to Regulation (EC) No. 1907/2006

NOROX[®]500-90-AL3



Version 3.1	Revision Date: 06.03.2023		SDS Number: 600000000760		Date of last issue: 14.12.2022 Date of first issue: 29.06.2018		
Other information		:	 This safety datasheet only contains information relating to safety and does not replace any product information or prod- uct specification. These safety instructions also apply to empty packaging which may still contain product residues. 				
	ile the Safety Data	:		arch res	data from raw material SDSs, OECD sults and European Chemicals Agen- I/		
Class	ification of the mixtur	e:			Classification procedure:		
Org. I	Perox. C	H2	242		Based on product data or assessment		
Asp. ⁻	Гох. 1	H3	804		Calculation method		
Aquat	ic Chronic 4	H4	13		Calculation method		

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

DE / EN