according to Regulation (EC) No. 1907/2006

NOROX®500-90



 Version
 Revision Date:
 SDS Number:
 Date of last issue: 14.12.2022

 4.2
 06.03.2023
 600000000652
 Date of first issue: 02.10.2017

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : NOROX[®] 500-90

Unique Formula Identifier

(UFI)

: F1T9-D0UW-D00S-555N

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub- : polymerisation initiators

stance/Mixture

1.3 Details of the supplier of the safety data sheet

Company : United Initiators GmbH

Dr.-Gustav-Adolph-Str. 3

82049 Pullach

Telephone : +49 / 89 / 74422 - 0

E-mail address of person

responsible for the SDS

: contact@united-in.com

1.4 Emergency telephone number

0800 000 7801 (toll-free, access from Germany only) +49 89 220 61012

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Organic peroxides, Type C H242: Heating may cause a fire.

Aspiration hazard, Category 1 H304: May be fatal if swallowed and enters air-

ways.

Long-term (chronic) aquatic hazard, Cat-

egory 4

H413: May cause long lasting harmful effects to

aquatic life.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

according to Regulation (EC) No. 1907/2006

NOROX®500-90



 Version
 Revision Date:
 SDS Number:
 Date of last issue: 14.12.2022

 4.2
 06.03.2023
 600000000652
 Date of first issue: 02.10.2017

Hazard pictograms :





Signal word : Danger

Hazard statements : H242 Heating may cause a fire.

H304 May be fatal if swallowed and enters airways.

H413 May cause long lasting harmful effects to aquatic life.

Precautionary statements : Prevention:

P220 Keep/Store away from clothing/ strong acids, bases, heavy metal salts and other reducing substances /combustible

materials.

P233 Keep container tightly closed.

P235 Keep cool.

P273 Avoid release to the environment.

P280 Wear protective gloves/ protective clothing/ eye protec-

tion/ face protection.

Response:

P301 + P310 IF SWALLOWED: Immediately call a POISON

CENTER/ doctor.

P331 Do NOT induce vomiting.

P370 + P378 In case of fire: Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide to extinguish.

Disposal:

P501 Dispose of contents/ container to an approved waste

disposal plant.

Hazardous components which must be listed on the label:

2,2,4,6,6-pentamethylheptane (CAS-No. 13475-82-6)

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

according to Regulation (EC) No. 1907/2006

NOROX[®]500-90



 Version
 Revision Date:
 SDS Number:
 Date of last issue: 14.12.2022

 4.2
 06.03.2023
 600000000652
 Date of first issue: 02.10.2017

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Chemical nature : Organic Peroxide

Liquid mixture

Components

Chemical name	CAS-No.	Classification	Concentration
	EC-No.		(% w/w)
	Index-No.		
	Registration number		
di-tert-butyl 3,3,5-	6731-36-8	Org. Perox. B; H241	>= 85 - < 90
trimethylcyclohexylidene diperox-	229-782-3	Aquatic Chronic 4;	
ide	01-2119735694-30-	H413	
	0002		
2,2,4,6,6-pentamethylheptane	13475-82-6	Flam. Liq. 3; H226	>= 10 - < 15
	236-757-0	Asp. Tox. 1; H304	
	01-2119490725-29	Aquatic Chronic 4;	
		H413	
		EUH066	

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice : Move out of dangerous area.

Show this safety data sheet to the doctor in attendance.

Do not leave the victim unattended.

Symptoms of poisoning may appear several hours later. No artificial respiration, mouth-to-mouth or mouth to nose. Use

suitable instruments/apparatus. Call a physician immediately.

Protection of first-aiders : First Aid responders should pay attention to self-protection

and use the recommended protective clothing

If inhaled : Call a physician or poison control centre immediately.

If unconscious, place in recovery position and seek medical

advice.

Keep respiratory tract clear.

If breathed in, move person into fresh air.

In case of skin contact : Wash contaminated clothing before re-use.

If on skin, rinse well with water.
If on clothes, remove clothes.
If a wantage persist, sell a physic

If symptoms persist, call a physician.

according to Regulation (EC) No. 1907/2006

NOROX®500-90



 Version
 Revision Date:
 SDS Number:
 Date of last issue: 14.12.2022

 4.2
 06.03.2023
 600000000652
 Date of first issue: 02.10.2017

In case of eye contact : In the case of contact with eyes, rinse immediately with plenty

of water and seek medical advice.

Remove contact lenses. Protect unharmed eye.

Keep eye wide open while rinsing.

If eye irritation persists, consult a specialist.

If swallowed : Keep respiratory tract clear.

Do NOT induce vomiting.
Call a physician immediately.
Contact a poison control center.

4.2 Most important symptoms and effects, both acute and delayed

Risks : May be fatal if swallowed and enters airways.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment : Treat symptomatically and supportively.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media : Water spray jet

Alcohol-resistant foam Carbon dioxide (CO2)

Dry chemical

Unsuitable extinguishing

media

High volume water jet

5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-

fighting

Contact with incompatible materials or exposure to temperatures exceeding SADT may result in a self-accelerating de-

composition reaction with release of flammable vapors which

may auto-ignite.

The product burns violently.

Flash back possible over considerable distance. Vapours may form explosive mixtures with air.

The product will float on water and can be reignited on surface

water.

Cool closed containers exposed to fire with water spray.

5.3 Advice for firefighters

Special protective equipment :

for firefighters

Wear self-contained breathing apparatus for firefighting if nec-

essary. Use personal protective equipment.

Specific extinguishing meth- : Do not use a solid water stream as it may scatter and spread

according to Regulation (EC) No. 1907/2006

NOROX[®]500-90



 Version
 Revision Date:
 SDS Number:
 Date of last issue: 14.12.2022

 4.2
 06.03.2023
 600000000652
 Date of first issue: 02.10.2017

ods fire.

Remove undamaged containers from fire area if it is safe to do

SO.

Use water spray to cool unopened containers.

Further information : Collect contaminated fire extinguishing water separately. This

must not be discharged into drains.

Fire residues and contaminated fire extinguishing water must

be disposed of in accordance with local regulations.

Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Use personal protective equipment.

Ensure adequate ventilation. Remove all sources of ignition.

Follow safe handling advice and personal protective equip-

ment recommendations.

Beware of vapours accumulating to form explosive concentra-

tions. Vapours can accumulate in low areas. Never return spills in original containers for re-use.

Treat recovered material as described in the section "Disposal

considerations".

6.2 Environmental precautions

Environmental precautions : Prevent product from entering drains.

Prevent further leakage or spillage if safe to do so.

If the product contaminates rivers and lakes or drains inform

respective authorities.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Contact with incompatible substances can cause decomposi-

tion at or below SADT. Clear spills immediately.

Suppress (knock down) gases/vapours/mists with a water

spray jet.

To clean the floor and all objects contaminated by this materi-

al. use plenty of water.

Soak up with inert absorbent material. Isolate waste and do not reuse. Non-sparking tools should be used.

Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to deter-

mine which regulations are applicable.

according to Regulation (EC) No. 1907/2006

NOROX[®]500-90



 Version
 Revision Date:
 SDS Number:
 Date of last issue: 14.12.2022

 4.2
 06.03.2023
 600000000652
 Date of first issue: 02.10.2017

6.4 Reference to other sections

For personal protection see section 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Technical measures : See Engineering measures under EXPOSURE

CONTROLS/PERSONAL PROTECTION section.

Advice on safe handling : Do not swallow.

Do not breathe vapours/dust. Avoid formation of aerosol.

Take precautionary measures against static discharges. Never return any product to the container from which it was

originally removed.

Provide sufficient air exchange and/or exhaust in work rooms.

Avoid confinement.

Keep away from heat, hot surfaces, sparks, open flames and

other ignition sources. No smoking.

Smoking, eating and drinking should be prohibited in the ap-

plication area.

Wash thoroughly after handling. For personal protection see section 8.

Protect from contamination.

Advice on protection against

fire and explosion

Keep away from heat and sources of ignition. Use only explosion-proof equipment. Keep away from combustible material.

Hygiene measures : Keep away from food and drink. When using do not eat or

drink. When using do not smoke. Wash hands before breaks

and immediately after handling the product.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers

: Avoid impurities (e.g. rust, dust, ash), risk of decomposition. Electrical installations / working materials must comply with the technological safety standards. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Store in original container. Keep containers tightly closed in a cool, well-ventilated place. Store in accordance

with the particular national regulations.

Advice on common storage : Keep away from strong acids, bases, heavy metal salts and

other reducing substances.

Storage class (TRGS 510) : 5.2, Organic peroxides and self-reacting hazardous materials

Recommended storage tem- :

perature

< 30 °C

according to Regulation (EC) No. 1907/2006

NOROX®500-90



Version Revision Date: SDS Number: Date of last issue: 14.12.2022 06.03.2023 600000000652 Date of first issue: 02.10.2017 4.2

age stability

Further information on stor- : No decomposition if stored normally.

7.3 Specific end use(s)

Specific use(s) : For further information, refer to the product technical data

sheet.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Contains no substances with occupational exposure limit values.

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health effects	Value
di-tert-butyl 3,3,5- trimethylcyclohexyli- dene diperoxide	Workers	Inhalation	Long-term systemic effects	1,4 mg/m3
	Workers	Skin contact	Long-term systemic effects	2 mg/kg bw/day

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
di-tert-butyl 3,3,5-	Fresh water sediment	0,102 mg/kg dry
trimethylcyclohexylidene diperox-		weight (d.w.)
ide		
	Marine sediment	0,01 mg/kg dry
		weight (d.w.)
	Sewage treatment plant	100 mg/l
	Soil	5,29 mg/kg dry
		weight (d.w.)

8.2 Exposure controls

Engineering measures

Minimize workplace exposure concentrations.

Personal protective equipment

Eye protection Tightly fitting safety goggles

Please wear suitable protective goggles. Also wear face pro-

tection if there is a splash hazard.

Ensure that eyewash stations and safety showers are close

to the workstation location.

Please follow all applicable local/national requirements when selecting protective measures for a specific workplace.

Equipment should conform to EN 166

Hand protection

according to Regulation (EC) No. 1907/2006

NOROX[®]500-90



 Version
 Revision Date:
 SDS Number:
 Date of last issue: 14.12.2022

 4.2
 06.03.2023
 600000000652
 Date of first issue: 02.10.2017

Material : butyl-rubber
Break through time : <30 min
Glove thickness : 0,47 mm

Directive : Equipment should conform to EN 374

Material : Nitrile rubber
Break through time : 480 min
Glove thickness : 0,40 mm

Directive : Equipment should conform to EN 374

Remarks : The data about break through time/strength of material are

standard values! The exact break through time/strength of material has to be obtained from the producer of the protective glove. Choose gloves to protect hands against chemicals depending on the concentration and quantity of the hazardous substance and specific to place of work. For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer. Wash hands before breaks and at the end of

workday.

Skin and body protection : Select appropriate protective clothing based on chemical

resistance data and an assessment of the local exposure

potential.

Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, dis-

posable suits) to avoid exposed skin surfaces.

Wear as appropriate:

Flame retardant antistatic protective clothing.

Respiratory protection : In the case of dust or aerosol formation use respirator with an

approved filter.

Respirator with combination filter for vapour/particulate (EN

141)

Filter type : ABEK-filter

Protective measures : The type of protective equipment must be selected according

to the concentration and amount of the dangerous substance

at the specific workplace.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state : liquid

Colour : colourless

according to Regulation (EC) No. 1907/2006

NOROX®500-90



 Version
 Revision Date:
 SDS Number:
 Date of last issue: 14.12.2022

 4.2
 06.03.2023
 600000000652
 Date of first issue: 02.10.2017

Odour : musty

Odour Threshold : not determined

Melting point/range : < -25 °C

Boiling point/boiling range : Decomposition: Decomposes below the boiling point.

Flammability : Not applicable

Upper explosion limit / Upper

flammability limit

Upper explosion limit

not determined

Lower explosion limit / Lower

flammability limit

Lower explosion limit

not determined

Flash point : 63 °C

Method: ISO 3679, closed cup

Self-Accelerating decomposi-

tion temperature (SADT)

60 °C

Method: UN-Test H.4

SADT-Self Accelerating Decomposition Temperature. Lowest temperature at which the tested package size will undergo a

self-accelerating decomposition reaction.

pH : substance/mixture is non-soluble (in water)

Viscosity

Viscosity, dynamic : 18 mPa.s (20 °C)

Viscosity, kinematic : not determined

Solubility(ies)

Water solubility : insoluble

Solubility in other solvents : Solvent: Alcohol

Description: completely miscible

Solvent: organic solvents

Description: completely miscible

Partition coefficient: n-

octanol/water

log Pow: 7,0 (25 °C)

Vapour pressure : 0,00009 hPa (20 °C)

Relative density : not determined

Density : 0,895 g/cm3 (20 °C)

according to Regulation (EC) No. 1907/2006

NOROX®500-90



 Version
 Revision Date:
 SDS Number:
 Date of last issue: 14.12.2022

 4.2
 06.03.2023
 600000000652
 Date of first issue: 02.10.2017

Relative vapour density : not determined

9.2 Other information

Explosives : Not explosive

In use, may form flammable/explosive vapour-air mixture.

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Organic peroxide

Flammability (liquids) : Flammable liquid, Organic peroxide

Self-ignition : The substance or mixture is not classified as pyrophoric.

Self-heating substances : The substance or mixture is not classified as self heating.

Evaporation rate : No data available

Refractive index : 1,438 at 20 °C

SECTION 10: Stability and reactivity

10.1 Reactivity

Stable under recommended storage conditions.

10.2 Chemical stability

Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions

Hazardous reactions : Vapours may form explosive mixture with air.

10.4 Conditions to avoid

Conditions to avoid : Protect from contamination.

Contact with incompatible substances can cause decomposi-

tion at or below SADT. Heat, flames and sparks. Avoid confinement.

10.5 Incompatible materials

Materials to avoid : Accelerators, strong acids and bases, heavy metals and

heavy metal salts, reducing agents

10.6 Hazardous decomposition products

Irritant, caustic, flammable, noxious/toxic gases and vapours can develop in the case of fire and decomposition

according to Regulation (EC) No. 1907/2006

NOROX®500-90



 Version
 Revision Date:
 SDS Number:
 Date of last issue: 14.12.2022

 4.2
 06.03.2023
 600000000652
 Date of first issue: 02.10.2017

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Not classified based on available information.

Components:

di-tert-butyl 3,3,5-trimethylcyclohexylidene diperoxide:

Acute oral toxicity : LD50 (Rat): > 2.000 mg/kg

Method: OECD Test Guideline 401

Assessment: The substance or mixture has no acute oral tox-

icity

Acute inhalation toxicity : LC50 (Rat): > 5,6 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Method: OECD Test Guideline 436

Assessment: The substance or mixture has no acute inhala-

tion toxicity

Acute dermal toxicity : LD50 (Rat): > 2.000 mg/kg

Method: OECD Test Guideline 402

Assessment: The substance or mixture has no acute dermal

toxicity

2,2,4,6,6-pentamethylheptane:

Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg

Method: OECD Test Guideline 401

Assessment: The substance or mixture has no acute oral tox-

icitv

Remarks: Based on data from similar materials

Acute inhalation toxicity : Remarks: No data available

Acute dermal toxicity : LD50 Dermal (Rabbit): > 5.000 mg/kg

Method: OECD Test Guideline 402

Skin corrosion/irritation

Not classified based on available information.

Components:

di-tert-butyl 3,3,5-trimethylcyclohexylidene diperoxide:

Species : Rabbit

Method : OECD Test Guideline 404

Result : No skin irritation

according to Regulation (EC) No. 1907/2006

NOROX®500-90



 Version
 Revision Date:
 SDS Number:
 Date of last issue: 14.12.2022

 4.2
 06.03.2023
 600000000652
 Date of first issue: 02.10.2017

2,2,4,6,6-pentamethylheptane:

Result : Repeated exposure may cause skin dryness or cracking.

Serious eye damage/eye irritation

Not classified based on available information.

Components:

di-tert-butyl 3,3,5-trimethylcyclohexylidene diperoxide:

Species : Rabbit

Method : OECD Test Guideline 405

Result : No eye irritation

2,2,4,6,6-pentamethylheptane:

Result : No eye irritation

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Components:

di-tert-butyl 3,3,5-trimethylcyclohexylidene diperoxide:

Species : Guinea pig

Method : OECD Test Guideline 406

Result : Does not cause skin sensitisation.

Germ cell mutagenicity

Not classified based on available information.

Components:

di-tert-butyl 3,3,5-trimethylcyclohexylidene diperoxide:

Genotoxicity in vitro : Test Type: Chromosome aberration test in vitro

Method: OECD Test Guideline 473

Result: negative

Test Type: Bacterial reverse mutation assay (AMES)

Method: OECD Test Guideline 471

Result: negative

Test Type: In vitro mammalian cell gene mutation test

Method: OECD Test Guideline 476

Result: negative

according to Regulation (EC) No. 1907/2006

NOROX®500-90



 Version
 Revision Date:
 SDS Number:
 Date of last issue: 14.12.2022

 4.2
 06.03.2023
 600000000652
 Date of first issue: 02.10.2017

Genotoxicity in vivo : Remarks: No data available

2,2,4,6,6-pentamethylheptane:

Germ cell mutagenicity- As- : No known effect.

sessment

Carcinogenicity

Not classified based on available information.

Components:

di-tert-butyl 3,3,5-trimethylcyclohexylidene diperoxide:

Species : Mouse Application Route : Oral Result : negative

2,2,4,6,6-pentamethylheptane:

Carcinogenicity - Assess- : No known effect.

ment

Reproductive toxicity

Not classified based on available information.

Components:

di-tert-butyl 3,3,5-trimethylcyclohexylidene diperoxide:

Effects on fertility : Remarks: No data available

Effects on foetal develop: : Species: Rat

ment Application Route: oral (gavage)

General Toxicity Maternal: NOAEL: 1.000 mg/kg body weight

Method: OECD Test Guideline 414

2,2,4,6,6-pentamethylheptane:

Reproductive toxicity - As- : No known effect.

sessment

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

Not classified based on available information.

Aspiration toxicity

May be fatal if swallowed and enters airways.

according to Regulation (EC) No. 1907/2006

NOROX®500-90



 Version
 Revision Date:
 SDS Number:
 Date of last issue: 14.12.2022

 4.2
 06.03.2023
 600000000652
 Date of first issue: 02.10.2017

Components:

2,2,4,6,6-pentamethylheptane:

May be fatal if swallowed and enters airways.

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components consid-

ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at

levels of 0.1% or higher.

Further information

Product:

Remarks : Solvents may degrease the skin.

Components:

2,2,4,6,6-pentamethylheptane:

Remarks : May cause headache and dizziness.

SECTION 12: Ecological information

12.1 Toxicity

Components:

di-tert-butyl 3,3,5-trimethylcyclohexylidene diperoxide:

Toxicity to fish : LC50 (Brachydanio rerio (zebrafish)): > 0,043 mg/l

Exposure time: 96 h

Method: OECD Test Guideline 203

Remarks: No toxicity at the limit of solubility

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): > 1 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

Remarks: No toxicity at the limit of solubility

Toxicity to algae/aquatic

plants

EC10 (Pseudokirchneriella subcapitata (green algae)): 0,11

mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

Remarks: No toxicity at the limit of solubility

according to Regulation (EC) No. 1907/2006

NOROX®500-90



Version Revision Date: SDS Number: Date of last issue: 14.12.2022 06.03.2023 600000000652 Date of first issue: 02.10.2017 4.2

Toxicity to microorganisms EC50 (Bacteria): > 1.000 mg/l

Exposure time: 3 h

Method: OECD Test Guideline 209

Toxicity to daphnia and other aquatic invertebrates (Chron-

ic toxicity)

NOEC: 0,0128 mg/l Exposure time: 21 d

Species: Daphnia magna (Water flea) Method: OECD Test Guideline 211

Remarks: No toxicity at the limit of solubility

Ecotoxicology Assessment

Chronic aquatic toxicity May cause long lasting harmful effects to aquatic life.

2,2,4,6,6-pentamethylheptane:

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia (water flea)): > 0,04 mg/l

Exposure time: 48 h

Remarks: Information given is based on data obtained from

similar substances.

Toxicity to algae/aquatic

plants

IC50 (algae): > 0,04 mg/l

Exposure time: 72 h

Remarks: Information given is based on data obtained from

similar substances.

Ecotoxicology Assessment

Acute aquatic toxicity This product has no known ecotoxicological effects.

Chronic aquatic toxicity May cause long lasting harmful effects to aquatic life.

12.2 Persistence and degradability

Components:

di-tert-butyl 3,3,5-trimethylcyclohexylidene diperoxide:

Biodegradability Result: Biodegradable

Method: OECD Test Guideline 301D

2,2,4,6,6-pentamethylheptane:

Biodegradability Result: Not readily biodegradable.

12.3 Bioaccumulative potential

Components:

di-tert-butyl 3,3,5-trimethylcyclohexylidene diperoxide:

Bioaccumulation Bioconcentration factor (BCF): 443

according to Regulation (EC) No. 1907/2006

NOROX®500-90



Date of last issue: 14.12.2022 Version Revision Date: SDS Number: 06.03.2023 600000000652 Date of first issue: 02.10.2017 4.2

Partition coefficient: n-

octanol/water

log Pow: 6,53

2,2,4,6,6-pentamethylheptane:

Partition coefficient: n-

log Pow: 5,94 - 6,16 (20 °C) octanol/water Remarks: The value is calculated

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment This substance/mixture contains no components considered

> to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of

0.1% or higher.

12.6 Endocrine disrupting properties

Product:

The substance/mixture does not contain components consid-Assessment

> ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at

levels of 0.1% or higher.

12.7 Other adverse effects

Product:

Additional ecological infor-

mation

An environmental hazard cannot be excluded in the event of

unprofessional handling or disposal.

May cause long lasting harmful effects to aquatic life.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product The product should not be allowed to enter drains, water

courses or the soil.

Do not contaminate ponds, waterways or ditches with chemi-

cal or used container.

Dispose of wastes in an approved waste disposal facility.

Contaminated packaging Empty remaining contents.

> Dispose of as unused product. Do not re-use empty containers.

according to Regulation (EC) No. 1907/2006

NOROX®500-90



Version 4.2

Revision Date: 06.03.2023

SDS Number: 600000000652

Date of last issue: 14.12.2022 Date of first issue: 02.10.2017

Do not burn, or use a cutting torch on, the empty drum. Dispose of in accordance with local regulations.

SECTION 14: Transport information

14.1 UN number or ID number

ADN : UN 3103
ADR : UN 3103
RID : UN 3103
IMDG : UN 3103
IATA : UN 3103

14.2 UN proper shipping name

ADN : ORGANIC PEROXIDE TYPE C, LIQUID

(1,1-DI-(tert-BUTYLPEROXY)-3,3,5-TRIMETHYLCYCLOHEXANE)

ADR : ORGANIC PEROXIDE TYPE C, LIQUID

(1,1-DI-(tert-BUTYLPEROXY)-3,3,5-TRIMETHYLCYCLOHEXANE)

RID : ORGANIC PEROXIDE TYPE C, LIQUID

(1,1-DI-(tert-BUTYLPEROXY)-3,3,5-TRIMETHYLCYCLOHEXANE)

IMDG : ORGANIC PEROXIDE TYPE C, LIQUID

(1,1-DI-(tert-BUTYLPEROXY)-3,3,5-TRIMETHYLCY CLOHEXANE)

IATA : Organic peroxide type C, liquid

(1,1-Di-(tert-butylperoxy)-3,3,5-trimethylcyclohexane)

14.3 Transport hazard class(es)

ADN : 5.2
ADR : 5.2
RID : 5.2
IMDG : 5.2
IATA : 5.2

14.4 Packing group

ADN

Packing group : Not assigned by regulation

Classification Code : P1 Labels : 5.2

ADR

according to Regulation (EC) No. 1907/2006

NOROX®500-90



 Version
 Revision Date:
 SDS Number:
 Date of last issue: 14.12.2022

 4.2
 06.03.2023
 600000000652
 Date of first issue: 02.10.2017

Packing group : Not assigned by regulation

Classification Code : P1 Labels : 5.2 Tunnel restriction code : (D)

RID

Packing group : Not assigned by regulation

Classification Code : P1 Hazard Identification Number : 539 Labels : 5.2

IMDG

Packing group : Not assigned by regulation

Labels : 5.2 EmS Code : F-J, S-R

IATA (Cargo)

Packing instruction (cargo : 570

aircraft)

Packing group : Not assigned by regulation

Labels : Organic Peroxides, Keep Away From Heat

IATA (Passenger)

Packing instruction (passen- : 570

ger aircraft)

Packing group : Not assigned by regulation

Labels : Organic Peroxides, Keep Away From Heat

14.5 Environmental hazards

ADN

Environmentally hazardous : no

ADR

Environmentally hazardous : no

rid

Environmentally hazardous : no

IMDG

Marine pollutant : no

14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

according to Regulation (EC) No. 1907/2006

NOROX[®]500-90



 Version
 Revision Date:
 SDS Number:
 Date of last issue: 14.12.2022

 4.2
 06.03.2023
 600000000652
 Date of first issue: 02.10.2017

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances,

preparations and articles (Annex XVII)

Conditions of restriction for the following entries should be considered:

Number on list 3

REACH - Candidate List of Substances of Very High

Concern for Authorisation (Article 59).

Not applicable

Regulation (EC) No 1005/2009 on substances that de-

plete the ozone layer

Not applicable

Regulation (EU) 2019/1021 on persistent organic pollu-

tants (recast)

Not applicable

Regulation (EC) No 649/2012 of the European Parliament and the Council concerning the export and import

of dangerous chemicals

Not applicable

REACH - List of substances subject to authorisation

(Annex XIV)

: Not applicable

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.

P6b SELF-REACTIVE

Quantity 1 50 t

Quantity 2

200 t

SUBSTANCES AND

SUBSTANCES AND
MIXTURES and ORGANIC

PEROXIDES

Water hazard class (Germa-

WGK 2 obviously hazardous to water

ny)

Classification according to AwSV, Annex 1 (5.2)

Other regulations:

Gefahrgruppe nach DGUV 13 Vorschrift 13 (bisher BGV B4): lb, S+ (German regulatory requirements)

Produkt unterliegt dem Sprengstoffgesetz (SprengG; Stoffgruppe C). (German regulatory requirements)

The product is subject to the supply restrictions of the Ordinance on the Prohibition of Chemicals.

The components of this product are reported in the following inventories:

TCSI (TW) : On the inventory, or in compliance with the inventory

DSL (CA) : All components of this product are on the Canadian DSL

PICCS (PH) : On the inventory, or in compliance with the inventory

according to Regulation (EC) No. 1907/2006

NOROX[®]500-90



 Version
 Revision Date:
 SDS Number:
 Date of last issue: 14.12.2022

 4.2
 06.03.2023
 600000000652
 Date of first issue: 02.10.2017

IECSC (CN) : On the inventory, or in compliance with the inventory

15.2 Chemical safety assessment

This information is not available.

SECTION 16: Other information

Full text of H-Statements

H226 : Flammable liquid and vapour.

H241 : Heating may cause a fire or explosion. H304 : May be fatal if swallowed and enters airways.

H413 : May cause long lasting harmful effects to aquatic life. EUH066 : Repeated exposure may cause skin dryness or cracking.

Full text of other abbreviations

Aquatic Chronic : Long-term (chronic) aquatic hazard

Asp. Tox. : Aspiration hazard Flam. Liq. : Flammable liquids Org. Perox. : Organic peroxides

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways: ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN -Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS -Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP -Good Laboratory Practice: IARC - International Agency for Research on Cancer: IATA - International Air Transport Association: IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL -International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet;

according to Regulation (EC) No. 1907/2006

NOROX®500-90



 Version
 Revision Date:
 SDS Number:
 Date of last issue: 14.12.2022

 4.2
 06.03.2023
 600000000652
 Date of first issue: 02.10.2017

SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

Further information

Other information : This safety datasheet only contains information relating to

safety and does not replace any product information or prod-

uct specification.

These safety instructions also apply to empty packaging which

may still contain product residues.

Sources of key data used to

compile the Safety Data

Sheet

Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agen-

cy, http://echa.europa.eu/

Classification of the mixture: Classification procedure:

Org. Perox. C H242 Based on product data or assessment

Asp. Tox. 1 H304 Calculation method Aquatic Chronic 4 H413 Calculation method

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

DE / EN