

SAFETY DATA SHEET

NOROX[®] 510-80-AL3



Version	Revision Date:	SDS Number:	Date of last issue: 30.11.2022
1.1	06.03.2023	600000000672	Date of first issue: 30.11.2022

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : NOROX[®] 510-80-AL3

REACH Registration Number : 01-2120754912-50-0001

Substance name : 1,1-Di(tert-amylperoxy)cyclohexane

EC-No. : 239-741-1

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub-
stance/Mixture : Hardener

1.3 Details of the supplier of the safety data sheet

Company : United Initiators GmbH
Dr.-Gustav-Adolph-Str. 3
82049 Pullach

Telephone : +49 / 89 / 74422 – 0

E-mail address of person
responsible for the SDS : contact@united-in.com

1.4 Emergency telephone number

+44 1235 239670

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008) as amended by GB-CLP Regulation, UK SI 2019/720, and UK SI 2020/1567)

Flammable liquids, Category 3	H226: Flammable liquid and vapour.
Organic peroxides, Type C	H242: Heating may cause a fire.
Skin irritation, Category 2	H315: Causes skin irritation.
Aspiration hazard, Category 1	H304: May be fatal if swallowed and enters airways.

SAFETY DATA SHEET

NOROX[®] 510-80-AL3



Version 1.1 Revision Date: 06.03.2023 SDS Number: 600000000672 Date of last issue: 30.11.2022
Date of first issue: 30.11.2022

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008) as amended by GB-CLP Regulation, UK SI 2019/720, and UK SI 2020/1567)

Hazard pictograms :



Signal word : Danger

Hazard statements : H226 Flammable liquid and vapour.
H242 Heating may cause a fire.
H304 May be fatal if swallowed and enters airways.
H315 Causes skin irritation.

Precautionary statements :

Prevention:

P210 Keep away from heat/ sparks/ open flames/ hot surfaces. No smoking.
P220 Keep/Store away from clothing/ strong acids, bases, heavy metal salts and other reducing substances /combustible materials.
P233 Keep container tightly closed.
P235 Keep cool.
P262 Do not get in eyes, on skin, or on clothing.
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

Response:

P301 + P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor.
P331 Do NOT induce vomiting.
P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.
P362 + P364 Take off contaminated clothing and wash it before reuse.
P370 + P378 In case of fire: Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide to extinguish.

Storage:

P403 + P235 Store in a well-ventilated place. Keep cool.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

Additional Labelling

EUH208 Contains tert-pentyl hydroperoxide.
May produce an allergic reaction.

SAFETY DATA SHEET

NOROX[®] 510-80-AL3



Version 1.1 Revision Date: 06.03.2023 SDS Number: 600000000672 Date of last issue: 30.11.2022
Date of first issue: 30.11.2022

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.1 Substances

Substance name : 1,1-Di(tert-amylperoxy)cyclohexane
EC-No. : 239-741-1
Chemical nature : Organic Peroxide

Components

Chemical name	CAS-No. EC-No.	Concentration (% w/w)
Hydrocarbons, C11-C12, isoalkanes, <2% aromatics	64742-48-9	>= 15 - < 20
tert-pentyl hydroperoxide	3425-61-4 222-321-7	>= 0.25 - < 1

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice : Move out of dangerous area.
Show this safety data sheet to the doctor in attendance.
Do not leave the victim unattended.
Symptoms of poisoning may appear several hours later.
No artificial respiration, mouth-to-mouth or mouth to nose. Use suitable instruments/apparatus.
Call a physician immediately.

Protection of first-aiders : First Aid responders should pay attention to self-protection and use the recommended protective clothing

If inhaled : Call a physician or poison control centre immediately.
If unconscious, place in recovery position and seek medical advice.
Keep respiratory tract clear.
If breathed in, move person into fresh air.

In case of skin contact : In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes.
Wash contaminated clothing before re-use.
If on skin, rinse well with water.

SAFETY DATA SHEET

NOROX[®] 510-80-AL3



Version	Revision Date:	SDS Number:	Date of last issue: 30.11.2022
1.1	06.03.2023	600000000672	Date of first issue: 30.11.2022

- If on clothes, remove clothes.
If symptoms persist, call a physician.
- In case of eye contact : In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
Remove contact lenses.
Protect unharmed eye.
Keep eye wide open while rinsing.
If eye irritation persists, consult a specialist.
- If swallowed : Keep respiratory tract clear.
Do NOT induce vomiting.
Call a physician immediately.
Contact a poison control center.
Rinse mouth thoroughly with water.

4.2 Most important symptoms and effects, both acute and delayed

- Risks : May be fatal if swallowed and enters airways.
Causes skin irritation.

4.3 Indication of any immediate medical attention and special treatment needed

- Treatment : Treat symptomatically and supportively.
-

SECTION 5: Firefighting measures

5.1 Extinguishing media

- Suitable extinguishing media : Water spray jet
Alcohol-resistant foam
Carbon dioxide (CO₂)
Dry chemical

- Unsuitable extinguishing media : High volume water jet

5.2 Special hazards arising from the substance or mixture

- Specific hazards during fire-fighting : Contact with incompatible materials or exposure to temperatures exceeding SADT may result in a self-accelerating decomposition reaction with release of flammable vapors which may auto-ignite.
The product burns violently.
Flash back possible over considerable distance.
Vapours may form explosive mixtures with air.
The product will float on water and can be reignited on surface water.
Cool closed containers exposed to fire with water spray.

SAFETY DATA SHEET

NOROX[®] 510-80-AL3



Version	Revision Date:	SDS Number:	Date of last issue: 30.11.2022
1.1	06.03.2023	600000000672	Date of first issue: 30.11.2022

5.3 Advice for firefighters

- Special protective equipment for firefighters : Wear self-contained breathing apparatus for firefighting if necessary. Use personal protective equipment.
- Specific extinguishing methods : Do not use a solid water stream as it may scatter and spread fire.
Remove undamaged containers from fire area if it is safe to do so.
Use water spray to cool unopened containers.
- Further information : Collect contaminated fire extinguishing water separately. This must not be discharged into drains.
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

- Personal precautions : Use personal protective equipment.
Ensure adequate ventilation.
Remove all sources of ignition.
Evacuate personnel to safe areas.
Follow safe handling advice and personal protective equipment recommendations.
Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.
Never return spills in original containers for re-use.
Treat recovered material as described in the section "Disposal considerations".

6.2 Environmental precautions

- Environmental precautions : Prevent product from entering drains.
Prevent further leakage or spillage if safe to do so.
If the product contaminates rivers and lakes or drains inform respective authorities.

6.3 Methods and material for containment and cleaning up

- Methods for cleaning up : Contact with incompatible substances can cause decomposition at or below SADT.
Clear spills immediately.
Suppress (knock down) gases/vapours/mists with a water spray jet.
To clean the floor and all objects contaminated by this material, use plenty of water.
Soak up with inert absorbent material.
Isolate waste and do not reuse.

SAFETY DATA SHEET

NOROX® 510-80-AL3



Version	Revision Date:	SDS Number:	Date of last issue: 30.11.2022
1.1	06.03.2023	600000000672	Date of first issue: 30.11.2022

Non-sparking tools should be used.
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.

6.4 Reference to other sections

For personal protection see section 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

- Technical measures : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.
- Advice on safe handling : Do not swallow.
Do not breathe vapours/dust.
Avoid contact with skin and eyes.
Avoid formation of aerosol.
Take precautionary measures against static discharges.
Never return any product to the container from which it was originally removed.
Provide sufficient air exchange and/or exhaust in work rooms.
Avoid confinement.
Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
Smoking, eating and drinking should be prohibited in the application area.
Wash thoroughly after handling.
For personal protection see section 8.
Protect from contamination.
- Advice on protection against fire and explosion : Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapours). Keep away from heat and sources of ignition. Use only explosion-proof equipment. Keep away from combustible material.
- Hygiene measures : Keep away from food and drink. When using do not eat or drink. When using do not smoke. Wash hands before breaks and immediately after handling the product.

7.2 Conditions for safe storage, including any incompatibilities

- Requirements for storage areas and containers : Avoid impurities (e.g. rust, dust, ash), risk of decomposition. Electrical installations / working materials must comply with the technological safety standards. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Store in original container. Keep containers tightly closed in a cool, well-ventilated place. Store in accordance with the particular national regulations.

SAFETY DATA SHEET

NOROX® 510-80-AL3



Version 1.1 Revision Date: 06.03.2023 SDS Number: 600000000672 Date of last issue: 30.11.2022
Date of first issue: 30.11.2022

Advice on common storage : Keep away from strong acids, bases, heavy metal salts and other reducing substances.

Recommended storage temperature : < 30 °C

Further information on storage stability : No decomposition if stored normally.

7.3 Specific end use(s)

Specific use(s) : For further information, refer to the product technical data sheet.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
Hydrocarbons, C11-C12, isoalkanes, <2% aromatics	64742-48-9	TWA (Vapour)	171 ppm 1,200 mg/m ³ (total hydrocarbons)	Supplier data
		TWA (Vapour)	171 ppm 1,200 mg/m ³ (total hydrocarbons)	Supplier data

Derived No Effect Level (DNEL):

Substance name	End Use	Exposure routes	Potential health effects	Value
1,1-Di(tert-amyloxy)cyclohexane	Workers	Inhalation	Long-term systemic effects	3.29 mg/m ³
	Workers	Skin contact	Long-term systemic effects	4.67 mg/kg bw/day
tert-pentyl hydroperoxide	Workers	Inhalation	Long-term systemic effects	3 mg/m ³
	Workers	Skin contact	Long-term systemic effects	0.16 mg/kg bw/day

Predicted No Effect Concentration (PNEC):

Substance name	Environmental Compartment	Value
1,1-Di(tert-amyloxy)cyclohexane	Sewage treatment plant	2 mg/l
tert-pentyl hydroperoxide	Fresh water	0.012 mg/l
	Marine water	0.0012 mg/l
	Fresh water sediment	0.437 mg/kg
	Marine sediment	0.043 mg/kg

SAFETY DATA SHEET

NOROX® 510-80-AL3



Version	Revision Date:	SDS Number:	Date of last issue: 30.11.2022
1.1	06.03.2023	600000000672	Date of first issue: 30.11.2022

	Sewage treatment plant	3.3 mg/l
--	------------------------	----------

8.2 Exposure controls

Engineering measures

Minimize workplace exposure concentrations.

Personal protective equipment

Eye protection : Tightly fitting safety goggles
Please wear suitable protective goggles. Also wear face protection if there is a splash hazard.
Ensure that eyewash stations and safety showers are close to the workstation location.
Please follow all applicable local/national requirements when selecting protective measures for a specific workplace.

Hand protection

Material : Nitrile rubber
Break through time : 480 min
Glove thickness : 0.40 mm

Material : butyl-rubber
Break through time : 10 min
Glove thickness : 0.47 mm

Remarks : The data about break through time/strength of material are standard values! The exact break through time/strength of material has to be obtained from the producer of the protective glove. Choose gloves to protect hands against chemicals depending on the concentration and quantity of the hazardous substance and specific to place of work. For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer. Wash hands before breaks and at the end of workday.

Skin and body protection : Select appropriate protective clothing based on chemical resistance data and an assessment of the local exposure potential.
Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces.
Wear as appropriate:
Flame retardant antistatic protective clothing.

Respiratory protection : In the case of dust or aerosol formation use respirator with an approved filter.

Filter type : ABEK-filter

Protective measures : The type of protective equipment must be selected according

SAFETY DATA SHEET

NOROX® 510-80-AL3



Version	Revision Date:	SDS Number:	Date of last issue: 30.11.2022
1.1	06.03.2023	600000000672	Date of first issue: 30.11.2022

to the concentration and amount of the dangerous substance at the specific workplace.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance	:	liquid
Colour	:	colourless
Odour	:	characteristic
Odour Threshold	:	not determined
pH	:	No data available
Melting point/range	:	< -25 °C
Boiling point/boiling range	:	Decomposition: Decomposes below the boiling point.
Flash point	:	51 °C Method: closed cup
Flammability (solid, gas)	:	Not applicable
Upper explosion limit / Upper flammability limit	:	Upper explosion limit not determined
Lower explosion limit / Lower flammability limit	:	Lower explosion limit not determined
Vapour pressure	:	No data available
Relative vapour density	:	not determined
Density	:	0.905 g/cm ³ (20 °C)
Solubility(ies)		
Water solubility	:	immiscible
Solubility in other solvents	:	soluble Solvent: Hydrocarbons
		soluble Solvent: Alcohol
Partition coefficient: n-octanol/water	:	Not applicable
Viscosity		

SAFETY DATA SHEET

NOROX® 510-80-AL3



Version	Revision Date:	SDS Number:	Date of last issue: 30.11.2022
1.1	06.03.2023	600000000672	Date of first issue: 30.11.2022

Viscosity, dynamic	:	6.7 mPa.s (20 °C)
Viscosity, kinematic	:	not determined
Explosive properties	:	Not explosive In use, may form flammable/explosive vapour-air mixture.
Oxidizing properties	:	The substance or mixture is not classified as oxidizing. Organic peroxide

9.2 Other information

Self-Accelerating decomposition temperature (SADT)	:	60 °C Method: UN-Test H.4 SADT-Self Accelerating Decomposition Temperature. Lowest temperature at which the tested package size will undergo a self-accelerating decomposition reaction.
Flammability (liquids)	:	Flammable liquid and vapour., Organic peroxide
Self-heating substances	:	The substance or mixture is not classified as self heating.
Refractive index	:	1.441 at 20 °C
Self-ignition	:	The substance or mixture is not classified as pyrophoric.

SECTION 10: Stability and reactivity

10.1 Reactivity

Stable under recommended storage conditions.

10.2 Chemical stability

Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions

Hazardous reactions	:	Vapours may form explosive mixture with air.
---------------------	---	--

10.4 Conditions to avoid

Conditions to avoid	:	Protect from contamination. Contact with incompatible substances can cause decomposition at or below SADT. Heat, flames and sparks. Avoid confinement.
---------------------	---	---

10.5 Incompatible materials

Materials to avoid	:	Accelerators, strong acids and bases, heavy metals and heavy metal salts, reducing agents
--------------------	---	---

SAFETY DATA SHEET

NOROX[®] 510-80-AL3



Version	Revision Date:	SDS Number:	Date of last issue: 30.11.2022
1.1	06.03.2023	600000000672	Date of first issue: 30.11.2022

10.6 Hazardous decomposition products

Irritant, caustic, flammable, noxious/toxic gases and vapours can develop in the case of fire and decomposition

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Not classified based on available information.

Product:

Acute oral toxicity : LD0 (Rat): > 5,000 mg/kg
Method: OECD Test Guideline 401
Remarks: No mortality observed at this dose.

Acute inhalation toxicity : Remarks: study scientifically unjustified
No data available

Acute toxicity estimate: > 20 mg/l
Exposure time: 4 h
Test atmosphere: vapour
Method: Calculation method

Acute dermal toxicity : LD0 (Rat): > 2,000 mg/kg
Method: OECD Test Guideline 402
Remarks: No mortality observed at this dose.

Acute toxicity estimate: > 2,000 mg/kg
Method: Calculation method

Components:

Hydrocarbons, C11-C12, isoalkanes, <2% aromatics:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg
Method: OECD Test Guideline 401

Acute inhalation toxicity : LC50 (Rat): > 5 mg/l
Exposure time: 8 h
Test atmosphere: vapour
Method: OECD Test Guideline 403

Acute dermal toxicity : LD50 (Rabbit): > 5,000 mg/kg
Method: OECD Test Guideline 402

tert-pentyl hydroperoxide:

Acute oral toxicity : LD50 (Rat): 500 mg/kg
Method: OECD Test Guideline 401

Acute inhalation toxicity : LC50 (Rat): 2.4 mg/l

SAFETY DATA SHEET

NOROX® 510-80-AL3



Version 1.1 Revision Date: 06.03.2023 SDS Number: 600000000672 Date of last issue: 30.11.2022
Date of first issue: 30.11.2022

Exposure time: 4 h
Test atmosphere: vapour
Method: OECD Test Guideline 403

Acute dermal toxicity : LD50 (Rat): 446 mg/kg
Method: OECD Test Guideline 402

Skin corrosion/irritation

Causes skin irritation.

Product:

Species : Rabbit
Method : OECD Test Guideline 404
Result : Skin irritation

Remarks : May cause skin irritation in susceptible persons.

Components:

Hydrocarbons, C11-C12, isoalkanes, <2% aromatics:

Method : OECD Test Guideline 404
Result : Mild skin irritation

Remarks : May cause skin irritation and/or dermatitis.

tert-pentyl hydroperoxide:

Species : Rabbit
Method : OECD Test Guideline 404
Result : Causes burns.

Serious eye damage/eye irritation

Not classified based on available information.

Product:

Species : Rabbit
Method : OECD Test Guideline 405
Result : No eye irritation
Remarks : Based on available data, the classification criteria are not met.

Remarks : Vapours may cause irritation to the eyes, respiratory system and the skin.

Components:

Hydrocarbons, C11-C12, isoalkanes, <2% aromatics:

Remarks : No data available

Remarks : Vapours may cause irritation to the eyes, respiratory system and the skin.

SAFETY DATA SHEET

NOROX[®] 510-80-AL3



Version 1.1 Revision Date: 06.03.2023 SDS Number: 600000000672 Date of last issue: 30.11.2022
Date of first issue: 30.11.2022

tert-pentyl hydroperoxide:

Species : Rabbit
Result : Irreversible effects on the eye

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Product:

Species : Guinea pig
Method : OECD Test Guideline 406
Result : Does not cause skin sensitisation.

Components:

Hydrocarbons, C11-C12, isoalkanes, <2% aromatics:

Result : Does not cause skin sensitisation.

tert-pentyl hydroperoxide:

Result : May cause sensitisation by skin contact.
Remarks : Based on data from similar materials

Germ cell mutagenicity

Not classified based on available information.

Product:

Genotoxicity in vitro : Test Type: Mutagenicity (Escherichia coli - reverse mutation assay)
Method: OECD Test Guideline 471
Result: negative

Test Type: Micronucleus test
Method: OECD Test Guideline 487
Result: negative

Genotoxicity in vivo : Remarks: No data available

Components:

Hydrocarbons, C11-C12, isoalkanes, <2% aromatics:

Germ cell mutagenicity- Assessment : Animal testing did not show any mutagenic effects.

SAFETY DATA SHEET

NOROX® 510-80-AL3



Version 1.1 Revision Date: 06.03.2023 SDS Number: 600000000672 Date of last issue: 30.11.2022
Date of first issue: 30.11.2022

tert-pentyl hydroperoxide:

Genotoxicity in vitro : Test Type: Ames test
Method: OECD Test Guideline 471
Result: Equivocal

Test Type: Micronucleus test
Method: OECD Test Guideline 487
Result: positive

Test Type: In vitro mammalian cell gene mutation test
Method: OECD Test Guideline 476
Result: negative

Genotoxicity in vivo : Test Type: In vivo mammalian alkaline comet assay
Method: OECD Test Guideline 489
Result: negative

Germ cell mutagenicity- Assessment : In vitro tests showed mutagenic effects

Carcinogenicity

Not classified based on available information.

Product:

Remarks : This information is not available.

Components:

Hydrocarbons, C11-C12, isoalkanes, <2% aromatics:

Carcinogenicity - Assessment : Animal testing did not show any carcinogenic effects.

Reproductive toxicity

Not classified based on available information.

Components:

tert-pentyl hydroperoxide:

Effects on fertility : Remarks: No data available

Effects on foetal development : Remarks: No data available

STOT - single exposure

Not classified based on available information.

Components:

tert-pentyl hydroperoxide:

Remarks : No data available

SAFETY DATA SHEET

NOROX® 510-80-AL3



Version 1.1 Revision Date: 06.03.2023 SDS Number: 600000000672 Date of last issue: 30.11.2022
Date of first issue: 30.11.2022

STOT - repeated exposure

Not classified based on available information.

Product:

Remarks : No data available

Components:

tert-pentyl hydroperoxide:

Remarks : No data available

Repeated dose toxicity

Product:

Species : Rat
NOAEL : 200 mg/kg
Application Route : Oral
Method : OECD Test Guideline 422

Components:

tert-pentyl hydroperoxide:

Species : Rat
NOAEL : 100 mg/kg
Application Route : oral (gavage)
Method : OECD Test Guideline 421

Aspiration toxicity

May be fatal if swallowed and enters airways.

Product:

May be fatal if swallowed and enters airways.

Components:

Hydrocarbons, C11-C12, isoalkanes, <2% aromatics:

May be fatal if swallowed and enters airways.

tert-pentyl hydroperoxide:

No data available

Further information

Product:

Remarks : Solvents may degrease the skin.

SAFETY DATA SHEET

NOROX[®] 510-80-AL3



Version	Revision Date:	SDS Number:	Date of last issue: 30.11.2022
1.1	06.03.2023	600000000672	Date of first issue: 30.11.2022

Components:

Hydrocarbons, C11-C12, isoalkanes, <2% aromatics:

Remarks : Solvents may degrease the skin.

SECTION 12: Ecological information

12.1 Toxicity

Product:

Toxicity to fish : LC50 (Brachydanio rerio (zebrafish)): > 0.64 mg/l
Exposure time: 96 h
Test Type: semi-static test
Method: OECD Test Guideline 203
Remarks: Information given is based on data obtained from similar substances.

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 1,000 mg/l
Exposure time: 48 h
Test Type: static test
Method: OECD Test Guideline 202
Remarks: Information given is based on data obtained from similar substances.

Toxicity to algae/aquatic plants : (Pseudokirchneriella subcapitata (green algae)): Exposure time: 72 h
Method: OECD Test Guideline 201
Remarks: No toxicity at the limit of solubility

Ecotoxicology Assessment

Acute aquatic toxicity : This product has no known ecotoxicological effects.

Chronic aquatic toxicity : This product has no known ecotoxicological effects.

Components:

Hydrocarbons, C11-C12, isoalkanes, <2% aromatics:

Toxicity to fish : LC0 (Oncorhynchus mykiss (rainbow trout)): 1,000 mg/l
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC0 (Daphnia magna (Water flea)): 1,000 mg/l
Exposure time: 48 h

Toxicity to algae/aquatic plants : EC0 (Pseudokirchneriella subcapitata (green algae)): 1,000 mg/l
Exposure time: 72 h

NOELR (Pseudokirchneriella subcapitata (green algae)): 1,000 mg/l

SAFETY DATA SHEET

NOROX® 510-80-AL3



Version 1.1 Revision Date: 06.03.2023 SDS Number: 600000000672 Date of last issue: 30.11.2022
Date of first issue: 30.11.2022

Exposure time: 72 h

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOELR: ≥ 1 mg/l
Exposure time: 21 d
Species: Daphnia magna (Water flea)

Ecotoxicology Assessment

Chronic aquatic toxicity : This product has no known ecotoxicological effects.
Remarks: Information given is based on data on the components and the ecotoxicology of similar products.

tert-pentyl hydroperoxide:

Toxicity to fish : Remarks: No data available

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 6.7 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202
Remarks: Information given is based on data obtained from similar substances.

Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (green algae)): 1.2 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201

Toxicity to microorganisms : EC50 (Bacteria): 138 mg/l
Exposure time: 3 h
Method: OECD Test Guideline 209
Remarks: Based on data from similar materials

EC10 (Bacteria): 33 mg/l
Exposure time: 3 h
Method: OECD Test Guideline 209
Remarks: Based on data from similar materials

12.2 Persistence and degradability

Product:

Biodegradability : Result: Not readily biodegradable.
Remarks: Information given is based on data obtained from similar substances.

Components:

Hydrocarbons, C11-C12, isoalkanes, <2% aromatics:

Biodegradability : Result: rapidly biodegradable

tert-pentyl hydroperoxide:

SAFETY DATA SHEET

NOROX® 510-80-AL3



Version	Revision Date:	SDS Number:	Date of last issue: 30.11.2022
1.1	06.03.2023	600000000672	Date of first issue: 30.11.2022

Biodegradability : Result: Not readily biodegradable.
Method: OECD Test Guideline 301D
Remarks: Based on data from similar materials

12.3 Bioaccumulative potential

Components:

Hydrocarbons, C11-C12, isoalkanes, <2% aromatics:

Partition coefficient: n- : log Pow: > 4
octanol/water

tert-pentyl hydroperoxide:

Partition coefficient: n- : log Pow: 2.9
octanol/water Remarks: Based on data from similar materials

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

12.6 Other adverse effects

Product:

Additional ecological information : No data available

Components:

Hydrocarbons, C11-C12, isoalkanes, <2% aromatics:

Additional ecological information : No data available

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product : The product should not be allowed to enter drains, water courses or the soil.
Do not contaminate ponds, waterways or ditches with chemical or used container.
Dispose of wastes in an approved waste disposal facility.

SAFETY DATA SHEET

NOROX® 510-80-AL3



Version	Revision Date:	SDS Number:	Date of last issue: 30.11.2022
1.1	06.03.2023	600000000672	Date of first issue: 30.11.2022

Contaminated packaging : Empty remaining contents.
Dispose of as unused product.
Do not re-use empty containers.
Do not burn, or use a cutting torch on, the empty drum.
Dispose of in accordance with local regulations.

SECTION 14: Transport information

14.1 UN number

ADR : UN 3103
RID : UN 3103
IMDG : UN 3103
IATA : UN 3103

14.2 UN proper shipping name

ADR : ORGANIC PEROXIDE TYPE C, LIQUID
(1,1-DI-(tert-AMYLPEROXY)CYCLOHEXANE)
RID : ORGANIC PEROXIDE TYPE C, LIQUID
(1,1-DI-(tert-AMYLPEROXY)CYCLOHEXANE)
IMDG : ORGANIC PEROXIDE TYPE C, LIQUID
(1,1-DI-(tert-AMYLPEROXY)CYCLOHEXANE)
IATA : Organic peroxide type C, liquid
(1,1-Di-(tert-Amylperoxy) cyclohexane)

14.3 Transport hazard class(es)

ADR : 5.2
RID : 5.2
IMDG : 5.2
IATA : 5.2

14.4 Packing group

ADR
Packing group : Not assigned by regulation
Classification Code : P1
Labels : 5.2
Tunnel restriction code : (D)

RID
Packing group : Not assigned by regulation
Classification Code : P1
Hazard Identification Number : 539
Labels : 5.2

IMDG

SAFETY DATA SHEET

NOROX[®] 510-80-AL3



Version	Revision Date:	SDS Number:	Date of last issue: 30.11.2022
1.1	06.03.2023	600000000672	Date of first issue: 30.11.2022

Packing group : Not assigned by regulation
Labels : 5.2
EmS Code : F-J, S-R

IATA (Cargo)

Packing instruction (cargo aircraft) : 570
Packing group : Not assigned by regulation
Labels : Organic Peroxides, Keep Away From Heat

IATA (Passenger)

Packing instruction (passenger aircraft) : 570
Packing group : Not assigned by regulation
Labels : Organic Peroxides, Keep Away From Heat

14.5 Environmental hazards

ADR

Environmentally hazardous : no

RID

Environmentally hazardous : no

IMDG

Marine pollutant : no

14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Relevant EU provisions transposed through retained EU law

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, preparations and articles (Annex XVII)	:	Conditions of restriction for the following entries should be considered: Number on list 40, 3
REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59).	:	Not applicable
Regulation (EC) No 1005/2009 on substances that deplete the ozone layer	:	Not applicable
Regulation (EU) 2019/1021 on persistent organic pollutants (recast)	:	Not applicable

SAFETY DATA SHEET

NOROX[®] 510-80-AL3



Version 1.1 Revision Date: 06.03.2023 SDS Number: 600000000672 Date of last issue: 30.11.2022
Date of first issue: 30.11.2022

Regulation (EC) No 649/2012 of the European Parliament and the Council concerning the export and import of dangerous chemicals : Not applicable

UK REACH List of substances subject to authorisation (Annex XIV) : Not applicable

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.

		Quantity 1	Quantity 2
P6b	SELF-REACTIVE SUBSTANCES AND MIXTURES and ORGANIC PEROXIDES	50 t	200 t

Other regulations:

Gefahrgruppe nach DGUV 13 Vorschrift 13 (bisher BGV B4): Ib, S++ (German regulatory requirements)

The components of this product are reported in the following inventories:

- TCSI (TW) : On the inventory, or in compliance with the inventory
- TSCA (US) : All substances listed as active on the TSCA inventory
- DSL (CA) : This product contains the following components listed on the Canadian NDSL. All other components are on the Canadian DSL.
- 1,1-Di(tert-amylperoxy)cyclohexane
- tert-pentyl hydroperoxide
- KECI (KR) : On the inventory, or in compliance with the inventory
- PICCS (PH) : On the inventory, or in compliance with the inventory
- IECSC (CN) : On the inventory, or in compliance with the inventory

15.2 Chemical safety assessment

This information is not available.

SECTION 16: Other information

Further information

Other information : This safety datasheet only contains information relating to

SAFETY DATA SHEET

NOROX[®] 510-80-AL3



Version	Revision Date:	SDS Number:	Date of last issue: 30.11.2022
1.1	06.03.2023	600000000672	Date of first issue: 30.11.2022

safety and does not replace any product information or product specification.

These safety instructions also apply to empty packaging which may still contain product residues.

Sources of key data used to compile the Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Full text of other abbreviations

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road; AIIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of very high concern; TCSI - Taiwan Chemical Substance Inventory; TECl - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not

SAFETY DATA SHEET

NOROX[®] 510-80-AL3



Version	Revision Date:	SDS Number:	Date of last issue: 30.11.2022
1.1	06.03.2023	600000000672	Date of first issue: 30.11.2022

to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

GB / EN