according to the Hazardous Products Regulations



NOROX®600-CL2

Version Revision Date: SDS Number: Date of last issue: 11/12/2024 1.8 11/12/2024 600000000352 Date of first issue: 11/16/2016

SECTION 1. IDENTIFICATION

Trade name : NOROX®600-CL2

Other means of identification : No data available

Manufacturer or supplier's details

Company name of supplier : United Initiators, Inc.

Address : 555 Garden Street

Elyria OH 44035 USA

United Initiators Canada Ltd. 2147 PG Pulp Mill Road

Prince George, BC-V2N 2S6 CANADA

Telephone : +1-440-323-3112

Telefax : +1-440-323-2659

Emergency telephone : CHEMTREC US (24h): +1-800-424-9300

CHEMTREC WORLD (24h): +1-703-527-3887 CANUTEC (24h): 1-613-996-6666

For Transportation Incidents : GFL Environmental Inc. (24h):

1-800-567-7455

E-mail address of person

responsible for the SDS

cs-initiators.nafta@united-in.com

Recommended use of the chemical and restrictions on use

Recommended use : polymerization initiators

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the Hazardous Products Regulations

Organic peroxides : Type C

Combustible dust : Category 1

Skin sensitization : Category 1

Short-term (acute) aquatic

hazard

Category 3

according to the Hazardous Products Regulations



NOROX®600-CL2

Version Revision Date: SDS Number: Date of last issue: 11/12/2024 1.8 11/12/2024 600000000352 Date of first issue: 11/16/2016

Long-term (chronic) aquatic

hazard

Category 3

GHS label elements

Hazard pictograms





Signal Word : Danger

Hazard Statements : H242 Heating may cause a fire.

May form combustible dust concentrations in air. H317 May cause an allergic skin reaction.

H412 Harmful to aquatic life with long lasting effects.

Precautionary Statements :

Prevention:

P210 Keep away from heat, hot surfaces, sparks, open flames

and other ignition sources. No smoking. P234 Keep only in original packaging.

P240 Ground and bond container and receiving equipment.

P261 Avoid breathing dust.

P272 Contaminated work clothing should not be allowed out of

the workplace.

P273 Avoid release to the environment.

P280 Wear protective gloves/ protective clothing/ eye protection/

face protection/ hearing protection.

Response:

P302 + P352 IF ON SKIN: Wash with plenty of water.

P333 + P313 If skin irritation or rash occurs: Get medical advice/

attention.

P362 + P364 Take off contaminated clothing and wash it before

reuse.

P370 + P378 In case of fire: Use water spray, alcohol-resistant

foam, dry chemical or carbon dioxide to extinguish.

Storage:

P403 Store in a well-ventilated place.

P410 Protect from sunlight.

P411 Store at temperatures not exceeding < 20 °C/ < 68 °F.

P420 Store separately.

Disposal:

P501 Dispose of contents/ container to an approved waste dis-

posal plant.

Other hazards

None known.

according to the Hazardous Products Regulations



NOROX®600-CL2

Version Revision Date: SDS Number: Date of last issue: 11/12/2024 1.8 11/12/2024 600000000352 Date of first issue: 11/16/2016

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Chemical nature : Organic Peroxide

Solid

Components

Chemical name	Common	CAS-No.	Concentration (% w/w)
	Name/Synonym		
Di(4-tert-	Di(4-tert-	15520-11-3	
butylcyclohexyl) perox-	butylcyclohexyl)		>= 65 - < 70 *
ydicarbonate	peroxydicar-		>= 65 - < 70
	bonate		
Dilauroyl peroxide	Dilauroyl perox-	105-74-8	>= 30 - < 35 *
	ide		>= 30 - < 30

^{*} Actual concentration or concentration range is withheld as a trade secret

SECTION 4. FIRST AID MEASURES

General advice : Take off contaminated clothing and shoes immediately.

Call a physician immediately.

Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and seek medical

advice.

Move out of dangerous area.

Show this material safety data sheet to the doctor in

attendance.

Do not leave the victim unattended.

If inhaled : Administer oxygen if breathing is difficult or cyanosis is

observed.

If breathed in, move person into fresh air. If not breathing, give artificial respiration.

If unconscious, place in recovery position and seek medical

advice.

If symptoms persist, call a physician.

In case of skin contact : If symptoms persist, call a physician.

In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing

and shoes.

Wash contaminated clothing before re-use.

If on skin, rinse well with water. If on clothes, remove clothes.

In case of eye contact : In the case of contact with eyes, rinse immediately with plenty

of water and seek medical advice.

according to the Hazardous Products Regulations



NOROX®600-CL2

Version Revision Date: SDS Number: Date of last issue: 11/12/2024 1.8 11/12/2024 600000000352 Date of first issue: 11/16/2016

Remove contact lenses. Protect unharmed eye.

Keep eye wide open while rinsing.

If eye irritation persists, consult a specialist.

If swallowed : Call a physician immediately.

Keep respiratory tract clear.

If symptoms persist, call a physician.

Most important symptoms and effects, both acute and

delayed

May cause an allergic skin reaction. May cause an allergic skin reaction.

sensitizing effects

Protection of first-aiders : First Aid responders should pay attention to self-protection

and use the recommended protective clothing

Notes to physician : Treat symptomatically and supportively.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media : Water spray jet

Alcohol-resistant foam Carbon dioxide (CO2)

Dry chemical

Unsuitable extinguishing

media

High volume water jet

Specific hazards during fire

fighting

Risk of explosion if heated under confinement.

Possible emission of gaseous decomposition products may

lead to a dangerous pressure build-up.

Avoid confinement.

Contact with incompatible materials or exposure to temperatures exceeding SADT may result in a self-

accelerating decomposition reaction with release of flammable

vapors which may auto-ignite.

The product burns violently.

Flash back possible over considerable distance.

Do not allow run-off from fire fighting to enter drains or water

courses.

Vapors may form explosive mixtures with air.

The product will float on water and can be reignited on surface

water.

Cool closed containers exposed to fire with water spray.

Specific extinguishing meth-

ods

Do not use a solid water stream as it may scatter and spread

fire.

Remove undamaged containers from fire area if it is safe to do

according to the Hazardous Products Regulations



NOROX®600-CL2

Version Revision Date: SDS Number: Date of last issue: 11/12/2024 1.8 11/12/2024 600000000352 Date of first issue: 11/16/2016

SO.

Use water spray to cool unopened containers.

Further information : Use extinguishing measures that are appropriate to local

circumstances and the surrounding environment. Use a water spray to cool fully closed containers.

Collect contaminated fire extinguishing water separately. This

must not be discharged into drains.

Fire residues and contaminated fire extinguishing water must

be disposed of in accordance with local regulations.

Special protective equipment :

for fire-fighters

Wear self-contained breathing apparatus for firefighting if

necessary

Use personal protective equipment.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec- :

tive equipment and emer-

gency procedures

Follow safe handling advice and personal protective

equipment recommendations.

Use personal protective equipment.

Avoid dust formation. Avoid breathing dust.

Remove all sources of ignition.

Never return spills in original containers for re-use.

Treat recovered material as described in the section "Disposal

considerations".

Environmental precautions : Prevent product from entering drains.

Prevent further leakage or spillage if safe to do so.

If the product contaminates rivers and lakes or drains inform

respective authorities.

Methods and materials for containment and cleaning up

Contact with incompatible substances can cause

decomposition at or below SADT.

Clear spills immediately.

Suppress (knock down) gases/vapors/mists with a water spray

jet.

To clean the floor and all objects contaminated by this

material, use plenty of water.

Soak up with inert absorbent material. Isolate waste and do not reuse. Non-sparking tools should be used.

Local or national regulations may apply to releases and disposal of this material, as well as those materials and items

employed in the cleanup of releases. You will need to

determine which regulations are applicable.

according to the Hazardous Products Regulations



NOROX®600-CL2

Version Revision Date: SDS Number: Date of last issue: 11/12/2024 1.8 11/12/2024 600000000352 Date of first issue: 11/16/2016

SECTION 7. HANDLING AND STORAGE

Technical measures : See Engineering measures under EXPOSURE

CONTROLS/PERSONAL PROTECTION section.

Advice on protection against

fire and explosion

Take necessary action to avoid static electricity discharge

(which might cause ignition of organic vapors). Keep away from heat and sources of ignition.

Use only explosion-proof equipment.

Keep away from open flames, hot surfaces and sources of

ianition.

Keep away from combustible material.

Avoid dust formation.

Provide appropriate exhaust ventilation at places where dust

is formed.

Advice on safe handling : Open drum carefully as content may be under pressure.

Avoid formation of respirable particles.

Protect from contamination. Do not breathe vapors/dust.

Avoid exposure - obtain special instructions before use.

Avoid contact with skin and eyes.

Take precautionary measures against static discharges. Never return any product to the container from which it was

originally removed.

Provide sufficient air exchange and/or exhaust in work rooms.

Avoid confinement.

Keep away from heat, hot surfaces, sparks, open flames and

other ignition sources. No smoking.

Smoking, eating and drinking should be prohibited in the

application area.

Wash thoroughly after handling. For personal protection see section 8.

Persons susceptible to skin sensitization problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being

used.

Conditions for safe storage : Store in original container.

Keep containers tightly closed in a cool, well-ventilated place.

Store in cool place.

Keep in a well-ventilated place.

Contamination may result in dangerous pressure increases -

closed containers may rupture. Observe label precautions.

Store in accordance with the particular national regulations. Avoid impurities (e.g. rust, dust, ash), risk of decomposition. Electrical installations / working materials must comply with

the technological safety standards.

Containers which are opened must be carefully resealed and

according to the Hazardous Products Regulations



NOROX®600-CL2

Version Revision Date: SDS Number: Date of last issue: 11/12/2024

1.8 11/12/2024 600000000352 Date of first issue: 11/16/2016

kept upright to prevent leakage.

Materials to avoid : Keep away from combustible materials.

Keep away from strong acids, bases, heavy metal salts and

other reducing substances.

Recommended storage tem: :

perature

< 20 °C

Further information on stor-

age stability

: Stable under recommended storage conditions.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Contains no substances with occupational exposure limit values.

Engineering measures : Minimize workplace exposure concentrations.

Personal protective equipment

Respiratory protection : In the case of dust or aerosol formation use respirator with an

approved filter.

Filter type : Filter type P

Use NIOSH approved respiratory protection.

Hand protection

Material : butyl-rubber
Break through time : 480 min
Glove thickness : 0.47 mm

Material : Nitrile rubber
Break through time : 480 min
Glove thickness : 0.40 mm

Remarks : The data about break through time/strength of material are

standard values! The exact break through time/strength of material has to be obtained from the producer of the protective glove. Choose gloves to protect hands against chemicals depending on the concentration and quantity of the

hazardous substance and specific to place of work. For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer. Wash hands before

breaks and at the end of workday.

Eye protection : Ensure that eyewash stations and safety showers are close

to the workstation location.

according to the Hazardous Products Regulations



NOROX®600-CL2

Version Revision Date: SDS Number: Date of last issue: 11/12/2024 1.8 11/12/2024 600000000352 Date of first issue: 11/16/2016

Please follow all applicable local/national requirements when selecting protective measures for a specific workplace. Always wear eye protection when the potential for inadvertent

eye contact with the product cannot be excluded.

Tightly fitting safety goggles

Please wear suitable protective goggles. Also wear face

protection if there is a splash hazard.

Skin and body protection : Select appropriate protective clothing based on chemical

resistance data and an assessment of the local exposure

potential.

Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets,

disposable suits) to avoid exposed skin surfaces.

Wear as appropriate:

Flame retardant antistatic protective clothing.

Protective measures : The type of protective equipment must be selected according

to the concentration and amount of the dangerous substance

at the specific workplace.

Hygiene measures : Avoid contact with skin, eyes and clothing.

Keep away from food and drink. When using do not eat or drink. When using do not smoke.

Wash hands before breaks and immediately after handling

the product.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : powder

Color : white

Odor : characteristic

Odor Threshold : not determined

pH : substance/mixture is non-soluble (in water)

Melting point/freezing point : 82 °C

Decomposes before melting.

Initial boiling point and boiling

range

Decomposition: Decomposes below the boiling point.

Decomposition

Flash point : Not applicable

according to the Hazardous Products Regulations



NOROX®600-CL2

Version Revision Date: SDS Number: Date of last issue: 11/12/2024 1.8 11/12/2024 600000000352 Date of first issue: 11/16/2016

Evaporation rate : Not applicable

Flammability (solid, gas) : Organic peroxide

Self-ignition : The substance or mixture is not classified as pyrophoric.

Upper explosion limit / Upper

flammability limit

Upper explosion limit No data available

Lower explosion limit / Lower

flammability limit

Lower explosion limit No data available

Vapor pressure : 0.01 Pa (20 °C)

Relative vapor density : Not applicable

Relative density : not determined

Density : 1.1025 g/cm3 (20 °C)

Bulk density : 0.5 g/cm3

Solubility(ies)

Water solubility : insoluble

Solubility in other solvents : No data available

Partition coefficient: n-

octanol/water

No data available

Autoignition temperature : not determined

Self-Accelerating decomposi-

tion temperature (SADT)

45 °C

Method: UN-Test H.4

SADT-Self Accelerating Decomposition Temperature. Lowest temperature at which the tested package size will undergo a

self-accelerating decomposition reaction.

Viscosity

Viscosity, dynamic : Not applicable

Viscosity, kinematic : Not applicable

Explosive properties : Not explosive Avoid dust formation.

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Organic peroxide

Self-heating substances : The substance or mixture is not classified as self heating.

Particle characteristics

according to the Hazardous Products Regulations



NOROX®600-CL2

Version Revision Date: SDS Number: Date of last issue: 11/12/2024 1.8 11/12/2024 600000000352 Date of first issue: 11/16/2016

Particle size : not determined

Particle Size Distribution : No data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity : Heating may cause a fire.

Stable under recommended storage conditions.

Heating may cause a fire or explosion.

Chemical stability : Stable if used as directed. Follow precautionary advice and

avoid incompatible materials and conditions.

Stable under recommended storage conditions.

No decomposition if stored normally.

Possibility of hazardous reac-

tions

Dust may form explosive mixture in air.

Conditions to avoid : Protect from contamination.

Contact with incompatible substances can cause

decomposition at or below SADT.

Heat, flames and sparks. Avoid confinement.

Incompatible materials : Accelerators, strong acids and bases, heavy metals and

heavy metal salts, reducing agents

Hazardous decomposition

products

Irritant, caustic, flammable, noxious/toxic gases and vapours

can develop in the case of fire and decomposition

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Not classified due to lack of data.

Product:

Acute oral toxicity : Acute toxicity estimate: > 2,000 mg/kg

Method: Calculation method

Components:

Di(4-tert-butylcyclohexyl) peroxydicarbonate:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Method: OECD Test Guideline 401

Assessment: The component/mixture is minimally toxic after

single ingestion.

according to the Hazardous Products Regulations



NOROX®600-CL2

Version Revision Date: SDS Number: Date of last issue: 11/12/2024 1.8 11/12/2024 600000000352 Date of first issue: 11/16/2016

Acute inhalation toxicity : Remarks: No data available

Acute dermal toxicity : Remarks: No data available

Dilauroyl peroxide:

Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg

Method: Expert judgment

Assessment: The substance or mixture has no acute oral tox-

icity

Remarks: No mortality observed at this dose.

Acute inhalation toxicity : LC50 (Rat): 200 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist Method: Expert judgment

Assessment: The substance or mixture has no acute inhala-

tion toxicity

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg

Method: Expert judgment

Assessment: The substance or mixture has no acute dermal

toxicity

Remarks: No mortality observed at this dose.

Skin corrosion/irritation

Based on available data, the classification criteria are not met.

Product:

Remarks : May cause skin irritation in susceptible persons.

Components:

Di(4-tert-butylcyclohexyl) peroxydicarbonate:

Species : Rabbit

Method : OECD Test Guideline 404

Result : No skin irritation

Remarks : May cause skin irritation in susceptible persons.

Dilauroyl peroxide:

Species : Rabbit

Method : OECD Test Guideline 404

Result : No skin irritation

Serious eye damage/eye irritation

Based on available data, the classification criteria are not met.

according to the Hazardous Products Regulations



NOROX®600-CL2

Version Revision Date: SDS Number: Date of last issue: 11/12/2024 1.8 11/12/2024 600000000352 Date of first issue: 11/16/2016

Product:

Remarks : Product dust may be irritating to eyes, skin and respiratory

system.

Components:

Di(4-tert-butylcyclohexyl) peroxydicarbonate:

Species : Rabbit

Result : No eye irritation

Method : OECD Test Guideline 405

Remarks : Product dust may be irritating to eyes, skin and respiratory

system.

Dilauroyl peroxide:

Species : Rabbit

Result : No eye irritation

Method : OECD Test Guideline 405

Respiratory or skin sensitization

Skin sensitization

May cause an allergic skin reaction.

Respiratory sensitization

Not classified due to lack of data.

Product:

Remarks : Causes sensitization.

Components:

Di(4-tert-butylcyclohexyl) peroxydicarbonate:

Species : Mouse

Method : OECD Test Guideline 429

Result : May cause sensitization by skin contact.

Remarks : Causes sensitization.

Dilauroyl peroxide:

Species : Guinea pig

Method : OECD Test Guideline 406

Result : Does not cause skin sensitization.

Germ cell mutagenicity

Not classified due to lack of data.

according to the Hazardous Products Regulations



NOROX®600-CL2

Version Revision Date: SDS Number: Date of last issue: 11/12/2024 1.8 11/12/2024 600000000352 Date of first issue: 11/16/2016

Components:

Di(4-tert-butylcyclohexyl) peroxydicarbonate:

Genotoxicity in vitro : Method: OECD Test Guideline 471

Result: negative

Method: OECD Test Guideline 476

Result: negative

Method: OECD Test Guideline 487

Result: negative

Genotoxicity in vivo : Remarks: No data available

Dilauroyl peroxide:

Genotoxicity in vitro : Test Type: In vitro mammalian cell gene mutation test

Method: OECD Test Guideline 476

Result: negative

Test Type: Chromosome aberration test in vitro

Method: OECD Test Guideline 473

Result: negative

Test Type: Bacterial reverse mutation assay (AMES)

Method: OECD Test Guideline 471

Result: negative

Genotoxicity in vivo : Remarks: No data available

Carcinogenicity

Not classified due to lack of data.

Components:

Di(4-tert-butylcyclohexyl) peroxydicarbonate:

Remarks : This information is not available.

Reproductive toxicity

Not classified due to lack of data.

Components:

Di(4-tert-butylcyclohexyl) peroxydicarbonate:

Effects on fertility : Remarks: This information is not available.

Effects on fetal development : Remarks: This information is not available.

Dilauroyl peroxide:

Effects on fetal development : Species: Rat

according to the Hazardous Products Regulations



NOROX®600-CL2

Version Revision Date: SDS Number: Date of last issue: 11/12/2024 1.8 11/12/2024 600000000352 Date of first issue: 11/16/2016

General Toxicity Maternal: NOAEL: 1,000 mg/kg body weight

Method: OECD Test Guideline 414

STOT-single exposure

Not classified due to lack of data.

Components:

Di(4-tert-butylcyclohexyl) peroxydicarbonate:

Remarks : No data available

STOT-repeated exposure

Not classified due to lack of data.

Repeated dose toxicity

Components:

Di(4-tert-butylcyclohexyl) peroxydicarbonate:

Species : Rat

NOAEL : 500 mg/kg LOAEL : 1,000 mg/kg

Application Route : Oral Exposure time : 28 d

Method : OECD Test Guideline 407

Dilauroyl peroxide:

Species : Rat

NOAEL : 1,000 mg/kg

Application Route : Oral Exposure time : 28 d

Method : OECD Test Guideline 407

Aspiration toxicity

Not classified due to lack of data.

Components:

Di(4-tert-butylcyclohexyl) peroxydicarbonate:

No data available

Further information

Product:

Remarks : No data available

Components:

Di(4-tert-butylcyclohexyl) peroxydicarbonate:

according to the Hazardous Products Regulations



NOROX®600-CL2

Version Revision Date: SDS Number: Date of last issue: 11/12/2024 1.8 11/12/2024 600000000352 Date of first issue: 11/16/2016

Remarks : No data available

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

Di(4-tert-butylcyclohexyl) peroxydicarbonate:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 704 mg/l

Exposure time: 96 h

Method: OECD Test Guideline 203

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 42 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

Toxicity to algae/aquatic

plants

EC50 (Desmodesmus subspicatus (green algae)): 39 mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

Ecotoxicology Assessment

Acute aquatic toxicity : Harmful to aquatic life.

Chronic aquatic toxicity : Harmful to aquatic life with long lasting effects.

Dilauroyl peroxide:

Toxicity to fish : LC50 (Poecilia reticulata (guppy)): > 1,000 mg/l

Exposure time: 96 h

Method: OECD Test Guideline 203

Remarks: No toxicity at the limit of solubility.

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 1,000 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

Remarks: No toxicity at the limit of solubility.

Toxicity to algae/aquatic

plants

EC50 (Pseudokirchneriella subcapitata (green algae)): > 100

mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

Remarks: No toxicity at the limit of solubility.

NOEC (Pseudokirchneriella subcapitata (green algae)): 100

mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

Remarks: No toxicity at the limit of solubility.

according to the Hazardous Products Regulations



NOROX®600-CL2

Version Revision Date: SDS Number: Date of last issue: 11/12/2024 1.8 11/12/2024 600000000352 Date of first issue: 11/16/2016

Toxicity to microorganisms : EC50: > 1,000 mg/l

Exposure time: 0.5 h

Method: OECD Test Guideline 209

Remarks: No toxicity at the limit of solubility.

Persistence and degradability

Components:

Di(4-tert-butylcyclohexyl) peroxydicarbonate:

Biodegradability : Result: Not readily biodegradable.

Method: OECD Test Guideline 301B

Dilauroyl peroxide:

Biodegradability : Result: Readily biodegradable.

Method: OECD Test Guideline 301D

Bioaccumulative potential

Components:

Di(4-tert-butylcyclohexyl) peroxydicarbonate:

Bioaccumulation : Bioconcentration factor (BCF): 2,926

Partition coefficient: n- : log Pow: 8.34

octanol/water Remarks: Calculation

Dilauroyl peroxide:

Partition coefficient: n-

octanol/water

log Pow: > 6.5

Mobility in soil

No data available

Other adverse effects

Product:

Additional ecological infor-

mation

An environmental hazard cannot be excluded in the event of

unprofessional handling or disposal.

Harmful to aquatic life with long lasting effects.

Components:

Di(4-tert-butylcyclohexyl) peroxydicarbonate:

Additional ecological infor-

mation

An environmental hazard cannot be excluded in the event of

unprofessional handling or disposal.

Harmful to aquatic life with long lasting effects.

according to the Hazardous Products Regulations



NOROX®600-CL2

Version Revision Date: SDS Number: Date of last issue: 11/12/2024 1.8 11/12/2024 600000000352 Date of first issue: 11/16/2016

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Dispose of wastes in an approved waste disposal facility.

The product should not be allowed to enter drains, water

courses or the soil.

Do not contaminate ponds, waterways or ditches with

chemical or used container.

Contaminated packaging : Dispose of in accordance with local regulations.

Clean container with water.

Dispose of contents/ container to an approved waste disposal

plant.

Empty remaining contents.

Dispose of as unused product.

Do not re-use empty containers.

Do not burn, or use a cutting torch on, the empty drum.

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UN number : UN 3114

Proper shipping name : ORGANIC PEROXIDE TYPE C, SOLID, TEMPERATURE

CONTROLLED

(DI-(4-tert-BUTYLCYCLOHEXYL) PEROXYDICARBONATE)

Class : 5.2

Packing group : Not assigned by regulation

Labels : 5.2 Environmentally hazardous : no

IATA-DGR

Not permitted for transport

IMDG-Code

UN number : UN 3114

Proper shipping name : ORGANIC PEROXIDE TYPE C, SOLID, TEMPERATURE

CONTROLLED

(DI-(4-tert-BUTYLCYCLOHEXYL)PEROXYDICARBONATE)

Class : 5.2

Packing group : Not assigned by regulation

Labels : 5.2 EmS Code : F-F, S-R Marine pollutant : no

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

according to the Hazardous Products Regulations



NOROX®600-CL2

Version Revision Date: SDS Number: Date of last issue: 11/12/2024 1.8 11/12/2024 600000000352 Date of first issue: 11/16/2016

TDG

UN number : UN 3114

Proper shipping name : ORGANIC PEROXIDE TYPE C, SOLID, TEMPERATURE

CONTROLLED

(DI-(4-tert-BUTYLCYCLOHEXYL) PEROXYDICARBONATE)

Class : 5.2
Packing group : II
Labels : 5.2
ERG Code : 148
Marine pollutant : no

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

Additional advice

Temperature controlled transport.:

Control temperature : 30 °C

Emergency temperature : 35 °C

SECTION 15. REGULATORY INFORMATION

International Regulations

Gefahrgruppe nach TRGS 741: Ib (German regulatory requirements)

The ingredients of this product are reported in the following inventories:

TCSI (TW) : On the inventory, or in compliance with the inventory

TSCA (US) : All substances listed as active on the TSCA inventory

AIIC (AU) : On the inventory, or in compliance with the inventory

DSL (CA) : All components of this product are on the Canadian DSL

ENCS (JP) : On the inventory, or in compliance with the inventory

ISHL (JP) : On the inventory, or in compliance with the inventory

KECI (KR) : On the inventory, or in compliance with the inventory

PICCS (PH) : On the inventory, or in compliance with the inventory

IECSC (CN) : On the inventory, or in compliance with the inventory

Canadian lists

No substances are subject to a Significant New Activity Notification.

according to the Hazardous Products Regulations



NOROX®600-CL2

Version Revision Date: SDS Number: Date of last issue: 11/12/2024 1.8 11/12/2024 600000000352 Date of first issue: 11/16/2016

SECTION 16. OTHER INFORMATION

Full text of other abbreviations

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods: vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

This material safety datasheet only contains information relating to safety and does not replace any product information or product specification.

These safety instructions also apply to empty packaging which may still contain product residues. The hazards on the label also apply to residues in the container.

Sources of key data used to compile the Material Safety Data Sheet

Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, http://echa.europa.eu/

Revision Date : 11/12/2024

according to the Hazardous Products Regulations



NOROX®600-CL2

Version Revision Date: SDS Number: Date of last issue: 11/12/2024
1.8 11/12/2024 600000000352 Date of first issue: 11/16/2016

Date format : mm/dd/yyyy

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

CA / Z8