

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## NOROX<sup>®</sup> 600

Version 1.2      Revision Date: 04/15/2024      SDS Number: 600000000181      Date of last issue: 03/28/2022  
Date of first issue: 04/03/2019

---

### SECTION 1. IDENTIFICATION

Trade name : NOROX<sup>®</sup> 600

Other means of identification : No data available

CAS-No. : 15520-11-3

#### Manufacturer or supplier's details

Company name of supplier : United Initiators, Inc.

Address : 555 Garden Street  
Elyria OH 44035 USA

United Initiators Canada Ltd.  
2147 PG Pulp Mill Road  
Prince George, BC-V2N 2S6 CANADA

Telephone : +1-440-323-3112

Telefax : +1-440-323-2659

Emergency telephone : CHEMTREC US (24h): +1-800-424-9300  
CHEMTREC WORLD (24h): +1-703-527-3887  
CANUTEC (24h): 1-613-996-6666

For Transportation Incidents : TERRAPURE EMERGENCY RESPONSE SERVICES (24h):  
1-800-567-7455

E-mail address of person responsible for the SDS : cs-initiators.nafta@united-in.com

#### Recommended use of the chemical and restrictions on use

Recommended use : polymerization initiators

---

### SECTION 2. HAZARDS IDENTIFICATION

#### GHS classification in accordance with the Hazardous Products Regulations

Organic peroxides : Type C

Skin sensitization : Category 1

Short-term (acute) aquatic hazard : Category 3

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## NOROX® 600

Version 1.2      Revision Date: 04/15/2024      SDS Number: 600000000181      Date of last issue: 03/28/2022  
Date of first issue: 04/03/2019

---

Long-term (chronic) aquatic hazard : Category 3

### GHS label elements

Hazard pictograms :



Signal Word : Danger

Hazard Statements : H242 Heating may cause a fire.  
H317 May cause an allergic skin reaction.  
H412 Harmful to aquatic life with long lasting effects.

Precautionary Statements :

#### Prevention:

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
P234 Keep only in original packaging.  
P240 Ground and bond container and receiving equipment.  
P261 Avoid breathing dust.  
P272 Contaminated work clothing should not be allowed out of the workplace.  
P273 Avoid release to the environment.  
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection/ hearing protection.

#### Response:

P302 + P352 IF ON SKIN: Wash with plenty of water.  
P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.  
P362 + P364 Take off contaminated clothing and wash it before reuse.  
P370 + P378 In case of fire: Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide to extinguish.

#### Storage:

P403 Store in a well-ventilated place.  
P410 Protect from sunlight.  
P411 Store at temperatures not exceeding < 20 °C/ < 68 °F.  
P420 Store separately.

#### Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

### Other hazards

None known.

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## NOROX<sup>®</sup> 600

Version 1.2      Revision Date: 04/15/2024      SDS Number: 600000000181      Date of last issue: 03/28/2022  
Date of first issue: 04/03/2019

### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Substance  
Chemical nature : Organic Peroxides, Solid  
Substance name : Di(4-tert-butylcyclohexyl) peroxydicarbonate  
CAS-No. : 15520-11-3  
Common Name/Synonym : No data available

#### Components

Chemical name	Common Name/Synonym	CAS-No.	Concentration (% w/w)
Di(4-tert-butylcyclohexyl) peroxydicarbonate	Di(4-tert-butylcyclohexyl) peroxydicarbonate	15520-11-3	<= 100 *

\* Actual concentration or concentration range is withheld as a trade secret

### SECTION 4. FIRST AID MEASURES

General advice : Take off contaminated clothing and shoes immediately.  
Call a physician immediately.  
Never give anything by mouth to an unconscious person.  
If unconscious, place in recovery position and seek medical advice.  
Move out of dangerous area.  
Show this material safety data sheet to the doctor in attendance.  
Do not leave the victim unattended.  
Symptoms of poisoning may appear several hours later.

If inhaled : Administer oxygen if breathing is difficult or cyanosis is observed.  
If breathed in, move person into fresh air.  
If not breathing, give artificial respiration.  
If unconscious, place in recovery position and seek medical advice.  
If symptoms persist, call a physician.

In case of skin contact : If symptoms persist, call a physician.  
In case of contact, immediately flush skin with plenty of water

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## NOROX<sup>®</sup> 600

Version	Revision Date:	SDS Number:	Date of last issue: 03/28/2022
1.2	04/15/2024	600000000181	Date of first issue: 04/03/2019

---

- for at least 15 minutes while removing contaminated clothing and shoes.  
Wash contaminated clothing before re-use.  
If on skin, rinse well with water.  
If on clothes, remove clothes.
- In case of eye contact : In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice.  
Remove contact lenses.  
Protect unharmed eye.  
Keep eye wide open while rinsing.  
If eye irritation persists, consult a specialist.
- If swallowed : Call a physician immediately.  
Rinse mouth thoroughly with water.  
Keep respiratory tract clear.  
If symptoms persist, call a physician.
- Most important symptoms and effects, both acute and delayed : May cause an allergic skin reaction.  
sensitizing effects
- Protection of first-aiders : First Aid responders should pay attention to self-protection and use the recommended protective clothing
- Notes to physician : Treat symptomatically and supportively.
- 

### SECTION 5. FIRE-FIGHTING MEASURES

- Suitable extinguishing media : Water spray jet  
Alcohol-resistant foam  
Carbon dioxide (CO<sub>2</sub>)  
Dry chemical
- Unsuitable extinguishing media : High volume water jet
- Specific hazards during fire fighting : Risk of explosion if heated under confinement.  
Possible emission of gaseous decomposition products may lead to a dangerous pressure build-up.  
Avoid confinement.  
Contact with incompatible materials or exposure to temperatures exceeding SADT may result in a self-accelerating decomposition reaction with release of flammable vapors which may auto-ignite.
- The product burns violently.  
Flash back possible over considerable distance.  
Do not allow run-off from fire fighting to enter drains or water courses.  
Vapors may form explosive mixtures with air.
-

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## NOROX® 600

Version	Revision Date:	SDS Number:	Date of last issue: 03/28/2022
1.2	04/15/2024	600000000181	Date of first issue: 04/03/2019

---

- The product will float on water and can be reignited on surface water.  
Cool closed containers exposed to fire with water spray.
- Specific extinguishing methods : Do not use a solid water stream as it may scatter and spread fire.  
Remove undamaged containers from fire area if it is safe to do so.  
Use water spray to cool unopened containers.
- Further information : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.  
Use a water spray to cool fully closed containers.  
Collect contaminated fire extinguishing water separately. This must not be discharged into drains.  
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
- Special protective equipment for fire-fighters : Wear self-contained breathing apparatus for firefighting if necessary.  
Use personal protective equipment.
- 

### SECTION 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Follow safe handling advice and personal protective equipment recommendations.  
Use personal protective equipment.  
Avoid dust formation.  
Avoid breathing dust.  
Remove all sources of ignition.  
Never return spills in original containers for re-use.  
Treat recovered material as described in the section "Disposal considerations".
- Environmental precautions : Prevent product from entering drains.  
Prevent further leakage or spillage if safe to do so.  
If the product contaminates rivers and lakes or drains inform respective authorities.
- Methods and materials for containment and cleaning up : Contact with incompatible substances can cause decomposition at or below SADT.  
Clear spills immediately.  
Suppress (knock down) gases/vapors/mists with a water spray jet.  
To clean the floor and all objects contaminated by this material, use plenty of water.  
Soak up with inert absorbent material.  
Isolate waste and do not reuse.  
Non-sparking tools should be used.  
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items
-

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## NOROX® 600

Version	Revision Date:	SDS Number:	Date of last issue: 03/28/2022
1.2	04/15/2024	600000000181	Date of first issue: 04/03/2019

---

employed in the cleanup of releases. You will need to determine which regulations are applicable.

---

### SECTION 7. HANDLING AND STORAGE

- Technical measures : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.
- Advice on protection against fire and explosion : Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapors).  
Keep away from heat and sources of ignition.  
Use only explosion-proof equipment.  
Keep away from open flames, hot surfaces and sources of ignition.  
Keep away from combustible material.  
Avoid dust formation.  
Provide appropriate exhaust ventilation at places where dust is formed.
- Advice on safe handling : Open drum carefully as content may be under pressure.  
Avoid formation of respirable particles.  
Protect from contamination.  
Do not swallow.  
Do not breathe vapors/dust.  
Avoid exposure - obtain special instructions before use.  
Avoid contact with skin and eyes.  
Take precautionary measures against static discharges.  
Never return any product to the container from which it was originally removed.  
Provide sufficient air exchange and/or exhaust in work rooms.  
Avoid confinement.  
Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
Smoking, eating and drinking should be prohibited in the application area.  
Wash thoroughly after handling.  
For personal protection see section 8.  
Persons susceptible to skin sensitization problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used.
- Conditions for safe storage : Store in original container.  
Keep containers tightly closed in a cool, well-ventilated place.  
Store in cool place.  
Keep in a well-ventilated place.  
Contamination may result in dangerous pressure increases - closed containers may rupture.  
Observe label precautions.  
Store in accordance with the particular national regulations.

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## NOROX<sup>®</sup> 600

Version	Revision Date:	SDS Number:	Date of last issue: 03/28/2022
1.2	04/15/2024	600000000181	Date of first issue: 04/03/2019

---

Avoid impurities (e.g. rust, dust, ash), risk of decomposition. Electrical installations / working materials must comply with the technological safety standards. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

Materials to avoid : Keep away from combustible materials. Keep away from strong acids, bases, heavy metal salts and other reducing substances.

Recommended storage temperature : < 20 °C

Further information on storage stability : Stable under recommended storage conditions.

---

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Ingredients with workplace control parameters

Contains no substances with occupational exposure limit values.

**Engineering measures** : Minimize workplace exposure concentrations.

#### Personal protective equipment

Respiratory protection : In the case of dust or aerosol formation use respirator with an approved filter.

Filter type : Filter type P

Use NIOSH approved respiratory protection.

#### Hand protection

Material : butyl-rubber  
Break through time : 480 min  
Glove thickness : 0.47 mm

Material : Nitrile rubber  
Break through time : 480 min  
Glove thickness : 0.40 mm

Remarks : The data about break through time/strength of material are standard values! The exact break through time/strength of material has to be obtained from the producer of the protective glove. Choose gloves to protect hands against chemicals depending on the concentration and quantity of the

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## NOROX® 600

Version 1.2	Revision Date: 04/15/2024	SDS Number: 600000000181	Date of last issue: 03/28/2022 Date of first issue: 04/03/2019
----------------	------------------------------	-----------------------------	---

---

- hazardous substance and specific to place of work.  
For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer. Wash hands before breaks and at the end of workday.
- Eye protection : Ensure that eyewash stations and safety showers are close to the workstation location.  
Please follow all applicable local/national requirements when selecting protective measures for a specific workplace.  
Always wear eye protection when the potential for inadvertent eye contact with the product cannot be excluded.  
Tightly fitting safety goggles  
Please wear suitable protective goggles. Also wear face protection if there is a splash hazard.
- Skin and body protection : Select appropriate protective clothing based on chemical resistance data and an assessment of the local exposure potential.  
  
Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces.  
Wear as appropriate:  
Flame retardant antistatic protective clothing.
- Protective measures : The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.
- Hygiene measures : Avoid contact with skin, eyes and clothing.  
Keep away from food and drink.  
When using do not eat or drink.  
When using do not smoke.  
Wash hands before breaks and immediately after handling the product.

---

### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

- Appearance : powder
- Color : white
- Odor : characteristic



# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## NOROX® 600

Version 1.2      Revision Date: 04/15/2024      SDS Number: 600000000181      Date of last issue: 03/28/2022  
Date of first issue: 04/03/2019

---

Odor Threshold : No data available

pH : substance/mixture is non-soluble (in water)

Melting point/range : 82 °C  
Decomposition: Decomposes below the melting point.  
Method: OECD Test Guideline 102

Boiling point/boiling range : Decomposition: Decomposes below the boiling point.  
Not applicable

Flash point : Not applicable

Evaporation rate : Not applicable

Flammability (solid, gas) : Organic peroxide

Self-ignition : The substance or mixture is not classified as pyrophoric.

Upper explosion limit / Upper flammability limit : Upper explosion limit  
No data available

Lower explosion limit / Lower flammability limit : Lower explosion limit  
No data available

Vapor pressure : 0.01 Pa (20 °C)

Relative vapor density : Not applicable

Relative density : 1,103 (20 °C)

Density : not determined

Bulk density : 500 kg/m<sup>3</sup> (20 °C)

Solubility(ies)  
Water solubility : 0.6 µg/l insoluble (20 °C)

Partition coefficient: n-octanol/water : log Pow: 8.34  
The value is calculated

Autoignition temperature : not determined

Self-Accelerating decomposition temperature (SADT) : 45 °C  
Method: UN-Test H.4  
SADT-Self Accelerating Decomposition Temperature. Lowest temperature at which the tested package size will undergo a self-accelerating decomposition reaction.

Viscosity

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## NOROX® 600

Version	Revision Date:	SDS Number:	Date of last issue: 03/28/2022
1.2	04/15/2024	600000000181	Date of first issue: 04/03/2019

---

Viscosity, dynamic	:	Not applicable
Viscosity, kinematic	:	Not applicable
Explosive properties	:	Not explosive Avoid dust formation.
Oxidizing properties	:	The substance or mixture is not classified as oxidizing. Organic peroxide
Self-heating substances	:	The substance or mixture is not classified as self heating.
Particle size	:	not determined

---

### SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	Stable under recommended storage conditions. Heating may cause a fire or explosion.
Chemical stability	:	Stable under recommended storage conditions. No decomposition if stored normally.
Possibility of hazardous reactions	:	Dust may form explosive mixture in air.
Conditions to avoid	:	Protect from contamination. Contact with incompatible substances can cause decomposition at or below SADT. Heat, flames and sparks. Avoid confinement.
Incompatible materials	:	Accelerators, strong acids and bases, heavy metals and heavy metal salts, reducing agents
Hazardous decomposition products	:	Irritant, caustic, flammable, noxious/toxic gases and vapours can develop in the case of fire and decomposition

---

### SECTION 11. TOXICOLOGICAL INFORMATION

#### Acute toxicity

Not classified due to lack of data.

#### Product:

Acute oral toxicity	:	LD50 (Rat): > 5,000 mg/kg Method: OECD Test Guideline 401
---------------------	---	--

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## NOROX® 600

Version	Revision Date:	SDS Number:	Date of last issue: 03/28/2022
1.2	04/15/2024	600000000181	Date of first issue: 04/03/2019

---

Assessment: The component/mixture is minimally toxic after single ingestion.

Acute inhalation toxicity : Remarks: No data available

Acute dermal toxicity : Remarks: No data available

### Components:

#### **Di(4-tert-butylcyclohexyl) peroxydicarbonate:**

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg  
Method: OECD Test Guideline 401  
Assessment: The component/mixture is minimally toxic after single ingestion.

Acute inhalation toxicity : Remarks: No data available

Acute dermal toxicity : Remarks: No data available

### **Skin corrosion/irritation**

Based on available data, the classification criteria are not met.

### Product:

Species : Rabbit  
Method : OECD Test Guideline 404  
Result : No skin irritation

Remarks : May cause skin irritation in susceptible persons.

### Components:

#### **Di(4-tert-butylcyclohexyl) peroxydicarbonate:**

Species : Rabbit  
Method : OECD Test Guideline 404  
Result : No skin irritation

Remarks : May cause skin irritation in susceptible persons.

### **Serious eye damage/eye irritation**

Based on available data, the classification criteria are not met.

### Product:

Species : Rabbit  
Result : No eye irritation  
Method : OECD Test Guideline 405

Remarks : Product dust may be irritating to eyes, skin and respiratory system.

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## NOROX<sup>®</sup> 600

Version	Revision Date:	SDS Number:	Date of last issue: 03/28/2022
1.2	04/15/2024	600000000181	Date of first issue: 04/03/2019

---

### Components:

#### **Di(4-tert-butylcyclohexyl) peroxydicarbonate :**

Species	:	Rabbit
Result	:	No eye irritation
Method	:	OECD Test Guideline 405
Remarks	:	Product dust may be irritating to eyes, skin and respiratory system.

#### **Respiratory or skin sensitization**

##### **Skin sensitization**

May cause an allergic skin reaction.

##### **Respiratory sensitization**

Not classified due to lack of data.

### Product:

Species	:	Mouse
Method	:	OECD Test Guideline 429
Result	:	May cause sensitization by skin contact.
Remarks	:	Causes sensitization.

### Components:

#### **Di(4-tert-butylcyclohexyl) peroxydicarbonate :**

Species	:	Mouse
Method	:	OECD Test Guideline 429
Result	:	May cause sensitization by skin contact.
Remarks	:	Causes sensitization.

#### **Germ cell mutagenicity**

Not classified due to lack of data.

### Product:

Genotoxicity in vitro	:	Method: OECD Test Guideline 471 Result: negative
	:	Method: OECD Test Guideline 476 Result: negative
	:	Method: OECD Test Guideline 487 Result: negative
Genotoxicity in vivo	:	Remarks: No data available

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## NOROX<sup>®</sup> 600

Version 1.2      Revision Date: 04/15/2024      SDS Number: 600000000181      Date of last issue: 03/28/2022  
Date of first issue: 04/03/2019

---

### Components:

#### **Di(4-tert-butylcyclohexyl) peroxydicarbonate :**

Genotoxicity in vitro      :    Method: OECD Test Guideline 471  
Result: negative

Method: OECD Test Guideline 476  
Result: negative

Method: OECD Test Guideline 487  
Result: negative

Genotoxicity in vivo      :    Remarks: No data available

#### **Carcinogenicity**

Not classified due to lack of data.

#### **Product:**

Remarks      :    This information is not available.

### Components:

#### **Di(4-tert-butylcyclohexyl) peroxydicarbonate :**

Remarks      :    This information is not available.

#### **Reproductive toxicity**

Not classified due to lack of data.

### Components:

#### **Di(4-tert-butylcyclohexyl) peroxydicarbonate :**

Effects on fertility      :    Remarks: This information is not available.

Effects on fetal development      :    Remarks: This information is not available.

#### **STOT-single exposure**

Not classified due to lack of data.

#### **Product:**

Remarks      :    No data available

### Components:

#### **Di(4-tert-butylcyclohexyl) peroxydicarbonate :**

Remarks      :    No data available

#### **STOT-repeated exposure**

Not classified due to lack of data.

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## NOROX® 600

Version 1.2      Revision Date: 04/15/2024      SDS Number: 600000000181      Date of last issue: 03/28/2022  
Date of first issue: 04/03/2019

---

### Repeated dose toxicity

#### Product:

Species : Rat  
NOAEL : 500 mg/kg  
LOAEL : 1,000 mg/kg  
Application Route : Oral  
Exposure time : 28 d  
Method : OECD Test Guideline 407

#### Components:

##### **Di(4-tert-butylcyclohexyl) peroxydicarbonate :**

Species : Rat  
NOAEL : 500 mg/kg  
LOAEL : 1,000 mg/kg  
Application Route : Oral  
Exposure time : 28 d  
Method : OECD Test Guideline 407

### Aspiration toxicity

Not classified due to lack of data.

#### Product:

No data available

#### Components:

##### **Di(4-tert-butylcyclohexyl) peroxydicarbonate :**

No data available

### Further information

#### Product:

Remarks : No data available

#### Components:

##### **Di(4-tert-butylcyclohexyl) peroxydicarbonate :**

Remarks : No data available

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## NOROX<sup>®</sup> 600

Version	Revision Date:	SDS Number:	Date of last issue: 03/28/2022
1.2	04/15/2024	600000000181	Date of first issue: 04/03/2019

---

### SECTION 12. ECOLOGICAL INFORMATION

#### Ecotoxicity

##### Product:

- Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 704 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 203
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 42 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202
- Toxicity to algae/aquatic plants : EC50 (Desmodesmus subspicatus (green algae)): 39 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

##### Components:

##### **Di(4-tert-butylcyclohexyl) peroxydicarbonate:**

- Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 704 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 203
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 42 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202
- Toxicity to algae/aquatic plants : EC50 (Desmodesmus subspicatus (green algae)): 39 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

#### Ecotoxicology Assessment

- Acute aquatic toxicity : Harmful to aquatic life.
- Chronic aquatic toxicity : Harmful to aquatic life with long lasting effects.

#### Persistence and degradability

##### Product:

- Biodegradability : Result: Not readily biodegradable.  
Method: OECD Test Guideline 301B

##### Components:

##### **Di(4-tert-butylcyclohexyl) peroxydicarbonate:**

- Biodegradability : Result: Not readily biodegradable.  
Method: OECD Test Guideline 301B

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## NOROX<sup>®</sup> 600

Version 1.2	Revision Date: 04/15/2024	SDS Number: 600000000181	Date of last issue: 03/28/2022 Date of first issue: 04/03/2019
----------------	------------------------------	-----------------------------	---

---

### Bioaccumulative potential

#### Product:

Bioaccumulation : Bioconcentration factor (BCF): 2,926

#### Components:

##### **Di(4-tert-butylcyclohexyl) peroxydicarbonate:**

Bioaccumulation : Bioconcentration factor (BCF): 2,926

Partition coefficient: n-octanol/water : log Pow: 8.34  
Remarks: Calculation

### Mobility in soil

No data available

### Other adverse effects

#### Product:

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.  
Harmful to aquatic life with long lasting effects.

#### Components:

##### **Di(4-tert-butylcyclohexyl) peroxydicarbonate:**

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.  
Harmful to aquatic life with long lasting effects.

---

## SECTION 13. DISPOSAL CONSIDERATIONS

### Disposal methods

Waste from residues : Dispose of wastes in an approved waste disposal facility.  
The product should not be allowed to enter drains, water courses or the soil.  
Do not contaminate ponds, waterways or ditches with chemical or used container.

Contaminated packaging : Dispose of in accordance with local regulations.  
Clean container with water.  
Dispose of contents/ container to an approved waste disposal plant.  
Empty remaining contents.  
Dispose of as unused product.  
Do not re-use empty containers.  
Do not burn, or use a cutting torch on, the empty drum.



# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## NOROX® 600

Version	Revision Date:	SDS Number:	Date of last issue: 03/28/2022
1.2	04/15/2024	600000000181	Date of first issue: 04/03/2019

### SECTION 14. TRANSPORT INFORMATION

#### International Regulations

##### UNRTDG

UN number : UN 3114  
Proper shipping name : ORGANIC PEROXIDE TYPE C, SOLID, TEMPERATURE CONTROLLED (DI-(4-tert-BUTYLCYCLOHEXYL) PEROXYDICARBONATE)  
Class : 5.2  
Packing group : Not assigned by regulation  
Labels : 5.2  
Environmentally hazardous : no

##### IATA-DGR

Not permitted for transport

##### IMDG-Code

UN number : UN 3114  
Proper shipping name : ORGANIC PEROXIDE TYPE C, SOLID, TEMPERATURE CONTROLLED (DI-(4-tert-BUTYLCYCLOHEXYL)PE ROXY DICARBONATE )  
Class : 5.2  
Packing group : Not assigned by regulation  
Labels : 5.2  
EmS Code : F-F, S-R  
Marine pollutant : no

#### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

#### Domestic regulation

##### TDG

UN number : UN 3114  
Proper shipping name : ORGANIC PEROXIDE TYPE C, SOLID, TEMPERATURE CONTROLLED (DI-(4-tert-BUTYLCYCLOHEXYL) PEROXYDICARBONATE)  
Class : 5.2  
Packing group : II  
Labels : 5.2  
ERG Code : 148  
Marine pollutant : no

#### Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

#### Additional advice

Temperature controlled transport.:

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## NOROX<sup>®</sup> 600

Version	Revision Date:	SDS Number:	Date of last issue: 03/28/2022
1.2	04/15/2024	600000000181	Date of first issue: 04/03/2019

---

Control temperature : 30 °C  
Emergency temperature : 35 °C

---

### SECTION 15. REGULATORY INFORMATION

#### International Regulations

Gefahrgruppe nach TRGS 741: Ia (German regulatory requirements)

#### The ingredients of this product are reported in the following inventories:

TCSI (TW) : On the inventory, or in compliance with the inventory  
TSCA (US) : All substances listed as active on the TSCA inventory  
AIIC (AU) : On the inventory, or in compliance with the inventory  
DSL (CA) : All components of this product are on the Canadian DSL  
ENCS (JP) : On the inventory, or in compliance with the inventory  
ISHL (JP) : On the inventory, or in compliance with the inventory  
KECI (KR) : On the inventory, or in compliance with the inventory  
PICCS (PH) : On the inventory, or in compliance with the inventory  
IECSC (CN) : On the inventory, or in compliance with the inventory

#### Canadian lists

No substances are subject to a Significant New Activity Notification.

---

### SECTION 16. OTHER INFORMATION

#### Further information

This material safety datasheet only contains information relating to safety and does not replace any product information or product specification.  
These safety instructions also apply to empty packaging which may still contain product residues.  
The hazards on the label also apply to residues in the container.

Sources of key data used to compile the Material Safety : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agen-

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## NOROX® 600

Version	Revision Date:	SDS Number:	Date of last issue: 03/28/2022
1.2	04/15/2024	600000000181	Date of first issue: 04/03/2019

---

Data Sheet cy, <http://echa.europa.eu/>

Revision Date : 04/15/2024  
Date format : mm/dd/yyyy

### Full text of other abbreviations

AllC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECl - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

CA / Z8

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## NOROX<sup>®</sup> 600

Version	Revision Date:	SDS Number:	Date of last issue: 03/28/2022
1.2	04/15/2024	600000000181	Date of first issue: 04/03/2019

---