

SAFETY DATA SHEET

NOROX[®] CHM-50



Version 3.0 Revision Date: 03.08.2023 SDS Number: 600000000425 Date of last issue: 22.02.2021
Date of first issue: 07.04.2017

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : NOROX[®] CHM-50

Manufacturer or supplier's details

Company : United Initiators Pty Ltd
Address : 20-22 McPherson Street
Banksmeadow NSW 2019 Australia
Telephone : +61 2 9188 3690 (Monday–Friday office hours only)
Emergency telephone number : +49 89 744220 (24 hours specialist advise)
E-mail address : cs-initiators.au@united-in.com

Recommended use of the chemical and restrictions on use

Recommended use : Hardener

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification

Flammable liquids : Category 3
Organic peroxides : Type F
Acute toxicity (Oral) : Category 4
Acute toxicity (Inhalation) : Category 3
Skin corrosion/irritation : Sub-category 1B
Serious eye damage/eye irritation : Category 1
Carcinogenicity : Category 1B
Specific target organ toxicity - repeated exposure : Category 2
Short-term (acute) aquatic hazard : Category 2
Long-term (chronic) aquatic hazard : Category 2

SAFETY DATA SHEET

NOROX[®]CHM-50



Version
3.0

Revision Date:
03.08.2023

SDS Number:
600000000425

Date of last issue: 22.02.2021
Date of first issue: 07.04.2017

GHS label elements

Hazard pictograms



Signal word

: Danger

Hazard statements

: H226 Flammable liquid and vapour.
H242 Heating may cause a fire.
H302 Harmful if swallowed.
H314 Causes severe skin burns and eye damage.
H331 Toxic if inhaled.
H350 May cause cancer.
H373 May cause damage to organs through prolonged or repeated exposure.
H411 Toxic to aquatic life with long lasting effects.

Precautionary statements

: **Prevention:**
P201 Obtain special instructions before use.
P202 Do not handle until all safety precautions have been read and understood.
P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P233 Keep container tightly closed.
P234 Keep only in original packaging.
P240 Ground and bond container and receiving equipment.
P241 Use explosion-proof electrical/ ventilating/ lighting equipment.
P242 Use non-sparking tools.
P243 Take action to prevent static discharges.
P260 Do not breathe mist or vapours.
P264 Wash skin thoroughly after handling.
P270 Do not eat, drink or smoke when using this product.
P271 Use only outdoors or in a well-ventilated area.
P273 Avoid release to the environment.
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection/ hearing protection.
Response:
P301 + P312 + P330 IF SWALLOWED: Call a POISON CENTER/ doctor if you feel unwell. Rinse mouth.
P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.
P304 + P340 + P310 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a

SAFETY DATA SHEET

NOROX[®] CHM-50



Version 3.0 Revision Date: 03.08.2023 SDS Number: 600000000425 Date of last issue: 22.02.2021
Date of first issue: 07.04.2017

POISON CENTER/ doctor.
P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor.
P308 + P313 IF exposed or concerned: Get medical advice/ attention.
P363 Wash contaminated clothing before reuse.
P370 + P378 In case of fire: Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide to extinguish.
P391 Collect spillage.

Storage:

P403 + P233 Store in a well-ventilated place. Keep container tightly closed.
P403 + P235 Store in a well-ventilated place. Keep cool.
P405 Store locked up.
P410 Protect from sunlight.
P411 Store at temperatures not exceeding < 86 °F/ < 30 °C.
P420 Store separately.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards which do not result in classification

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture
Chemical nature : Organic Peroxide
Liquid

Components

Chemical name	CAS-No.	Concentration (% w/w)
methyl acetoacetate	105-45-3	>= 45 -< 50
Cumene hydroperoxide	80-15-9	>= 40 -< 45
Cumene	98-82-8	>= 5 -< 7.5
acetophenone	98-86-2	>= 1 -< 2.5
Benzenemethanol, alpha,alpha-dimethyl-	617-94-7	>= 1 -< 5

SECTION 4. FIRST AID MEASURES

General advice : Take off contaminated clothing and shoes immediately.
Call a physician immediately.
Never give anything by mouth to an unconscious person.
If unconscious, place in recovery position and seek medical

SAFETY DATA SHEET

NOROX® CHM-50



Version 3.0 Revision Date: 03.08.2023 SDS Number: 600000000425 Date of last issue: 22.02.2021
Date of first issue: 07.04.2017

- advice.
Move out of dangerous area.
Show this safety data sheet to the doctor in attendance.
Do not leave the victim unattended.
Symptoms of poisoning may appear several hours later.
No artificial respiration, mouth-to-mouth or mouth to nose. Use suitable instruments/apparatus.
- If inhaled : Administer oxygen if breathing is difficult or cyanosis is observed.
Call a physician immediately.
If breathed in, move person into fresh air.
If not breathing, give artificial respiration.
Contact a poison control center.
Respiratory tract burning possible if aerosols are inhaled.
Call a physician or poison control centre immediately.
If unconscious, place in recovery position and seek medical advice.
Keep respiratory tract clear.
- In case of skin contact : If symptoms persist, call a physician.
Immediate medical treatment is necessary as untreated wounds from corrosion of the skin heal slowly and with difficulty.
In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes.
Wash contaminated clothing before re-use.
If on skin, rinse well with water.
If on clothes, remove clothes.
- In case of eye contact : Small amounts splashed into eyes can cause irreversible tissue damage and blindness.
In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
Continue rinsing eyes during transport to hospital.
Remove contact lenses.
Protect unharmed eye.
Keep eye wide open while rinsing.
If eye irritation persists, consult a specialist.
- If swallowed : Call a physician immediately.
Rinse mouth thoroughly with water.
Keep respiratory tract clear.
If symptoms persist, call a physician.
- Most important symptoms and effects, both acute and delayed : Harmful if swallowed.
Causes serious eye damage.
Toxic if inhaled.
May cause cancer.
May cause damage to organs through prolonged or repeated

SAFETY DATA SHEET

NOROX[®] CHM-50



Version 3.0 Revision Date: 03.08.2023 SDS Number: 600000000425 Date of last issue: 22.02.2021
Date of first issue: 07.04.2017

- exposure.
Causes severe burns.
- Protection of first-aiders : First Aid responders should pay attention to self-protection and use the recommended protective clothing
- Notes to physician : Treat symptomatically and supportively.
-

SECTION 5. FIREFIGHTING MEASURES

- Suitable extinguishing media : Water spray jet
Alcohol-resistant foam
Carbon dioxide (CO₂)
Dry chemical
- Unsuitable extinguishing media : High volume water jet
- Specific hazards during fire-fighting : Risk of explosion if heated under confinement.
Possible emission of gaseous decomposition products may lead to a dangerous pressure build-up.
Avoid confinement.
Contact with incompatible materials or exposure to temperatures exceeding SADT may result in a self-accelerating decomposition reaction with release of flammable vapors which may auto-ignite.
The product burns violently.
Flash back possible over considerable distance.
Do not allow run-off from fire fighting to enter drains or water courses.
Vapours may form explosive mixtures with air.
The product will float on water and can be reignited on surface water.
Cool closed containers exposed to fire with water spray.
- Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Use a water spray to cool fully closed containers.
Collect contaminated fire extinguishing water separately. This must not be discharged into drains.
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
- Do not use a solid water stream as it may scatter and spread fire.
Remove undamaged containers from fire area if it is safe to do so.
Use water spray to cool unopened containers.
- Special protective equipment : Wear self-contained breathing apparatus for firefighting if nec-
-

SAFETY DATA SHEET

NOROX[®] CHM-50



Version 3.0 Revision Date: 03.08.2023 SDS Number: 600000000425 Date of last issue: 22.02.2021
Date of first issue: 07.04.2017

- Keep away from combustible material.
Do not spray on a naked flame or any incandescent material.
- Advice on safe handling : Open drum carefully as content may be under pressure.
Protect from contamination.
Do not swallow.
Do not breathe vapours/dust.
Avoid exposure - obtain special instructions before use.
Avoid contact with skin and eyes.
Avoid formation of aerosol.
Take precautionary measures against static discharges.
Never return any product to the container from which it was originally removed.
Provide sufficient air exchange and/or exhaust in work rooms.
Avoid confinement.
Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
Smoking, eating and drinking should be prohibited in the application area.
Wash thoroughly after handling.
For personal protection see section 8.
- Hygiene measures : Avoid contact with skin, eyes and clothing.
Keep away from food and drink.
When using do not eat or drink.
When using do not smoke.
Wash hands before breaks and immediately after handling the product.
- Conditions for safe storage : Store in original container.
Keep containers tightly closed in a cool, well-ventilated place.
Store in cool place.
Contamination may result in dangerous pressure increases - closed containers may rupture.
Prevent unauthorized access.
Observe label precautions.
Store in accordance with the particular national regulations.
Avoid impurities (e.g. rust, dust, ash), risk of decomposition.
Electrical installations / working materials must comply with the technological safety standards.
Containers which are opened must be carefully resealed and kept upright to prevent leakage.
- Materials to avoid : Keep away from strong acids, bases, heavy metal salts and other reducing substances.
- Recommended storage temperature : < 30 °C
- Further information on storage stability : No decomposition if stored normally.

SAFETY DATA SHEET

NOROX® CHM-50



Version 3.0 Revision Date: 03.08.2023 SDS Number: 600000000425 Date of last issue: 22.02.2021
Date of first issue: 07.04.2017

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Cumene	98-82-8	TWA	25 ppm 125 mg/m ³	AU OEL
	Further information: Skin absorption			
		STEL	75 ppm 375 mg/m ³	AU OEL
	Further information: Skin absorption			
		TWA	5 ppm	ACGIH
acetophenone	98-86-2	TWA	10 ppm	ACGIH

Engineering measures : Minimize workplace exposure concentrations.

Personal protective equipment

Respiratory protection : In the case of dust or aerosol formation use respirator with an approved filter.

Filter type : ABEK-filter

Hand protection

Material : butyl-rubber
Break through time : 60 min
Glove thickness : 0.5 mm

Remarks : The data about break through time/strength of material are standard values! The exact break through time/strength of material has to be obtained from the producer of the protective glove. Choose gloves to protect hands against chemicals depending on the concentration and quantity of the hazardous substance and specific to place of work. For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer. Wash hands before breaks and at the end of workday.

Eye protection : Ensure that eyewash stations and safety showers are close to the workstation location.
Please follow all applicable local/national requirements when selecting protective measures for a specific workplace.
Always wear eye protection when the potential for inadvertent eye contact with the product cannot be excluded.
Tightly fitting safety goggles

SAFETY DATA SHEET

NOROX[®] CHM-50



Version	Revision Date:	SDS Number:	Date of last issue: 22.02.2021
3.0	03.08.2023	600000000425	Date of first issue: 07.04.2017

- Please wear suitable protective goggles. Also wear face protection if there is a splash hazard.
- Skin and body protection : Select appropriate protective clothing based on chemical resistance data and an assessment of the local exposure potential.
Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces.
Wear as appropriate:
Flame retardant antistatic protective clothing.
- Protective measures : The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

- Appearance : liquid
- Colour : light yellow
- Odour : aromatic
- pH : Not applicable
- Melting point/range : No data available
- Boiling point/boiling range : Not applicable Decomposition
- Flash point : 60 °C
- Flammability (solid, gas) : Not applicable
- Upper explosion limit / Upper flammability limit : No data available
- Lower explosion limit / Lower flammability limit : No data available
- Vapour pressure : No data available
- Relative vapour density : No data available
- Density : 1.0 g/cm³

SAFETY DATA SHEET

NOROX[®] CHM-50



Version	Revision Date:	SDS Number:	Date of last issue: 22.02.2021
3.0	03.08.2023	600000000425	Date of first issue: 07.04.2017

Solubility(ies)
Water solubility : slightly soluble

Partition coefficient: n-
octanol/water : No data available

Self-Accelerating decomposi-
tion temperature (SADT) : 60 °C
SADT-Self Accelerating Decomposition Temperature. Lowest
temperature at which the tested package size will undergo a
self-accelerating decomposition reaction.

Viscosity
Viscosity, dynamic : No data available

Viscosity, kinematic : No data available

Oxidizing properties : The substance or mixture is not classified as oxidizing.
Organic peroxide

SECTION 10. STABILITY AND REACTIVITY

Reactivity : Stable under recommended storage conditions.
Heating may cause a fire or explosion.

Chemical stability : Stable under recommended storage conditions.
No decomposition if stored normally.

Possibility of hazardous reac-
tions : Vapours may form explosive mixture with air.

Conditions to avoid : Protect from contamination.
Contact with incompatible substances can cause decomposi-
tion at or below SADT.
Heat, flames and sparks.
Avoid confinement.

Incompatible materials : Accelerators, strong acids and bases, heavy metals and
heavy metal salts, reducing agents

Hazardous decomposition
products : Irritant, caustic, flammable, noxious/toxic gases and vapours
can develop in the case of fire and decomposition

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Harmful if swallowed.

SAFETY DATA SHEET

NOROX[®] CHM-50



Version 3.0 Revision Date: 03.08.2023 SDS Number: 600000000425 Date of last issue: 22.02.2021
Date of first issue: 07.04.2017

Toxic if inhaled.

Product:

Acute oral toxicity : Acute toxicity estimate: 847.83 mg/kg
Method: Calculation method

Acute inhalation toxicity : Acute toxicity estimate: 7.14 mg/l
Exposure time: 4 h
Test atmosphere: vapour
Method: Calculation method

Acute dermal toxicity : Acute toxicity estimate: > 2,000 mg/kg
Method: Calculation method

Components:

methyl acetoacetate:

Acute oral toxicity : LD50 (Rat, male): 2,580 mg/kg
Method: OECD Test Guideline 401

Acute inhalation toxicity : LC50 (Rabbit): > 49 mg/l
Exposure time: 4 h
Test atmosphere: vapour
Assessment: The substance or mixture has no acute inhalation toxicity
Remarks: Information given is based on data obtained from similar substances.
No mortality observed at this dose.

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg
Method: OECD Test Guideline 402
Assessment: The substance or mixture has no acute dermal toxicity
Remarks: No mortality observed at this dose.

Cumene hydroperoxide:

Acute oral toxicity : LD50 Oral (Rat): 382 mg/kg

Acute inhalation toxicity : LC50: 1.370 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Assessment: The component/mixture is toxic after short term inhalation.

Acute dermal toxicity : LD50: 1,200 - 1,520 mg/kg
Assessment: The component/mixture is moderately toxic after single contact with skin.

Cumene:

SAFETY DATA SHEET

NOROX[®] CHM-50



Version 3.0 Revision Date: 03.08.2023 SDS Number: 600000000425 Date of last issue: 22.02.2021
Date of first issue: 07.04.2017

Acute oral toxicity : LD50 (Rat): 2,260 mg/kg
Method: OECD Test Guideline 401

Acute dermal toxicity : LD50 (Rabbit): > 3,160 mg/kg
Assessment: The substance or mixture has no acute dermal toxicity
Remarks: No mortality observed at this dose.

acetophenone:

Acute oral toxicity : Acute toxicity estimate: 500.0 mg/kg
Method: Expert judgement
Assessment: The component/mixture is moderately toxic after single ingestion.
Remarks: Based on harmonised classification in EU regulation 1272/2008, Annex VI

Acute dermal toxicity : LD50 (Rat): 3,300 mg/kg
Method: OECD Test Guideline 402

Benzenemethanol, alpha,alpha-dimethyl-:

Acute oral toxicity : Acute toxicity estimate: 500 mg/kg
Assessment: The component/mixture is moderately toxic after single ingestion.
Remarks: Expert judgement

Acute inhalation toxicity : Remarks: No data available

Acute dermal toxicity : LD50: Method: Expert judgement
Assessment: The substance or mixture has no acute dermal toxicity
Remarks: Based on available data, the classification criteria are not met.

Skin corrosion/irritation

Causes severe burns.

Product:

Remarks : Extremely corrosive and destructive to tissue.

Components:

methyl acetoacetate:

Species : Rabbit
Method : OECD Test Guideline 404
Result : No skin irritation

Cumene hydroperoxide:

SAFETY DATA SHEET

NOROX[®] CHM-50



Version 3.0 Revision Date: 03.08.2023 SDS Number: 600000000425 Date of last issue: 22.02.2021
Date of first issue: 07.04.2017

Species : Rabbit
Result : Causes burns.
Remarks : Extremely corrosive and destructive to tissue.

Cumene:

Species : Rabbit
Method : OECD Test Guideline 404
Result : No skin irritation

acetophenone:

Species : Rabbit
Method : OECD Test Guideline 404
Result : No skin irritation

Remarks : May cause skin irritation in susceptible persons.

Benzenemethanol, alpha,alpha-dimethyl-:

Species : Rabbit
Result : Severe skin irritation

Serious eye damage/eye irritation

Causes serious eye damage.

Product:

Remarks : May cause irreversible eye damage.

Components:

methyl acetoacetate :

Species : Rabbit
Result : Irreversible effects on the eye
Exposure time : 24 h
Method : OECD Test Guideline 405
GLP : yes

Cumene hydroperoxide :

Species : Rabbit
Result : Corrosive

Remarks : May cause irreversible eye damage.

Cumene:

Species : Rabbit
Result : No eye irritation
Method : OECD Test Guideline 405

SAFETY DATA SHEET

NOROX® CHM-50



Version 3.0 Revision Date: 03.08.2023 SDS Number: 600000000425 Date of last issue: 22.02.2021
Date of first issue: 07.04.2017

acetophenone:

Species : Rabbit
Result : Eye irritation
Method : No information available.
Remarks : Based on harmonised classification in EU regulation 1272/2008, Annex VI

Remarks : May cause irreversible eye damage.

Benzenemethanol, alpha,alpha-dimethyl-:

Result : Irritating to eyes.

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Components:

methyl acetoacetate:

Exposure routes : Skin contact
Species : Mouse
Method : OECD Test Guideline 429
Result : Does not cause skin sensitisation.

Cumene hydroperoxide:

Result : Does not cause skin sensitisation.

Cumene:

Exposure routes : Skin contact
Species : Guinea pig
Method : OECD Test Guideline 406
Result : Does not cause skin sensitisation.

acetophenone:

Test Type : Draize Test
Exposure routes : Skin contact
Species : Guinea pig
Result : Does not cause skin sensitisation.

SAFETY DATA SHEET

NOROX® CHM-50



Version 3.0 Revision Date: 03.08.2023 SDS Number: 600000000425 Date of last issue: 22.02.2021
Date of first issue: 07.04.2017

Chronic toxicity

Germ cell mutagenicity

Not classified based on available information.

Components:

methyl acetoacetate:

Genotoxicity in vitro : Method: OECD Test Guideline 476
Result: negative

Method: OECD Test Guideline 471
Result: negative

Method: OECD Test Guideline 473
Result: negative

Cumene hydroperoxide:

Genotoxicity in vitro : Test Type: in vitro assay
Test system: Salmonella typhimurium
Result: positive

Genotoxicity in vivo : Test Type: Micronucleus test
Species: Mouse
Application Route: Skin contact
Result: negative

Cumene:

Genotoxicity in vitro : Method: OECD Test Guideline 473
Result: negative

Method: OECD Test Guideline 471
Result: negative

Method: OECD Test Guideline 476
Result: negative

Method: OECD Test Guideline 482
Result: negative

Test Type: Ames test
Result: positive

Genotoxicity in vivo : Species: Rat
Application Route: Intraperitoneal
Exposure time: 72 h
Method: OECD Test Guideline 474
Result: Equivocal

Species: Mouse

SAFETY DATA SHEET

NOROX® CHM-50



Version 3.0 Revision Date: 03.08.2023 SDS Number: 600000000425 Date of last issue: 22.02.2021
Date of first issue: 07.04.2017

Application Route: inhalation (gas)
Exposure time: 14 w
Method: OECD Test Guideline 474
Result: negative

acetophenone:

Genotoxicity in vitro : Method: OECD Test Guideline 473
Result: negative

Method: OECD Test Guideline 476
Result: negative

Method: OECD Test Guideline 471
Result: negative

Genotoxicity in vivo : Species: Mouse
Application Route: Intraperitoneal
Method: OECD Test Guideline 474
Result: negative

Carcinogenicity

May cause cancer.

Components:

methyl acetoacetate:

Remarks : This information is not available.

Cumene hydroperoxide:

Remarks : This information is not available.

Cumene:

Species : Rat, male and female
Application Route : inhalation (vapour)
Result : carcinogenic effects

Species : Mouse, male and female
Application Route : inhalation (vapour)
Result : carcinogenic effects

Carcinogenicity - Assessment : Sufficient evidence of carcinogenicity in animal experiments

Reproductive toxicity

Not classified based on available information.

SAFETY DATA SHEET

NOROX® CHM-50



Version 3.0 Revision Date: 03.08.2023 SDS Number: 600000000425 Date of last issue: 22.02.2021
Date of first issue: 07.04.2017

Components:

methyl acetoacetate:

Effects on fertility : Species: Rat
Application Route: Ingestion
General Toxicity - Parent: NOAEL: > 1,000
Method: OECD Test Guideline 422
Result: negative

Cumene hydroperoxide:

Effects on fertility : Remarks: No data available

Effects on foetal development : Remarks: No data available

Cumene:

Effects on foetal development : Species: Rabbit
Application Route: inhalation (vapour)
General Toxicity Maternal: LOAEL: 500
Developmental Toxicity: NOAEL: 2,300
Method: OECD Test Guideline 414

acetophenone:

Effects on fertility : Species: Rat
Application Route: Ingestion
General Toxicity - Parent: NOAEL: 225 mg/kg body weight
General Toxicity F1: NOAEL: 225 mg/kg body weight
Method: OECD Test Guideline 422
Result: negative

Species: Rat
Application Route: Ingestion
General Toxicity - Parent: LOAEL: 750 mg/kg body weight
General Toxicity F1: LOAEL: 750 mg/kg body weight
Method: OECD Test Guideline 422

Effects on foetal development : Species: Mouse
Application Route: Ingestion
General Toxicity Maternal: NOAEL: 125 mg/kg body weight
Embryo-foetal toxicity: NOAEL: 125 mg/kg body weight
Method: OECD Test Guideline 414

STOT - single exposure

Not classified based on available information.

SAFETY DATA SHEET

NOROX[®] CHM-50



Version 3.0 Revision Date: 03.08.2023 SDS Number: 600000000425 Date of last issue: 22.02.2021
Date of first issue: 07.04.2017

Components:

Cumene:

Assessment : May cause respiratory irritation.

STOT - repeated exposure

May cause damage to organs through prolonged or repeated exposure.

Components:

Cumene hydroperoxide:

Assessment : May cause damage to organs through prolonged or repeated exposure.

Repeated dose toxicity

Components:

methyl acetoacetate:

Species : Rat
NOAEL : 1,000 mg/kg
Application Route : Ingestion
Exposure time : 28 d
Method : OECD Test Guideline 407

Cumene hydroperoxide:

Species : Rat
NOAEC : 31 mg/m³
Application Route : inhalation (gas)
Exposure time : 90 d

Cumene:

Species : Rat
NOAEL : 154 mg/kg
Application Route : Oral
Method : OECD Test Guideline 413

acetophenone:

Species : Rat
NOAEL : 225 mg/kg
LOAEL : 750 mg/kg
Application Route : Ingestion
Method : OECD Test Guideline 422

Aspiration toxicity

Not classified based on available information.

SAFETY DATA SHEET

NOROX[®] CHM-50



Version 3.0 Revision Date: 03.08.2023 SDS Number: 600000000425 Date of last issue: 22.02.2021
Date of first issue: 07.04.2017

Components:

Cumene:

May be fatal if swallowed and enters airways.

Further information

Product:

Remarks : Solvents may degrease the skin.

Components:

acetophenone:

Remarks : No data available

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

methyl acetoacetate:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): > 111.4 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 100 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : NOEC (Desmodesmus subspicatus (green algae)): 100 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201

Cumene hydroperoxide:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 3.9 mg/l
Exposure time: 96 h
Test Type: semi-static test
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 18.8 mg/l
Exposure time: 48 h
Test Type: Immobilization
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : EC50 (Desmodesmus subspicatus (green algae)): 3.1 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201

SAFETY DATA SHEET

NOROX® CHM-50



Version 3.0 Revision Date: 03.08.2023 SDS Number: 600000000425 Date of last issue: 22.02.2021
Date of first issue: 07.04.2017

NOEC (Desmodesmus subspicatus (green algae)): 1 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201

Toxicity to microorganisms : NOEC (Pseudomonas putida): 50 mg/l
End point: Growth rate
Exposure time: 16 h

Cumene:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 4.8 mg/l
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 2.14 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : EC50 (Desmodesmus subspicatus (green algae)): 2.01 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 0.35 mg/l
Exposure time: 21 d
Method: OECD Test Guideline 211

Toxicity to microorganisms : EC50: > 2,000 mg/l
Exposure time: 3 h
Method: OECD Test Guideline 209

Ecotoxicology Assessment

Chronic aquatic toxicity : Toxic to aquatic life with long lasting effects.

acetophenone:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 162 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 528 mg/l
Exposure time: 48 h

Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (green algae)): 86.4 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201

NOEC (Pseudokirchneriella subcapitata (green algae)): 24.8 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201

SAFETY DATA SHEET

NOROX[®] CHM-50



Version	Revision Date:	SDS Number:	Date of last issue: 22.02.2021
3.0	03.08.2023	600000000425	Date of first issue: 07.04.2017

Benzenemethanol, alpha,alpha-dimethyl-:

Ecotoxicology Assessment

Acute aquatic toxicity : This product has no known ecotoxicological effects.

Chronic aquatic toxicity : This product has no known ecotoxicological effects.

Persistence and degradability

Components:

methyl acetoacetate:

Biodegradability : Result: Readily biodegradable.
Method: OECD Test Guideline 301F

Cumene hydroperoxide:

Biodegradability : Result: Not readily biodegradable.
Method: OECD Test Guideline 301B

Cumene:

Biodegradability : Result: Readily biodegradable.

acetophenone:

Biodegradability : Result: Readily biodegradable.
Method: OECD Test Guideline 301C

Benzenemethanol, alpha,alpha-dimethyl-:

Biodegradability : Remarks: No data available

Bioaccumulative potential

Components:

methyl acetoacetate:

Partition coefficient: n-octanol/water : log Pow: -0.4 (20 °C)

Cumene hydroperoxide:

Partition coefficient: n-octanol/water : log Pow: 1.6

Cumene:

Bioaccumulation : Bioconcentration factor (BCF): 94.69
Remarks: Calculation

SAFETY DATA SHEET

NOROX[®] CHM-50



Version 3.0 Revision Date: 03.08.2023 SDS Number: 600000000425 Date of last issue: 22.02.2021
Date of first issue: 07.04.2017

Partition coefficient: n-octanol/water : log Pow: 3.55 (23 °C)

acetophenone:

Bioaccumulation : Bioconcentration factor (BCF): 0.48

Partition coefficient: n-octanol/water : log Pow: 1.63

Benzenemethanol, alpha,alpha-dimethyl-:

Partition coefficient: n-octanol/water : Remarks: No data available

Mobility in soil

No data available

Other adverse effects

Product:

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.
Toxic to aquatic life with long lasting effects.

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Dispose of wastes in an approved waste disposal facility. The product should not be allowed to enter drains, water courses or the soil.
Do not contaminate ponds, waterways or ditches with chemical or used container.

Contaminated packaging : Dispose of in accordance with local regulations.
Clean container with water.
Dispose of contents/ container to an approved waste disposal plant.
Empty remaining contents.
Dispose of as unused product.
Do not re-use empty containers.
Do not burn, or use a cutting torch on, the empty drum.

SECTION 14. TRANSPORT INFORMATION

International Regulations

SAFETY DATA SHEET

NOROX[®] CHM-50



Version	Revision Date:	SDS Number:	Date of last issue: 22.02.2021
3.0	03.08.2023	600000000425	Date of first issue: 07.04.2017

UNRTDG

UN number : UN 3109
Proper shipping name : ORGANIC PEROXIDE TYPE F, LIQUID (CUMYL HYDROPEROXIDE)
Class : 5.2
Packing group : Not assigned by regulation
Labels : 5.2

IATA-DGR

UN/ID No. : UN 3109
Proper shipping name : Organic peroxide type F, liquid (Cumyl hydroperoxide)
Class : 5.2
Packing group : Not assigned by regulation
Labels : Organic Peroxides, Keep Away From Heat
Packing instruction (cargo aircraft) : 570
Packing instruction (passenger aircraft) : 570

IMDG-Code

UN number : UN 3109
Proper shipping name : ORGANIC PEROXIDE TYPE F, LIQUID (CUMYL HYDROPEROXIDE)
Class : 5.2
Packing group : Not assigned by regulation
Labels : 5.2
EmS Code : F-J, S-R
Marine pollutant : yes

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National Regulations

ADG

UN number : UN 3109
Proper shipping name : ORGANIC PEROXIDE TYPE F, LIQUID (CUMYL HYDROPEROXIDE)
Class : 5.2
Packing group : Not assigned by regulation
Labels : 5.2
Hazchem Code : 2W

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SAFETY DATA SHEET

NOROX[®] CHM-50



Version	Revision Date:	SDS Number:	Date of last issue: 22.02.2021
3.0	03.08.2023	600000000425	Date of first issue: 07.04.2017

SECTION 15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

Gefahrgruppe nach DGUV 13 Vorschrift 13 (bisher BGV B4): Ib (German regulatory requirements)

Standard for the Uniform Scheduling of Medicines and Poisons : No poison schedule number allocated

Prohibition/Licensing Requirements : There is no applicable prohibition, authorisation and restricted use requirements, including for carcinogens referred to in Schedule 10 of the model WHS Act and Regulations.

The components of this product are reported in the following inventories:

TCSI (TW) : On the inventory, or in compliance with the inventory

TSCA (US) : All substances listed as active on the TSCA inventory

AiIC (AU) : On the inventory, or in compliance with the inventory

DSL (CA) : All components of this product are on the Canadian DSL

ENCS (JP) : On the inventory, or in compliance with the inventory

ISHL (JP) : On the inventory, or in compliance with the inventory

KECI (KR) : On the inventory, or in compliance with the inventory

PICCS (PH) : On the inventory, or in compliance with the inventory

IECSC (CN) : On the inventory, or in compliance with the inventory

SECTION 16. OTHER INFORMATION

Further information

Revision Date : 03.08.2023

Other information : This safety datasheet only contains information relating to safety and does not replace any product information or prod-

SAFETY DATA SHEET

NOROX[®]CHM-50



Version	Revision Date:	SDS Number:	Date of last issue: 22.02.2021
3.0	03.08.2023	600000000425	Date of first issue: 07.04.2017

uct specification.

These safety instructions also apply to empty packaging which may still contain product residues.

The hazards on the label also apply to residues in the container.

Sources of key data used to compile the Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Date format : dd.mm.yyyy

Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)
AU OEL : Australia. Workplace Exposure Standards for Airborne Contaminants.

ACGIH / TWA : 8-hour, time-weighted average
AU OEL / TWA : Exposure standard - time weighted average
AU OEL / STEL : Exposure standard - short term exposure limit

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recom-

SAFETY DATA SHEET

NOROX[®] CHM-50



Version	Revision Date:	SDS Number:	Date of last issue: 22.02.2021
3.0	03.08.2023	600000000425	Date of first issue: 07.04.2017

recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

AU / EN