according to the Hazardous Products Regulations



# NOROX®CHM-50

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 08/03/2023

 4.1
 05/15/2024
 600000000425
 Date of first issue: 12/20/2016

#### **SECTION 1. IDENTIFICATION**

Trade name : NOROX®CHM-50

Other means of identification : No data available

Manufacturer or supplier's details

Company name of supplier : United Initiators, Inc.

Address : 555 Garden Street

Elyria OH 44035 USA

United Initiators Canada Ltd. 2147 PG Pulp Mill Road

Prince George, BC-V2N 2S6 CANADA

Telephone : +1-440-323-3112

Telefax : +1-440-323-2659

Emergency telephone : CHEMTREC US (24h): +1-800-424-9300

CHEMTREC WORLD (24h): +1-703-527-3887 CANUTEC (24h): 1-613-996-6666

For Transportation Incidents : TERRAPURE EMERGENCY RESPONSE SERVICES (24h):

1-800-567-7455

E-mail address of person

responsible for the SDS

cs-initiators.nafta@united-in.com

Recommended use of the chemical and restrictions on use

Recommended use : Hardener

#### **SECTION 2. HAZARDS IDENTIFICATION**

GHS classification in accordance with the Hazardous Products Regulations

Flammable liquids : Category 3

Organic peroxides : Type F

Acute toxicity (Oral) : Category 4

Acute toxicity (Inhalation) : Category 3

according to the Hazardous Products Regulations



# NOROX®CHM-50

Version Revision Date: SDS Number: Date of last issue: 08/03/2023 4.1 05/15/2024 600000000425 Date of first issue: 12/20/2016

Skin corrosion : Category 1

Serious eye damage : Category 1

Carcinogenicity : Category 1B

Specific target organ toxicity

- repeated exposure

Category 2

Short-term (acute) aquatic

hazard

Category 2

Long-term (chronic) aquatic

hazard

Category 2

### **GHS** label elements

Hazard pictograms











Signal Word : Danger

Hazard Statements : H226 Flammable liquid and vapor.

H242 Heating may cause a fire. H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

H331 Toxic if inhaled. H350 May cause cancer.

H373 May cause damage to organs through prolonged or

repeated exposure.

H411 Toxic to aquatic life with long lasting effects.

# Precautionary Statements : Prevention:

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read

and understood.

P210 Keep away from heat, hot surfaces, sparks, open flames

and other ignition sources. No smoking. P233 Keep container tightly closed.

P234 Keep only in original packaging.

P240 Ground and bond container and receiving equipment.
P241 Use explosion-proof electrical/ ventilating/ lighting/ equip-

ment.

P242 Use non-sparking tools.

P243 Take action to prevent static discharges.

P260 Do not breathe mist or vapors.
P264 Wash skin thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P271 Use only outdoors or in a well-ventilated area.

according to the Hazardous Products Regulations



## NOROX®CHM-50

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 08/03/2023

 4.1
 05/15/2024
 600000000425
 Date of first issue: 12/20/2016

P273 Avoid release to the environment.

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection/ hearing protection.

#### Response:

P301 + P312 + P330 IF SWALLOWED: Call a POISON CENTER/ doctor if you feel unwell. Rinse mouth.

P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.

P304 + P340 + P310 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/ doctor.

P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor.

P308 + P313 IF exposed or concerned: Get medical advice/attention.

P363 Wash contaminated clothing before reuse.

P370 + P378 In case of fire: Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide to extinguish.

P391 Collect spillage.

#### Storage:

P403 + P233 Store in a well-ventilated place. Keep container tightly closed.

P403 + P235 Store in a well-ventilated place. Keep cool.

P405 Store locked up.

P410 Protect from sunlight.

P411 Store at temperatures not exceeding < 86 °F/ < 30 °C.

P420 Store separately.

### Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

#### Other hazards

None known.

### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Chemical nature : Organic Peroxide

Liquid

according to the Hazardous Products Regulations



## NOROX®CHM-50

Version Revision Date: SDS Number: Date of last issue: 08/03/2023 4.1 05/15/2024 600000000425 Date of first issue: 12/20/2016

### Components

Chemical name	Common Name/Synonym	CAS-No.	Concentration (% w/w)
Methyl Acetoacetate	Methyl Acetoa- cetate	105-45-3	>= 45 - < 50 *
Cumene hydroperoxide	Cumene hydro- peroxide	80-15-9	>= 40 - < 45 *
Cumene	Cumene	98-82-8	>= 5 - < 7.5 *
acetophenone	acetophenone	98-86-2	>= 1 - < 5 *
Benzenemethanol, alpha, alpha-dimethyl-	Benzenemetha- nol, al- pha,alpha- dimethyl-	617-94-7	>= 1 - < 5 *

Actual concentration or concentration range is withheld as a trade secret

#### **SECTION 4. FIRST AID MEASURES**

General advice : Take off contaminated clothing and shoes immediately.

Call a physician immediately.

Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and seek medical

advice.

Move out of dangerous area.

Show this material safety data sheet to the doctor in

attendance.

Do not leave the victim unattended.

Symptoms of poisoning may appear several hours later. No artificial respiration, mouth-to-mouth or mouth to nose. Use

suitable instruments/apparatus.

If inhaled : Administer oxygen if breathing is difficult or cyanosis is

observed.

Call a physician immediately.

If breathed in, move person into fresh air. If not breathing, give artificial respiration.

Contact a poison control center.

Respiratory tract burning possible if aerosols are inhaled. Call a physician or poison control center immediately. If unconscious, place in recovery position and seek medical

advice.

Keep respiratory tract clear.

In case of skin contact : If symptoms persist, call a physician.

Immediate medical treatment is necessary as untreated

according to the Hazardous Products Regulations



## NOROX®CHM-50

Version Revision Date: SDS Number: Date of last issue: 08/03/2023 60000000425 Date of first issue: 12/20/2016 4.1 05/15/2024

wounds from corrosion of the skin heal slowly and with

difficulty.

In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing

Wash contaminated clothing before re-use.

If on skin, rinse well with water. If on clothes, remove clothes.

Small amounts splashed into eyes can cause irreversible In case of eye contact

tissue damage and blindness.

In the case of contact with eyes, rinse immediately with plenty

of water and seek medical advice.

Continue rinsing eyes during transport to hospital.

Remove contact lenses. Protect unharmed eye.

Keep eye wide open while rinsing.

If eye irritation persists, consult a specialist.

If swallowed Call a physician immediately.

Rinse mouth thoroughly with water.

Keep respiratory tract clear.

If symptoms persist, call a physician.

Most important symptoms and effects, both acute and

delayed

Harmful if swallowed.

Causes serious eve damage. Toxic if inhaled.

May cause cancer.

May cause damage to organs through prolonged or repeated

exposure.

Causes severe burns.

Protection of first-aiders First Aid responders should pay attention to self-protection

and use the recommended protective clothing

Treat symptomatically and supportively. Notes to physician

#### **SECTION 5. FIRE-FIGHTING MEASURES**

Suitable extinguishing media Water spray jet

> Alcohol-resistant foam Carbon dioxide (CO2)

Dry chemical

Unsuitable extinguishing

media

High volume water jet

Specific hazards during fire

fighting

Risk of explosion if heated under confinement.

Possible emission of gaseous decomposition products may

lead to a dangerous pressure build-up.

Avoid confinement.

according to the Hazardous Products Regulations



## NOROX®CHM-50

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 08/03/2023

 4.1
 05/15/2024
 600000000425
 Date of first issue: 12/20/2016

Contact with incompatible materials or exposure to temperatures exceeding SADT may result in a selfaccelerating decomposition reaction with release of flammable vapors which may auto-ignite.

The product burns violently.

Flash back possible over considerable distance.

Do not allow run-off from fire fighting to enter drains or water courses.

Vapors may form explosive mixtures with air.

The product will float on water and can be reignited on surface

water.

Cool closed containers exposed to fire with water spray.

Specific extinguishing meth-

ods

Do not use a solid water stream as it may scatter and spread

fire

Remove undamaged containers from fire area if it is safe to do

SO.

Use water spray to cool unopened containers.

Further information : Use extinguishing measures that are appropriate to local

circumstances and the surrounding environment. Use a water spray to cool fully closed containers.

Collect contaminated fire extinguishing water separately. This

must not be discharged into drains.

Fire residues and contaminated fire extinguishing water must

be disposed of in accordance with local regulations.

Special protective equipment

for fire-fighters

Wear self-contained breathing apparatus for firefighting if

necessary.

Use personal protective equipment.

#### SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emer-

gency procedures

Follow safe handling advice and personal protective

equipment recommendations.

Beware of vapors accumulating to form explosive concentrations. Vapors can accumulate in low areas.

Use personal protective equipment.

Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas.

Never return spills in original containers for re-use.

Treat recovered material as described in the section "Disposal

considerations".

Environmental precautions : Prevent product from entering drains.

Prevent further leakage or spillage if safe to do so.

If the product contaminates rivers and lakes or drains inform

respective authorities.

according to the Hazardous Products Regulations



## NOROX®CHM-50

Version Revision Date: SDS Number: Date of last issue: 08/03/2023 4.1 05/15/2024 600000000425 Date of first issue: 12/20/2016

Methods and materials for containment and cleaning up

Contact with incompatible substances can cause

decomposition at or below SADT.

Clear spills immediately.

Suppress (knock down) gases/vapors/mists with a water spray

jet.

To clean the floor and all objects contaminated by this

material, use plenty of water.

Soak up with inert absorbent material. Isolate waste and do not reuse. Non-sparking tools should be used.

Local or national regulations may apply to releases and disposal of this material, as well as those materials and items

employed in the cleanup of releases. You will need to

determine which regulations are applicable.

#### **SECTION 7. HANDLING AND STORAGE**

Technical measures : See Engineering measures under EXPOSURE

CONTROLS/PERSONAL PROTECTION section.

Advice on protection against

fire and explosion

Take necessary action to avoid static electricity discharge

(which might cause ignition of organic vapors). Keep away from heat and sources of ignition.

Use only explosion-proof equipment.

Keep away from open flames, hot surfaces and sources of

ignition.

Keep away from combustible material.

Do not spray on a naked flame or any incandescent material.

Advice on safe handling : Open drum carefully as content may be under pressure.

Protect from contamination.

Do not swallow.

Do not breathe vapors/dust.

Avoid exposure - obtain special instructions before use.

Avoid contact with skin and eyes.

Avoid formation of aerosol.

Take precautionary measures against static discharges. Never return any product to the container from which it was

originally removed.

Provide sufficient air exchange and/or exhaust in work rooms.

Avoid confinement.

Keep away from heat, hot surfaces, sparks, open flames and

other ignition sources. No smoking.

Smoking, eating and drinking should be prohibited in the

application area.

Wash thoroughly after handling. For personal protection see section 8.

Conditions for safe storage : Store in original container.

Keep containers tightly closed in a cool, well-ventilated place.

according to the Hazardous Products Regulations



## NOROX®CHM-50

Revision Date: Version SDS Number: Date of last issue: 08/03/2023 60000000425 Date of first issue: 12/20/2016 4.1 05/15/2024

Store in cool place.

Contamination may result in dangerous pressure increases -

closed containers may rupture. Prevent unauthorized access. Observe label precautions.

Store in accordance with the particular national regulations. Avoid impurities (e.g. rust, dust, ash), risk of decomposition. Electrical installations / working materials must comply with

the technological safety standards.

Containers which are opened must be carefully resealed and

kept upright to prevent leakage.

Materials to avoid Keep away from combustible materials.

Keep away from strong acids, bases, heavy metal salts and

other reducing substances.

Recommended storage tem- :

perature

< 30 °C

age stability

Further information on stor- : Stable under recommended storage conditions.

## SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

## Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of	Control parame- ters / Permissible	Basis
		exposure)	concentration	
Cumene	98-82-8	TWA	50 ppm	CA AB OEL
			246 mg/m3	
		TWA	25 ppm	CA BC OEL
		STEL	75 ppm	CA BC OEL
		TWAEV	50 ppm	CA QC OEL
			246 mg/m3	
		TWA	5 ppm	ACGIH
acetophenone	98-86-2	TWA	10 ppm	CA AB OEL
			49 mg/m3	
		TWA	10 ppm	CA BC OEL
		TWAEV	10 ppm	CA QC OEL
			49 mg/m3	
		TWA	10 ppm	ACGIH

Engineering measures : Minimize workplace exposure concentrations.

according to the Hazardous Products Regulations



## NOROX®CHM-50

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 08/03/2023

 4.1
 05/15/2024
 600000000425
 Date of first issue: 12/20/2016

Personal protective equipment

Respiratory protection : In the case of dust or aerosol formation use respirator with an

approved filter.

Filter type : ABEK-filter

Use NIOSH approved respiratory protection.

Hand protection

Material : butyl-rubber
Break through time : <= 60 min
Glove thickness : 0.5 mm

Remarks : The data about break through time/strength of material are

standard values! The exact break through time/strength of material has to be obtained from the producer of the protective glove. Choose gloves to protect hands against chemicals depending on the concentration and quantity of the

hazardous substance and specific to place of work. For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer. Wash hands before

breaks and at the end of workday.

Eye protection : Ensure that eyewash stations and safety showers are close

to the workstation location.

Please follow all applicable local/national requirements when selecting protective measures for a specific workplace. Always wear eye protection when the potential for inadvertent

eye contact with the product cannot be excluded.

Tightly fitting safety goggles

Please wear suitable protective goggles. Also wear face

protection if there is a splash hazard.

Skin and body protection : Select appropriate protective clothing based on chemical

resistance data and an assessment of the local exposure

potential.

Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets,

disposable suits) to avoid exposed skin surfaces.

Wear as appropriate:

Flame retardant antistatic protective clothing.

Protective measures : The type of protective equipment must be selected according

to the concentration and amount of the dangerous substance

at the specific workplace.

Hygiene measures : Avoid contact with skin, eyes and clothing.

Keep away from food and drink. When using do not eat or drink.

according to the Hazardous Products Regulations



## NOROX®CHM-50

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 08/03/2023

 4.1
 05/15/2024
 600000000425
 Date of first issue: 12/20/2016

When using do not smoke.

Wash hands before breaks and immediately after handling

the product.

#### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : liquid

Color : light yellow

Odor : aromatic

pH : Not applicable

Melting point/range : No data available

Boiling point/boiling range : Not applicable Decomposition

Flash point : 60 °C

Flammability (solid, gas) : Not applicable

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower

flammability limit

No data available

Vapor pressure : No data available

Relative vapor density : No data available

Density : 1.0 g/cm3

Solubility(ies)

Water solubility : slightly soluble

Partition coefficient: n-

octanol/water

: No data available

according to the Hazardous Products Regulations



# NOROX®CHM-50

Version Revision Date: SDS Number: Date of last issue: 08/03/2023 4.1 05/15/2024 600000000425 Date of first issue: 12/20/2016

Self-Accelerating decomposi-

tion temperature (SADT)

60 °C

SADT-Self Accelerating Decomposition Temperature. Lowest

temperature at which the tested package size will undergo a

self-accelerating decomposition reaction.

Viscosity

Viscosity, dynamic : No data available

Viscosity, kinematic : No data available

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Organic peroxide

#### **SECTION 10. STABILITY AND REACTIVITY**

Reactivity : Stable under recommended storage conditions.

Heating may cause a fire or explosion.

Chemical stability : Stable under recommended storage conditions.

No decomposition if stored normally.

Possibility of hazardous reac-

tions

Vapors may form explosive mixture with air.

Conditions to avoid : Protect from contamination.

Contact with incompatible substances can cause

decomposition at or below SADT.

Heat, flames and sparks.

Avoid confinement.

Incompatible materials : Accelerators, strong acids and bases, heavy metals and

heavy metal salts, reducing agents

Hazardous decomposition

products

Irritant, caustic, flammable, noxious/toxic gases and vapours

can develop in the case of fire and decomposition

#### **SECTION 11. TOXICOLOGICAL INFORMATION**

### Acute toxicity

Harmful if swallowed. Toxic if inhaled.

**Product:** 

Acute oral toxicity : Acute toxicity estimate: 718.64 mg/kg

according to the Hazardous Products Regulations



# NOROX®CHM-50

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 08/03/2023

 4.1
 05/15/2024
 600000000425
 Date of first issue: 12/20/2016

Method: Calculation method

Acute inhalation toxicity : Acute toxicity estimate: 7.14 mg/l

Exposure time: 4 h
Test atmosphere: vapor
Method: Calculation method

Acute dermal toxicity : Acute toxicity estimate: > 2,000 mg/kg

Method: Calculation method

**Components:** 

**Methyl Acetoacetate:** 

Acute oral toxicity : LD50 (Rat, male): 2,580 mg/kg

Method: OECD Test Guideline 401

Acute inhalation toxicity : LC50 (Rabbit): > 49 mg/l

Exposure time: 4 h Test atmosphere: vapor

Assessment: The substance or mixture has no acute inhala-

tion toxicity

Remarks: Information given is based on data obtained from

similar substances.

No mortality observed at this dose.

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg

Method: OECD Test Guideline 402

Assessment: The substance or mixture has no acute dermal

toxicity

Remarks: No mortality observed at this dose.

**Cumene hydroperoxide:** 

Acute oral toxicity : LD50 Oral (Rat): 382 mg/kg

Acute inhalation toxicity : LC50: 1.370 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Assessment: The component/mixture is toxic after short term

inhalation.

Acute dermal toxicity : LD50: 1,200 - 1,520 mg/kg

Assessment: The component/mixture is moderately toxic after

single contact with skin.

Cumene:

Acute oral toxicity : LD50 (Rat): 2,260 mg/kg

Method: OECD Test Guideline 401

Acute dermal toxicity : LD50 (Rabbit): > 3,160 mg/kg

Assessment: The substance or mixture has no acute dermal

according to the Hazardous Products Regulations



# NOROX®CHM-50

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 08/03/2023

 4.1
 05/15/2024
 600000000425
 Date of first issue: 12/20/2016

toxicity

Remarks: No mortality observed at this dose.

acetophenone:

Acute oral toxicity : Acute toxicity estimate: 500.0 mg/kg

Method: Expert judgment

Assessment: The component/mixture is moderately toxic after

single ingestion.

Remarks: Based on harmonised classification in EU regulation

1272/2008, Annex VI

Acute dermal toxicity : LD50 (Rat): 3,300 mg/kg

Method: OECD Test Guideline 402

Benzenemethanol, alpha, alpha-dimethyl-:

Acute oral toxicity : Acute toxicity estimate: 500 mg/kg

Assessment: The component/mixture is moderately toxic after

single ingestion.

Remarks: Expert judgment

Acute inhalation toxicity : Remarks: No data available

Acute dermal toxicity : LD50: Method: Expert judgment

Assessment: The substance or mixture has no acute dermal

toxicity

Remarks: Based on available data, the classification criteria

are not met.

Skin corrosion/irritation

Causes severe burns.

**Product:** 

Remarks : Extremely corrosive and destructive to tissue.

**Components:** 

Methyl Acetoacetate:

Species : Rabbit

Method : OECD Test Guideline 404

Result : No skin irritation

Cumene hydroperoxide:

Species : Rabbit

Result : Causes burns.

Remarks : Extremely corrosive and destructive to tissue.

Cumene:

according to the Hazardous Products Regulations



# NOROX®CHM-50

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 08/03/2023

 4.1
 05/15/2024
 600000000425
 Date of first issue: 12/20/2016

Species : Rabbit

Method : OECD Test Guideline 404

Result : No skin irritation

acetophenone:

Species : Rabbit

Method : OECD Test Guideline 404

Result : No skin irritation

Remarks : May cause skin irritation in susceptible persons.

Benzenemethanol, alpha, alpha-dimethyl-:

Species : Rabbit

Result : Severe skin irritation

Serious eye damage/eye irritation

Causes serious eye damage.

**Product:** 

Remarks : May cause irreversible eye damage.

Components:

**Methyl Acetoacetate:** 

Species : Rabbit

Result : Irreversible effects on the eye

Exposure time : 24 h

Method : OECD Test Guideline 405

GLP : yes

Cumene hydroperoxide:

Species : Rabbit Result : Corrosive

Remarks : May cause irreversible eye damage.

Cumene:

Species : Rabbit

Result : No eye irritation

Method : OECD Test Guideline 405

acetophenone:

Species : Rabbit
Result : Eye irritation

Method : No information available.

Remarks : Based on harmonised classification in EU regulation

1272/2008, Annex VI

according to the Hazardous Products Regulations



## NOROX®CHM-50

Version Revision Date: SDS Number: Date of last issue: 08/03/2023 4.1 05/15/2024 60000000425 Date of first issue: 12/20/2016

Remarks : May cause irreversible eye damage.

Benzenemethanol, alpha, alpha-dimethyl-:

Result : Irritating to eyes.

Respiratory or skin sensitization

Skin sensitization

Not classified due to lack of data.

Respiratory sensitization

Not classified due to lack of data.

**Components:** 

Methyl Acetoacetate:

Routes of exposure : Skin contact Species : Mouse

Method : OECD Test Guideline 429

Result : Does not cause skin sensitization.

**Cumene hydroperoxide:** 

Result : Does not cause skin sensitization.

Cumene:

Routes of exposure : Skin contact Species : Guinea pig

Method : OECD Test Guideline 406

Result : Does not cause skin sensitization.

acetophenone:

Test Type : Draize Test
Routes of exposure : Skin contact
Species : Guinea pig

Result : Does not cause skin sensitization.

Germ cell mutagenicity

Not classified due to lack of data.

**Components:** 

**Methyl Acetoacetate:** 

Genotoxicity in vitro : Method: OECD Test Guideline 476

Result: negative

Method: OECD Test Guideline 471

Result: negative

according to the Hazardous Products Regulations



## NOROX®CHM-50

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 08/03/2023

 4.1
 05/15/2024
 600000000425
 Date of first issue: 12/20/2016

Method: OECD Test Guideline 473

Result: negative

Cumene hydroperoxide:

Genotoxicity in vitro : Test Type: in vitro test

Test system: Salmonella typhimurium

Result: positive

Genotoxicity in vivo : Test Type: Micronucleus test

Species: Mouse

Application Route: Skin contact

Result: negative

Cumene:

Genotoxicity in vitro : Method: OECD Test Guideline 473

Result: negative

Method: OECD Test Guideline 471

Result: negative

Method: OECD Test Guideline 476

Result: negative

Method: OECD Test Guideline 482

Result: negative

Test Type: Ames test

Result: positive

Genotoxicity in vivo : Species: Rat

Application Route: Intraperitoneal

Exposure time: 72 h

Method: OECD Test Guideline 474

Result: Equivocal

Species: Mouse

Application Route: inhalation (gas)

Exposure time: 14 w

Method: OECD Test Guideline 474

Result: negative

acetophenone:

Genotoxicity in vitro : Method: OECD Test Guideline 473

Result: negative

Method: OECD Test Guideline 476

Result: negative

according to the Hazardous Products Regulations



# NOROX®CHM-50

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 08/03/2023

 4.1
 05/15/2024
 600000000425
 Date of first issue: 12/20/2016

Method: OECD Test Guideline 471

Result: negative

Genotoxicity in vivo : Species: Mouse

Application Route: Intraperitoneal Method: OECD Test Guideline 474

Result: negative

Carcinogenicity

May cause cancer.

**Components:** 

**Methyl Acetoacetate:** 

Remarks : This information is not available.

Cumene hydroperoxide:

Remarks : This information is not available.

Cumene:

Species : Rat, male and female
Application Route : inhalation (vapor)
Result : carcinogenic effects

Species : Mouse, male and female

Application Route : inhalation (vapor)
Result : carcinogenic effects

Carcinogenicity - Assess-

ment

Sufficient evidence of carcinogenicity in animal experiments

Reproductive toxicity

Not classified due to lack of data.

**Components:** 

**Methyl Acetoacetate:** 

Effects on fertility : Species: Rat

Application Route: Ingestion

General Toxicity Parent: NOAEL: > 1,000 Method: OECD Test Guideline 422

Result: negative

Cumene hydroperoxide:

Effects on fertility : Remarks: No data available

Effects on fetal development : Remarks: No data available

according to the Hazardous Products Regulations



## NOROX®CHM-50

Version Revision Date: SDS Number: Date of last issue: 08/03/2023 4.1 05/15/2024 600000000425 Date of first issue: 12/20/2016

Cumene:

Effects on fetal development : Species: Rabbit

Application Route: inhalation (vapor) General Toxicity Maternal: LOAEL: 500 Developmental Toxicity: NOAEL: 2,300 Method: OECD Test Guideline 414

acetophenone:

Effects on fertility : Species: Rat

Application Route: Ingestion

General Toxicity Parent: NOAEL: 225 mg/kg body weight General Toxicity F1: NOAEL: 225 mg/kg body weight

Method: OECD Test Guideline 422

Result: negative

Species: Rat

Application Route: Ingestion

General Toxicity Parent: LOAEL: 750 mg/kg body weight General Toxicity F1: LOAEL: 750 mg/kg body weight

Method: OECD Test Guideline 422

Effects on fetal development : Species: Mouse

Application Route: Ingestion

General Toxicity Maternal: NOAEL: 125 mg/kg body weight Embryo-fetal toxicity.: NOAEL: 125 mg/kg body weight

Method: OECD Test Guideline 414

### STOT-single exposure

Not classified due to lack of data.

**Components:** 

Cumene:

Assessment : May cause respiratory irritation.

### STOT-repeated exposure

May cause damage to organs through prolonged or repeated exposure.

**Components:** 

Cumene hydroperoxide:

Assessment : May cause damage to organs through prolonged or repeated

exposure.

Repeated dose toxicity

**Components:** 

Methyl Acetoacetate:

Species : Rat

according to the Hazardous Products Regulations



## NOROX®CHM-50

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 08/03/2023

 4.1
 05/15/2024
 600000000425
 Date of first issue: 12/20/2016

NOAEL : 1,000 mg/kg Application Route : Ingestion Exposure time : 28 d

Method : OECD Test Guideline 407

Cumene hydroperoxide:

Species: RatNOAEC: 31 mg/m³Application Route: inhalation (gas)

Exposure time : 90 d

Cumene:

Species : Rat
NOAEL : 154 mg/kg
Application Route : Oral

Method : OECD Test Guideline 413

acetophenone:

Species : Rat

NOAEL : 225 mg/kg

LOAEL : 750 mg/kg

Application Route : Ingestion

Method : OECD Test Guideline 422

Aspiration toxicity

Not classified due to lack of data.

**Components:** 

Cumene:

May be fatal if swallowed and enters airways.

**Further information** 

Product:

Remarks : Solvents may degrease the skin.

**Components:** 

acetophenone:

Remarks : No data available

according to the Hazardous Products Regulations



# NOROX®CHM-50

Version Revision Date: SDS Number: Date of last issue: 08/03/2023 4.1 05/15/2024 600000000425 Date of first issue: 12/20/2016

#### **SECTION 12. ECOLOGICAL INFORMATION**

#### **Ecotoxicity**

#### **Components:**

Methyl Acetoacetate:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): > 111.4 mg/l

Exposure time: 96 h

Method: OECD Test Guideline 203

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): > 100 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

Toxicity to algae/aquatic

plants

NOEC (Desmodesmus subspicatus (green algae)): 100 mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

Cumene hydroperoxide:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 3.9 mg/l

Exposure time: 96 h
Test Type: semi-static test

Method: OECD Test Guideline 203

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 18.8 mg/l

Exposure time: 48 h Test Type: Immobilization

Method: OECD Test Guideline 202

Toxicity to algae/aquatic

plants

EC50 (Desmodesmus subspicatus (green algae)): 3.1 mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

NOEC (Desmodesmus subspicatus (green algae)): 1 mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

Toxicity to microorganisms : NOEC (Pseudomonas putida): 50 mg/l

End point: Growth rate Exposure time: 16 h

Cumene:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 4.8 mg/l

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 2.14 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

according to the Hazardous Products Regulations



## NOROX®CHM-50

Version Revision Date: SDS Number: Date of last issue: 08/03/2023 4.1 05/15/2024 60000000425 Date of first issue: 12/20/2016

Toxicity to algae/aquatic

plants

EC50 (Desmodesmus subspicatus (green algae)): 2.01 mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

Toxicity to daphnia and other aquatic invertebrates (Chron-

ic toxicity)

NOEC (Daphnia magna (Water flea)): 0.35 mg/l Exposure time: 21 d

Method: OECD Test Guideline 211

EC50: > 2,000 mg/lToxicity to microorganisms

Exposure time: 3 h

Method: OECD Test Guideline 209

**Ecotoxicology Assessment** 

Chronic aquatic toxicity Toxic to aquatic life with long lasting effects.

acetophenone:

LC50 (Pimephales promelas (fathead minnow)): 162 mg/l Toxicity to fish

Exposure time: 96 h

Method: OECD Test Guideline 203

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 528 mg/l

Exposure time: 48 h

Toxicity to algae/aquatic

plants

EC50 (Pseudokirchneriella subcapitata (green algae)): 86.4

mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

NOEC (Pseudokirchneriella subcapitata (green algae)): 24.8

mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

## Benzenemethanol, alpha, alpha-dimethyl-:

**Ecotoxicology Assessment** 

Acute aquatic toxicity This product has no known ecotoxicological effects.

Chronic aquatic toxicity This product has no known ecotoxicological effects.

Persistence and degradability

Components:

Methyl Acetoacetate:

Biodegradability : Result: Readily biodegradable.

Method: OECD Test Guideline 301F

Cumene hydroperoxide:

according to the Hazardous Products Regulations



# NOROX®CHM-50

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 08/03/2023

 4.1
 05/15/2024
 600000000425
 Date of first issue: 12/20/2016

Biodegradability : Result: Not readily biodegradable.

Method: OECD Test Guideline 301B

Cumene:

Biodegradability : Result: Readily biodegradable.

acetophenone:

Biodegradability : Result: Readily biodegradable.

Method: OECD Test Guideline 301C

Benzenemethanol, alpha, alpha-dimethyl-:

Biodegradability : Remarks: No data available

Bioaccumulative potential

**Components:** 

**Methyl Acetoacetate:** 

Partition coefficient: n- : log Pow: -0.4 (20 °C)

octanol/water

Cumene hydroperoxide:

Partition coefficient: n- : log Pow: 1.6

octanol/water

Cumene:

Bioaccumulation : Bioconcentration factor (BCF): 94.69

Remarks: Calculation

Partition coefficient: n-

octanol/water

: log Pow: 3.55 (23 °C)

acetophenone:

Bioaccumulation : Bioconcentration factor (BCF): 0.48

Partition coefficient: n-

octanol/water

: log Pow: 1.63

Benzenemethanol, alpha, alpha-dimethyl-:

Partition coefficient: n-

octanol/water

: Remarks: No data available

Mobility in soil

No data available

according to the Hazardous Products Regulations



# NOROX®CHM-50

Version Revision Date: SDS Number: Date of last issue: 08/03/2023 4.1 05/15/2024 600000000425 Date of first issue: 12/20/2016

#### Other adverse effects

**Product:** 

Additional ecological infor-

mation

An environmental hazard cannot be excluded in the event of

unprofessional handling or disposal.

Toxic to aquatic life with long lasting effects.

#### **SECTION 13. DISPOSAL CONSIDERATIONS**

Disposal methods

Waste from residues : Dispose of wastes in an approved waste disposal facility.

The product should not be allowed to enter drains, water

courses or the soil.

Do not contaminate ponds, waterways or ditches with

chemical or used container.

Contaminated packaging : Dispose of in accordance with local regulations.

Clean container with water.

Dispose of contents/ container to an approved waste disposal

plant.

Empty remaining contents.

Dispose of as unused product.

Do not re-use empty containers.

Do not burn, or use a cutting torch on, the empty drum.

#### **SECTION 14. TRANSPORT INFORMATION**

#### International Regulations

**UNRTDG** 

UN number : UN 3109

Proper shipping name : ORGANIC PEROXIDE TYPE F, LIQUID

(CUMYL HYDROPEROXIDE)

Class : 5.2

Packing group : Not assigned by regulation

Labels : 5.2 Environmentally hazardous : yes

**IATA-DGR** 

UN/ID No. : UN 3109

Proper shipping name : Organic peroxide type F, liquid

(Cumyl hydroperoxide)

Class : 5.2

Packing group : Not assigned by regulation

Labels : Organic Peroxides, Keep Away From Heat

Packing instruction (cargo

aircraft)

Packing instruction (passen:

ger aircraft)

570 570

23 / 26

according to the Hazardous Products Regulations



## NOROX®CHM-50

Version Revision Date: SDS Number: Date of last issue: 08/03/2023 4.1 05/15/2024 60000000425 Date of first issue: 12/20/2016

**IMDG-Code** 

UN number : UN 3109

Proper shipping name : ORGANIC PEROXIDE TYPE F, LIQUID

(CUMYL HYDROPEROXIDE)

Class : 5.2

Packing group : Not assigned by regulation

Labels : 5.2
EmS Code : F-J, S-R
Marine pollutant : yes

### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

#### **Domestic regulation**

**TDG** 

UN number : UN 3109

Proper shipping name : ORGANIC PEROXIDE TYPE F, LIQUID

(CUMYL HYDROPEROXIDE)

Class : 5.2
Packing group : II
Labels : 5.2
ERG Code : 145
Marine pollutant : yes

#### Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

#### **SECTION 15. REGULATORY INFORMATION**

NPRI Components : Cumene hydroperoxide

Cumene acetophenone

International Regulations

Gefahrgruppe nach TRGS 741: lb (German regulatory requirements)

The ingredients of this product are reported in the following inventories:

TCSI (TW) : On the inventory, or in compliance with the inventory

TSCA (US) : All substances listed as active on the TSCA inventory

AllC (AU) : On the inventory, or in compliance with the inventory

DSL (CA) : All components of this product are on the Canadian DSL

ENCS (JP) : On the inventory, or in compliance with the inventory

according to the Hazardous Products Regulations



## NOROX®CHM-50

Version SDS Number: Revision Date: Date of last issue: 08/03/2023 4.1 05/15/2024 60000000425 Date of first issue: 12/20/2016

ISHL (JP) On the inventory, or in compliance with the inventory

KECI (KR) On the inventory, or in compliance with the inventory

PICCS (PH) On the inventory, or in compliance with the inventory

IECSC (CN) On the inventory, or in compliance with the inventory

#### Canadian lists

No substances are subject to a Significant New Activity Notification.

#### **SECTION 16. OTHER INFORMATION**

#### **Further information**

This material safety datasheet only contains information relating to safety and does not replace any product information or product specification.

These safety instructions also apply to empty packaging which may still contain product residues. The hazards on the label also apply to residues in the container.

Sources of key data used to

compile the Material Safety

Data Sheet

: Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agen-

cy, http://echa.europa.eu/

Revision Date 05/15/2024 Date format mm/dd/yyyy

#### Full text of other abbreviations

**ACGIH** USA. ACGIH Threshold Limit Values (TLV)

CA AB OEL : Canada. Alberta, Occupational Health and Safety Code (table

2: OEL)

CA BC OEL : Canada. British Columbia OEL

Québec. Regulation respecting occupational health and safe-CA QC OEL

ty, Schedule 1, Part 1: Permissible exposure values for air-

borne contaminants

ACGIH / TWA 8-hour, time-weighted average CA AB OEL / TWA 8-hour Occupational exposure limit CA BC OEL / TWA 8-hour time weighted average

CA BC OEL / STEL short-term exposure limit

CA QC OEL / TWAEV Time-weighted average exposure value

according to the Hazardous Products Regulations



# NOROX®CHM-50

Version Revision Date: SDS Number: Date of last issue: 08/03/2023 4.1 05/15/2024 60000000425 Date of first issue: 12/20/2016

AllC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan): ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified: Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowled ge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

CA / Z8