

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

## NOROX® CHP



Version	Revision Date:	SDS Number:	Date of last issue: 07.08.2023
6.1	13.11.2023	600000000292	Date of first issue: 07.04.2016

---

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifier

Trade name : NOROX® CHP

REACH Registration Number : 01-2119475796-19

Substance name : Cumene hydroperoxide

Index-No. : 617-002-00-8

EC-No. : 201-254-7

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub-  
stance/Mixture : polymerisation initiators

### 1.3 Details of the supplier of the safety data sheet

Company : United Initiators GmbH  
Dr.-Gustav-Adolph-Str. 3  
82049 Pullach

Telephone : +49 / 89 / 74422 – 0

E-mail address of person  
responsible for the SDS : contact@united-in.com

### 1.4 Emergency telephone number

+44 1235 239670

---

## SECTION 2: Hazards identification

### 2.1 Classification of the substance or mixture

#### Classification (REGULATION (EC) No 1272/2008)

Organic peroxides, Type F	H242: Heating may cause a fire.
Acute toxicity, Category 4	H302: Harmful if swallowed.
Acute toxicity, Category 3	H331: Toxic if inhaled.
Acute toxicity, Category 4	H312: Harmful in contact with skin.
Skin corrosion, Sub-category 1B	H314: Causes severe skin burns and eye damage.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

## NOROX<sup>®</sup> CHP



Version	Revision Date:	SDS Number:	Date of last issue: 07.08.2023
6.1	13.11.2023	600000000292	Date of first issue: 07.04.2016

---

Serious eye damage, Category 1	H318: Causes serious eye damage.
Carcinogenicity, Category 1B	H350: May cause cancer.
Specific target organ toxicity - single exposure, Category 3, Respiratory system	H335: May cause respiratory irritation.
Specific target organ toxicity - repeated exposure, Category 2	H373: May cause damage to organs through prolonged or repeated exposure.
Aspiration hazard, Category 1	H304: May be fatal if swallowed and enters airways.
Long-term (chronic) aquatic hazard, Category 2	H411: Toxic to aquatic life with long lasting effects.

## 2.2 Label elements

### Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms :



Signal word : Danger

Hazard statements :

- H242 Heating may cause a fire.
- H302 + H312 Harmful if swallowed or in contact with skin.
- H304 May be fatal if swallowed and enters airways.
- H314 Causes severe skin burns and eye damage.
- H331 Toxic if inhaled.
- H335 May cause respiratory irritation.
- H350 May cause cancer.
- H373 May cause damage to organs through prolonged or repeated exposure.
- H411 Toxic to aquatic life with long lasting effects.

Precautionary statements : **Prevention:**

- P220 Keep/Store away from clothing/ strong acids, bases, heavy metal salts and other reducing substances /combustible materials.
- P233 Keep container tightly closed.
- P235 Keep cool.
- P260 Do not breathe dust/ fume/ gas/ mist/ vapours/ spray.
- P262 Do not get in eyes, on skin, or on clothing.
- P273 Avoid release to the environment.
- P280 Wear protective gloves/ protective clothing/ eye protec-

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

## NOROX<sup>®</sup> CHP



Version	Revision Date:	SDS Number:	Date of last issue: 07.08.2023
6.1	13.11.2023	600000000292	Date of first issue: 07.04.2016

---

tion/ face protection/ hearing protection.

### Response:

P301 + P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor.

P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P308 + P313 IF exposed or concerned: Get medical advice/ attention.

P314 Get medical advice/ attention if you feel unwell.

P315 Get immediate medical advice/ attention.

P331 Do NOT induce vomiting.

P370 + P378 In case of fire: Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide to extinguish.

### Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

## 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

---

## SECTION 3: Composition/information on ingredients

### 3.1 Substances

Substance name	:	Cumene hydroperoxide
Index-No.	:	617-002-00-8
EC-No.	:	201-254-7
Chemical nature	:	Organic Peroxide

### Components

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

## NOROX<sup>®</sup> CHP



Version  
6.1

Revision Date:  
13.11.2023

SDS Number:  
600000000292

Date of last issue: 07.08.2023  
Date of first issue: 07.04.2016

Chemical name	CAS-No. EC-No.	Concentration (% w/w)	M-Factor, SCL, ATE
Cumene hydroperoxide	80-15-9 201-254-7	>= 80 - < 85	specific concentration limit Skin Corr. 1B; H314 >= 10 % Skin Irrit. 2; H315 3 - < 10 % Eye Dam. 1; H318 3 - < 10 % Eye Irrit. 2; H319 1 - < 3 % STOT SE 3; H335 >= 1 %  Acute toxicity estimate  Acute oral toxicity: 382 mg/kg
Cumene	98-82-8 202-704-5	>= 10 - < 15	
Benzenemethanol, al- pha,alpha-dimethyl-	617-94-7 210-539-5	>= 1 - < 5	Acute toxicity estimate  Acute oral toxicity: 500 mg/kg
acetophenone	98-86-2 202-708-7	>= 1 - < 5	Acute toxicity estimate  Acute oral toxicity: 500.0 mg/kg

## SECTION 4: First aid measures

### 4.1 Description of first aid measures

- General advice : Take off contaminated clothing and shoes immediately.  
Call a physician immediately.  
Never give anything by mouth to an unconscious person.  
If unconscious, place in recovery position and seek medical advice.  
Move out of dangerous area.  
Show this safety data sheet to the doctor in attendance.  
Do not leave the victim unattended.  
Symptoms of poisoning may appear several hours later.  
No artificial respiration, mouth-to-mouth or mouth to nose. Use suitable instruments/apparatus.
- Protection of first-aiders : First Aid responders should pay attention to self-protection

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

## NOROX<sup>®</sup> CHP



Version	Revision Date:	SDS Number:	Date of last issue: 07.08.2023
6.1	13.11.2023	600000000292	Date of first issue: 07.04.2016

---

and use the recommended protective clothing

- If inhaled : Administer oxygen if breathing is difficult or cyanosis is observed.  
Call a physician immediately.  
If breathed in, move person into fresh air.  
If not breathing, give artificial respiration.  
Contact a poison control center.  
Respiratory tract burning possible if aerosols are inhaled.  
Call a physician or poison control centre immediately.  
If unconscious, place in recovery position and seek medical advice.  
Keep respiratory tract clear.
- In case of skin contact : If symptoms persist, call a physician.  
Immediate medical treatment is necessary as untreated wounds from corrosion of the skin heal slowly and with difficulty.  
In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes.  
Wash contaminated clothing before re-use.  
If on skin, rinse well with water.  
If on clothes, remove clothes.
- In case of eye contact : Small amounts splashed into eyes can cause irreversible tissue damage and blindness.  
In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice.  
Continue rinsing eyes during transport to hospital.  
Remove contact lenses.  
Protect unharmed eye.  
Keep eye wide open while rinsing.  
If eye irritation persists, consult a specialist.
- If swallowed : Call a physician immediately.  
Contact a poison control center.  
Rinse mouth thoroughly with water.  
Keep respiratory tract clear.  
If symptoms persist, call a physician.

#### 4.2 Most important symptoms and effects, both acute and delayed

- Risks : Harmful if swallowed or in contact with skin.  
May be fatal if swallowed and enters airways.  
Causes serious eye damage.  
Toxic if inhaled.  
May cause respiratory irritation.  
May cause cancer.  
May cause damage to organs through prolonged or repeated

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

## NOROX<sup>®</sup> CHP



Version	Revision Date:	SDS Number:	Date of last issue: 07.08.2023
6.1	13.11.2023	600000000292	Date of first issue: 07.04.2016

---

exposure.  
Causes severe burns.

### 4.3 Indication of any immediate medical attention and special treatment needed

Treatment : Treat symptomatically and supportively.

---

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media

Suitable extinguishing media : Water spray jet  
Alcohol-resistant foam  
Carbon dioxide (CO<sub>2</sub>)  
Dry chemical

Unsuitable extinguishing media : High volume water jet

### 5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-fighting : Risk of explosion if heated under confinement.  
Possible emission of gaseous decomposition products may lead to a dangerous pressure build-up.  
Avoid confinement.  
Contact with incompatible materials or exposure to temperatures exceeding SADT may result in a self-accelerating decomposition reaction with release of flammable vapors which may auto-ignite.  
The product burns violently.  
Flash back possible over considerable distance.  
Do not allow run-off from fire fighting to enter drains or water courses.  
Vapours may form explosive mixtures with air.  
The product will float on water and can be reignited on surface water.  
Cool closed containers exposed to fire with water spray.

### 5.3 Advice for firefighters

Special protective equipment for firefighters : Wear self-contained breathing apparatus for firefighting if necessary. Use personal protective equipment.

Specific extinguishing methods : Do not use a solid water stream as it may scatter and spread fire.  
Remove undamaged containers from fire area if it is safe to do so.  
Use water spray to cool unopened containers.

Further information : Use extinguishing measures that are appropriate to local cir-

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

## NOROX<sup>®</sup> CHP



Version	Revision Date:	SDS Number:	Date of last issue: 07.08.2023
6.1	13.11.2023	600000000292	Date of first issue: 07.04.2016

---

cumstances and the surrounding environment.  
Use a water spray to cool fully closed containers.  
Collect contaminated fire extinguishing water separately. This must not be discharged into drains.  
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

---

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Follow safe handling advice and personal protective equipment recommendations.  
Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.  
Use personal protective equipment.  
Ensure adequate ventilation.  
Remove all sources of ignition.  
Evacuate personnel to safe areas.  
Never return spills in original containers for re-use.  
Treat recovered material as described in the section "Disposal considerations".

### 6.2 Environmental precautions

Environmental precautions : Prevent product from entering drains.  
Prevent further leakage or spillage if safe to do so.  
If the product contaminates rivers and lakes or drains inform respective authorities.

### 6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Contact with incompatible substances can cause decomposition at or below SADT.  
Clear spills immediately.  
Suppress (knock down) gases/vapours/mists with a water spray jet.  
To clean the floor and all objects contaminated by this material, use plenty of water.  
Soak up with inert absorbent material.  
Isolate waste and do not reuse.  
Non-sparking tools should be used.  
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.

### 6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

## NOROX<sup>®</sup> CHP



Version	Revision Date:	SDS Number:	Date of last issue: 07.08.2023
6.1	13.11.2023	600000000292	Date of first issue: 07.04.2016

---

---

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

- Technical measures : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.
- Advice on safe handling : Open drum carefully as content may be under pressure. Protect from contamination. Do not swallow. Do not breathe vapours/dust. Avoid exposure - obtain special instructions before use. Avoid contact with skin and eyes. Avoid formation of aerosol. Take precautionary measures against static discharges. Never return any product to the container from which it was originally removed. Provide sufficient air exchange and/or exhaust in work rooms. Avoid confinement. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Smoking, eating and drinking should be prohibited in the application area. Wash thoroughly after handling. For personal protection see section 8.
- Advice on protection against fire and explosion : Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapours). Keep away from heat and sources of ignition. Use only explosion-proof equipment. Keep away from open flames, hot surfaces and sources of ignition. Keep away from combustible material. Do not spray on a naked flame or any incandescent material.
- Hygiene measures : Avoid contact with skin, eyes and clothing. Keep away from food and drink. When using do not eat or drink. When using do not smoke. Wash hands before breaks and immediately after handling the product.

### 7.2 Conditions for safe storage, including any incompatibilities

- Requirements for storage areas and containers : Store in original container. Keep containers tightly closed in a cool, well-ventilated place. Store in cool place. Contamination may result in dangerous pressure increases - closed containers may rupture. Prevent unauthorized access. Observe label precautions. Store in accordance with the particular national regulations. Avoid impurities (e.g. rust, dust, ash), risk of decomposition. Electrical installations / working materials must comply with the technological safety standards. Containers which are opened must be carefully resealed and kept upright to prevent leakage.



# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

## NOROX® CHP



Version 6.1      Revision Date: 13.11.2023      SDS Number: 600000000292      Date of last issue: 07.08.2023  
Date of first issue: 07.04.2016

Advice on common storage : Keep away from strong acids, bases, heavy metal salts and other reducing substances.

Recommended storage temperature : < 30 °C

Further information on storage stability : No decomposition if stored normally.

### 7.3 Specific end use(s)

Specific use(s) : For further information, refer to the product technical data sheet.

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

#### Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
Cumene	98-82-8	TWA	20 ppm 100 mg/m <sup>3</sup>	2000/39/EC
		Further information: Identifies the possibility of significant uptake through the skin, Indicative		
		STEL	50 ppm 250 mg/m <sup>3</sup>	2000/39/EC
		Further information: Identifies the possibility of significant uptake through the skin, Indicative		
		TWA	10 ppm 50 mg/m <sup>3</sup>	2019/1831/E U
		Further information: A skin notation assigned to the occupational exposure limit value indicates the possibility of significant uptake through the skin., Indicative		
		STEL	50 ppm 250 mg/m <sup>3</sup>	2019/1831/E U
		Further information: A skin notation assigned to the occupational exposure limit value indicates the possibility of significant uptake through the skin., Indicative		
		OELV - 8 hrs (TWA)	10 ppm 50 mg/m <sup>3</sup>	IE OEL
		Further information: Substances which have the capacity to penetrate intact skin when they come in contact with it, and be absorbed into the body		
		OELV - 15 min (STEL)	50 ppm 250 mg/m <sup>3</sup>	IE OEL
		Further information: Substances which have the capacity to penetrate intact skin when they come in contact with it, and be absorbed into the body		

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

## NOROX® CHP



Version 6.1      Revision Date: 13.11.2023      SDS Number: 600000000292      Date of last issue: 07.08.2023  
Date of first issue: 07.04.2016

acetophenone	98-86-2	OELV - 8 hrs (TWA)	10 ppm 49 mg/m <sup>3</sup>	IE OEL
--------------	---------	-----------------------	--------------------------------	--------

### Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health effects	Value
Cumene hydroperoxide	Workers	Inhalation	Long-term systemic effects	6 mg/m <sup>3</sup>
Cumene	Workers	Inhalation	Long-term systemic effects	100 mg/m <sup>3</sup>
	Workers	Inhalation	Acute local effects	250 mg/m <sup>3</sup>
	Workers	Skin contact	Long-term systemic effects	15.4 mg/kg bw/day
acetophenone	Workers	Inhalation	Long-term systemic effects	22 mg/m <sup>3</sup>
	Workers	Inhalation	Acute local effects	
	Remarks: No hazard identified			
	Workers	Skin contact	Long-term systemic effects	6.3 mg/kg bw/day
	Consumers	Inhalation	Long-term systemic effects	5.4 mg/m <sup>3</sup>
	Consumers	Skin contact	Long-term systemic effects	3.1 mg/kg bw/day
	Consumers	Ingestion	Long-term systemic effects	3.1 mg/kg bw/day
	Consumers	Ingestion	Acute systemic effects	6.25 mg/kg bw/day

### Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
Cumene hydroperoxide	Fresh water	0.0031 mg/l
	Marine water	0.00031 mg/l
	Sewage treatment plant	0.39 mg/l
	Fresh water sediment	0.023 mg/kg dry weight (d.w.)
	Marine sediment	0.002 mg/kg dry weight (d.w.)
Cumene	Soil	0.0029 mg/kg dry weight (d.w.)
	Fresh water	0.035 mg/l
	Intermittent use/release	0.012 mg/l
	Marine water	0.004 mg/l
	Fresh water sediment	3.22 mg/kg
	Marine sediment	0.322 mg/kg
	Sewage treatment plant	200 mg/l
Soil	0.624 mg/kg	

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

## NOROX® CHP



Version	Revision Date:	SDS Number:	Date of last issue: 07.08.2023
6.1	13.11.2023	600000000292	Date of first issue: 07.04.2016

---

### 8.2 Exposure controls

#### Engineering measures

Minimize workplace exposure concentrations.

#### Personal protective equipment

Eye/face protection : Ensure that eyewash stations and safety showers are close to the workstation location.  
Please follow all applicable local/national requirements when selecting protective measures for a specific workplace.  
Always wear eye protection when the potential for inadvertent eye contact with the product cannot be excluded.  
Tightly fitting safety goggles  
Please wear suitable protective goggles. Also wear face protection if there is a splash hazard.

Equipment should conform to EN 166

#### Hand protection

Material : Nitrile rubber  
Break through time : < 30 min  
Glove thickness : 0.40 mm

Material : butyl-rubber  
Break through time : < 30 min  
Glove thickness : 0.70 mm

Directive : Equipment should conform to EN 374

Remarks : The data about break through time/strength of material are standard values! The exact break through time/strength of material has to be obtained from the producer of the protective glove. Choose gloves to protect hands against chemicals depending on the concentration and quantity of the hazardous substance and specific to place of work. For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer. Wash hands before breaks and at the end of workday.

Skin and body protection : Select appropriate protective clothing based on chemical resistance data and an assessment of the local exposure potential.  
Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces.  
Wear as appropriate:  
Flame retardant antistatic protective clothing.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

## NOROX<sup>®</sup> CHP



Version	Revision Date:	SDS Number:	Date of last issue: 07.08.2023
6.1	13.11.2023	600000000292	Date of first issue: 07.04.2016

---

Respiratory protection : In the case of dust or aerosol formation use respirator with an approved filter.  
Respirator with combination filter for vapour/particulate (EN 141)

Filter type : ABEK-filter

Protective measures : The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

---

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

Physical state : liquid

Colour : Colorless to pale yellow

Odour : aromatic

Odour Threshold : No data available

Melting point/range : -9 °C

Boiling point/boiling range : 53 °C (0.13 hPa)

Flammability : Not applicable

Upper explosion limit / Upper flammability limit : Upper explosion limit  
No data available

Lower explosion limit / Lower flammability limit : Lower explosion limit  
No data available

Flash point : ca. 63 °C  
Method: closed cup

Auto-ignition temperature : not determined

Self-Accelerating decomposition temperature (SADT) : 80 °C  
Method: UN-Test H.4  
SADT-Self Accelerating Decomposition Temperature. Lowest temperature at which the tested package size will undergo a self-accelerating decomposition reaction.

pH : 5 - 6

Viscosity

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

## NOROX<sup>®</sup> CHP



Version	Revision Date:	SDS Number:	Date of last issue: 07.08.2023
6.1	13.11.2023	600000000292	Date of first issue: 07.04.2016

---

Viscosity, dynamic	:	ca. 12.5 mPa.s (20 °C)
Viscosity, kinematic	:	not determined
Solubility(ies)		
Water solubility	:	13.9 g/l (25 °C) slightly soluble
Solubility in other solvents	:	No data available
Partition coefficient: n-octanol/water	:	No data available
Dispersion Stability	:	not determined
Vapour pressure	:	0.044 hPa (25 °C)
Relative density	:	not determined
Density	:	1.06 g/cm <sup>3</sup> (20 °C)
Relative vapour density	:	ca. 5.4 (20 °C)
Particle characteristics Assessment	:	Not applicable

### 9.2 Other information

Explosives	:	Not explosive In use, may form flammable/explosive vapour-air mixture.
Oxidizing properties	:	The substance or mixture is not classified as oxidizing. Organic peroxide
Flammability (liquids)	:	Flammable liquid, Organic peroxide
Self-ignition	:	The substance or mixture is not classified as pyrophoric.
Self-heating substances	:	The substance or mixture is not classified as self heating.
Substances and mixtures, which in contact with water, emit flammable gases	:	The substance or mixture does not emit flammable gases in contact with water.
Desensitised explosives	:	Not applicable

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

## NOROX<sup>®</sup> CHP



Version	Revision Date:	SDS Number:	Date of last issue: 07.08.2023
6.1	13.11.2023	600000000292	Date of first issue: 07.04.2016

---

---

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

Stable under recommended storage conditions.  
Heating may cause a fire or explosion.

### 10.2 Chemical stability

Stable under recommended storage conditions.  
No decomposition if stored normally.

### 10.3 Possibility of hazardous reactions

Hazardous reactions : Vapours may form explosive mixture with air.

### 10.4 Conditions to avoid

Conditions to avoid : Protect from contamination.  
Contact with incompatible substances can cause decomposition at or below SADT.  
Heat, flames and sparks.  
Avoid confinement.

### 10.5 Incompatible materials

Materials to avoid : Accelerators, strong acids and bases, heavy metals and heavy metal salts, reducing agents

### 10.6 Hazardous decomposition products

Irritant, caustic, flammable, noxious/toxic gases and vapours can develop in the case of fire and decomposition

---

## SECTION 11: Toxicological information

### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Acute toxicity

Harmful if swallowed or in contact with skin.  
Toxic if inhaled.

#### Product:

Acute oral toxicity : LD50 (Rat): 382 mg/kg

Acute inhalation toxicity : LC50: 1.370 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Assessment: The component/mixture is toxic after short term inhalation.

Acute dermal toxicity : LD50: 1,200 - 1,520 mg/kg  
Assessment: The component/mixture is moderately toxic after

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

## NOROX<sup>®</sup> CHP



Version 6.1      Revision Date: 13.11.2023      SDS Number: 600000000292      Date of last issue: 07.08.2023  
Date of first issue: 07.04.2016

---

single contact with skin.

### Components:

#### **Cumene hydroperoxide:**

- Acute oral toxicity : LD50 Oral (Rat): 382 mg/kg  
Acute toxicity estimate: 382 mg/kg  
Method: Calculation method
- Acute inhalation toxicity : LC50: 1.370 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Assessment: The component/mixture is toxic after short term inhalation.
- Acute dermal toxicity : LD50: 1,200 - 1,520 mg/kg  
Assessment: The component/mixture is moderately toxic after single contact with skin.

#### **Cumene:**

- Acute oral toxicity : LD50 (Rat): 2,260 mg/kg  
Method: OECD Test Guideline 401
- Acute dermal toxicity : LD50 (Rabbit): > 3,160 mg/kg  
Assessment: The substance or mixture has no acute dermal toxicity  
Remarks: No mortality observed at this dose.

#### **Benzenemethanol, alpha,alpha-dimethyl-:**

- Acute oral toxicity : Acute toxicity estimate: 500 mg/kg  
Assessment: The component/mixture is moderately toxic after single ingestion.  
Remarks: Expert judgement
- Acute inhalation toxicity : Remarks: No data available
- Acute dermal toxicity : LD50: Method: Expert judgement  
Assessment: The substance or mixture has no acute dermal toxicity  
Remarks: Based on available data, the classification criteria are not met.

#### **acetophenone:**

- Acute oral toxicity : Acute toxicity estimate: 500.0 mg/kg  
Method: Expert judgement  
Assessment: The component/mixture is moderately toxic after

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

## NOROX<sup>®</sup> CHP



Version 6.1      Revision Date: 13.11.2023      SDS Number: 600000000292      Date of last issue: 07.08.2023  
Date of first issue: 07.04.2016

---

single ingestion.

Remarks: Based on harmonised classification in EU regulation 1272/2008, Annex VI

Acute dermal toxicity : LD50 (Rat): 3,300 mg/kg  
Method: OECD Test Guideline 402

### Skin corrosion/irritation

Causes severe burns.

#### Product:

Species : Rabbit  
Result : Causes burns.

Remarks : Extremely corrosive and destructive to tissue.

#### Components:

##### **Cumene hydroperoxide:**

Species : Rabbit  
Result : Causes burns.

Remarks : Extremely corrosive and destructive to tissue.

##### **Cumene:**

Species : Rabbit  
Method : OECD Test Guideline 404  
Result : No skin irritation

##### **Benzenemethanol, alpha,alpha-dimethyl-:**

Species : Rabbit  
Result : Severe skin irritation

##### **acetophenone:**

Species : Rabbit  
Method : OECD Test Guideline 404  
Result : No skin irritation

Remarks : May cause skin irritation in susceptible persons.

### Serious eye damage/eye irritation

Causes serious eye damage.

#### Product:

Species : Rabbit  
Result : Corrosive



# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

## NOROX® CHP



Version 6.1      Revision Date: 13.11.2023      SDS Number: 600000000292      Date of last issue: 07.08.2023  
Date of first issue: 07.04.2016

---

Remarks : May cause irreversible eye damage.

### Components:

#### **Cumene hydroperoxide:**

Species : Rabbit  
Result : Corrosive

Remarks : May cause irreversible eye damage.

#### **Cumene:**

Species : Rabbit  
Method : OECD Test Guideline 405  
Result : No eye irritation

#### **Benzenemethanol, alpha,alpha-dimethyl-:**

Result : Irritating to eyes.

#### **acetophenone:**

Species : Rabbit  
Method : No information available.  
Result : Eye irritation  
Remarks : Based on harmonised classification in EU regulation 1272/2008, Annex VI

Remarks : May cause irreversible eye damage.

### **Respiratory or skin sensitisation**

#### **Skin sensitisation**

Not classified based on available information.

#### **Respiratory sensitisation**

Not classified based on available information.

### Product:

Result : Does not cause skin sensitisation.  
Remarks : Based on available data, the classification criteria are not met.

### Components:

#### **Cumene hydroperoxide:**

Result : Does not cause skin sensitisation.

#### **Cumene:**

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

## NOROX<sup>®</sup> CHP



Version	Revision Date:	SDS Number:	Date of last issue: 07.08.2023
6.1	13.11.2023	600000000292	Date of first issue: 07.04.2016

---

Exposure routes : Skin contact  
Species : Guinea pig  
Method : OECD Test Guideline 406  
Result : Does not cause skin sensitisation.

### acetophenone:

Test Type : Draize Test  
Exposure routes : Skin contact  
Species : Guinea pig  
Result : Does not cause skin sensitisation.

### Germ cell mutagenicity

Not classified based on available information.

### Product:

Genotoxicity in vitro : Test Type: in vitro assay  
Test system: Salmonella typhimurium  
Result: positive

Genotoxicity in vivo : Test Type: Micronucleus test  
Species: Mouse  
Application Route: Skin contact  
Result: negative

### Components:

#### Cumene hydroperoxide:

Genotoxicity in vitro : Test Type: in vitro assay  
Test system: Salmonella typhimurium  
Result: positive

Genotoxicity in vivo : Test Type: Micronucleus test  
Species: Mouse  
Application Route: Skin contact  
Result: negative

#### Cumene:

Genotoxicity in vitro : Method: OECD Test Guideline 473  
Result: negative

Method: OECD Test Guideline 471  
Result: negative

Method: OECD Test Guideline 476  
Result: negative

Method: OECD Test Guideline 482

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

## NOROX® CHP



Version	Revision Date:	SDS Number:	Date of last issue: 07.08.2023
6.1	13.11.2023	600000000292	Date of first issue: 07.04.2016

---

Result: negative

Test Type: Ames test

Result: positive

Genotoxicity in vivo : Species: Rat  
Application Route: Intraperitoneal  
Exposure time: 72 h  
Method: OECD Test Guideline 474  
Result: Equivocal

Species: Mouse  
Application Route: inhalation (gas)  
Exposure time: 14 w  
Method: OECD Test Guideline 474  
Result: negative

### acetophenone:

Genotoxicity in vitro : Method: OECD Test Guideline 473  
Result: negative

Method: OECD Test Guideline 476  
Result: negative

Method: OECD Test Guideline 471  
Result: negative

Genotoxicity in vivo : Species: Mouse  
Application Route: Intraperitoneal  
Method: OECD Test Guideline 474  
Result: negative

### Carcinogenicity

May cause cancer.

### Product:

Remarks : This information is not available.

### Components:

#### Cumene hydroperoxide:

Remarks : This information is not available.

#### Cumene:

Species : Rat, male and female  
Application Route : inhalation (vapour)  
Result : carcinogenic effects

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

## NOROX® CHP



Version 6.1      Revision Date: 13.11.2023      SDS Number: 600000000292      Date of last issue: 07.08.2023  
Date of first issue: 07.04.2016

---

Species : Mouse, male and female  
Application Route : inhalation (vapour)  
Result : carcinogenic effects

Carcinogenicity - Assessment : Sufficient evidence of carcinogenicity in animal experiments

### Reproductive toxicity

Not classified based on available information.

#### Components:

##### **Cumene hydroperoxide:**

Effects on fertility : Remarks: No data available

Effects on foetal development : Remarks: No data available

##### **Cumene:**

Effects on foetal development : Species: Rabbit  
Application Route: inhalation (vapour)  
General Toxicity Maternal: LOAEL: 500  
Developmental Toxicity: NOAEL: 2,300  
Method: OECD Test Guideline 414

##### **acetophenone:**

Effects on fertility : Species: Rat  
Application Route: Ingestion  
General Toxicity - Parent: NOAEL: 225 mg/kg body weight  
General Toxicity F1: NOAEL: 225 mg/kg body weight  
Method: OECD Test Guideline 422  
Result: negative

Species: Rat  
Application Route: Ingestion  
General Toxicity - Parent: LOAEL: 750 mg/kg body weight  
General Toxicity F1: LOAEL: 750 mg/kg body weight  
Method: OECD Test Guideline 422

Effects on foetal development : Species: Mouse  
Application Route: Ingestion  
General Toxicity Maternal: NOAEL: 125 mg/kg body weight  
Embryo-foetal toxicity: NOAEL: 125 mg/kg body weight  
Method: OECD Test Guideline 414

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

## NOROX® CHP



Version 6.1      Revision Date: 13.11.2023      SDS Number: 600000000292      Date of last issue: 07.08.2023  
Date of first issue: 07.04.2016

---

### STOT - single exposure

May cause respiratory irritation.

#### Product:

Assessment : May cause respiratory irritation.

#### Components:

##### **Cumene:**

Assessment : May cause respiratory irritation.

### STOT - repeated exposure

May cause damage to organs through prolonged or repeated exposure.

#### Product:

Assessment : May cause damage to organs through prolonged or repeated exposure.

#### Components:

##### **Cumene hydroperoxide:**

Assessment : May cause damage to organs through prolonged or repeated exposure.

### Repeated dose toxicity

#### Product:

Species : Rat  
NOAEC : 31 mg/m<sup>3</sup>  
Application Route : inhalation (gas)  
Exposure time : 90 d  
Method : OECD Test Guideline 413

#### Components:

##### **Cumene hydroperoxide:**

Species : Rat  
NOAEC : 31 mg/m<sup>3</sup>  
Application Route : inhalation (gas)  
Exposure time : 90 d

##### **Cumene:**

Species : Rat  
NOAEL : 154 mg/kg  
Application Route : Oral  
Method : OECD Test Guideline 413

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

## NOROX<sup>®</sup> CHP



Version	Revision Date:	SDS Number:	Date of last issue: 07.08.2023
6.1	13.11.2023	600000000292	Date of first issue: 07.04.2016

---

### acetophenone:

Species	: Rat
NOAEL	: 225 mg/kg
LOAEL	: 750 mg/kg
Application Route	: Ingestion
Method	: OECD Test Guideline 422

### Aspiration toxicity

May be fatal if swallowed and enters airways.

### Product:

May be fatal if swallowed and enters airways.

### Components:

#### Cumene:

May be fatal if swallowed and enters airways.

## 11.2 Information on other hazards

### Endocrine disrupting properties

#### Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

### Further information

#### Product:

Remarks : Solvents may degrease the skin.

### Components:

#### acetophenone:

Remarks : No data available

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

## NOROX® CHP



Version	Revision Date:	SDS Number:	Date of last issue: 07.08.2023
6.1	13.11.2023	600000000292	Date of first issue: 07.04.2016

---

---

## SECTION 12: Ecological information

### 12.1 Toxicity

#### **Product:**

- Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 3.9 mg/l  
Exposure time: 96 h  
Test Type: semi-static test  
Method: OECD Test Guideline 203
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 18.8 mg/l  
Exposure time: 48 h  
Test Type: Immobilization  
Method: OECD Test Guideline 202
- Toxicity to algae/aquatic plants : EC50 (Desmodesmus subspicatus (green algae)): 3.1 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201
- NOEC (Desmodesmus subspicatus (green algae)): 1 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201
- Toxicity to microorganisms : NOEC (Pseudomonas putida): 50 mg/l  
End point: Growth rate  
Exposure time: 16 h

#### **Ecotoxicology Assessment**

- Acute aquatic toxicity : Toxic to aquatic life.
- Chronic aquatic toxicity : Toxic to aquatic life with long lasting effects.

#### **Components:**

##### **Cumene hydroperoxide:**

- Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 3.9 mg/l  
Exposure time: 96 h  
Test Type: semi-static test  
Method: OECD Test Guideline 203
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 18.8 mg/l  
Exposure time: 48 h  
Test Type: Immobilization  
Method: OECD Test Guideline 202
- Toxicity to algae/aquatic plants : EC50 (Desmodesmus subspicatus (green algae)): 3.1 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

## NOROX<sup>®</sup> CHP



Version	Revision Date:	SDS Number:	Date of last issue: 07.08.2023
6.1	13.11.2023	600000000292	Date of first issue: 07.04.2016

---

NOEC (Desmodesmus subspicatus (green algae)): 1 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

Toxicity to microorganisms : NOEC (Pseudomonas putida): 50 mg/l  
End point: Growth rate  
Exposure time: 16 h

### Cumene:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 4.8 mg/l  
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 2.14 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : EC50 (Desmodesmus subspicatus (green algae)): 2.01 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

Toxicity to microorganisms : EC50 : > 2,000 mg/l  
Exposure time: 3 h  
Method: OECD Test Guideline 209

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 0.35 mg/l  
Exposure time: 21 d  
Species: Daphnia magna (Water flea)  
Method: OECD Test Guideline 211

### Ecotoxicology Assessment

Chronic aquatic toxicity : Toxic to aquatic life with long lasting effects.

### Benzenemethanol, alpha,alpha-dimethyl-:

#### Ecotoxicology Assessment

Acute aquatic toxicity : This product has no known ecotoxicological effects.

Chronic aquatic toxicity : This product has no known ecotoxicological effects.

### acetophenone:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 162 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 528 mg/l  
Exposure time: 48 h



# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

## NOROX® CHP



Version 6.1      Revision Date: 13.11.2023      SDS Number: 600000000292      Date of last issue: 07.08.2023  
Date of first issue: 07.04.2016

---

Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (green algae)): 86.4 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

NOEC (Pseudokirchneriella subcapitata (green algae)): 24.8 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

### 12.2 Persistence and degradability

#### Product:

Biodegradability : Result: Not readily biodegradable.  
Method: OECD Test Guideline 301B

#### Components:

##### **Cumene hydroperoxide:**

Biodegradability : Result: Not readily biodegradable.  
Method: OECD Test Guideline 301B

##### **Cumene:**

Biodegradability : Result: Readily biodegradable.

##### **Benzenemethanol, alpha,alpha-dimethyl-:**

Biodegradability : Remarks: No data available

##### **acetophenone:**

Biodegradability : Result: Readily biodegradable.  
Method: OECD Test Guideline 301C

### 12.3 Bioaccumulative potential

#### Components:

##### **Cumene hydroperoxide:**

Partition coefficient: n-octanol/water : log Pow: 1.6

##### **Cumene:**

Bioaccumulation : Bioconcentration factor (BCF): 94.69  
Remarks: Calculation

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

## NOROX<sup>®</sup> CHP



Version	Revision Date:	SDS Number:	Date of last issue: 07.08.2023
6.1	13.11.2023	600000000292	Date of first issue: 07.04.2016

---

Partition coefficient: n-octanol/water : log Pow: 3.55 (23 °C)

### **Benzenemethanol, alpha,alpha-dimethyl-:**

Partition coefficient: n-octanol/water : Remarks: No data available

### **acetophenone:**

Bioaccumulation : Bioconcentration factor (BCF): 0.48

Partition coefficient: n-octanol/water : log Pow: 1.63

## 12.4 Mobility in soil

No data available

## 12.5 Results of PBT and vPvB assessment

### **Product:**

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

## 12.6 Endocrine disrupting properties

### **Product:**

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

## 12.7 Other adverse effects

### **Product:**

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.  
Toxic to aquatic life with long lasting effects.

---

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

Product : Dispose of wastes in an approved waste disposal facility.  
The product should not be allowed to enter drains, water

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

## NOROX<sup>®</sup> CHP



Version	Revision Date:	SDS Number:	Date of last issue: 07.08.2023
6.1	13.11.2023	600000000292	Date of first issue: 07.04.2016

---

courses or the soil.

Do not contaminate ponds, waterways or ditches with chemical or used container.

According to the European Waste Catalogue, Waste Codes are not product specific, but application specific.

Waste codes should be assigned by the user, preferably in discussion with the waste disposal authorities.

Contaminated packaging : Dispose of in accordance with local regulations.  
Clean container with water.  
Dispose of contents/ container to an approved waste disposal plant.  
Empty remaining contents.  
Dispose of as unused product.  
Do not re-use empty containers.  
Do not burn, or use a cutting torch on, the empty drum.

---

## SECTION 14: Transport information

### 14.1 UN number or ID number

ADR	:	UN 3109
RID	:	UN 3109
IMDG	:	UN 3109
IATA	:	UN 3109

### 14.2 UN proper shipping name

ADR	:	ORGANIC PEROXIDE TYPE F, LIQUID (CUMYL HYDROPEROXIDE)
RID	:	ORGANIC PEROXIDE TYPE F, LIQUID (CUMYL HYDROPEROXIDE)
IMDG	:	ORGANIC PEROXIDE TYPE F, LIQUID (CUMYL HYDROPEROXIDE)
IATA	:	Organic peroxide type F, liquid (Cumyl hydroperoxide)

### 14.3 Transport hazard class(es)

	Class	Subsidiary risks
ADR	: 5.2	8
RID	: 5.2	8
IMDG	: 5.2	8
IATA	: 5.2	HEAT, 8

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

## NOROX<sup>®</sup> CHP



Version	Revision Date:	SDS Number:	Date of last issue: 07.08.2023
6.1	13.11.2023	600000000292	Date of first issue: 07.04.2016

---

### 14.4 Packing group

#### ADR

Packing group : Not assigned by regulation  
Classification Code : P1  
Hazard Identification Number : 539  
Labels : 5.2 (8)  
Tunnel restriction code : (D)

#### RID

Packing group : Not assigned by regulation  
Classification Code : P1  
Hazard Identification Number : 539  
Labels : 5.2 (8)

#### IMDG

Packing group : Not assigned by regulation  
Labels : 5.2 (8)  
EmS Code : F-J, S-R

#### IATA (Cargo)

Packing instruction (cargo aircraft) : 570  
Packing group : Not assigned by regulation  
Labels : Organic Peroxides, Keep Away From Heat, Corrosive

#### IATA (Passenger)

Packing instruction (passenger aircraft) : 570  
Packing group : Not assigned by regulation  
Labels : Organic Peroxides, Keep Away From Heat, Corrosive

### 14.5 Environmental hazards

#### ADR

Environmentally hazardous : yes

#### RID

Environmentally hazardous : yes

#### IMDG

Marine pollutant : yes

### 14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

### 14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

## NOROX<sup>®</sup> CHP



Version	Revision Date:	SDS Number:	Date of last issue: 07.08.2023
6.1	13.11.2023	600000000292	Date of first issue: 07.04.2016

---

---

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

- REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII) : Conditions of restriction for the following entries should be considered: Number on list 3
- REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59). : Not applicable
- Regulation (EC) No 1005/2009 on substances that deplete the ozone layer : Not applicable
- Regulation (EU) 2019/1021 on persistent organic pollutants (recast) : Not applicable
- Regulation (EC) No 649/2012 of the European Parliament and the Council concerning the export and import of dangerous chemicals : Not applicable
- REACH - List of substances subject to authorisation (Annex XIV) : Not applicable

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.

		Quantity 1	Quantity 2
H2	ACUTE TOXIC	50 t	200 t
P6b	SELF-REACTIVE SUBSTANCES AND MIXTURES and ORGANIC PEROXIDES	50 t	200 t
E2	ENVIRONMENTAL HAZARDS	200 t	500 t

#### Other regulations:

Gefahrgruppe nach TRGS 741: Ib (German regulatory requirements)

Take note of Directive 92/85/EEC regarding maternity protection or stricter national regulations,

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

## NOROX<sup>®</sup> CHP



Version	Revision Date:	SDS Number:	Date of last issue: 07.08.2023
6.1	13.11.2023	600000000292	Date of first issue: 07.04.2016

---

where applicable.

Take note of Directive 94/33/EC on the protection of young people at work or stricter national regulations, where applicable.

### The components of this product are reported in the following inventories:

TCSI (TW)	:	On the inventory, or in compliance with the inventory
TSCA (US)	:	All substances listed as active on the TSCA inventory
AIC (AU)	:	On the inventory, or in compliance with the inventory
DSL (CA)	:	All components of this product are on the Canadian DSL
ENCS (JP)	:	On the inventory, or in compliance with the inventory
ISHL (JP)	:	On the inventory, or in compliance with the inventory
KECI (KR)	:	On the inventory, or in compliance with the inventory
PICCS (PH)	:	On the inventory, or in compliance with the inventory
IECSC (CN)	:	On the inventory, or in compliance with the inventory
NZIoC (NZ)	:	On the inventory, or in compliance with the inventory
TECI (TH)	:	On the inventory, or in compliance with the inventory

### 15.2 Chemical safety assessment

This information is not available.

---

## SECTION 16: Other information

### Further information

Other information : This safety datasheet only contains information relating to safety and does not replace any product information or product specification.  
These safety instructions also apply to empty packaging which may still contain product residues.  
The hazards on the label also apply to residues in the container.

Sources of key data used to compile the Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

## NOROX® CHP



Version	Revision Date:	SDS Number:	Date of last issue: 07.08.2023
6.1	13.11.2023	600000000292	Date of first issue: 07.04.2016

---

### Full text of other abbreviations

2000/39/EC	:	Europe. Commission Directive 2000/39/EC establishing a first list of indicative occupational exposure limit values
2019/1831/EU	:	Europe. Commission Directive 2019/1831/EU establishing a fifth list of indicative occupational exposure limit values
IE OEL	:	Ireland. List of Chemical Agents and Occupational Exposure Limit Values - Schedule 1
2000/39/EC / TWA	:	Limit Value - eight hours
2000/39/EC / STEL	:	Short term exposure limit
2019/1831/EU / TWA	:	Limit Value - eight hours
2019/1831/EU / STEL	:	Short term exposure limit
IE OEL / OELV - 8 hrs (TWA)	:	Occupational exposure limit value (8-hour reference period)
IE OEL / OELV - 15 min (STEL)	:	Occupational exposure limit value (15-minute reference period)

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

## NOROX<sup>®</sup> CHP



Version	Revision Date:	SDS Number:	Date of last issue: 07.08.2023
6.1	13.11.2023	600000000292	Date of first issue: 07.04.2016

---

### Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

IE / EN