

# SAFETY DATA SHEET

## NOROX<sup>®</sup> ENP-90



Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	06.03.2023	600000000648	Date of first issue: 06.03.2023

---

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Trade name : NOROX<sup>®</sup> ENP-90

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub-  
stance/Mixture : Hardener

#### 1.3 Details of the supplier of the safety data sheet

Company : United Initiators GmbH  
Dr.-Gustav-Adolph-Str. 3  
82049 Pullach

Telephone : +49 / 89 / 74422 – 0

E-mail address of person  
responsible for the SDS : contact@united-in.com

#### 1.4 Emergency telephone number

+44 1235 239670

---

### SECTION 2: Hazards identification

#### 2.1 Classification of the substance or mixture

**Classification (REGULATION (EC) No 1272/2008) as amended by GB-CLP Regulation, UK SI 2019/720, and UK SI 2020/1567)**

Flammable liquids, Category 3	H226: Flammable liquid and vapour.
Organic peroxides, Type D	H242: Heating may cause a fire.
Acute toxicity, Category 4	H302: Harmful if swallowed.
Acute toxicity, Category 4	H332: Harmful if inhaled.
Skin corrosion, Sub-category 1B	H314: Causes severe skin burns and eye damage.
Serious eye damage, Category 1	H318: Causes serious eye damage.
Reproductive toxicity, Category 2	H361: Suspected of damaging fertility or the unborn child.
Long-term (chronic) aquatic hazard, Category 3	H412: Harmful to aquatic life with long lasting effects.

# SAFETY DATA SHEET

## NOROX® ENP-90



Version 1.0      Revision Date: 06.03.2023      SDS Number: 600000000648      Date of last issue: -  
Date of first issue: 06.03.2023

---

### 2.2 Label elements

**Labelling (REGULATION (EC) No 1272/2008) as amended by GB-CLP Regulation, UK SI 2019/720, and UK SI 2020/1567)**

Hazard pictograms :



Signal word : Danger

Hazard statements :

- H226 Flammable liquid and vapour.
- H242 Heating may cause a fire.
- H302 + H332 Harmful if swallowed or if inhaled.
- H314 Causes severe skin burns and eye damage.
- H361 Suspected of damaging fertility or the unborn child.
- H412 Harmful to aquatic life with long lasting effects.

Precautionary statements :

**Prevention:**

P210 Keep away from heat/ sparks/ open flames/ hot surfaces. No smoking.  
P220 Keep/Store away from clothing/ strong acids, bases, heavy metal salts and other reducing substances /combustible materials.  
P233 Keep container tightly closed.  
P235 Keep cool.  
P260 Do not breathe dust/ fume/ gas/ mist/ vapours/ spray.  
P262 Do not get in eyes, on skin, or on clothing.  
P273 Avoid release to the environment.  
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

**Response:**

P301 + P312 IF SWALLOWED: Call a POISON CENTER/ doctor if you feel unwell.  
P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower.  
P304 + P340 + P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/ doctor if you feel unwell.  
P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P308 + P313 IF exposed or concerned: Get medical advice/ attention.  
P315 Get immediate medical advice/ attention.  
P370 + P378 In case of fire: Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide to extinguish.

**Storage:**

P403 + P235 Store in a well-ventilated place. Keep cool.

# SAFETY DATA SHEET

## NOROX® ENP-90



Version 1.0      Revision Date: 06.03.2023      SDS Number: 600000000648      Date of last issue: -  
Date of first issue: 06.03.2023

### Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

Hazardous components which must be listed on the label:

Trimethylpentanediol isobutyrate (CAS-No. 6846-50-0)

2-Butanone, peroxide (CAS-No. 1338-23-4)

### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

## SECTION 3: Composition/information on ingredients

### 3.2 Mixtures

Chemical nature : Organic Peroxide  
Liquid mixture

#### Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
Trimethylpentanediol isobutyrate	6846-50-0 229-934-9 01-2119451093-47	Repr. 2; H361 Aquatic Chronic 3; H412	>= 40 - < 45
2-Butanone, peroxide	1338-23-4 700-954-4 01-2119514691-43-0000	Org. Perox. D; H242 Acute Tox. 4; H302 Acute Tox. 4; H332 Skin Corr. 1B; H314 Eye Dam. 1; H318	>= 30 - < 35
Diacetone alcohol	123-42-2 204-626-7 603-016-00-1 01-2119473975-21	Eye Irrit. 2; H319 Repr. 2; H361 STOT SE 3; H335 (Respiratory system)	>= 10 - < 15
Butanone	78-93-3 201-159-0 606-002-00-3 01-2119457290-43	Flam. Liq. 2; H225 Eye Irrit. 2; H319 STOT SE 3; H336 (Central nervous system)	>= 1 - < 5
Hydrogen peroxide	7722-84-1 231-765-0 01-2119485845-22	Ox. Liq. 1; H271 Acute Tox. 4; H302 Acute Tox. 4; H332 Skin Corr. 1A; H314	>= 2.5 - < 3

# SAFETY DATA SHEET

## NOROX® ENP-90



Version 1.0      Revision Date: 06.03.2023      SDS Number: 600000000648      Date of last issue: -  
Date of first issue: 06.03.2023

---

		Eye Dam. 1; H318 STOT SE 3; H335 (Respiratory system) Aquatic Chronic 3; H412	
--	--	---	--

For explanation of abbreviations see section 16.

---

### SECTION 4: First aid measures

#### 4.1 Description of first aid measures

- General advice : Move out of dangerous area.  
Show this safety data sheet to the doctor in attendance.  
Do not leave the victim unattended.  
Symptoms of poisoning may appear several hours later.  
Call a physician immediately.
- Protection of first-aiders : First Aid responders should pay attention to self-protection and use the recommended protective clothing
- If inhaled : Call a physician or poison control centre immediately.  
If unconscious, place in recovery position and seek medical advice.  
Keep respiratory tract clear.  
Call a physician immediately.  
If breathed in, move person into fresh air.
- In case of skin contact : In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes.  
Wash contaminated clothing before re-use.  
If on skin, rinse well with water.  
If on clothes, remove clothes.  
If symptoms persist, call a physician.
- In case of eye contact : Small amounts splashed into eyes can cause irreversible tissue damage and blindness.  
In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice.  
Continue rinsing eyes during transport to hospital.  
Remove contact lenses.  
Protect unharmed eye.  
Keep eye wide open while rinsing.  
If eye irritation persists, consult a specialist.
- If swallowed : Keep respiratory tract clear.  
Do NOT induce vomiting.  
Call a physician immediately.

# SAFETY DATA SHEET

## NOROX<sup>®</sup> ENP-90



Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	06.03.2023	600000000648	Date of first issue: 06.03.2023

---

Rinse mouth thoroughly with water.

### 4.2 Most important symptoms and effects, both acute and delayed

Risks : Harmful if swallowed or if inhaled.  
Causes serious eye damage.  
Suspected of damaging fertility or the unborn child.  
Causes severe burns.

### 4.3 Indication of any immediate medical attention and special treatment needed

Treatment : Treat symptomatically and supportively.

---

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media

Suitable extinguishing media : Water spray jet  
Alcohol-resistant foam  
Carbon dioxide (CO<sub>2</sub>)  
Dry chemical

Unsuitable extinguishing media : High volume water jet

### 5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-fighting : Contact with incompatible materials or exposure to temperatures exceeding SADT may result in a self-accelerating decomposition reaction with release of flammable vapors which may auto-ignite.  
The product burns violently.  
Flash back possible over considerable distance.  
Vapours may form explosive mixtures with air.  
The product will float on water and can be reignited on surface water.  
Cool closed containers exposed to fire with water spray.

### 5.3 Advice for firefighters

Special protective equipment for firefighters : Wear self-contained breathing apparatus for firefighting if necessary. Use personal protective equipment.

Specific extinguishing methods : Do not use a solid water stream as it may scatter and spread fire.  
Remove undamaged containers from fire area if it is safe to do so.  
Use water spray to cool unopened containers.

Further information : Collect contaminated fire extinguishing water separately. This must not be discharged into drains.  
Fire residues and contaminated fire extinguishing water must

# SAFETY DATA SHEET

## NOROX<sup>®</sup> ENP-90



Version 1.0	Revision Date: 06.03.2023	SDS Number: 600000000648	Date of last issue: - Date of first issue: 06.03.2023
----------------	------------------------------	-----------------------------	--

---

be disposed of in accordance with local regulations.  
Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

---

### SECTION 6: Accidental release measures

#### 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Use personal protective equipment.  
Remove all sources of ignition.  
Evacuate personnel to safe areas.  
Follow safe handling advice and personal protective equipment recommendations.  
Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.  
Never return spills in original containers for re-use.  
Treat recovered material as described in the section "Disposal considerations".

#### 6.2 Environmental precautions

Environmental precautions : Prevent product from entering drains.  
Prevent further leakage or spillage if safe to do so.  
If the product contaminates rivers and lakes or drains inform respective authorities.

#### 6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Contact with incompatible substances can cause decomposition at or below SADT.  
Clear spills immediately.  
Suppress (knock down) gases/vapours/mists with a water spray jet.  
To clean the floor and all objects contaminated by this material, use plenty of water.  
Soak up with inert absorbent material.  
Isolate waste and do not reuse.  
Non-sparking tools should be used.  
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.

#### 6.4 Reference to other sections

For personal protection see section 8.

---

### SECTION 7: Handling and storage

#### 7.1 Precautions for safe handling

Technical measures : See Engineering measures under EXPOSURE

# SAFETY DATA SHEET

## NOROX<sup>®</sup> ENP-90



Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	06.03.2023	600000000648	Date of first issue: 06.03.2023

---

### CONTROLS/PERSONAL PROTECTION section.

- Advice on safe handling : Do not swallow.  
Do not breathe vapours/dust.  
Avoid exposure - obtain special instructions before use.  
Avoid contact with skin and eyes.  
Avoid formation of aerosol.  
Take precautionary measures against static discharges.  
Never return any product to the container from which it was originally removed.  
Provide sufficient air exchange and/or exhaust in work rooms.  
Avoid confinement.  
Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
Smoking, eating and drinking should be prohibited in the application area.  
Wash thoroughly after handling.  
For personal protection see section 8.  
Protect from contamination.
- Advice on protection against fire and explosion : Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapours). Keep away from heat and sources of ignition. Use only explosion-proof equipment. Keep away from combustible material.
- Hygiene measures : Keep away from food and drink. When using do not eat or drink. When using do not smoke. Wash hands before breaks and immediately after handling the product.

### 7.2 Conditions for safe storage, including any incompatibilities

- Requirements for storage areas and containers : Avoid impurities (e.g. rust, dust, ash), risk of decomposition. Electrical installations / working materials must comply with the technological safety standards. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Store in original container. Keep containers tightly closed in a cool, well-ventilated place. Store in accordance with the particular national regulations.
- Advice on common storage : Keep away from strong acids, bases, heavy metal salts and other reducing substances.
- Recommended storage temperature : < 30 °C
- Further information on storage stability : No decomposition if stored normally.

### 7.3 Specific end use(s)

- Specific use(s) : For further information, refer to the product technical data sheet.

# SAFETY DATA SHEET

## NOROX® ENP-90



Version 1.0      Revision Date: 06.03.2023      SDS Number: 600000000648      Date of last issue: -  
Date of first issue: 06.03.2023

### SECTION 8: Exposure controls/personal protection

#### 8.1 Control parameters

##### Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
2-Butanone, peroxide	1338-23-4	STEL	0.2 ppm 1.5 mg/m <sup>3</sup>	GB EH40
Diacetone alcohol	123-42-2	TWA	50 ppm 241 mg/m <sup>3</sup>	GB EH40
		STEL	75 ppm 362 mg/m <sup>3</sup>	GB EH40
Butanone	78-93-3	TWA	200 ppm 600 mg/m <sup>3</sup>	GB EH40
	Further information: Can be absorbed through the skin. The assigned substances are those for which there are concerns that dermal absorption will lead to systemic toxicity.			
		STEL	300 ppm 899 mg/m <sup>3</sup>	GB EH40
	Further information: Can be absorbed through the skin. The assigned substances are those for which there are concerns that dermal absorption will lead to systemic toxicity.			
		STEL	300 ppm 900 mg/m <sup>3</sup>	2000/39/EC
	Further information: Indicative			
		TWA	200 ppm 600 mg/m <sup>3</sup>	2000/39/EC
	Further information: Indicative			
Hydrogen peroxide	7722-84-1	TWA	1 ppm 1.4 mg/m <sup>3</sup>	GB EH40
		STEL	2 ppm 2.8 mg/m <sup>3</sup>	GB EH40

##### Biological occupational exposure limits

Substance name	CAS-No.	Control parameters	Sampling time	Basis
Butanone	78-93-3	butan-2-one: 70 micromol per litre (Urine)	After shift	GB EH40 BAT

##### Derived No Effect Level (DNEL):

Substance name	End Use	Exposure routes	Potential health effects	Value
Trimethylpentanediol isobutyrate	Workers	Inhalation	Long-term systemic effects	17.62 mg/m <sup>3</sup>
	Workers	Skin contact	Long-term local effects	5 mg/kg bw/day
	Consumers	Inhalation	Long-term systemic	4.35 mg/m <sup>3</sup>



# SAFETY DATA SHEET

## NOROX® ENP-90



Version  
1.0

Revision Date:  
06.03.2023

SDS Number:  
600000000648

Date of last issue: -  
Date of first issue: 06.03.2023

			effects	
	Consumers	Skin contact	Long-term systemic effects	5 mg/kg bw/day
	Consumers	Oral	Long-term systemic effects	5 mg/kg bw/day
2-Butanone, peroxide	Workers	Inhalation	Long-term systemic effects	2.35 mg/m3
	Workers	Skin contact	Long-term systemic effects	1.33 mg/kg bw/day
	Workers	Inhalation	Acute systemic effects	7.05 mg/m3
Diacetone alcohol	Workers	Inhalation	Acute local effects	240 mg/m3
	Workers	Skin contact	Long-term systemic effects	9.4 mg/kg bw/day
	Workers	Inhalation	Long-term systemic effects	66.4 mg/m3
	Workers	Inhalation	Long-term local effects	66.4 mg/m3
Butanone	Workers	Skin contact	Long-term systemic effects	1161 mg/kg bw/day
	Workers	Inhalation	Long-term systemic effects	600 mg/m3
Hydrogen peroxide	Workers	Inhalation	Acute local effects	3.4 mg/m3
	Workers	Inhalation	Long-term local effects	1.4 mg/m3

### Predicted No Effect Concentration (PNEC):

Substance name	Environmental Compartment	Value
Trimethylpentanediol isobutyrate	Fresh water	0.014 mg/l
	Marine water	0.001 mg/l
	Fresh water sediment	5.29 mg/kg dry weight (d.w.)
	Marine sediment	0.529 mg/kg dry weight (d.w.)
	Soil	1.05 mg/kg dry weight (d.w.)
	Sewage treatment plant	3 mg/l
	2-Butanone, peroxide	Fresh water
	Marine water	0.00056 mg/l
	Intermittent use/release	0.056 mg/l
	Sewage treatment plant	1.2 mg/l
	Fresh water sediment	0.0876 mg/kg
	Marine sediment	0.00876 mg/kg
	Soil	0.0142 mg/kg
Diacetone alcohol	Fresh water	2 mg/l
	Marine water	0.2 mg/l
	Sewage treatment plant	82 mg/l
	Fresh water sediment	9.06 mg/kg dry weight (d.w.)
	Marine sediment	0.91 mg/kg dry weight (d.w.)

# SAFETY DATA SHEET

## NOROX® ENP-90



Version 1.0      Revision Date: 06.03.2023      SDS Number: 600000000648      Date of last issue: -  
Date of first issue: 06.03.2023

	Soil	0.63 mg/kg dry weight (d.w.)
Butanone	Fresh water	55.8 mg/l
	Marine water	55.8 mg/l
	Intermittent use/release	55.8 mg/l
	Sewage treatment plant	709 mg/l
	Fresh water sediment	284.7 mg/kg dry weight (d.w.)
	Soil	22.5 mg/kg
Hydrogen peroxide	Sewage treatment plant	4.66 mg/l
	Fresh water	0.0126 mg/l
	Marine sediment	0.047 mg/l
	Fresh water sediment	0.047 mg/l
	Marine water	0.0126 mg/l
	Soil	0.0023 mg/l

### 8.2 Exposure controls

#### Engineering measures

Minimize workplace exposure concentrations.

#### Personal protective equipment

Eye protection : Tightly fitting safety goggles  
Please wear suitable protective goggles. Also wear face protection if there is a splash hazard.  
Ensure that eyewash stations and safety showers are close to the workstation location.  
Please follow all applicable local/national requirements when selecting protective measures for a specific workplace.

#### Hand protection

Material : Nitrile rubber  
Break through time : 30 min  
Glove thickness : 0.40 mm

Material : butyl-rubber  
Break through time : 480 min  
Glove thickness : 0.47 mm

Remarks : The data about break through time/strength of material are standard values! The exact break through time/strength of material has to be obtained from the producer of the protective glove. Choose gloves to protect hands against chemicals depending on the concentration and quantity of the hazardous substance and specific to place of work. For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer. Wash hands before breaks and at the end of workday.

Skin and body protection : Select appropriate protective clothing based on chemical re-

# SAFETY DATA SHEET

## NOROX<sup>®</sup> ENP-90



Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	06.03.2023	600000000648	Date of first issue: 06.03.2023

---

stance data and an assessment of the local exposure potential.

Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces.

Wear as appropriate:

Flame retardant antistatic protective clothing.

- Respiratory protection : In the case of dust or aerosol formation use respirator with an approved filter.
- Filter type : ABEK-filter
- Protective measures : The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.
- 

### SECTION 9: Physical and chemical properties

#### 9.1 Information on basic physical and chemical properties

- Appearance : liquid
- Colour : colourless
- Odour : characteristic
- Odour Threshold : not determined
- pH : No data available
- Melting point/range : < -25 °C
- Boiling point/boiling range : Decomposition: Decomposes below the boiling point.
- Flash point : 57 °C  
Method: ISO 3679, closed cup
- Evaporation rate : No data available
- Flammability (solid, gas) : Not applicable
- Upper explosion limit / Upper flammability limit : Upper explosion limit not determined
- Lower explosion limit / Lower flammability limit : Lower explosion limit not determined
- Vapour pressure : 0.002 hPa (25 °C)
- Relative vapour density : not determined
-

# SAFETY DATA SHEET

## NOROX<sup>®</sup> ENP-90



Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	06.03.2023	600000000648	Date of first issue: 06.03.2023

---

Relative density	:	not determined
Density	:	1.01 g/cm <sup>3</sup> (20 °C)
Solubility(ies)	:	
Water solubility	:	ca. 6.5 g/l slightly soluble (20 °C)
Solubility in other solvents	:	Solvent: Phthalates Description: completely miscible
Partition coefficient: n-octanol/water	:	log Pow: 0.3 (25 °C)
Viscosity	:	
Viscosity, dynamic	:	13 mPa.s (20 °C)
Viscosity, kinematic	:	not determined
Explosive properties	:	Not explosive In use, may form flammable/explosive vapour-air mixture.
Oxidizing properties	:	The substance or mixture is not classified as oxidizing. Organic peroxide

### 9.2 Other information

Self-Accelerating decomposition temperature (SADT)	:	60 °C Method: UN-Test H.4 SADT-Self Accelerating Decomposition Temperature. Lowest temperature at which the tested package size will undergo a self-accelerating decomposition reaction.
Flammability (liquids)	:	Flammable liquid and vapour., Organic peroxide
Self-heating substances	:	The substance or mixture is not classified as self heating.
Refractive index	:	1.431 at 20 °C
Self-ignition	:	The substance or mixture is not classified as pyrophoric.

---

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

Stable under recommended storage conditions.

### 10.2 Chemical stability

Stable under recommended storage conditions.

### 10.3 Possibility of hazardous reactions

# SAFETY DATA SHEET

## NOROX<sup>®</sup> ENP-90



Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	06.03.2023	600000000648	Date of first issue: 06.03.2023

---

Hazardous reactions : Vapours may form explosive mixture with air.

### 10.4 Conditions to avoid

Conditions to avoid : Protect from contamination.  
Contact with incompatible substances can cause decomposition at or below SADT.  
Heat, flames and sparks.  
Avoid confinement.

### 10.5 Incompatible materials

Materials to avoid : Accelerators, strong acids and bases, heavy metals and heavy metal salts, reducing agents

### 10.6 Hazardous decomposition products

Irritant, caustic, flammable, noxious/toxic gases and vapours can develop in the case of fire and decomposition

---

## SECTION 11: Toxicological information

### 11.1 Information on toxicological effects

#### Acute toxicity

Harmful if swallowed or if inhaled.

#### Product:

Acute oral toxicity : Acute toxicity estimate: 1,534 mg/kg  
Method: Calculation method

Acute inhalation toxicity : Acute toxicity estimate: 4.6 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: Calculation method

#### Components:

##### **Trimethylpentanediol isobutyrate:**

Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg  
Method: Expert judgement  
Assessment: The substance or mixture has no acute oral toxicity

Acute inhalation toxicity : LCLo (Rat): > 0.12 mg/l  
Exposure time: 6 h  
Test atmosphere: vapour  
Method: Expert judgement  
Assessment: The substance or mixture has no acute inhalation toxicity  
Remarks: No mortality observed at this dose.

# SAFETY DATA SHEET

## NOROX<sup>®</sup> ENP-90



Version 1.0      Revision Date: 06.03.2023      SDS Number: 600000000648      Date of last issue: -  
Date of first issue: 06.03.2023

---

Acute dermal toxicity : LD50 (Guinea pig): > 2,000 mg/kg  
Method: Expert judgement  
Assessment: The substance or mixture has no acute dermal toxicity

### **2-Butanone, peroxide:**

Acute oral toxicity : Acute toxicity estimate: 500 mg/kg  
Method: Expert judgement

Acute inhalation toxicity : Acute toxicity estimate: 1.5 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: Expert judgement  
Assessment: The component/mixture is moderately toxic after short term inhalation.  
Remarks: Based on data from similar materials

Acute dermal toxicity : Acute toxicity estimate: 2,500 mg/kg  
Method: Expert judgement

### **Diacetone alcohol:**

Acute oral toxicity : LD50 (Rat): 3,002 mg/kg  
Method: OECD Test Guideline 401

Acute inhalation toxicity : LC0 (Rat, male and female): >= 7.6 mg/l  
Exposure time: 4 h  
Test atmosphere: vapour  
Method: OECD Test Guideline 403  
Assessment: The substance or mixture has no acute inhalation toxicity  
Remarks: No mortality observed at this dose.

Acute dermal toxicity : LD0 (Rat): > 1,875 mg/kg  
Method: OECD Test Guideline 402  
Assessment: The substance or mixture has no acute dermal toxicity  
Remarks: No mortality observed at this dose.

### **Butanone:**

Acute oral toxicity : LD50 (Rat): 2,193 mg/kg  
Method: OECD Test Guideline 423

Acute inhalation toxicity : Remarks: No data available

Acute dermal toxicity : LD50 (Rabbit): > 5,000 mg/kg  
Method: OECD Test Guideline 402  
Remarks: Based on available data, the classification criteria are not met.

# SAFETY DATA SHEET

## NOROX<sup>®</sup> ENP-90



Version 1.0      Revision Date: 06.03.2023      SDS Number: 600000000648      Date of last issue: -  
Date of first issue: 06.03.2023

---

### Hydrogen peroxide:

- Acute oral toxicity : Acute toxicity estimate: 500.0 mg/kg  
Method: Converted acute toxicity point estimate  
Assessment: The component/mixture is moderately toxic after single ingestion.
- Acute inhalation toxicity : LC50 (Rat): > 0.17 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Assessment: The component/mixture is moderately toxic after short term inhalation.  
Remarks: Based on harmonised classification in EU regulation 1272/2008, Annex VI
- Acute dermal toxicity : LD50 (Rabbit): > 6,500 mg/kg

### Skin corrosion/irritation

Causes severe burns.

### Product:

- Remarks : Extremely corrosive and destructive to tissue.

### Components:

#### Trimethylpentanediol isobutyrate:

- Species : Guinea pig  
Exposure time : 24 h  
Result : No skin irritation  
Remarks : Based on available data, the classification criteria are not met.

#### 2-Butanone, peroxide:

- Species : Rabbit  
Result : Causes burns.

#### Diacetone alcohol:

- Species : Rabbit  
Method : OECD Test Guideline 404  
Result : No skin irritation

#### Butanone:

- Species : Rabbit  
Assessment : Repeated exposure may cause skin dryness or cracking.  
Method : OECD Test Guideline 404  
Result : No skin irritation

### Hydrogen peroxide:

- Result : Corrosive after 3 minutes or less of exposure

# SAFETY DATA SHEET

## NOROX<sup>®</sup> ENP-90



Version 1.0      Revision Date: 06.03.2023      SDS Number: 600000000648      Date of last issue: -  
Date of first issue: 06.03.2023

---

Remarks : Extremely corrosive and destructive to tissue.

### Serious eye damage/eye irritation

Causes serious eye damage.

#### Product:

Remarks : May cause irreversible eye damage.

#### Components:

##### **Trimethylpentanediol isobutyrate:**

Species : Rabbit  
Exposure time : 24 h  
Result : No eye irritation

##### **2-Butanone, peroxide:**

Result : Irreversible effects on the eye

##### **Diacetone alcohol:**

Species : Rabbit  
Method : OECD Test Guideline 405  
Result : Irritation to eyes, reversing within 21 days

##### **Butanone:**

Species : Rabbit  
Method : OECD Test Guideline 405  
Result : Eye irritation

##### **Hydrogen peroxide:**

Result : Irreversible effects on the eye

Remarks : May cause irreversible eye damage.

### Respiratory or skin sensitisation

#### **Skin sensitisation**

Not classified based on available information.

#### **Respiratory sensitisation**

Not classified based on available information.

#### Components:

##### **Trimethylpentanediol isobutyrate:**

Species : Guinea pig  
Result : Does not cause skin sensitisation.



# SAFETY DATA SHEET

## NOROX<sup>®</sup> ENP-90



Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	06.03.2023	600000000648	Date of first issue: 06.03.2023

---

### **2-Butanone, peroxide:**

Species : Guinea pig  
Method : OECD Test Guideline 406  
Result : Does not cause skin sensitisation.

Assessment : Harmful if swallowed., Harmful if inhaled.

### **Diacetone alcohol:**

Species : Guinea pig  
Method : OECD Test Guideline 406  
Result : Does not cause skin sensitisation.

### **Butanone:**

Exposure routes : Skin contact  
Species : Guinea pig  
Method : OECD Test Guideline 406  
Result : Does not cause skin sensitisation.

### **Germ cell mutagenicity**

Not classified based on available information.

### **Components:**

#### **Trimethylpentanediol isobutyrate:**

Genotoxicity in vitro : Test Type: In vitro mammalian cell gene mutation test  
Method: OECD Test Guideline 476  
Result: negative

Test Type: Ames test  
Method: Regulation (EC) No. 440/2008, Annex, B.13/14  
(Ames test)  
Result: negative

Test Type: Chromosome aberration test in vitro  
Method: OECD Test Guideline 473  
Result: negative

#### **2-Butanone, peroxide:**

Genotoxicity in vitro : Method: OECD Test Guideline 473  
Result: negative

Method: OECD Test Guideline 471  
Result: negative

Method: OECD Test Guideline 476  
Result: negative

#### **Diacetone alcohol:**

# SAFETY DATA SHEET

## NOROX<sup>®</sup> ENP-90



Version 1.0      Revision Date: 06.03.2023      SDS Number: 600000000648      Date of last issue: -  
Date of first issue: 06.03.2023

---

Genotoxicity in vitro      :    Method: OECD Test Guideline 476  
Result: negative

Method: OECD Test Guideline 471  
Result: negative

Method: OECD Test Guideline 473  
Result: negative

Genotoxicity in vivo      :    Remarks: Not classified due to data which are conclusive  
although insufficient for classification.

Germ cell mutagenicity- Assessment      :    Tests on bacterial or mammalian cell cultures did not show  
mutagenic effects.

### **Butanone:**

Genotoxicity in vitro      :    Method: OECD Test Guideline 471  
Result: negative

Method: OECD Test Guideline 476  
Result: negative

Method: OECD Test Guideline 473  
Result: negative

Genotoxicity in vivo      :    Species: Mouse  
Application Route: Intraperitoneal  
Method: OECD Test Guideline 474  
Result: negative

### **Hydrogen peroxide:**

Genotoxicity in vitro      :    Test Type: Ames test  
Result: negative

Genotoxicity in vivo      :    Test Type: Mammalian erythrocyte micronucleus test (in vivo  
cytogenetic assay)  
Species: Mouse  
Result: negative

### **Carcinogenicity**

Not classified based on available information.

### **Components:**

#### **2-Butanone, peroxide:**

Remarks      :    This information is not available.

#### **Diacetone alcohol:**

Carcinogenicity - Assess-      :    Weight of evidence does not support classification as a car-



# SAFETY DATA SHEET

## NOROX® ENP-90



Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	06.03.2023	600000000648	Date of first issue: 06.03.2023

---

General Toxicity - Parent: NOAEL: 10,000 mg/l  
General Toxicity F1: NOAEL: 10,000 mg/l  
Method: OECD Test Guideline 416  
Remarks: Based on data from similar materials

Species: Rat  
Application Route: oral (drinking water)  
General Toxicity - Parent: LOAEL: 20,000 mg/l  
Method: OECD Test Guideline 416  
Remarks: Based on data from similar materials

Effects on foetal development : Species: Rat  
Application Route: Inhalation  
General Toxicity Maternal: NOAEC: ca. 1,002 mg/kg body weight  
Teratogenicity: NOAEC Parent: ca. 1,002 mg/kg body weight  
Method: OECD Test Guideline 414  
Result: negative

### STOT - single exposure

Not classified based on available information.

#### Components:

##### **Diacetone alcohol:**

Target Organs : Respiratory system  
Assessment : May cause respiratory irritation.

##### **Butanone:**

Assessment : May cause drowsiness or dizziness.

##### **Hydrogen peroxide:**

Assessment : May cause respiratory irritation.

### STOT - repeated exposure

Not classified based on available information.

#### **Repeated dose toxicity**

#### Components:

##### **2-Butanone, peroxide:**

Species : Rat  
NOAEL : 200 mg/kg  
Application Route : oral (gavage)  
Exposure time : 28 d  
Method : OECD Test Guideline 407

##### **Diacetone alcohol:**

# SAFETY DATA SHEET

## NOROX<sup>®</sup> ENP-90



Version 1.0      Revision Date: 06.03.2023      SDS Number: 600000000648      Date of last issue: -  
Date of first issue: 06.03.2023

---

Species : Rat  
NOAEL : 1.04 mg/l  
LOAEL : 4.685 mg/l  
Application Route : inhalation (vapour)  
Exposure time : 6 w  
Method : OECD Test Guideline 412

Species : Rat  
NOAEL : 100 mg/kg  
Application Route : oral (gavage)  
Method : OECD Test Guideline 422

### Hydrogen peroxide:

Species : Mouse  
Application Route : Ingestion  
Exposure time : 90 d  
Symptoms : No adverse effects

### Aspiration toxicity

Not classified based on available information.

### Components:

#### Trimethylpentanediol isobutyrate:

Not classified due to data which are conclusive although insufficient for classification.

### Further information

#### Product:

Remarks : Solvents may degrease the skin.

#### Components:

#### Trimethylpentanediol isobutyrate:

Remarks : No data available

---

## SECTION 12: Ecological information

### 12.1 Toxicity

#### Components:

#### Trimethylpentanediol isobutyrate:

Toxicity to fish : NOEC (Fish):  $\geq 6$  mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 203

Toxicity to daphnia and other : EC50 (Daphnia (water flea)):  $\geq 1.46$  mg/l

# SAFETY DATA SHEET

## NOROX<sup>®</sup> ENP-90



Version 1.0      Revision Date: 06.03.2023      SDS Number: 600000000648      Date of last issue: -  
Date of first issue: 06.03.2023

---

aquatic invertebrates      Exposure time: 48 h

NOEC (Daphnia (water flea)): 0.7 mg/l  
Exposure time: 21 d

Toxicity to algae/aquatic plants      :    EC50 (Chlorella pyrenoidosa (algae)): > 7.49 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)      :    LOEC: 0.7 mg/l  
Exposure time: 21 d  
Species: Daphnia magna (Water flea)

### Ecotoxicology Assessment

Acute aquatic toxicity      :    This product has no known ecotoxicological effects.

Chronic aquatic toxicity      :    Harmful to aquatic life with long lasting effects.

### 2-Butanone, peroxide:

Toxicity to fish      :    LC50 (Poecilia reticulata (guppy)): 44.2 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 203

NOEC (Poecilia reticulata (guppy)): 18 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates      :    EC50 (Daphnia magna (Water flea)): 39 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202

NOEC (Daphnia magna (Water flea)): 26.7 mg/l  
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants      :    EC50 (Pseudokirchneriella subcapitata (green algae)): 5.6 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

NOEC (Pseudokirchneriella subcapitata (green algae)): 2.1 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

Toxicity to microorganisms      :    EC50 (Bacteria): 48 mg/l  
Exposure time: 0.5 h  
Method: OECD Test Guideline 209

### Diacetone alcohol:

Toxicity to fish      :    LC50 (Oryzias latipes (Orange-red killifish)): > 100 mg/l

# SAFETY DATA SHEET

## NOROX® ENP-90



Version 1.0      Revision Date: 06.03.2023      SDS Number: 600000000648      Date of last issue: -  
Date of first issue: 06.03.2023

---

Exposure time: 96 h  
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 1,000 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : EbC50 (Pseudokirchneriella subcapitata (green algae)): > 1,000 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

NOEC (Pseudokirchneriella subcapitata (green algae)): 1,000 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

### Butanone:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 2,993 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 308 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (green algae)): 2,029 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 201

Toxicity to microorganisms : NOEC (Pseudomonas putida): 1,150 mg/l  
Exposure time: 16 h  
Method: DIN 38 412 Part 8

### Hydrogen peroxide:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 16.4 mg/l  
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : LC50 (Daphnia pulex (Water flea)): 2.4 mg/l  
Exposure time: 48 h

Toxicity to algae/aquatic plants : EC50 (Skeletonema costatum (marine diatom)): 1.38 mg/l  
Exposure time: 72 h

NOEC (Skeletonema costatum (marine diatom)): 0.63 mg/l  
Exposure time: 72 h

Toxicity to daphnia and other aquatic invertebrates (Chron- : NOEC: 0.63 mg/l  
Exposure time: 21 d

# SAFETY DATA SHEET

## NOROX<sup>®</sup> ENP-90



Version 1.0      Revision Date: 06.03.2023      SDS Number: 600000000648      Date of last issue: -  
Date of first issue: 06.03.2023

---

ic toxicity)      Species: Daphnia magna (Water flea)

### 12.2 Persistence and degradability

#### Components:

##### **Trimethylpentanediol isobutyrate:**

Biodegradability      :    Result: rapidly biodegradable  
Exposure time: 28 d  
Method: OECD Test Guideline 301B

##### **2-Butanone, peroxide:**

Biodegradability      :    Result: Readily biodegradable.  
Method: OECD Test Guideline 301D

##### **Diacetone alcohol:**

Biodegradability      :    Result: Readily biodegradable.  
Method: OECD Test Guideline 301

##### **Butanone:**

Biodegradability      :    Result: Readily biodegradable.  
Method: OECD Test Guideline 301D

##### **Hydrogen peroxide:**

Biodegradability      :    Result: Readily biodegradable.

### 12.3 Bioaccumulative potential

#### Components:

##### **Trimethylpentanediol isobutyrate:**

Bioaccumulation      :    Species: Fish  
Bioconcentration factor (BCF): 1.95

Partition coefficient: n-  
octanol/water      :    log Pow: 4.91 (25 °C)

##### **2-Butanone, peroxide:**

Partition coefficient: n-  
octanol/water      :    log Pow: < 0.3 (25 °C)

##### **Diacetone alcohol:**

Partition coefficient: n-  
octanol/water      :    log Pow: -0.09 (20 °C)

##### **Butanone:**



# SAFETY DATA SHEET

## NOROX<sup>®</sup> ENP-90



Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	06.03.2023	600000000648	Date of first issue: 06.03.2023

---

Partition coefficient: n-octanol/water : log Pow: 0.3 (40 °C)

**Hydrogen peroxide:**

Partition coefficient: n-octanol/water : log Pow: -1.57  
Remarks: Calculation

### 12.4 Mobility in soil

No data available

### 12.5 Results of PBT and vPvB assessment

**Product:**

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

### 12.6 Other adverse effects

**Product:**

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.  
Toxic to aquatic life.  
Harmful to aquatic life with long lasting effects.

---

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

Product : The product should not be allowed to enter drains, water courses or the soil.  
Do not contaminate ponds, waterways or ditches with chemical or used container.  
Dispose of wastes in an approved waste disposal facility.

Contaminated packaging : Empty remaining contents.  
Dispose of as unused product.  
Do not re-use empty containers.  
Do not burn, or use a cutting torch on, the empty drum.  
Dispose of in accordance with local regulations.

---

## SECTION 14: Transport information

### 14.1 UN number

ADR : UN 3105

# SAFETY DATA SHEET

## NOROX<sup>®</sup> ENP-90



Version 1.0      Revision Date: 06.03.2023      SDS Number: 600000000648      Date of last issue: -  
Date of first issue: 06.03.2023

---

**RID** : UN 3105  
**IMDG** : UN 3105  
**IATA** : UN 3105

### 14.2 UN proper shipping name

**ADR** : ORGANIC PEROXIDE TYPE D, LIQUID  
(METHYL ETHYL KETONE PEROXIDE(S))  
**RID** : ORGANIC PEROXIDE TYPE D, LIQUID  
(METHYL ETHYL KETONE PEROXIDE(S))  
**IMDG** : ORGANIC PEROXIDE TYPE D, LIQUID  
(METHYL ETHYL KETONE PEROXIDE(S))  
**IATA** : Organic peroxide type D, liquid  
(Methyl ethyl ketone peroxide(s))

### 14.3 Transport hazard class(es)

**ADR** : 5.2  
**RID** : 5.2  
**IMDG** : 5.2  
**IATA** : 5.2

### 14.4 Packing group

**ADR**  
Packing group : Not assigned by regulation  
Classification Code : P1  
Labels : 5.2  
Tunnel restriction code : (D)

**RID**  
Packing group : Not assigned by regulation  
Classification Code : P1  
Hazard Identification Number : 539  
Labels : 5.2

**IMDG**  
Packing group : Not assigned by regulation  
Labels : 5.2  
EmS Code : F-J, S-R

**IATA (Cargo)**  
Packing instruction (cargo aircraft) : 570  
Packing group : Not assigned by regulation  
Labels : Organic Peroxides, Keep Away From Heat

**IATA (Passenger)**  
Packing instruction (passenger aircraft) : 570  
Packing group : Not assigned by regulation

# SAFETY DATA SHEET

## NOROX<sup>®</sup> ENP-90



Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	06.03.2023	600000000648	Date of first issue: 06.03.2023

---

Labels : Organic Peroxides, Keep Away From Heat

### 14.5 Environmental hazards

#### ADR

Environmentally hazardous : no

#### RID

Environmentally hazardous : no

#### IMDG

Marine pollutant : no

### 14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

### 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable for product as supplied.

---

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Relevant EU provisions transposed through retained EU law

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, preparations and articles (Annex XVII) : Conditions of restriction for the following entries should be considered: Number on list 3

REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59). : Not applicable

Regulation (EC) No 1005/2009 on substances that deplete the ozone layer : Not applicable

Regulation (EU) 2019/1021 on persistent organic pollutants (recast) : Not applicable

Regulation (EC) No 649/2012 of the European Parliament and the Council concerning the export and import of dangerous chemicals : Not applicable

UK REACH List of substances subject to authorisation (Annex XIV) : Not applicable

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.

P6b	SELF-REACTIVE	Quantity 1 50 t	Quantity 2 200 t
-----	---------------	--------------------	---------------------

---

# SAFETY DATA SHEET

## NOROX<sup>®</sup> ENP-90



Version 1.0	Revision Date: 06.03.2023	SDS Number: 600000000648	Date of last issue: - Date of first issue: 06.03.2023
----------------	------------------------------	-----------------------------	--

---

### SUBSTANCES AND MIXTURES and ORGANIC PEROXIDES

#### Other regulations:

Gefahrgruppe nach DGUV 13 Vorschrift 13 (bisher BGV B4): II (German regulatory requirements)

#### The components of this product are reported in the following inventories:

TCSI (TW)	:	On the inventory, or in compliance with the inventory
TSCA (US)	:	All substances listed as active on the TSCA inventory
AIIIC (AU)	:	On the inventory, or in compliance with the inventory
DSL (CA)	:	All components of this product are on the Canadian DSL
ENCS (JP)	:	On the inventory, or in compliance with the inventory
ISHL (JP)	:	On the inventory, or in compliance with the inventory
KECI (KR)	:	On the inventory, or in compliance with the inventory
PICCS (PH)	:	On the inventory, or in compliance with the inventory
IECSC (CN)	:	On the inventory, or in compliance with the inventory
TECI (TH)	:	On the inventory, or in compliance with the inventory

#### 15.2 Chemical safety assessment

This information is not available.

---

### SECTION 16: Other information

#### Further information

Other information : This safety datasheet only contains information relating to safety and does not replace any product information or product specification.  
These safety instructions also apply to empty packaging which may still contain product residues.

Sources of key data used to compile the Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>



# SAFETY DATA SHEET

## NOROX<sup>®</sup> ENP-90



Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	06.03.2023	600000000648	Date of first issue: 06.03.2023

---

the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of very high concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

GB / EN