

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## NOROX<sup>®</sup>HDP-75

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: 07/27/2023  |
| 4.1     | 06/03/2024     | 600000000089 | Date of first issue: 10/19/2016 |

---

### SECTION 1. IDENTIFICATION

Trade name : NOROX<sup>®</sup>HDP-75

Other means of identification : No data available

#### Manufacturer or supplier's details

Company name of supplier : United Initiators, Inc.

Address : 555 Garden Street  
Elyria OH 44035 USA

United Initiators Canada Ltd.  
2147 PG Pulp Mill Road  
Prince George, BC-V2N 2S6 CANADA

Telephone : +1-440-323-3112

Telefax : +1-440-323-2659

Emergency telephone : CHEMTREC US (24h): +1-800-424-9300  
CHEMTREC WORLD (24h): +1-703-527-3887  
CANUTEC (24h): 1-613-996-6666

For Transportation Incidents : TERRAPURE EMERGENCY RESPONSE SERVICES (24h):  
1-800-567-7455

E-mail address of person responsible for the SDS : cs-initiators.nafta@united-in.com

#### Recommended use of the chemical and restrictions on use

Recommended use : polymerization initiators

---

### SECTION 2. HAZARDS IDENTIFICATION

#### GHS classification in accordance with the Hazardous Products Regulations

Flammable liquids : Category 4

Organic peroxides : Type D

Acute toxicity (Oral) : Category 4

Acute toxicity (Inhalation) : Category 4

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## NOROX<sup>®</sup>HDP-75

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: 07/27/2023  |
| 4.1     | 06/03/2024     | 600000000089 | Date of first issue: 10/19/2016 |

|   |               |
|---|---------------|
| Skin corrosion  | : Category 1  |
| Serious eye damage                                    | : Category 1  |
| Carcinogenicity                                       | : Category 1B |
| Reproductive toxicity                                 | : Category 2  |
| Specific target organ toxicity<br>- repeated exposure | : Category 2  |
| Short-term (acute) aquatic<br>hazard                  | : Category 2  |
| Long-term (chronic) aquatic<br>hazard                 | : Category 3  |

### GHS label elements

Hazard pictograms :

Signal Word : Danger

Hazard Statements :

- H227 Combustible liquid.
- H242 Heating may cause a fire.
- H302 + H332 Harmful if swallowed or if inhaled.
- H314 Causes severe skin burns and eye damage.
- H350 May cause cancer.
- H361 Suspected of damaging fertility or the unborn child.
- H373 May cause damage to organs through prolonged or repeated exposure.
- H401 Toxic to aquatic life.
- H412 Harmful to aquatic life with long lasting effects.

Precautionary Statements :

**Prevention:**

- P201 Obtain special instructions before use.
- P202 Do not handle until all safety precautions have been read and understood.
- P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
- P234 Keep only in original packaging.
- P240 Ground and bond container and receiving equipment.
- P260 Do not breathe mist or vapors.
- P264 Wash skin thoroughly after handling.
- P270 Do not eat, drink or smoke when using this product.
- P271 Use only outdoors or in a well-ventilated area.
- P273 Avoid release to the environment.
- P280 Wear protective gloves/ protective clothing/ eye protection/

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## NOROX<sup>®</sup>HDP-75

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: 07/27/2023  |
| 4.1     | 06/03/2024     | 600000000089 | Date of first issue: 10/19/2016 |

face protection/ hearing protection.

### Response:

P301 + P312 + P330 IF SWALLOWED: Call a POISON CENTER/ doctor if you feel unwell. Rinse mouth.

P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.

P304 + P340 + P310 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/ doctor.

P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor.

P308 + P313 IF exposed or concerned: Get medical advice/ attention.

P363 Wash contaminated clothing before reuse.

P370 + P378 In case of fire: Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide to extinguish.

### Storage:

P403 Store in a well-ventilated place.

P405 Store locked up.

P410 Protect from sunlight.

P411 Store at temperatures not exceeding < 100 °F/ < 38 °C.

P420 Store separately.

### Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

### Other hazards

None known.

## SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Chemical nature : Organic Peroxide  
Liquid mixture

### Components

| Chemical name        | Common Name/Synonym | CAS-No.   | Concentration (% w/w) |
|----------------------|---------------------|-----------|-----------------------|
| dimethyl phthalate   | dimethyl phthalate  | 131-11-3  | >= 30 - < 35 *        |
| 2-Butanone, peroxide | 2-Butanone,         | 1338-23-4 | >= 25 - < 30 *        |

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## NOROX<sup>®</sup>HDP-75

Version 4.1      Revision Date: 06/03/2024      SDS Number: 600000000089      Date of last issue: 07/27/2023  
Date of first issue: 10/19/2016

|  |  |           |                    |
|--|--|-----------|--------------------|
|  | peroxide                               |           |                    |
| Cumene hydroperoxide                   | Cumene hydroperoxide                   | 80-15-9   | $\geq 20 - < 25$ * |
| Trimethylpentanediol isobutyrate       | Trimethylpentanediol isobutyrate       | 6846-50-0 | $\geq 10 - < 15$ * |
| Cumene                                 | Cumene                                 | 98-82-8   | $\geq 1 - < 5$ *   |
| acetophenone                           | acetophenone                           | 98-86-2   | $\geq 1 - < 5$ *   |
| Butanone                               | Butanone                               | 78-93-3   | $\geq 1 - < 5$ *   |
| Benzenemethanol, alpha,alpha-dimethyl- | Benzenemethanol, alpha,alpha-dimethyl- | 617-94-7  | $\geq 1 - < 5$ *   |
| Hydrogen peroxide                      | Hydrogen peroxide                      | 7722-84-1 | $\geq 1 - < 5$ *   |

\* Actual concentration or concentration range is withheld as a trade secret

### SECTION 4. FIRST AID MEASURES

- General advice : Take off contaminated clothing and shoes immediately.  
Call a physician immediately.  
Never give anything by mouth to an unconscious person.  
If unconscious, place in recovery position and seek medical advice.  
Move out of dangerous area.  
Show this material safety data sheet to the doctor in attendance.  
Do not leave the victim unattended.  
Symptoms of poisoning may appear several hours later.
- If inhaled : Administer oxygen if breathing is difficult or cyanosis is observed.  
Call a physician immediately.  
If breathed in, move person into fresh air.  
If not breathing, give artificial respiration.  
Respiratory tract burning possible if aerosols are inhaled.  
Call a physician or poison control center immediately.  
If unconscious, place in recovery position and seek medical advice.  
Keep respiratory tract clear.
- In case of skin contact : If symptoms persist, call a physician.  
Immediate medical treatment is necessary as untreated

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## NOROX<sup>®</sup>HDP-75

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: 07/27/2023  |
| 4.1     | 06/03/2024     | 600000000089 | Date of first issue: 10/19/2016 |

- wounds from corrosion of the skin heal slowly and with difficulty.  
In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes.  
Wash contaminated clothing before re-use.  
If on skin, rinse well with water.  
If on clothes, remove clothes.
- In case of eye contact : Small amounts splashed into eyes can cause irreversible tissue damage and blindness.  
In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice.  
Continue rinsing eyes during transport to hospital.  
Remove contact lenses.  
Protect unharmed eye.  
Keep eye wide open while rinsing.  
If eye irritation persists, consult a specialist.
- If swallowed : Call a physician immediately.  
Rinse mouth thoroughly with water.  
Keep respiratory tract clear.  
Do NOT induce vomiting.  
If symptoms persist, call a physician.
- Most important symptoms and effects, both acute and delayed : Harmful if swallowed or if inhaled.  
Causes serious eye damage.  
May cause cancer.  
Suspected of damaging fertility or the unborn child.  
May cause damage to organs through prolonged or repeated exposure.  
Causes severe burns.
- Protection of first-aiders : First Aid responders should pay attention to self-protection and use the recommended protective clothing
- Notes to physician : Treat symptomatically and supportively.

### SECTION 5. FIRE-FIGHTING MEASURES

- Suitable extinguishing media : Water spray jet  
Alcohol-resistant foam  
Carbon dioxide (CO<sub>2</sub>)  
Dry chemical
- Unsuitable extinguishing media : High volume water jet
- Specific hazards during fire fighting : Risk of explosion if heated under confinement.  
Possible emission of gaseous decomposition products may lead to a dangerous pressure build-up.

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## NOROX<sup>®</sup>HDP-75

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: 07/27/2023  |
| 4.1     | 06/03/2024     | 600000000089 | Date of first issue: 10/19/2016 |

- Avoid confinement.  
Contact with incompatible materials or exposure to temperatures exceeding SADT may result in a self-accelerating decomposition reaction with release of flammable vapors which may auto-ignite.
- The product burns violently.  
Flash back possible over considerable distance.  
Do not allow run-off from fire fighting to enter drains or water courses.  
Vapors may form explosive mixtures with air.  
The product will float on water and can be reignited on surface water.  
Cool closed containers exposed to fire with water spray.
- Specific extinguishing methods : Do not use a solid water stream as it may scatter and spread fire.  
Remove undamaged containers from fire area if it is safe to do so.  
Use water spray to cool unopened containers.
- Further information : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.  
Use a water spray to cool fully closed containers.  
Collect contaminated fire extinguishing water separately. This must not be discharged into drains.  
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
- Special protective equipment for fire-fighters : Wear self-contained breathing apparatus for firefighting if necessary.  
Use personal protective equipment.

### SECTION 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Follow safe handling advice and personal protective equipment recommendations.  
Beware of vapors accumulating to form explosive concentrations. Vapors can accumulate in low areas.  
Use personal protective equipment.  
Remove all sources of ignition.  
Never return spills in original containers for re-use.  
Treat recovered material as described in the section "Disposal considerations".
- Environmental precautions : Prevent product from entering drains.  
Prevent further leakage or spillage if safe to do so.  
If the product contaminates rivers and lakes or drains inform respective authorities.
- Methods and materials for : Contact with incompatible substances can cause

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## NOROX<sup>®</sup>HDP-75

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: 07/27/2023  |
| 4.1     | 06/03/2024     | 600000000089 | Date of first issue: 10/19/2016 |

containment and cleaning up      decomposition at or below SADT.  
Clear spills immediately.  
Suppress (knock down) gases/vapors/mists with a water spray jet.  
To clean the floor and all objects contaminated by this material, use plenty of water.  
Soak up with inert absorbent material.  
Isolate waste and do not reuse.  
Non-sparking tools should be used.  
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.

### SECTION 7. HANDLING AND STORAGE

Technical measures      :    See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.

Advice on protection against fire and explosion      :    Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapors).  
Keep away from heat and sources of ignition.  
Use only explosion-proof equipment.  
Keep away from open flames, hot surfaces and sources of ignition.  
Keep away from combustible material.  
Do not spray on a naked flame or any incandescent material.

Advice on safe handling      :    Open drum carefully as content may be under pressure.  
Protect from contamination.  
Do not swallow.  
Do not breathe vapors/dust.  
Avoid exposure - obtain special instructions before use.  
Avoid contact with skin and eyes.  
Avoid formation of aerosol.  
Take precautionary measures against static discharges.  
Never return any product to the container from which it was originally removed.  
Provide sufficient air exchange and/or exhaust in work rooms.  
Avoid confinement.  
Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
Smoking, eating and drinking should be prohibited in the application area.  
Wash thoroughly after handling.  
For personal protection see section 8.

Conditions for safe storage      :    Store in original container.  
Keep containers tightly closed in a cool, well-ventilated place.  
Store in cool place.

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## NOROX<sup>®</sup>HDP-75

Version 4.1      Revision Date: 06/03/2024      SDS Number: 600000000089      Date of last issue: 07/27/2023  
Date of first issue: 10/19/2016

Keep in a well-ventilated place.  
Contamination may result in dangerous pressure increases - closed containers may rupture.  
Observe label precautions.  
Store in accordance with the particular national regulations.  
Avoid impurities (e.g. rust, dust, ash), risk of decomposition.  
Electrical installations / working materials must comply with the technological safety standards.  
Containers which are opened must be carefully resealed and kept upright to prevent leakage.

Materials to avoid : Keep away from combustible materials.  
Keep away from strong acids, bases, heavy metal salts and other reducing substances.

Recommended storage temperature : < 38 °C

Further information on storage stability : Stable under recommended storage conditions.

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Ingredients with workplace control parameters

| Components           | CAS-No.   | Value type<br>(Form of exposure) | Control parameters / Permissible concentration | Basis     |
|----------------------|-----------|----------------------------------|--|-----------|
| dimethyl phthalate   | 131-11-3  | TWA                              | 5 mg/m <sup>3</sup>                            | CA AB OEL |
|                      |           | TWA                              | 5 mg/m <sup>3</sup>                            | CA BC OEL |
|                      |           | TWAEV                            | 5 mg/m <sup>3</sup>                            | CA QC OEL |
|                      |           | TWA                              | 5 mg/m <sup>3</sup>                            | ACGIH     |
| 2-Butanone, peroxide | 1338-23-4 | (c)                              | 0.2 ppm<br>1.4 mg/m <sup>3</sup>               | CA AB OEL |
|                      |           | C                                | 0.2 ppm  | CA BC OEL |
|                      |           | C                                | 0.2 ppm<br>1.5 mg/m <sup>3</sup>               | CA QC OEL |
|                      |           | C                                | 0.2 ppm  | ACGIH     |
| Cumene               | 98-82-8   | TWA                              | 50 ppm<br>246 mg/m <sup>3</sup>                | CA AB OEL |
|                      |           | TWA                              | 25 ppm   | CA BC OEL |
|                      |           | STEL                             | 75 ppm   | CA BC OEL |
|                      |           | TWAEV                            | 50 ppm<br>246 mg/m <sup>3</sup>                | CA QC OEL |
|                      |           | TWA                              | 5 ppm  | ACGIH     |
| acetophenone         | 98-86-2   | TWA                              | 10 ppm   | CA AB OEL |



# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## NOROX<sup>®</sup>HDP-75

Version 4.1      Revision Date: 06/03/2024      SDS Number: 600000000089      Date of last issue: 07/27/2023  
Date of first issue: 10/19/2016

|                   |           |       |                      |           |
|-------------------|-----------|-------|----------------------|-----------|
|                   |           |       | 49 mg/m3             |           |
|                   |           | TWA   | 10 ppm               | CA BC OEL |
|                   |           | TWAEV | 10 ppm<br>49 mg/m3   | CA QC OEL |
|                   |           | TWA   | 10 ppm               | ACGIH     |
| Butanone          | 78-93-3   | TWA   | 200 ppm<br>590 mg/m3 | CA AB OEL |
|                   |           | STEL  | 300 ppm<br>885 mg/m3 | CA AB OEL |
|                   |           | TWA   | 50 ppm               | CA BC OEL |
|                   |           | STEL  | 100 ppm              | CA BC OEL |
|                   |           | TWAEV | 50 ppm<br>150 mg/m3  | CA QC OEL |
|                   |           | STEV  | 100 ppm<br>300 mg/m3 | CA QC OEL |
|                   |           | TWA   | 200 ppm              | ACGIH     |
|                   |           | STEL  | 300 ppm              | ACGIH     |
| Hydrogen peroxide | 7722-84-1 | TWA   | 1 ppm<br>1.4 mg/m3   | CA AB OEL |
|                   |           | TWA   | 1 ppm                | CA BC OEL |
|                   |           | TWAEV | 1 ppm                | CA QC OEL |
|                   |           | TWA   | 1 ppm                | ACGIH     |

### Biological occupational exposure limits

| Components | CAS-No. | Control parameters  | Biological specimen | Sam-pling time   | Permissible concentra-tion | Basis     |
|------------|---------|---------------------|---------------------|--|----------------------------|-----------|
| Butanone   | 78-93-3 | methyl ethyl ketone | Urine               | End of shift (As soon as possible after exposure ceases) | 2 mg/l                     | ACGIH BEI |

**Engineering measures** : Minimize workplace exposure concentrations.

### Personal protective equipment

Respiratory protection : In the case of dust or aerosol formation use respirator with an approved filter.

Filter type : ABEK-filter

Use NIOSH approved respiratory protection.

Hand protection

Material : butyl-rubber

Break through time : < 10 min

Glove thickness : 0.5 mm

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## NOROX<sup>®</sup>HDP-75

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: 07/27/2023  |
| 4.1     | 06/03/2024     | 600000000089 | Date of first issue: 10/19/2016 |

Material : Nitrile rubber  
Break through time : < 30 min  
Glove thickness : 0.4 mm

Remarks : The data about break through time/strength of material are standard values! The exact break through time/strength of material has to be obtained from the producer of the protective glove. Choose gloves to protect hands against chemicals depending on the concentration and quantity of the hazardous substance and specific to place of work.  
For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer. Wash hands before breaks and at the end of workday.

Eye protection : Ensure that eyewash stations and safety showers are close to the workstation location.  
Please follow all applicable local/national requirements when selecting protective measures for a specific workplace.  
Always wear eye protection when the potential for inadvertent eye contact with the product cannot be excluded.  
Tightly fitting safety goggles  
Please wear suitable protective goggles. Also wear face protection if there is a splash hazard.

Skin and body protection : Select appropriate protective clothing based on chemical resistance data and an assessment of the local exposure potential.  
  
Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces.  
Wear as appropriate:  
Flame retardant antistatic protective clothing.

Protective measures : The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Hygiene measures : Avoid contact with skin, eyes and clothing.  
Keep away from food and drink.  
When using do not eat or drink.  
When using do not smoke.  
Wash hands before breaks and immediately after handling the product.

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## NOROX<sup>®</sup>HDP-75

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: 07/27/2023  |
| 4.1     | 06/03/2024     | 600000000089 | Date of first issue: 10/19/2016 |

### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

|  |   |  |
|--|---|--|
| Appearance   | : | liquid   |
| Color  | : | colorless  |
| Odor   | : | slight   |
| pH   | : | No data available  |
| Melting point/range                                | : | No data available  |
| Boiling point/boiling range                        | : | Decomposition: Decomposes below the boiling point.   |
| Flash point  | : | 65 °C<br>Method: Seta closed cup   |
| Flammability (solid, gas)                          | : | Not applicable   |
| Upper explosion limit / Upper flammability limit   | : | No data available  |
| Lower explosion limit / Lower flammability limit   | : | No data available  |
| Vapor pressure                                     | : | No data available  |
| Relative vapor density                             | : | > 1  |
| Density  | : | 1.0 g/cm3  |
| Solubility(ies)<br>Water solubility                | : | slightly soluble   |
| Partition coefficient: n-octanol/water             | : | No data available  |
| Self-Accelerating decomposition temperature (SADT) | : | 60 °C<br>Method: UN-Test H.4<br>SADT-Self Accelerating Decomposition Temperature. Lowest temperature at which the tested package size will undergo a self-accelerating decomposition reaction. |
| Viscosity  |   |  |

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## NOROX<sup>®</sup>HDP-75

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: 07/27/2023  |
| 4.1     | 06/03/2024     | 600000000089 | Date of first issue: 10/19/2016 |

|                      |   |  |
|----------------------|---|--|
| Viscosity, dynamic   | : | No data available  |
| Oxidizing properties | : | The substance or mixture is not classified as oxidizing.<br>Organic peroxide |

### SECTION 10. STABILITY AND REACTIVITY

|                                    |   |   |
|------------------------------------|---|---|
| Reactivity                         | : | Stable under recommended storage conditions.<br>Heating may cause a fire or explosion.  |
| Chemical stability                 | : | Stable under recommended storage conditions.<br>No decomposition if stored normally.  |
| Possibility of hazardous reactions | : | Vapors may form explosive mixture with air.   |
| Conditions to avoid                | : | Protect from contamination.<br>Contact with incompatible substances can cause decomposition at or below SADT.<br>Heat, flames and sparks.<br>Avoid confinement. |
| Incompatible materials             | : | Accelerators, strong acids and bases, heavy metals and heavy metal salts, reducing agents   |
| Hazardous decomposition products   | : | Irritant, caustic, flammable, noxious/toxic gases and vapours can develop in the case of fire and decomposition   |

### SECTION 11. TOXICOLOGICAL INFORMATION

#### Acute toxicity

Harmful if swallowed or if inhaled.

#### Product:

|                           |   |  |
|---------------------------|---|--|
| Acute oral toxicity       | : | Acute toxicity estimate: 852.86 mg/kg<br>Method: Calculation method  |
| Acute inhalation toxicity | : | Acute toxicity estimate: 1.61 mg/l<br>Exposure time: 4 h<br>Test atmosphere: dust/mist<br>Method: Calculation method |
| Acute dermal toxicity     | : | Acute toxicity estimate: > 2,000 mg/kg<br>Method: Calculation method   |

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## NOROX<sup>®</sup>HDP-75

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: 07/27/2023  |
| 4.1     | 06/03/2024     | 600000000089 | Date of first issue: 10/19/2016 |

---

### **Components:**

#### **dimethyl phthalate:**

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Acute inhalation toxicity : (Rat): > 10.4 mg/l  
Exposure time: 6 h  
Test atmosphere: vapor  
Remarks: No mortality observed at this dose.

Acute dermal toxicity : LD50 (Rabbit): > 12,000 mg/kg

#### **2-Butanone, peroxide:**

Acute oral toxicity : Acute toxicity estimate: 500 mg/kg  
Method: Expert judgment

Acute inhalation toxicity : Acute toxicity estimate: 1.5 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: Expert judgment  
Assessment: The component/mixture is moderately toxic after short term inhalation.  
Remarks: Based on data from similar materials

Acute dermal toxicity : Acute toxicity estimate: 2,500 mg/kg  
Method: Expert judgment

#### **Cumene hydroperoxide:**

Acute oral toxicity : LD50 Oral (Rat): 382 mg/kg

Acute inhalation toxicity : LC50: 1.370 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Assessment: The component/mixture is toxic after short term inhalation.

Acute dermal toxicity : LD50: 1,200 - 1,520 mg/kg  
Assessment: The component/mixture is moderately toxic after single contact with skin.

#### **Trimethylpentanediol isobutyrate:**

Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg  
Method: Expert judgment  
Assessment: The substance or mixture has no acute oral toxicity

Acute inhalation toxicity : LCLo (Rat): > 0.12 mg/l  
Exposure time: 6 h

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## NOROX<sup>®</sup>HDP-75

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: 07/27/2023  |
| 4.1     | 06/03/2024     | 600000000089 | Date of first issue: 10/19/2016 |

Test atmosphere: vapor  
Method: Expert judgment  
Assessment: The substance or mixture has no acute inhalation toxicity  
Remarks: No mortality observed at this dose.

Acute dermal toxicity : LD50 (Guinea pig): > 2,000 mg/kg  
Method: Expert judgment  
Assessment: The substance or mixture has no acute dermal toxicity

### Cumene:

Acute oral toxicity : LD50 (Rat): 2,260 mg/kg  
Method: OECD Test Guideline 401

Acute dermal toxicity : LD50 (Rabbit): > 3,160 mg/kg  
Assessment: The substance or mixture has no acute dermal toxicity  
Remarks: No mortality observed at this dose.

### acetophenone:

Acute oral toxicity : Acute toxicity estimate: 500.0 mg/kg  
Method: Expert judgment  
Assessment: The component/mixture is moderately toxic after single ingestion.  
Remarks: Based on harmonised classification in EU regulation 1272/2008, Annex VI

Acute dermal toxicity : LD50 (Rat): 3,300 mg/kg  
Method: OECD Test Guideline 402

### Butanone:

Acute oral toxicity : LD50 (Rat): 2,193 mg/kg  
Method: OECD Test Guideline 423

Acute inhalation toxicity : Remarks: No data available

Acute dermal toxicity : LD50 (Rabbit): > 5,000 mg/kg  
Method: OECD Test Guideline 402  
Remarks: Based on available data, the classification criteria are not met.

### Benzenemethanol, alpha,alpha-dimethyl-:

Acute oral toxicity : Acute toxicity estimate: 500 mg/kg  
Assessment: The component/mixture is moderately toxic after single ingestion.  
Remarks: Expert judgment

Acute inhalation toxicity : Remarks: No data available

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## NOROX<sup>®</sup>HDP-75

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: 07/27/2023  |
| 4.1     | 06/03/2024     | 600000000089 | Date of first issue: 10/19/2016 |

Acute dermal toxicity : LD50: Method: Expert judgment  
Assessment: The substance or mixture has no acute dermal toxicity  
Remarks: Based on available data, the classification criteria are not met.

### Hydrogen peroxide:

Acute oral toxicity : LD50 (Rat, male and female): 431 mg/kg  
Method: Expert judgment  
Assessment: The component/mixture is moderately toxic after single ingestion.

Acute inhalation toxicity : Acute toxicity estimate: 1.5 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Assessment: The component/mixture is moderately toxic after short term inhalation.  
Remarks: Based on harmonised classification in EU regulation 1272/2008, Annex VI

Acute dermal toxicity : LD50 (Rabbit): 9,200 mg/kg  
Remarks: No adverse effect has been observed in acute toxicity tests.

### Skin corrosion/irritation

Causes severe burns.

#### Product:

Remarks : Extremely corrosive and destructive to tissue.

### Components:

#### dimethyl phthalate:

Species : Rabbit  
Method : Draize Test  
Result : No skin irritation

#### 2-Butanone, peroxide:

Species : Rabbit  
Result : Causes burns.

#### Cumene hydroperoxide:

Species : Rabbit  
Result : Causes burns.

Remarks : Extremely corrosive and destructive to tissue.

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## NOROX<sup>®</sup>HDP-75

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: 07/27/2023  |
| 4.1     | 06/03/2024     | 600000000089 | Date of first issue: 10/19/2016 |

---

### Trimethylpentanediol isobutyrate:

|               |   |   |
|---------------|---|---|
| Species       | : | Guinea pig  |
| Exposure time | : | 24 h  |
| Result        | : | No skin irritation  |
| Remarks       | : | Based on available data, the classification criteria are not met. |

### Cumene:

|         |   |                         |
|---------|---|-------------------------|
| Species | : | Rabbit                  |
| Method  | : | OECD Test Guideline 404 |
| Result  | : | No skin irritation      |

### acetophenone:

|         |   |                         |
|---------|---|-------------------------|
| Species | : | Rabbit                  |
| Method  | : | OECD Test Guideline 404 |
| Result  | : | No skin irritation      |

|         |   |   |
|---------|---|---|
| Remarks | : | May cause skin irritation in susceptible persons. |
|---------|---|---|

### Butanone:

|            |   |   |
|------------|---|---|
| Species    | : | Rabbit  |
| Assessment | : | Repeated exposure may cause skin dryness or cracking. |
| Method     | : | OECD Test Guideline 404                               |
| Result     | : | No skin irritation                                    |

### Benzenemethanol, alpha,alpha-dimethyl-:

|         |   |                        |
|---------|---|------------------------|
| Species | : | Rabbit                 |
| Result  | : | Severe skin irritation |

### Hydrogen peroxide:

|        |   |   |
|--------|---|---|
| Result | : | Corrosive after 3 minutes or less of exposure |
|--------|---|---|

### Serious eye damage/eye irritation

Causes serious eye damage.

### Product:

|         |   |                                    |
|---------|---|------------------------------------|
| Remarks | : | May cause irreversible eye damage. |
|---------|---|------------------------------------|

### Components:

#### dimethyl phthalate:

|         |   |                         |
|---------|---|-------------------------|
| Species | : | Rabbit                  |
| Result  | : | No eye irritation       |
| Method  | : | OECD Test Guideline 405 |

#### 2-Butanone, peroxide:

|        |   |                                 |
|--------|---|---------------------------------|
| Result | : | Irreversible effects on the eye |
|--------|---|---------------------------------|



# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## NOROX<sup>®</sup>HDP-75

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: 07/27/2023  |
| 4.1     | 06/03/2024     | 600000000089 | Date of first issue: 10/19/2016 |

---

### Cumene hydroperoxide:

|         |   |                                    |
|---------|---|------------------------------------|
| Species | : | Rabbit                             |
| Result  | : | Corrosive                          |
| Remarks | : | May cause irreversible eye damage. |

### Trimethylpentanediol isobutyrate:

|               |   |                   |
|---------------|---|-------------------|
| Species       | : | Rabbit            |
| Result        | : | No eye irritation |
| Exposure time | : | 24 h              |

### Cumene:

|         |   |                         |
|---------|---|-------------------------|
| Species | : | Rabbit                  |
| Result  | : | No eye irritation       |
| Method  | : | OECD Test Guideline 405 |

### acetophenone:

|         |   |   |
|---------|---|---|
| Species | : | Rabbit  |
| Result  | : | Eye irritation  |
| Method  | : | No information available.   |
| Remarks | : | Based on harmonised classification in EU regulation 1272/2008, Annex VI |
| Remarks | : | May cause irreversible eye damage.                                      |

### Butanone:

|         |   |                         |
|---------|---|-------------------------|
| Species | : | Rabbit                  |
| Result  | : | Eye irritation          |
| Method  | : | OECD Test Guideline 405 |

### Benzenemethanol, alpha,alpha-dimethyl-:

|        |   |                     |
|--------|---|---------------------|
| Result | : | Irritating to eyes. |
|--------|---|---------------------|

### Hydrogen peroxide:

|         |   |   |
|---------|---|---|
| Result  | : | Irreversible effects on the eye                         |
| Remarks | : | Hydrogen peroxide (H <sub>2</sub> O <sub>2</sub> ), 35% |

### Respiratory or skin sensitization

#### Skin sensitization

Not classified due to lack of data.

#### Respiratory sensitization

Not classified due to lack of data.

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## NOROX<sup>®</sup>HDP-75

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: 07/27/2023  |
| 4.1     | 06/03/2024     | 600000000089 | Date of first issue: 10/19/2016 |

---

### **Components:**

#### **dimethyl phthalate:**

|         |   |                                    |
|---------|---|------------------------------------|
| Species | : | Mouse                              |
| Method  | : | OECD Test Guideline 429            |
| Result  | : | Does not cause skin sensitization. |

#### **2-Butanone, peroxide:**

|         |   |                                    |
|---------|---|------------------------------------|
| Species | : | Guinea pig                         |
| Method  | : | OECD Test Guideline 406            |
| Result  | : | Does not cause skin sensitization. |

|            |   |  |
|------------|---|--|
| Assessment | : | Harmful if swallowed., Harmful if inhaled. |
|------------|---|--|

#### **Cumene hydroperoxide:**

|        |   |                                    |
|--------|---|------------------------------------|
| Result | : | Does not cause skin sensitization. |
|--------|---|------------------------------------|

#### **Trimethylpentanediol isobutyrate:**

|         |   |                                    |
|---------|---|------------------------------------|
| Species | : | Guinea pig                         |
| Result  | : | Does not cause skin sensitization. |

#### **Cumene:**

|                    |   |                                    |
|--------------------|---|------------------------------------|
| Routes of exposure | : | Skin contact                       |
| Species            | : | Guinea pig                         |
| Method             | : | OECD Test Guideline 406            |
| Result             | : | Does not cause skin sensitization. |

#### **acetophenone:**

|                    |   |                                    |
|--------------------|---|------------------------------------|
| Test Type          | : | Draize Test                        |
| Routes of exposure | : | Skin contact                       |
| Species            | : | Guinea pig                         |
| Result             | : | Does not cause skin sensitization. |

#### **Butanone:**

|                    |   |                                    |
|--------------------|---|------------------------------------|
| Routes of exposure | : | Skin contact                       |
| Species            | : | Guinea pig                         |
| Method             | : | OECD Test Guideline 406            |
| Result             | : | Does not cause skin sensitization. |

### **Germ cell mutagenicity**

Not classified due to lack of data.

### **Components:**

#### **dimethyl phthalate:**

|                       |   |                                 |
|-----------------------|---|---------------------------------|
| Genotoxicity in vitro | : | Method: OECD Test Guideline 471 |
|                       |   | Result: negative                |

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## NOROX<sup>®</sup>HDP-75

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: 07/27/2023  |
| 4.1     | 06/03/2024     | 600000000089 | Date of first issue: 10/19/2016 |

---

Method: OECD Test Guideline 473  
Result: negative

Method: OECD Test Guideline 476  
Result: positive

Genotoxicity in vivo : Test Type: Chromosomal aberration  
Species: Rat  
Application Route: Intraperitoneal  
Result: negative

Test Type: Micronucleus test  
Species: Mouse  
Application Route: Intraperitoneal injection  
Result: negative

### 2-Butanone, peroxide:

Genotoxicity in vitro : Method: OECD Test Guideline 473  
Result: negative

Method: OECD Test Guideline 471  
Result: negative

Method: OECD Test Guideline 476  
Result: negative

### Cumene hydroperoxide:

Genotoxicity in vitro : Test Type: in vitro test  
Test system: Salmonella typhimurium  
Result: positive

Genotoxicity in vivo : Test Type: Micronucleus test  
Species: Mouse  
Application Route: Skin contact  
Result: negative

### Trimethylpentanediol isobutyrate:

Genotoxicity in vitro : Test Type: In vitro mammalian cell gene mutation test  
Method: OECD Test Guideline 476  
Result: negative

Test Type: Ames test  
Method: Regulation (EC) No. 440/2008, Annex, B.13/14  
(Ames test)  
Result: negative

Test Type: Chromosome aberration test in vitro  
Method: OECD Test Guideline 473

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## NOROX<sup>®</sup>HDP-75

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: 07/27/2023  |
| 4.1     | 06/03/2024     | 600000000089 | Date of first issue: 10/19/2016 |

---

Result: negative

### Cumene:

Genotoxicity in vitro : Method: OECD Test Guideline 473  
Result: negative

Method: OECD Test Guideline 471  
Result: negative

Method: OECD Test Guideline 476  
Result: negative

Method: OECD Test Guideline 482  
Result: negative

Test Type: Ames test  
Result: positive

Genotoxicity in vivo : Species: Rat  
Application Route: Intraperitoneal  
Exposure time: 72 h  
Method: OECD Test Guideline 474  
Result: Equivocal

Species: Mouse  
Application Route: inhalation (gas)  
Exposure time: 14 w  
Method: OECD Test Guideline 474  
Result: negative

### acetophenone:

Genotoxicity in vitro : Method: OECD Test Guideline 473  
Result: negative

Method: OECD Test Guideline 476  
Result: negative

Method: OECD Test Guideline 471  
Result: negative

Genotoxicity in vivo : Species: Mouse  
Application Route: Intraperitoneal  
Method: OECD Test Guideline 474  
Result: negative

### Butanone:

Genotoxicity in vitro : Method: OECD Test Guideline 471  
Result: negative

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## NOROX<sup>®</sup>HDP-75

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: 07/27/2023  |
| 4.1     | 06/03/2024     | 600000000089 | Date of first issue: 10/19/2016 |

Method: OECD Test Guideline 476  
Result: negative

Method: OECD Test Guideline 473  
Result: negative

Genotoxicity in vivo : Species: Mouse  
Application Route: Intraperitoneal  
Method: OECD Test Guideline 474  
Result: negative

### Hydrogen peroxide:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative  
positive  
Remarks: Information taken from reference works and the literature.

Test Type: Chromosome aberration test in vitro  
Method: OECD Test Guideline 473  
Result: positive  
Remarks: Information taken from reference works and the literature.

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)  
Species: Mouse (male and female)  
Method: OECD Test Guideline 474  
Result: negative  
Remarks: Hydrogen peroxide (H<sub>2</sub>O<sub>2</sub>), 35%

Germ cell mutagenicity - Assessment : Based on available data, the classification criteria are not met.

### Carcinogenicity

May cause cancer.

#### Components:

##### dimethyl phthalate:

Species : Rat  
Application Route : Skin contact  
Method : OECD Test Guideline 451  
Result : negative  
Remarks : Based on data from similar materials

##### 2-Butanone, peroxide:

Remarks : This information is not available.

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## NOROX<sup>®</sup>HDP-75

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: 07/27/2023  |
| 4.1     | 06/03/2024     | 600000000089 | Date of first issue: 10/19/2016 |

### Cumene hydroperoxide:

Remarks : This information is not available.

### Cumene:

Species : Rat, male and female  
Application Route : inhalation (vapor)  
Result : carcinogenic effects

Species : Mouse, male and female  
Application Route : inhalation (vapor)  
Result : carcinogenic effects

Carcinogenicity - Assessment : Sufficient evidence of carcinogenicity in animal experiments

### Hydrogen peroxide:

Carcinogenicity - Assessment : Carcinogenicity classification not possible from current data.

### Reproductive toxicity

Suspected of damaging fertility or the unborn child.

### Components:

#### dimethyl phthalate:

Effects on fertility : Species: Rat  
Application Route: oral (gavage)  
Method: OECD Test Guideline 440  
Result: negative

Effects on fetal development : Species: Rat  
Application Route: Ingestion  
General Toxicity Maternal: NOAEL: 840 mg/kg body weight  
Developmental Toxicity: NOAEL: 3,570 mg/kg body weight  
Method: OECD Test Guideline 414

#### 2-Butanone, peroxide:

Effects on fertility : Species: Rat  
Application Route: oral (gavage)  
General Toxicity Parent: NOAEL: 50 mg/kg body weight  
Method: OECD Test Guideline 421  
Result: negative

### Cumene hydroperoxide:

Effects on fertility : Remarks: No data available

Effects on fetal development : Remarks: No data available

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## NOROX<sup>®</sup>HDP-75

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: 07/27/2023  |
| 4.1     | 06/03/2024     | 600000000089 | Date of first issue: 10/19/2016 |

### Trimethylpentanediol isobutyrate:

Effects on fetal development : Test Type: One-generation reproduction toxicity study  
Species: Rat  
Application Route: Ingestion  
Method: OECD Test Guideline 414  
Result: negative

Reproductive toxicity - Assessment : Suspected of damaging fertility or the unborn child., Some evidence of adverse effects on sexual function and fertility, and/or on development, based on animal experiments.

### Cumene:

Effects on fetal development : Species: Rabbit  
Application Route: inhalation (vapor)  
General Toxicity Maternal: LOAEL: 500  
Developmental Toxicity: NOAEL: 2,300  
Method: OECD Test Guideline 414

### acetophenone:

Effects on fertility : Species: Rat  
Application Route: Ingestion  
General Toxicity Parent: NOAEL: 225 mg/kg body weight  
General Toxicity F1: NOAEL: 225 mg/kg body weight  
Method: OECD Test Guideline 422  
Result: negative

Species: Rat  
Application Route: Ingestion  
General Toxicity Parent: LOAEL: 750 mg/kg body weight  
General Toxicity F1: LOAEL: 750 mg/kg body weight  
Method: OECD Test Guideline 422

Effects on fetal development : Species: Mouse  
Application Route: Ingestion  
General Toxicity Maternal: NOAEL: 125 mg/kg body weight  
Embryo-fetal toxicity.: NOAEL: 125 mg/kg body weight  
Method: OECD Test Guideline 414

### Butanone:

Effects on fertility : Species: Rat  
Application Route: oral (drinking water)  
General Toxicity Parent: NOAEL: 10,000 mg/l  
General Toxicity F1: NOAEL: 10,000 mg/l  
Method: OECD Test Guideline 416  
Remarks: Based on data from similar materials

Species: Rat  
Application Route: oral (drinking water)  
General Toxicity Parent: LOAEL: 20,000 mg/l

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## NOROX<sup>®</sup>HDP-75

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: 07/27/2023  |
| 4.1     | 06/03/2024     | 600000000089 | Date of first issue: 10/19/2016 |

---

Method: OECD Test Guideline 416

Remarks: Based on data from similar materials

Effects on fetal development : Species: Rat  
Application Route: Inhalation  
General Toxicity Maternal: NOAEC: ca. 1,002 mg/kg body weight  
Teratogenicity: NOAEC Parent: ca. 1,002 mg/kg body weight  
Method: OECD Test Guideline 414  
Result: negative

### Hydrogen peroxide:

Reproductive toxicity - Assessment : No data available

### STOT-single exposure

Not classified due to lack of data.

### Components:

#### Cumene:

Assessment : May cause respiratory irritation.

#### Butanone:

Assessment : May cause drowsiness or dizziness.

### Hydrogen peroxide:

Target Organs : Respiratory Tract  
Assessment : May cause respiratory irritation.

### STOT-repeated exposure

May cause damage to organs through prolonged or repeated exposure.

### Components:

#### Cumene hydroperoxide:

Assessment : May cause damage to organs through prolonged or repeated exposure.

### Hydrogen peroxide:

Remarks : No data available

### Repeated dose toxicity

### Components:

#### dimethyl phthalate:

Species : Rat



# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## NOROX<sup>®</sup>HDP-75

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: 07/27/2023  |
| 4.1     | 06/03/2024     | 600000000089 | Date of first issue: 10/19/2016 |

---

|                   |   |                         |
|-------------------|---|-------------------------|
| NOAEL             | : | 770 mg/kg               |
| Application Route | : | Oral                    |
| Exposure time     | : | 16 w                    |
| Method            | : | OECD Test Guideline 408 |

### 2-Butanone, peroxide:

|                   |   |                         |
|-------------------|---|-------------------------|
| Species           | : | Rat                     |
| NOAEL             | : | 200 mg/kg               |
| Application Route | : | oral (gavage)           |
| Exposure time     | : | 28 d                    |
| Method            | : | OECD Test Guideline 407 |

|                                     |   |  |
|-------------------------------------|---|--|
| Repeated dose toxicity - Assessment | : | Harmful if swallowed., Harmful if inhaled. |
|-------------------------------------|---|--|

### Cumene hydroperoxide:

|                   |   |                      |
|-------------------|---|----------------------|
| Species           | : | Rat                  |
| NOAEC             | : | 31 mg/m <sup>3</sup> |
| Application Route | : | inhalation (gas)     |
| Exposure time     | : | 90 d                 |

### Cumene:

|                   |   |                         |
|-------------------|---|-------------------------|
| Species           | : | Rat                     |
| NOAEL             | : | 154 mg/kg               |
| Application Route | : | Oral                    |
| Method            | : | OECD Test Guideline 413 |

### acetophenone:

|                   |   |                         |
|-------------------|---|-------------------------|
| Species           | : | Rat                     |
| NOAEL             | : | 225 mg/kg               |
| LOAEL             | : | 750 mg/kg               |
| Application Route | : | Ingestion               |
| Method            | : | OECD Test Guideline 422 |

### Hydrogen peroxide:

|                   |   |   |
|-------------------|---|---|
| Species           | : | Mouse, female   |
| NOAEL             | : | 37 mg/kg  |
| Application Route | : | oral (drinking water)                                   |
| Exposure time     | : | 90 d  |
| Remarks           | : | Hydrogen peroxide (H <sub>2</sub> O <sub>2</sub> ), 35% |

|                   |   |   |
|-------------------|---|---|
| Species           | : | Mouse, males  |
| NOAEL             | : | 26 mg/kg  |
| Application Route | : | oral (drinking water)                                   |
| Exposure time     | : | 90  |
| Remarks           | : | Hydrogen peroxide (H <sub>2</sub> O <sub>2</sub> ), 35% |

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## NOROX<sup>®</sup>HDP-75

|                |                              |                             |   |
|----------------|------------------------------|-----------------------------|---|
| Version<br>4.1 | Revision Date:<br>06/03/2024 | SDS Number:<br>600000000089 | Date of last issue: 07/27/2023<br>Date of first issue: 10/19/2016 |
|----------------|------------------------------|-----------------------------|---|

---

### Aspiration toxicity

Not classified due to lack of data.

### Components:

#### dimethyl phthalate:

No aspiration toxicity classification

#### Trimethylpentanediol isobutyrate:

Not classified due to data which are conclusive although insufficient for classification.

### Cumene:

May be fatal if swallowed and enters airways.

### Hydrogen peroxide:

Based on available data, the classification criteria are not met.

### Further information

#### Product:

Remarks : No data available

#### Components:

#### dimethyl phthalate:

Remarks : No data available

#### Trimethylpentanediol isobutyrate:

Remarks : No data available

#### acetophenone:

Remarks : No data available

---

## SECTION 12. ECOLOGICAL INFORMATION

### Ecotoxicity

#### Components:

#### dimethyl phthalate:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 39 mg/l  
Exposure time: 96 h

Toxicity to daphnia and other : LC50 (Daphnia magna (Water flea)): > 52 mg/l

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## NOROX<sup>®</sup>HDP-75

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: 07/27/2023  |
| 4.1     | 06/03/2024     | 600000000089 | Date of first issue: 10/19/2016 |

|  |  |
|--|--|
| aquatic invertebrates  | Exposure time: 48 h  |
| Toxicity to algae/aquatic plants                                       | : EC50 (Desmodesmus subspicatus (green algae)): 260 mg/l<br>Exposure time: 72 h  |
| Toxicity to fish (Chronic toxicity)                                    | : NOEC (Oncorhynchus mykiss (rainbow trout)): 11 mg/l<br>Exposure time: 102 d<br>Method: OECD Test Guideline 210<br><br>LOEC (Oncorhynchus mykiss (rainbow trout)): 24 mg/l<br>Exposure time: 102 d<br>Method: OECD Test Guideline 210                     |
| Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) | : NOEC (Daphnia magna (Water flea)): 9.6 mg/l<br>Exposure time: 21 d<br><br>LOEC (Daphnia magna (Water flea)): 23 mg/l<br>Exposure time: 21 d  |
| Toxicity to microorganisms   | : EC50: 4,100 mg/l<br>Exposure time: 0.5 h<br>Method: OECD Test Guideline 209  |
| <b>2-Butanone, peroxide:</b>   |  |
| Toxicity to fish   | : LC50 (Poecilia reticulata (guppy)): 44.2 mg/l<br>Exposure time: 96 h<br>Method: OECD Test Guideline 203<br><br>NOEC (Poecilia reticulata (guppy)): 18 mg/l<br>Exposure time: 96 h<br>Method: OECD Test Guideline 203                                     |
| Toxicity to daphnia and other aquatic invertebrates                    | : EC50 (Daphnia magna (Water flea)): 39 mg/l<br>Exposure time: 48 h<br>Method: OECD Test Guideline 202<br><br>NOEC (Daphnia magna (Water flea)): 26.7 mg/l<br>Method: OECD Test Guideline 202  |
| Toxicity to algae/aquatic plants                                       | : EC50 (Pseudokirchneriella subcapitata (green algae)): 5.6 mg/l<br>Exposure time: 72 h<br>Method: OECD Test Guideline 201<br><br>NOEC (Pseudokirchneriella subcapitata (green algae)): 2.1 mg/l<br>Exposure time: 72 h<br>Method: OECD Test Guideline 201 |
| Toxicity to microorganisms   | : EC50 (Bacteria): 48 mg/l   |

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## NOROX<sup>®</sup>HDP-75

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: 07/27/2023  |
| 4.1     | 06/03/2024     | 600000000089 | Date of first issue: 10/19/2016 |

Exposure time: 0.5 h  
Method: OECD Test Guideline 209

### Cumene hydroperoxide:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 3.9 mg/l  
Exposure time: 96 h  
Test Type: semi-static test  
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 18.8 mg/l  
Exposure time: 48 h  
Test Type: Immobilization  
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : EC50 (Desmodesmus subspicatus (green algae)): 3.1 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

NOEC (Desmodesmus subspicatus (green algae)): 1 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

Toxicity to microorganisms : NOEC (Pseudomonas putida): 50 mg/l  
End point: Growth rate  
Exposure time: 16 h

### Trimethylpentanediol isobutyrate:

Toxicity to fish : NOEC (Fish):  $\geq 6$  mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia):  $\geq 1.46$  mg/l  
Exposure time: 48 h

NOEC (Daphnia): 0.7 mg/l  
Exposure time: 21 d

Toxicity to algae/aquatic plants : EC50 (Chlorella pyrenoidosa):  $> 7.49$  mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : LOEC (Daphnia magna (Water flea)): 0.7 mg/l  
Exposure time: 21 d

### Ecotoxicology Assessment

Acute aquatic toxicity : This product has no known ecotoxicological effects.

Chronic aquatic toxicity : Harmful to aquatic life with long lasting effects.

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## NOROX<sup>®</sup>HDP-75

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: 07/27/2023  |
| 4.1     | 06/03/2024     | 600000000089 | Date of first issue: 10/19/2016 |

### Cumene:

- Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 4.8 mg/l  
Exposure time: 96 h
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 2.14 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202
- Toxicity to algae/aquatic plants : EC50 (Desmodesmus subspicatus (green algae)): 2.01 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201
- Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 0.35 mg/l  
Exposure time: 21 d  
Method: OECD Test Guideline 211
- Toxicity to microorganisms : EC50: > 2,000 mg/l  
Exposure time: 3 h  
Method: OECD Test Guideline 209

### Ecotoxicology Assessment

- Chronic aquatic toxicity : Toxic to aquatic life with long lasting effects.

### acetophenone:

- Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 162 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 203
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 528 mg/l  
Exposure time: 48 h
- Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (green algae)): 86.4 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201
- NOEC (Pseudokirchneriella subcapitata (green algae)): 24.8 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

### Butanone:

- Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 2,993 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 203
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 308 mg/l  
Exposure time: 48 h

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## NOROX<sup>®</sup>HDP-75

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: 07/27/2023  |
| 4.1     | 06/03/2024     | 600000000089 | Date of first issue: 10/19/2016 |

Method: OECD Test Guideline 202

|                                  |   |  |
|----------------------------------|---|--|
| Toxicity to algae/aquatic plants | : | EC50 (Pseudokirchneriella subcapitata (green algae)): 2,029 mg/l<br>Exposure time: 96 h<br>Method: OECD Test Guideline 201 |
| Toxicity to microorganisms       | : | NOEC (Pseudomonas putida): 1,150 mg/l<br>Exposure time: 16 h<br>Method: DIN 38 412 Part 8                                  |

### Benzenemethanol, alpha,alpha-dimethyl-:

#### Ecotoxicology Assessment

|                          |   |   |
|--------------------------|---|---|
| Acute aquatic toxicity   | : | This product has no known ecotoxicological effects. |
| Chronic aquatic toxicity | : | This product has no known ecotoxicological effects. |

### Hydrogen peroxide:

|  |   |  |
|--|---|--|
| Toxicity to fish   | : | LC50 (Pimephales promelas (fathead minnow)): 16.4 mg/l<br>Exposure time: 96 h  |
| Toxicity to daphnia and other aquatic invertebrates                    | : | LC50 (Daphnia pulex (Water flea)): 2.4 mg/l<br>Exposure time: 48 h   |
| Toxicity to algae/aquatic plants                                       | : | EC50 (Skeletonema costatum (marine diatom)): 1.38 mg/l<br>Exposure time: 72 h<br><br>NOEC (Skeletonema costatum (marine diatom)): 0.63 mg/l<br>Exposure time: 72 h |
| Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) | : | NOEC (Daphnia magna (Water flea)): 0.63 mg/l<br>Exposure time: 21 d  |
| Toxicity to microorganisms   | : | EC50 (activated sludge): > 1,000 mg/l<br>Exposure time: 3 h<br>Method: OECD Test Guideline 209   |

### Persistence and degradability

#### Components:

#### dimethyl phthalate:

|                  |   |  |
|------------------|---|--|
| Biodegradability | : | Result: Readily biodegradable.<br>Method: OECD Test Guideline 301E |
|------------------|---|--|

#### 2-Butanone, peroxide:

|                  |   |                                |
|------------------|---|--------------------------------|
| Biodegradability | : | Result: Readily biodegradable. |
|------------------|---|--------------------------------|

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## NOROX<sup>®</sup>HDP-75

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: 07/27/2023  |
| 4.1     | 06/03/2024     | 600000000089 | Date of first issue: 10/19/2016 |

---

Method: OECD Test Guideline 301D

### Cumene hydroperoxide:

Biodegradability : Result: Not readily biodegradable.  
Method: OECD Test Guideline 301B

### Trimethylpentanediol isobutyrate:

Biodegradability : Result: rapidly biodegradable  
Exposure time: 28 d  
Method: OECD Test Guideline 301B

### Cumene:

Biodegradability : Result: Readily biodegradable.

### acetophenone:

Biodegradability : Result: Readily biodegradable.  
Method: OECD Test Guideline 301C

### Butanone:

Biodegradability : Result: Readily biodegradable.  
Method: OECD Test Guideline 301D

### Benzenemethanol, alpha,alpha-dimethyl-:

Biodegradability : Remarks: No data available

### Hydrogen peroxide:

Biodegradability : Result: Readily biodegradable.

### Bioaccumulative potential

#### Components:

#### dimethyl phthalate:

Bioaccumulation : Bioconcentration factor (BCF): 57  
Method: OECD Test Guideline 305

Partition coefficient: n-octanol/water : log Pow: 1.54

#### 2-Butanone, peroxide:

Partition coefficient: n-octanol/water : log Pow: < 0.3 (25 °C)

#### Cumene hydroperoxide:

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## NOROX<sup>®</sup>HDP-75

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: 07/27/2023  |
| 4.1     | 06/03/2024     | 600000000089 | Date of first issue: 10/19/2016 |

---

Partition coefficient: n-octanol/water : log Pow: 1.6

### Trimethylpentanediol isobutyrate:

Bioaccumulation : Species: Fish  
Bioconcentration factor (BCF): 1.95

Partition coefficient: n-octanol/water : log Pow: 4.91 (25 °C)

### Cumene:

Bioaccumulation : Bioconcentration factor (BCF): 94.69  
Remarks: Calculation

Partition coefficient: n-octanol/water : log Pow: 3.55 (23 °C)

### acetophenone:

Bioaccumulation : Bioconcentration factor (BCF): 0.48

Partition coefficient: n-octanol/water : log Pow: 1.63

### Butanone:

Partition coefficient: n-octanol/water : log Pow: 0.3 (40 °C)

### Benzenemethanol, alpha,alpha-dimethyl-:

Partition coefficient: n-octanol/water : Remarks: No data available

### Hydrogen peroxide:

Partition coefficient: n-octanol/water : log Pow: -1.57 (20 °C)  
Remarks: Information refers to the main ingredient.  
Calculation

### Mobility in soil

No data available

### Other adverse effects

### Product:

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.  
Toxic to aquatic life.  
Harmful to aquatic life with long lasting effects.



# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## NOROX<sup>®</sup>HDP-75

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: 07/27/2023  |
| 4.1     | 06/03/2024     | 600000000089 | Date of first issue: 10/19/2016 |

### Components:

#### **dimethyl phthalate:**

Additional ecological information : No data available

---

## SECTION 13. DISPOSAL CONSIDERATIONS

### **Disposal methods**

|                        |  |
|------------------------|--|
| Waste from residues    | : Dispose of wastes in an approved waste disposal facility.<br>The product should not be allowed to enter drains, water courses or the soil.<br>Do not contaminate ponds, waterways or ditches with chemical or used container.  |
| Contaminated packaging | : Dispose of in accordance with local regulations.<br>Clean container with water.<br>Dispose of contents/ container to an approved waste disposal plant.<br>Empty remaining contents.<br>Dispose of as unused product.<br>Do not re-use empty containers.<br>Do not burn, or use a cutting torch on, the empty drum. |

---

## SECTION 14. TRANSPORT INFORMATION

### **International Regulations**

#### **UNRTDG**

|                           |   |
|---------------------------|---|
| UN number                 | : UN 3105   |
| Proper shipping name      | : ORGANIC PEROXIDE TYPE D, LIQUID<br>(METHYL ETHYL KETONE PEROXIDE(S), CUMYL HYDROPEROXIDE) |
| Class                     | : 5.2   |
| Packing group             | : Not assigned by regulation  |
| Labels                    | : 5.2   |
| Environmentally hazardous | : no  |

#### **IATA-DGR**

|  |   |
|--|---|
| UN/ID No.                                | : UN 3105   |
| Proper shipping name                     | : Organic peroxide type D, liquid<br>(Methyl ethyl ketone peroxide(s), Cumyl hydroperoxide) |
| Class                                    | : 5.2   |
| Packing group                            | : Not assigned by regulation  |
| Labels                                   | : Organic Peroxides, Keep Away From Heat  |
| Packing instruction (cargo aircraft)     | : 570   |
| Packing instruction (passenger aircraft) | : 570   |

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## NOROX<sup>®</sup>HDP-75

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: 07/27/2023  |
| 4.1     | 06/03/2024     | 600000000089 | Date of first issue: 10/19/2016 |

### IMDG-Code

|                      |  |
|----------------------|--|
| UN number            | : UN 3105  |
| Proper shipping name | : ORGANIC PEROXIDE TYPE D, LIQUID<br>(METHYL ETHYL KETONE PEROXIDE(S), CUMYL<br>HYDROPEROXIDE) |
| Class                | : 5.2  |
| Packing group        | : Not assigned by regulation   |
| Labels               | : 5.2  |
| EmS Code             | : F-J, S-R   |
| Marine pollutant     | : no   |

### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

### Domestic regulation

#### TDG

|                      |  |
|----------------------|--|
| UN number            | : UN 3105  |
| Proper shipping name | : ORGANIC PEROXIDE TYPE D, LIQUID<br>(METHYL ETHYL KETONE PEROXIDE(S), CUMYL<br>HYDROPEROXIDE) |
| Class                | : 5.2  |
| Packing group        | : II   |
| Labels               | : 5.2  |
| ERG Code             | : 145  |
| Marine pollutant     | : no   |

### Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

## SECTION 15. REGULATORY INFORMATION

|                 |  |
|-----------------|--|
| NPRI Components | : Cumene hydroperoxide<br>dimethyl phthalate<br>Cumene<br>acetophenone<br>Butanone |
|-----------------|--|

### The ingredients of this product are reported in the following inventories:

|           |   |
|-----------|---|
| TCSI (TW) | : On the inventory, or in compliance with the inventory                                 |
| TSCA (US) | : All substances listed as active on the TSCA inventory                                 |
| AIRC (AU) | : All components are listed on the inventory, regulatory obligations/restrictions apply |
| DSL (CA)  | : All components of this product are on the Canadian DSL                                |

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## NOROX<sup>®</sup>HDP-75

|                |                              |                             |   |
|----------------|------------------------------|-----------------------------|---|
| Version<br>4.1 | Revision Date:<br>06/03/2024 | SDS Number:<br>600000000089 | Date of last issue: 07/27/2023<br>Date of first issue: 10/19/2016 |
|----------------|------------------------------|-----------------------------|---|

|            |   |
|------------|---|
| ENCS (JP)  | : On the inventory, or in compliance with the inventory |
| ISHL (JP)  | : On the inventory, or in compliance with the inventory |
| KECI (KR)  | : On the inventory, or in compliance with the inventory |
| PICCS (PH) | : On the inventory, or in compliance with the inventory |
| IECSC (CN) | : On the inventory, or in compliance with the inventory |
| TECI (TH)  | : On the inventory, or in compliance with the inventory |

### Canadian lists

No substances are subject to a Significant New Activity Notification.

## SECTION 16. OTHER INFORMATION

### Further information

This material safety datasheet only contains information relating to safety and does not replace any product information or product specification.  
These safety instructions also apply to empty packaging which may still contain product residues.  
The hazards on the label also apply to residues in the container.

Sources of key data used to compile the Material Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Revision Date : 06/03/2024  
Date format : mm/dd/yyyy

### Full text of other abbreviations

|              |   |
|--------------|---|
| ACGIH        | : USA. ACGIH Threshold Limit Values (TLV)   |
| ACGIH BEI    | : ACGIH - Biological Exposure Indices (BEI)   |
| CA AB OEL    | : Canada. Alberta, Occupational Health and Safety Code (table 2: OEL)   |
| CA BC OEL    | : Canada. British Columbia OEL  |
| CA QC OEL    | : Québec. Regulation respecting occupational health and safety, Schedule 1, Part 1: Permissible exposure values for airborne contaminants |
| ACGIH / TWA  | : 8-hour, time-weighted average   |
| ACGIH / STEL | : Short-term exposure limit   |

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## NOROX<sup>®</sup>HDP-75

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: 07/27/2023  |
| 4.1     | 06/03/2024     | 600000000089 | Date of first issue: 10/19/2016 |

|                   |   |
|-------------------|---|
| ACGIH / C         | : Ceiling limit                         |
| CA AB OEL / TWA   | : 8-hour Occupational exposure limit    |
| CA AB OEL / STEL  | : 15-minute occupational exposure limit |
| CA AB OEL / (c)   | : ceiling occupational exposure limit   |
| CA BC OEL / TWA   | : 8-hour time weighted average          |
| CA BC OEL / STEL  | : short-term exposure limit             |
| CA BC OEL / C     | : ceiling limit                         |
| CA QC OEL / TWAEV | : Time-weighted average exposure value  |
| CA QC OEL / STEV  | : Short-term exposure value             |
| CA QC OEL / C     | : Ceiling                               |

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECL - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECL - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

CA / Z8

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## NOROX<sup>®</sup>HDP-75

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: 07/27/2023  |
| 4.1     | 06/03/2024     | 600000000089 | Date of first issue: 10/19/2016 |

---